

Jean-Lou Justine

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5820053/jean-lou-justine-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

4,477
citations

32
h-index

50
g-index

266
ext. papers

4,862
ext. citations

1.9
avg, IF

5.94
L-index

#	Paper	IF	Citations
253	Phylogeny of parasitic Platyhelminthes: a critical study of synapomorphies proposed on the basis of the ultrastructure of spermiogenesis and spermatozoa. <i>Canadian Journal of Zoology</i> , 1991 , 69, 1421-1440	1.5	180
252	Spermatozoa as Phylogenetic Characters for the Eucestoda. <i>Journal of Parasitology</i> , 1998 , 84, 385	0.9	131
251	Phylogeny of the Orders of the Eucestoda (Cercomeromorphae) Based on Comparative Morphology: Historical Perspectives and a New Working Hypothesis. <i>Journal of Parasitology</i> , 1997 , 83, 1128	0.9	120
250	Phylogenetic relationships within the polyopisthocotylean monogeneans (Platyhelminthes) inferred from partial 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2001 , 31, 393-401	4.3	103
249	Cladistic study in the monogenea (Platyhelminthes), based upon a parsimony analysis of spermiogenetic and spermatozoal ultrastructural characters. <i>International Journal for Parasitology</i> , 1991 , 21, 821-838	4.3	99
248	Phylogenetic analysis of the Monogenea and their relationships with Digenea and Eucestoda inferred from 28S rDNA sequences. <i>Molecular and Biochemical Parasitology</i> , 1997 , 90, 433-8	1.9	92
247	Spermatozoon ultrastructure and phylogenetic relationships in the monogeneans (Platyhelminthes). <i>International Journal for Parasitology</i> , 1985 , 15, 601-8	4.3	75
246	Phylogeny of the monopisthocotylea and Polyopisthocotylea (Platyhelminthes) inferred from 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2000 , 30, 171-85	4.3	68
245	Spermiogenesis and spermatozoon of <i>Echinostoma caproni</i> (Platyhelminthes, Digenea): transmission and scanning electron microscopy, and tubulin immunocytochemistry. <i>Tissue and Cell</i> , 1997 , 29, 107-18	2.7	66
244	Ultrastructural study of the spermatozoon of <i>Heterolebes maculosus</i> (Digenea, Opistholebetidae), a parasite of the porcupinefish <i>Diodon hystrix</i> (Pisces, Teleostei). <i>Parasitology International</i> , 2010 , 59, 427-34	2.1	65
243	Phylogeny of the Trichostrongyline (Nematoda) inferred from 28S rDNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001 , 19, 430-42	4.1	61
242	A quick and simple method, usable in the field, for collecting parasites in suitable condition for both morphological and molecular studies. <i>Parasitology Research</i> , 2012 , 111, 341-51	2.4	58
241	An annotated list of parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected in groupers (Serranidae, Epinephelinae) in New Caledonia emphasizes parasite biodiversity in coral reef fish. <i>Folia Parasitologica</i> , 2010 , 57, 237-62	1.8	58
240	Parasite biodiversity in a coral reef fish: twelve species of monogeneans on the gills of the grouper <i>Epinephelus maculatus</i> (Perciformes: Serranidae) off New Caledonia, with a description of eight new species of <i>Pseudorhabdosynochus</i> (Monogenea: Diplectanidae). <i>Systematic Parasitology</i> , 2007 , 66, 81-122	1	52
239	Species of <i>Pseudorhabdosynochus</i> Yamaguti, 1958 (Monogenea: Diplectanidae) from <i>Epinephelus fasciatus</i> and <i>E. merra</i> (Perciformes: Serranidae) off New Caledonia and other parts of the Indo-Pacific Ocean, with a comparison of measurements of specimens prepared using different methods and descriptions of <i>Pseudorhabdosynochus</i> . <i>Systematic Parasitology</i> , 2005 , 62, 1-27	1	51
238	Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. <i>Zootaxa</i> , 2016 , 4196, zootaxa.4196.3.9	0.5	49
237	Spermatozoon ultrastructure of <i>Aponurus laguncula</i> (Digenea: Lecithasteridae), a parasite of <i>Aluterus monoceros</i> (Pisces: Teleostei). <i>Parasitology International</i> , 2010 , 59, 22-8	2.1	49

236	Ultrastructural Observations on the Spermatozoon, Oocyte and Fertilization Process in Gonapodasmius, a Gonochoristic Trematode (Trematoda: Digenea: Didymozoidae). <i>Acta Zoologica</i> , 1984 , 65, 171-177	0.8	48
235	Spermatozoon ultrastructure of Gyliuchen sp. (Digenea: Gyliuchenidae), an intestinal parasite of <i>Siganus fuscescens</i> (Pisces: Teleostei). <i>Biological Bulletin</i> , 2011 , 221, 197-205	1.5	46
234	An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish. <i>Aquatic Biosystems</i> , 2012 , 8, 22		43
233	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). <i>Journal of Ultrastructure Research</i> , 1983 , 84, 213-223		42
232	An annotated list of fish parasites (Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected from Emperors and Emperor Bream (Lethrinidae) in New Caledonia further highlights parasite biodiversity estimates on coral reef fish. <i>Zootaxa</i> , 2010 , 2691, 1	0.5	37
231	Atypical spermiogenesis in a parasitic flatworm, Didymozoon (trematoda: digenea: didymozoidae). <i>Journal of Ultrastructure Research</i> , 1984 , 87, 106-111		37
230	The aflagellate spermatozoon of Diplozoon (Platyhelminthes: Monogenea: Polyopisthocotylea): a demonstrative case of relationship between sperm ultrastructure and biology of reproduction. <i>Journal of Ultrastructure Research</i> , 1985 , 92, 47-54		37
229	Some philometrid nematodes (Philometridae), including four new species of <i>Philometra</i> , from marine fishes off New Caledonia. <i>Acta Parasitologica</i> , 2008 , 53, 369	1.7	34
228	Ultrastructure of the spermatozoon of the cestode <i>Duthiersia fimbriata</i> Diesing, 1854 (Pseudophyllidea, Diphyllbothriidae). <i>Canadian Journal of Zoology</i> , 1986 , 64, 1545-1548	1.5	34
227	New data on dracunculoid nematodes from fishes off New Caledonia, including four new species of <i>Philometra</i> (Philometridae) and <i>Ichthyofilaria</i> (Guyanemidae). <i>Folia Parasitologica</i> , 2009 , 56, 129-42	1.8	33
226	Sperm ultrastructure of the digenean <i>Siphoderina elongata</i> (Platyhelminthes, Cryptogonimidae) intestinal parasite of <i>Nemipterus furcosus</i> (Pisces, Teleostei). <i>Parasitology Research</i> , 2009 , 105, 87-95	2.4	32
225	Non-monophyly of the monogeneans?. <i>International Journal for Parasitology</i> , 1998 , 28, 1653-7	4.3	32
224	Advances in Spermatological Characters in the Digenea: Review and Proposal of Spermatozoa Models and Their Phylogenetic Importance. <i>Advances in Parasitology</i> , 2017 , 98, 111-165	3.2	31
223	The invasive New Guinea flatworm <i>Platydemus manokwari</i> in France, the first record for Europe: time for action is now. <i>PeerJ</i> , 2014 , 2, e297	3.1	31
222	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). <i>Journal of Ultrastructure Research</i> , 1983 , 84, 224-237		30
221	Homogeneity of sperm structure in six species of Schistosomes (Digenea, Platyhelminthes). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1993 , 68, 185-187		29
220	The 'Pseudorhabdosynochus cupatus group' (Monogenea: Diplectanidae) on <i>Epinephelus fasciatus</i> , <i>E. howlandi</i> , <i>E. rivulatus</i> and <i>E. merra</i> (Perciformes: Serranidae) off New Caledonia, with descriptions of <i>Pseudorhabdosynochus cyathus</i> n. sp. and <i>P. calathus</i> n. sp. <i>Systematic Parasitology</i> , 2006 , 64, 69-90	1	28
219	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). <i>Journal of Ultrastructure Research</i> , 1984 , 88, 77-91		28

218	Descriptions of <i>Philometra aenei</i> n. sp. and <i>P. tunisiensis</i> n. sp. (Nematoda: Philometridae) from <i>Epinephelus</i> spp. off Tunisia confirm a high degree of host specificity of gonad-infecting species of <i>Philometra</i> Costa, 1845 in groupers (Serranidae). <i>Systematic Parasitology</i> , 2016 , 93, 115-28	1	28
217	Characterisation of Ascaridoid larvae from marine fish off New Caledonia, with description of new <i>Hysterothylacium</i> larval types XIII and XIV. <i>Parasitology International</i> , 2015 , 64, 397-404	2.1	27
216	Philometrids (Nematoda: Philometridae) in carangid and serranid fishes off New Caledonia, including three new species. <i>Parasite</i> , 2014 , 21, 21	3	27
215	Monogeneans of the speckled blue grouper, <i>Epinephelus cyanopodus</i> (Perciformes, Serranidae), from off New Caledonia, with a description of four new species of <i>Pseudorhabdosynochus</i> and one new species of <i>Laticola</i> (Monogenea: Diplectanidae), and evidence of monogenean faunal changes according to the size of fish. <i>Zootaxa</i> , 2008 , 1695, 1	0.5	27
214	Ultrastructural Observations on Fertilization in <i>Dionchus remorae</i> (Platyhelminthes, Monogenea, Dionchidae). <i>Acta Zoologica</i> , 1986 , 67, 97-101	0.8	27
213	Occurrence of <i>Anisakis</i> (Nematoda: Anisakidae) larvae in unusual hosts in Southern hemisphere. <i>Parasitology International</i> , 2017 , 66, 837-840	2.1	25
212	The invasive land planarian <i>Platydemus manokwari</i> (Platyhelminthes, Geoplanidae): records from six new localities, including the first in the USA. <i>PeerJ</i> , 2015 , 3, e1037	3.1	25
211	<i>Pseudorhabdosynochus sulamericanus</i> (Monogenea, Diplectanidae), a parasite of deep-sea groupers (Serranidae) occurs transatlantically on three congeneric hosts (<i>Hyporthodus</i> spp.), one from the Mediterranean Sea and two from the western Atlantic. <i>PeerJ</i> , 2016 , 4, e2233	3.1	25
210	A new species of <i>Microcotyle</i> (Monogenea: Microcotylidae) from <i>Scorpaena notata</i> (Teleostei: Scorpaenidae) in the Mediterranean Sea. <i>Parasitology International</i> , 2017 , 66, 37-42	2.1	24
209	Cryptic species of <i>Euryakaina</i> n. g. (Digenea: Cryptogonimidae) from sympatric lutjanids in the Indo-West Pacific. <i>Systematic Parasitology</i> , 2010 , 77, 185-204	1	24
208	Three new species of <i>Huffmanella</i> Moravec, 1987 (Nematoda: Trichosomoididae) from the gills of marine fish off New Caledonia. <i>Systematic Parasitology</i> , 2004 , 59, 29-37	1	24
207	Phylogenetic position of the monogeneans <i>Sundanonchus</i> , <i>Thaparocleidus</i> , and <i>Cichlidogyrus</i> inferred from 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2000 , 30, 659-62	4.3	24
206	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). <i>Journal of Structural Biology</i> , 1986 , 96, 54-63		24
205	Two new gonad-infecting <i>Philometra</i> species (Nematoda: Philometridae) from the marine fish <i>Lutjanus vitta</i> (Perciformes: Lutjanidae) off New Caledonia. <i>Folia Parasitologica</i> , 2011 , 58, 302-10	1.8	24
204	A spermatozoon with undulating membrane in a parasitic flatworm, <i>Gotocotyla</i> (Monogenea, polyopisthocotylea, gotocotylidae). <i>Journal of Ultrastructure Research</i> , 1985 , 90, 163-171		23
203	Can parasites halt the invader? Mermithid nematodes parasitizing the yellow-legged Asian hornet in France. <i>PeerJ</i> , 2015 , 3, e947	3.1	23
202	Implications phylogénétiques de l'ultrastructure de la spermatogenèse, du spermatozoïde et de l'ovogenèse du <i>Turbellari</i> <i>Urastoma cyprinae</i> (â€œProlecithophoraâ€œ) <i>Urastomidae</i>). <i>Zoologica Scripta</i> , 1989 , 18, 175-185	2.5	22
201	<i>Pseudorhabdosynochus regius</i> n. sp. (Monogenea, Diplectanidae) from the mottled grouper <i>Mycteroperca rubra</i> (Teleostei) in the Mediterranean Sea and Eastern Atlantic. <i>Parasite</i> , 2015 , 22, 9	3	21

200	A redescription of <i>Pseudorhabdosynochus epinepheli</i> (Yamaguti, 1938), the type-species of <i>Pseudorhabdosynochus</i> Yamaguti, 1958 (Monogenea: Diplectanidae), and the description of <i>P. satyui</i> n. sp. from <i>Epinephelus akaara</i> off Japan. <i>Systematic Parasitology</i> , 2009 , 72, 27-55	1	21
199	Ultrastructure compar�e de la spermiog�en�e et du spermatozo�e de trois esp�es de <i>Paravortex</i> (<i>Rhabdocoela</i> , <i>Dalyellioida</i> [Graffillidae]), Turbellari� parasites intestinaux de Mollusques. <i>Zoologica Scripta</i> , 1989 , 18, 161-174	2.5	21
198	Monogeneans of the malabar grouper <i>Epinephelus malabaricus</i> (Perciformes, Serranidae) off New Caledonia, with a description of six new species of ' <i>Pseudorhabdosynochus</i> (Monogenea: Diplectanidae)'. <i>Zootaxa</i> , 2007 , 1543, 1-44	0.5	21
197	Species of <i>Pseudorhabdosynochus</i> (Monogenea, Diplectanidae) from Groupers (<i>Mycteroperca</i> spp., Epinephelidae) in the Mediterranean and Eastern Atlantic Ocean, with Special Reference to the 'Beverleyburtonae Group' and Description of Two New Species. <i>PLoS ONE</i> , 2016 , 11, e0159886	3.7	21
196	<i>Microcotyle visa</i> n. sp. (Monogenea: Microcotylidae), a gill parasite of <i>Pagrus caeruleostictus</i> (Valenciennes) (Teleostei: Sparidae) off the Algerian coast, Western Mediterranean. <i>Systematic Parasitology</i> , 2019 , 96, 131-147	1	20
195	Are all species of <i>Pseudorhabdosynochus</i> strictly host specific? A molecular study. <i>Parasitology International</i> , 2012 , 61, 356-9	2.1	20
194	Cucullanid nematodes (Nematoda: Cucullanidae) from deep-sea marine fishes off New Caledonia, including <i>Dichelyne etelidis</i> n. sp. <i>Systematic Parasitology</i> , 2011 , 78, 95-108	1	20
193	<i>Pseudorhabdosynochus argus</i> n. sp. (Monogenea: Diplectanidae) from <i>Cephalopholis argus</i> , <i>P. minutus</i> n. sp. and <i>Diplectanum nanus</i> n. sp. from <i>C. sonnerati</i> and other monogeneans from <i>Cephalopholis</i> spp. (Perciformes: Serranidae) off Australia and New Caledonia. <i>Systematic Parasitology</i> , 2007 , 68, 105-115	1	20
192	Diplectanids (Monogenea) parasitic on the gills of the coralgroupers <i>Plectropomus laevis</i> and <i>P. leopardus</i> (Perciformes, Serranidae) off New Caledonia, with the description of five new species and the erection of <i>Echinoplectanum</i> n. g. <i>Systematic Parasitology</i> , 2006 , 64, 147-72	1	20
191	Gilquiniid cestodes (Trypanorhyncha) from elasmobranch fishes off New Caledonia with descriptions of two new genera and a new species. <i>Systematic Parasitology</i> , 2006 , 65, 235-49	1	20
190	<i>Pseudorhabdosynochus hirundineus</i> n. sp. (Monogenea: Diplectanidae) from <i>Variola louti</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2005 , 62, 39-45	1	20
189	Some camallanid nematodes from marine perciform fishes off New Caledonia. <i>Folia Parasitologica</i> , 2006 , 53, 223-39	1.8	20
188	A phylogenetic re-analysis of groupers with applications for ciguatera fish poisoning. <i>PLoS ONE</i> , 2014 , 9, e98198	3.7	19
187	Occurrence of anisakid parasites in marine fishes and whales off New Caledonia. <i>Parasitology Research</i> , 2018 , 117, 3195-3204	2.4	18
186	Some trichinelloid nematodes from marine fishes off New Caledonia, including description of <i>Pseudocapillaria novaecaledoniensis</i> sp. nov. (Capillariidae). <i>Acta Parasitologica</i> , 2010 , 55,	1.7	18
185	<i>Huffmanella</i> spp. (Nematoda, Trichosomoididae) parasites in coral reef fishes off New Caledonia, with descriptions of <i>H. balista</i> n. sp. and <i>H. longa</i> n. sp.. <i>Zootaxa</i> , 2007 , 1628, 23-41	0.5	18
184	Linking species abundance distributions and body size in monogenean communities. <i>Parasitology Research</i> , 2008 , 103, 187-93	2.4	18
183	A new species of <i>Procamallanus</i> (Nematoda: Camallanidae) from Pacific eels (<i>Anguilla</i> spp.). <i>Journal of Parasitology</i> , 2006 , 92, 130-7	0.9	18

182	Three nematode species from elasmobranchs off New Caledonia. <i>Systematic Parasitology</i> , 2006 , 64, 131-45		18
181	Two anisakid nematodes from marine fishes off New Caledonia, including <i>Raphidascaris</i> (<i>Ichthyascaris</i>) <i>nemipteri</i> n. sp. from <i>Nemipterus furcosus</i> . <i>Systematic Parasitology</i> , 2005 , 62, 101-10	1	18
180	The Cytoskeletal Proteins Actin and Tubulin in the Spermatozoa of Four Decapod Crabs (Crustacea, Decapoda). <i>Acta Zoologica</i> , 1994 , 75, 277-285	0.8	18
179	Ultrastructure de la spermiogénèse et du spermatozoïde de <i>Loimosina wikoni</i> et affinités phylétiques des Loimoidae (Plathelminthes, Monogenea, Monopisthocotylea). <i>Zoologica Scripta</i> , 1985 , 14, 169-175	2.5	18
178	The monogenean which lost its clamps. <i>PLoS ONE</i> , 2013 , 8, e79155	3.7	18
177	Ultrastructural study of sperm cells in <i>Acanthocolpidae</i> : the case of <i>Stephanostomum murielae</i> and <i>Stephanostomoides tenuis</i> (Digenea). <i>PeerJ</i> , 2015 , 3, e744	3.1	18
176	Towards the resolution of the <i>Microcotyle erythrini</i> species complex: description of <i>Microcotyle isyebi</i> n. sp. (Monogenea, Microcotylidae) from <i>Boops boops</i> (Teleostei, Sparidae) off the Algerian coast. <i>Parasitology Research</i> , 2019 , 118, 1417-1428	2.4	17
175	Acoel spermatozoa: ultrastructure and immunocytochemistry of tubulin. <i>Hydrobiologia</i> , 1998 , 383, 207-214		17
174	Redescriptions of four species of <i>Otobothrium</i> Linton, 1890 (Cestoda: Trypanorhyncha), including new records from Australia, New Caledonia and Malaysia, with the description of <i>O. parvum</i> n. sp.. <i>Zootaxa</i> , 2007 , 1587, 1-25	0.5	17
173	A new species of <i>Ascarophis</i> (Nematoda, Cystidicolidae) from the stomach of the marine scorpaeniform fish <i>Hoplichthys citrinus</i> from a seamount off the Chesterfield Islands, New Caledonia. <i>Acta Parasitologica</i> , 2007 , 52, 238	1.7	17
172	Phylogenetic relationships between the families <i>Capsalidae</i> and <i>Dionchidae</i> (Platyhelminthes, Monogenea, Monopisthocotylea) indicated by the comparative ultrastructural study of spermiogenesis. <i>Zoologica Scripta</i> , 1987 , 16, 111-116	2.5	17
171	Sperm ultrastructure of <i>Helicometra epinepheli</i> (Platyhelminthes, Digenea, Opecoelidae), parasite of <i>Epinephelus fasciatus</i> (Pisces, Teleostei). <i>Histology and Histopathology</i> , 2011 , 26, 1019-28	1.4	17
170	Diversity of trypanorhynch metacestodes in teleost fishes from coral reefs off eastern Australia and New Caledonia. <i>Parasite</i> , 2014 , 21, 60	3	16
169	Spermatological characters of bothriocephalideans (Cestoda) inferred from an ultrastructural study on <i>Oncodiscus sauridae</i> and <i>Senga</i> sp. <i>Parasitology Research</i> , 2011 , 109, 9-18	2.4	16
168	Two new genera and species of cystidicolids (Nematoda, Cystidicolidae) from marine fishes off New Caledonia. <i>Parasitology International</i> , 2010 , 59, 198-205	2.1	16
167	<i>Adlardia novaecaledoniae</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Val.) (Perciformes: Nemipteridae) off New Caledonia. <i>Systematic Parasitology</i> , 2009 , 73, 151-60	1	16
166	Three new species, <i>Lamellodiscus tubulicornis</i> n. sp., <i>L. magnicornis</i> n. sp. and <i>L. parvicornis</i> n. sp. (Monogenea: Diplectanidae) from <i>Gymnocranius</i> spp. (Lethrinidae: Monotaxinae) off New Caledonia, with the proposal of the new morphological group 'tubulicornis' within <i>Lamellodiscus</i> Johnston & Tiegs, 1922. <i>Systematic Parasitology</i> , 2010 , 75, 159-79	1	16
165	Ultrastructural and immunocytochemical investigation of acoel sperms with 9 + 1 axoneme structure: new sperm characters for unraveling phylogeny in Acoela. <i>Zoomorphology</i> , 2007 , 126, 1-16	1	16

164	Spermiogenesis in a Scutariellid (Platyhelminthes). <i>Acta Zoologica</i> , 1994 , 75, 287-295	0.8	16
163	Oncomiracidium, morphogénèse du haptéur et ultrastructure du spermatozoïde de Pseudodactylogyrus anguillae (Yin et Sproston, 1948) Gussev, 1965 (Monogenea, Monopisthocotylea, Pseudodactylogyridae n. fam.). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1988 , 61, 273-284		16
162	Two gonad-infecting species of Philometra (Nematoda: Philometridae) from groupers (Serranidae) off Tunisia, with a key to Philometra species infecting serranid gonads. <i>Parasite</i> , 2016 , 23, 8	3	16
161	Monogeneans from Epinephelus chlorostigma (Val.) (Perciformes: Serranidae) off New Caledonia, with the description of three new species of diplectanids. <i>Systematic Parasitology</i> , 2010 , 77, 81-105	1	15
160	Spermiogenesis in Paratomella rubra (Platyhelminthes, Acoela): Ultrastructural, Immunocytochemical, Cytochemical Studies and Phylogenetic Implications. <i>Acta Zoologica</i> , 1997 , 78, 295-307	0.8	15
159	Monocotylids (Monogenea: Monopisthocotylea) from Aetobatus cf. narinari off New Caledonia, with a description of Decacotyle elpora n. sp. <i>Systematic Parasitology</i> , 2005 , 60, 175-85	1	15
158	Actin in the acrosome of the spermatozoa of the crab, Cancer pagurus L. (Decapoda, Crustacea). <i>Molecular Reproduction and Development</i> , 1994 , 38, 178-86	2.6	15
157	Ultrastructure of spermiogenesis, spermatozoa and the tegument in Atraster sp. (Platyhelminthes, Monogenea, Polyopisthocotylea, Microcotylidae). <i>Zoologica Scripta</i> , 1992 , 21, 231-238	2.5	15
156	Giant worms Hammerhead flatworms (Platyhelminthes, Geoplanidae, spp., spp.) in metropolitan France and overseas French territories. <i>PeerJ</i> , 2018 , 6, e4672	3.1	15
155	Foraminifera in the diet of coral reef fish from the lagoon of New Caledonia: Predation, digestion, dispersion. <i>Revue De Micropaleontologie</i> , 2011 , 54, 87-103	1.4	14
154	Varialvus gen. nov. (Digenea, Cryptogonimidae), from species of Lutjanidae (Perciformes) off the Great Barrier Reef, New Caledonia and the Maldives. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	14
153	Tubulin polyglycylation in Platyhelminthes: diversity among stable microtubule networks and very late occurrence during spermiogenesis. <i>Cytoskeleton</i> , 1998 , 39, 318-30		14
152	Pseudopycnadena tendu sp. nov. (Digenea, Opecoelidae) in the yellow-spotted triggerfish Pseudobalistes fuscus (Perciformes, Balistidae) and additional opecoelids parasitizing fishes from the waters off New Caledonia. <i>Acta Parasitologica</i> , 2007 , 52, 13	1.7	14
151	A revision of the family Dissonidae Kurtz, 1924 (Copepoda: Siphonostomatoida). <i>Systematic Parasitology</i> , 2008 , 70, 81-106	1	14
150	Two new species of Pseudorhabdosynochus Yamaguti, 1958 (Monogenea: Diplectanidae) from the deep-sea grouper Epinephelus morrhua (Val.) (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2008 , 71, 145-58	1	14
149	Phylogenetic Positions of the Bothitrematidae and Neocalceostomatidae (Monopisthocotylean Monogeneans) Inferred from 28S rDNA Sequences. <i>Comparative Parasitology</i> , 2002 , 69, 20-25	0.3	14
148	Ultrastructural Observations on the Spermatozoa of Two Temnocephalids (Platyhelminthes). <i>Acta Zoologica</i> , 1987 , 68, 1-7	0.8	14
147	Camallanus cotti (Nematoda: Camallanidae), an introduced parasite of fishes in New Caledonia. <i>Folia Parasitologica</i> , 2006 , 53, 287-96	1.8	14

146	The EASIN Editorial Board: quality assurance, exchange and sharing of alien species information in Europe. <i>Management of Biological Invasions</i> , 2016 , 7, 321-328	2.2	14
145	Hexabothriid monogeneans from the gills of deep-sea sharks off Algeria, with the description of <i>Squalonchocotyle euzeti</i> n. sp. (Hexabothriidae) from the kitefin shark <i>Dalatias licha</i> (Euselachii, Dalatiidae). <i>Helminthologia</i> , 2016 , 53, 354-362	1.1	14
144	Anisakid nematodes (Nematoda: Anisakidae) from the marine fishes <i>Plectropomus laevis</i> Lacépède (Serranidae) and <i>Sphyaena qenie</i> Klunzinger (Sphyaenidae) off New Caledonia, including two new species of <i>Hysterothylacium</i> Ward & Magath, 1917. <i>Systematic Parasitology</i> , 2015 , 92, 181-95	1	13
143	<i>Huffmanella plectropomi</i> n. sp. (Nematoda: Trichosomoididae: Huffmanellinae) from the coral grouper <i>Plectropomus leopardus</i> (Lacépède) off New Caledonia. <i>Systematic Parasitology</i> , 2011 , 79, 139-43	1	13
142	Virus-like particles in a monogenean (Platyhelminthes) parasitic in a marine fish. <i>International Journal for Parasitology</i> , 1993 , 23, 69-75	4.3	13
141	Ultrastructure of the flame bulbs of the Monopisthocotylean Monogenea <i>Loimosina wilsoni</i> (Loimoidae) and <i>Calceostoma herculanea</i> (Calceostomatidae). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1989 , 64, 433-442		13
140	Ultrastructure of the Flame Bulbs of <i>Urastoma cyprinae</i> (Platyhelminthes, Prolecithophora) (Urastomidae). <i>Acta Zoologica</i> , 1990 , 71, 211-216	0.8	13
139	Redescription of <i>Metabronema magnum</i> (Nematoda: Cystidicolidae), a swimbladder parasite of the carangid fish <i>Gnathanodon speciosus</i> off New Caledonia. <i>Folia Parasitologica</i> , 2007 , 54, 293-300	1.8	13
138	<i>Neomultitestis aspidogastriformis</i> Bray and Cribb, 2003 (Digenea, Lepocreadiidae): mature spermatozoon and sperm morphologies in the Lepocreadiidae. <i>Cell Biology International</i> , 2015 , 39, 799-807	4.5	12
137	<i>Neolebouria blatta</i> n. sp. (Digenea: Opecoelidae) from <i>Pristipomoides argyrogrammicus</i> (Valenciennes) and <i>Etelis carbunculus</i> Cuvier (Perciformes: Lutjanidae) off New Caledonia. <i>Systematic Parasitology</i> , 2009 , 74, 161-7	1	12
136	<i>Diplectanum parvum</i> sp. nov. (Monogenea, Diplectanidae) from <i>Cephalopholis urodeta</i> (Perciformes, Serranidae) of New Caledonia. <i>Acta Parasitologica</i> , 2008 , 53,	1.7	12
135	<i>Pseudorhabdosynochus venus</i> n. sp. (Monogenea: Diplectanidae) from <i>Epinephelus howlandi</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006 , 63, 155-60	1	12
134	<i>Thaumatocotyle pseudodasybatis</i> Hargis, 1955 (Monogenea: Monocotylidae) from <i>Aetobatus</i> cf. <i>narinari</i> , with a comparison of specimens from Australia, French Polynesia and New Caledonia. <i>Systematic Parasitology</i> , 2006 , 64, 47-55	1	12
133	<i>Laticolada</i> n. sp. (Monogenea: Diplectanidae) from <i>Epinephelus maculatus</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006 , 64, 173-80	1	12
132	<i>Huffmanella lata</i> n. sp. (Nematoda: Trichosomoididae: Huffmanellinae) from the shark <i>Carcharhinus amblyrhynchus</i> (Elasmobranchii: Carcharhinidae) off New Caledonia. <i>Systematic Parasitology</i> , 2005 , 61, 181-4	1	12
131	Microtubular system during spermiogenesis and in the spermatozoon of <i>Convoluta saliens</i> (Platyhelminthes, Acoela): Tubulin immunocytochemistry and electron microscopy. <i>Molecular Reproduction and Development</i> , 1999 , 52, 74-85	2.6	12
130	Diversity of apostome ciliates, <i>Chromidina</i> spp. (Oligohymenophorea, Opalinopsidae), parasites of cephalopods of the Mediterranean Sea. <i>Parasite</i> , 2016 , 23, 33	3	12
129	Spermiogenesis and spermatozoon ultrastructure in basal polyopisthocotylean monogeneans, Hexabothriidae and Chimaericolidae, and their significance for the phylogeny of the Monogenea. <i>Parasite</i> , 2018 , 25, 7	3	11

128	Nematode parasites of four species of Carangoides (Osteichthyes: Carangidae) in New Caledonian waters, with a description of <i>Philometra dispar</i> n. sp. (Philometridae). <i>Parasite</i> , 2016 , 23, 40	3	11
127	The microtubular system and posttranslationally modified tubulin during spermatogenesis in a parasitic nematode with amoeboid and aflagellate spermatozoa. <i>Molecular Reproduction and Development</i> , 1998 , 49, 150-67	2.6	11
126	First Report of aflagellate spermatozoon in a parasitic Platyhelminthe, found in the Monogenean <i>Diplozoon gracile</i> (Polyopisthocotylea, Diplozoidae). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1985 , 60, 761-762		11
125	A new genus of parasitic copepod (Siphonostomatoida: Caligidae) from the razorback scabbardfish, <i>Assurger anzac</i> (Trichiuridae) off New Caledonia. <i>Folia Parasitologica</i> , 2005 , 52, 349-58	1.8	11
124	Diplectanids from <i>Mycteroperca</i> spp. (Epinephelidae) in the Mediterranean Sea: Redescriptions of six species from material collected off Tunisia and Libya, proposal for the 'Pseudorhabdosynochus riouxi group', and a taxonomic key. <i>PLoS ONE</i> , 2017 , 12, e0171392	3.7	10
123	<i>Raphidascaris</i> (<i>Ichthyascaris</i>) <i>etelidis</i> n. sp. (Nematoda, Anisakidae), a new ascaridoid nematode from lutjanid fishes off New Caledonia. <i>Zoosystema</i> , 2012 , 34, 113-121	0.7	10
122	The genus <i>Caligus</i> Müller, 1785 (Copepoda: Siphonostomatoida): two new species from reef associated fishes in New Caledonia, and some nomenclatural problems resolved. <i>Zootaxa</i> , 2012 , 3534, 21	0.5	10
121	New data on the morphology of <i>Procamallanus</i> (<i>Procamallanus</i>) <i>annulatus</i> and <i>Procamallanus</i> (<i>Spirocamallanus</i>) <i>monotaxis</i> (Nematoda: Camallanidae) from marine fishes off New Caledonia. <i>Helminthologia</i> , 2011 , 48, 41-50	1.1	10
120	Ultrastructural characters of the spermatozoa in Digeneans of the genus <i>Bianium</i> Stunkard, 1930 (Digenea, Lepocreadiidae) parasites of fishes: a comparative study of <i>Bianium plicatum</i> and <i>Bianium arabicum</i> . <i>Parasitology Research</i> , 2015 , 114, 3747-57	2.4	9
119	Bucephalidae (Digenea) from epinephelins (Serranidae: Perciformes) from the waters off New Caledonia, including <i>Neidhartia lochepintade</i> n. sp. <i>Parasite</i> , 2013 , 20, 56	3	9
118	Two new species of ancyrocephalid monogeneans from <i>Lethrinus rubrioperculatus</i> Sato (Perciformes: Lethrinidae) off New Caledonia, with the proposal of <i>Lethrinitrema</i> n. g. <i>Systematic Parasitology</i> , 2011 , 78, 123-38	1	9
117	Opecoelids (Platyhelminthes, Digenea) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Valenciennes, 1830) (Perciformes, Nemipteridae), with preliminary keys to the problematic genera <i>Macvicaria</i> Gibson et Bray, 1982 and <i>Neolebouria</i> Gibson, 1976. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	9
116	<i>Pseudorhabdosynochus bacchus</i> sp. nov. (Monogenea, Diplectanidae) from <i>Epinephelus coeruleopunctatus</i> (Perciformes, Serranidae) off New Caledonia. <i>Acta Parasitologica</i> , 2007 , 52, 196	1.7	9
115	<i>Hypocreadium toombo</i> n. sp. (Digenea: Lepocreadiidae) in the yellow-spotted triggerfish <i>Pseudobalistes fuscus</i> (Perciformes: Balistidae) and additional lepecreadiids parasitizing fishes from the waters off New Caledonia. <i>Zootaxa</i> , 2006 , 1326, 37	0.5	9
114	<i>Elthusa arnoglossi</i> sp. nov. (Crustacea: Isopoda: Cymothoidae), a branchial parasite of flatfishes (Bothidae) from the Chesterfield Islands, New Caledonia. <i>Zootaxa</i> , 2006 , 1338, 57	0.5	9
113	A cladistic analysis of the genera in the subfamily Pudicinae (Nematoda, Trichostrongyloidea, Heligmonellidae). <i>International Journal for Parasitology</i> , 1991 , 21, 579-87	4.3	9
112	<i>Prosorhynchus maternus</i> sp. n. (Digenea: Bucephalidae) from the Malabar grouper <i>Epinephelus malabaricus</i> (Perciformes: Serranidae) off New Caledonia. <i>Folia Parasitologica</i> , 2006 , 53, 181-8	1.8	9
111	Acanthocolpidae (Digenea) of marine fishes off New Caledonia, with the descriptions of two new species. <i>Folia Parasitologica</i> , 2011 , 58, 35-47	1.8	9

110	Two new species of nematode parasites, <i>Cucullanus epinepheli</i> sp. n. (Cucullanidae) and <i>Procamallanus</i> (<i>Spirocamallanus</i>) <i>sinespinis</i> sp. n. (Camallanidae), from marine serranid and haemulid fishes off New Caledonia. <i>Folia Parasitologica</i> , 2017 , 64,	1.8	9
109	! The invasion of metropolitan France by the land planarian (Platyhelminthes, Geoplanidae). <i>PeerJ</i> , 2020 , 8, e8385	3.1	9
108	First report of the land planarian <i>Diversibipalium multilineatum</i> (Makino & Shirasawa, 1983) (Platyhelminthes, Tricladida, Continenticola) in Europe. <i>Zootaxa</i> , 2016 , 4067, 577-80	0.5	9
107	<i>Holocephalocotyle monstrosae</i> n. gen. n. sp. (Monogenea, Monocotylidae) from the olfactory rosette of the rabbit fish, <i>Chimaera monstrosa</i> (Holocephali, Chimaeridae) in deep waters off Algeria. <i>Parasite</i> , 2019 , 26, 59	3	8
106	New records of species of <i>Philometra</i> (Nematoda: Philometridae) from marine fishes off New Caledonia, including <i>P. cephalopholidis</i> sp. n. from <i>Cephalopholis sonnerati</i> (Serranidae). <i>Parasitology Research</i> , 2015 , 114, 3223-8	2.4	8
105	A review of the Zoogonidae (Digenea: Microphalloidea) from fishes of the waters around New Caledonia, with the description of <i>Overstreetia cribbi</i> n. sp. <i>PeerJ</i> , 2014 , 2, e292	3.1	8
104	A review of the Lepocreadiidae (Digenea, Lepocreadioidea) from fishes of the waters around New Caledonia. <i>Acta Parasitologica</i> , 2012 , 57, 247-72	1.7	8
103	Resolution of the discrepant host-specificity of <i>Pseudorhabdosynochus</i> species (Monogenea, Diplectanidae) from serranid fishes in the tropical Indo-Pacific. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	8
102	Turbellarian black spot disease in bluespine unicornfish <i>Naso unicornis</i> in New Caledonia, caused by the parasitic turbellarian <i>Piscinquilinus</i> sp. <i>Diseases of Aquatic Organisms</i> , 2009 , 85, 245-9	1.7	8
101	Five new monogenean species from the gills of <i>Mulloidichthys vanicolensis</i> (Perciformes: Mullidae) off New Caledonia, with the proposal of <i>Volsellituba</i> n. g. and <i>Pennulituba</i> n. g. (Monogenea: Dactylogyridae). <i>Systematic Parasitology</i> , 2010 , 75, 125-45	1	8
100	The Homology of Cortical Microtubules in Platyhelminth Spermatozoa: a Comparative Immunocytochemical Study of Acetylated Tubulin. <i>Acta Zoologica</i> , 1998 , 79, 235-241	0.8	8
99	Redescription of <i>Pseudogilquinia pillersi</i> (Southwell, 1929) (Cestoda, Trypanorhyncha) from serranid and lethrinid fishes from New Caledonia and Australia. <i>Acta Parasitologica</i> , 2007 , 52, 213	1.7	8
98	<i>Pseudorhabdosynochus inversus</i> sp. nov. (Monogenea, Diplectanidae) from the halfmoon grouper <i>Epinephelus rivulatus</i> (Perciformes, Serranidae) off New Caledonia. <i>Acta Parasitologica</i> , 2008 , 53, 339	1.7	8
97	<i>Haliotrema banana</i> sp. n. (Monogenea: Ancyrocephalidae) from <i>Bodianus perditio</i> (Perciformes: Labridae) off New Caledonia. <i>Folia Parasitologica</i> , 2007 , 54, 203-7	1.8	8
96	<i>Huffmanella hamo</i> sp. n. (Nematoda: Trichosomoididae: Huffmanellinae) from the dagger-tooth pike conger <i>Muraenesox cinereus</i> off Japan. <i>Folia Parasitologica</i> , 2014 , 61, 267-71	1.8	8
95	Three new species of <i>Cucullanus</i> (Nematoda: Cucullanidae) from marine fishes off New Caledonia, with a key to species of <i>Cucullanus</i> from Anguilliformes. <i>Parasite</i> , 2018 , 25, 51	3	8
94	Species of <i>Philometra</i> (Nematoda, Philometridae) from fishes off the Mediterranean coast of Africa, with a description of <i>Philometra rara</i> n. sp. from <i>Hyporthodus haifensis</i> and a molecular analysis of <i>Philometra saltatrix</i> from <i>Pomatomus saltatrix</i> . <i>Parasite</i> , 2017 , 24, 8	3	7
93	First spermatological study in the Atractotrematidae (Digenea, Haploporoidea): the case of <i>Atractotrema sigani</i> , intestinal parasite of <i>Siganus lineatus</i> . <i>Parasite</i> , 2015 , 22, 26	3	7

92	Capillaria plectropomi n. sp. (Nematoda: Capillariidae), a new intestinal parasite of the leopard coral grouper Plectropomus leopardus (Serranidae) off New Caledonia. <i>Parasite</i> , 2014 , 21, 76	3	7
91	Four species of Pseudorhabdosynochus (Monogenea: Diplectanidae) from the camouflage grouper Epinephelus polyphekadion (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011 , 79, 41-61	1	7
90	Monogeneans of the grouper Epinephelus tauvina (Perciformes, Serranidae) off Moorea, French Polynesia, with a description of Pseudorhabdosynochus pai n. sp. (Monogenea: Diplectanidae). <i>Systematic Parasitology</i> , 2009 , 72, 113-25	1	7
89	A new species of Triloculotrema Kearns, 1993 (Monogenea: Monocotylidae) from a deep-sea shark, the blacktailed spurdog Squalus melanurus (Squaliformes: Squalidae), off New Caledonia. <i>Systematic Parasitology</i> , 2009 , 74, 59-63	1	7
88	Two cystidicolids (Nematoda, Cystidicolidae) from marine fishes off New Caledonia. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	7
87	Immunocytochemical study of tubulin in the 9 + '1' sperm axoneme of a monogenean (Platyhelminthes), Pseudodactylogyrus sp. <i>Tissue and Cell</i> , 1997 , 29, 699-706	2.7	7
86	Species of Calydiscooides Young, 1969 (Monogenea: Diplectanidae) from lethrinid fishes, with the redescription of all of the type-specimens and the description of C. euzeti n. sp. from Lethrinus rubrioperculatus and L. xanthochilus off New Caledonia. <i>Systematic Parasitology</i> , 2007 , 67, 187-209	1	7
85	Additional molecular evidence to support a sister taxon relationship between Heligmosomoidea and Molineoidea nematodes (Trichostrongylinea). <i>Parasitology Research</i> , 2005 , 96, 343-6	2.4	7
84	The development and evolution of actin-containing organelles during spermiogenesis of a primitive nematode. <i>Biology of the Cell</i> , 1993 , 79, 231-41	3.5	7
83	Viral particles in Temnocephala iheringi (platyhelminthes, temnocephalidea), a parasite of the mollusc Pomacea canaliculata. <i>Journal of Invertebrate Pathology</i> , 1991 , 57, 287-289	2.6	7
82	Ultrastructure of spermatozoa in two Monopisthocotylean Monogeneans :Encotyllabes sp. (Capsalidae) and Tetraonchoidea sp. (Tetraonchooididae). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1991 , 66, 173-178		7
81	Bending of 9 + 1 axonemes of flatworm spermatozoa in hypotonic media: An experimental study. <i>Journal of Structural Biology</i> , 1988 , 100, 31-38		7
80	No vagina, one vagina, or multiple vaginae? An integrative study of Pseudaxine trachuri (Monogenea, Gastrocotylidae) leads to a better understanding of the systematics of Pseudaxine and related genera. <i>Parasite</i> , 2020 , 27, 50	3	7
79	Redescription and molecular characterization of two species of Pauciconfibula (Monogenea, Microcotylidae) from trachinid fishes in the Mediterranean Sea. <i>Parasitology Research</i> , 2021 , 120, 2363-2377	2.4	7
78	Redescription and molecular characterisation of Allogastrocotyle bivaginalis Nasir & Fuentes Zambrano, 1983 (Monogenea: Gastrocotylidae) from Trachurus picturatus (Bowdich) (Perciformes: Carangidae) off the Algerian coast, Mediterranean Sea. <i>Systematic Parasitology</i> , 2019 , 96, 681-694	1	6
77	Hamacreadium cribbi n. sp. (Digenea: Opecoelidae) from Lethrinus miniatus (Forster) (Perciformes: Lethrinidae) from New Caledonian waters. <i>Systematic Parasitology</i> , 2016 , 93, 761-70	1	6
76	Further reports of Acanthocolpidae L��e, 1906 (Digenea) from fishes off New Caledonia, with descriptions of two new species. <i>Systematic Parasitology</i> , 2012 , 83, 39-50	1	6
75	Two new species of Prochristianella Dollfus, 1946 (Platyhelminthes, Cestoda) from the blue-spotted stingray, Neotrygon kuhlii (M��ller & Henle, 1841) off New Caledonia. <i>Zoosystema</i> , 2010 , 32, 643-652	0.7	6

74	Two new species of <i>Bothriocephalus</i> Rudolphi, 1808 (Cestoda: Bothriocephalidea) from marine fish off Australia and New Caledonia. <i>Systematic Parasitology</i> , 2009 , 73, 229-38	1	6
73	Polyopisthocotylean monogeneans from carangid fishes off Queensland, Australia and New Caledonia, with a description of <i>Heteromicrocotyloides megaspinosus</i> sp. nov.. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	6
72	<i>Moravecinema segonzaci</i> gen. et sp. n. (Nematoda: Cystidicolidae) from <i>Pachycara thermophilum</i> (Zoarcidae), a deep-sea hydrothermal vent fish from the Mid-Atlantic Ridge. <i>Folia Parasitologica</i> , 2002 , 49, 299-303	1.8	6
71	Three species of <i>Calydiscoides</i> (Monogenea: Diplectanidae) from five <i>Lethrinus</i> spp. (Lethrinidae: Perciformes) off New Caledonia, with a description of <i>Calydiscoides terpsichore</i> sp. n. <i>Folia Parasitologica</i> , 2007 , 54, 191-202	1.8	6
70	Ultrastructure of mature spermatozoa of three <i>Bucephalidae</i> (<i>Prosorhynchus longisaccatus</i> , <i>Rhipidocotyle khalili</i> and <i>Bucephalus margaritae</i>) and phylogenetic implications. <i>Parasite</i> , 2018 , 25, 65	3	6
69	<i>Rasheedia</i> n. nom. (Nematoda, Physalopteridae) for <i>Bulbocephalus Rasheed</i> , 1966 (a homonym of <i>Bulbocephalus</i> Watson, 1916), with description of <i>Rasheedia heptacanthi</i> n. sp. and <i>R. novaecaledoniensis</i> n. sp. from perciform fishes off New Caledonia. <i>Parasite</i> , 2018 , 25, 39	3	5
68	Ultrastructural study of spermiogenesis and the spermatozoon of <i>Cavisoma magnum</i> (Southwell, 1927) (Acanthocephala, Palaeacanthocephala, Cavisomidae), from <i>Siganus lineatus</i> (Pisces, Teleostei, Siganidae) (Valenciennes, 1835) in New Caledonia. <i>Micron</i> , 2012 , 43, 141-9	2.3	5
67	Three species of opisthomonorchine monorchids (Digenea) in <i>Carangoides</i> spp. (Perciformes: Carangidae) from off New Caledonia, with a description of <i>Opisthomonorchis dinema</i> n. sp. <i>Systematic Parasitology</i> , 2013 , 85, 147-56	1	5
66	<i>Protocotyle euzetmaillardi</i> n. sp. (Monogenea: Hexabothriidae) from the bigeye sixgill shark <i>Hexanchus nakamurai</i> Teng (Elasmobranchii: Hexanchidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011 , 78, 41-55	1	5
65	<i>Pseudorhabdosynochus quadratus</i> n. sp. (Monogenea: Diplectanidae) from the white-streaked grouper <i>Epinephelus ongus</i> (Bloch) (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011 , 79, 77-80	1	5
64	<i>Multitestis</i> Manter 1931 (Digenea: Lepocreadiidae) in ehippid and chaetodontid fishes (Perciformes) in the south-western Pacific Ocean and the Indian Ocean off Western Australia. <i>Zootaxa</i> , 2010 , 2427, 36	0.5	5
63	<i>Pseudopecoelus sosoae</i> sp. nov. and <i>P. sewelli</i> (Digenea, Opecoelidae) from the deep-sea fish <i>Neoscombrops pacificus</i> (Perciformes, Acropomatidae) off New Caledonia. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	5
62	<i>Elthusa epinepheli</i> sp. nov. (Crustacea, Isopoda, Cymothoidae) a branchial parasite of the grouper <i>Epinephelus howlandi</i> (Serranidae, Epinephelinae) from off New Caledonia. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	5
61	Ultrastructure and tubulin immunocytochemistry of the copulatory stylet-like structure in <i>Childia</i> species (Acoela). <i>Journal of Morphology</i> , 2007 , 268, 166-80	1.6	5
60	<i>Pseudolacistorhynchus nanus</i> N. SP. (Cestoda: Trypanorhyncha) Parasitic Intthespiralvalve Ofthezebra Shark, <i>Stegostoma Fasciatum</i> (Hermann, 1783). <i>Transactions of the Royal Society of South Australia</i> , 2007 , 131, 175-181	0.2	5
59	Ultrastructure of Spermiogenesis in <i>Acanthocotyle</i> and <i>Myxinidocotyle</i> (Platyhelminthes, Monogenea, Acanthocotylidae). <i>Acta Zoologica</i> , 1993 , 74, 119-126	0.8	5
58	Ultrastructure of the spermatozoon of the mosquito <i>Toxorhynchites</i> (Diptera, Culicidae). <i>Zoologica Scripta</i> , 1988 , 17, 289-291	2.5	5
57	New records of anisakid nematodes from marine fishes off New Caledonia, with descriptions of five new species of <i>Raphidascaaris</i> (<i>Ichthyascaaris</i>) (Nematoda, Anisakidae). <i>Parasite</i> , 2020 , 27, 20	3	4

56	First report of the land planarian <i>Endeavouria septemlineata</i> (Hyman, 1939) (Platyhelminthes, Tricladida, Continenticola, Geoplanidae) in French Polynesia. <i>Zootaxa</i> , 2018 , 4450, 297-300	0.5	4
55	Bucephaline digeneans (Bucephalidae) in <i>Sphyraena putnamae</i> Jordan & Seale (Sphyraenidae) from the lagoon off New Caledonia. <i>Systematic Parasitology</i> , 2011 , 79, 123-38	1	4
54	<i>Cableia balistidicola</i> n. sp. (Digenea, Monorchiiidae) from Pacific Ocean balistids (Tetraodontiformes) and new reports of <i>Cableia pudica</i> Bray, Cribb and Barker, 1996 in temperate Australian monacanthids. <i>Parasitology International</i> , 2009 , 58, 341-5	2.1	4
53	Ultrastructure of granules in the seminal vesicle of the parasitic turbellarian <i>Urastoma cyprinae</i> (Prolecithophora) (Urastomidae). <i>Zeitschrift für Parasitenkunde (Berlin, Germany)</i> , 1989 , 76, 176-177		4
52	A digenean parasite in a mudskipper: <i>Opegaster ouemoensis</i> sp. n. (Digenea: Opecoelidae) in <i>Periophthalmus argentilineatus</i> Valenciennes (Perciformes: Gobiidae) in the mangroves of New Caledonia. <i>Folia Parasitologica</i> , 2013 , 60, 7-16	1.8	4
51	Redescription of <i>Flexophora ophidii</i> Prost & Euzet, 1962 (Monogenea: Dicliphoridae) from <i>Ophidion barbatum</i> (Ophidiidae) off the Algerian coast, Mediterranean Sea. <i>Systematic Parasitology</i> , 2020 , 97, 827-833	1	4
50	New species and new records of camallanid nematodes (Nematoda, Camallanidae) from marine fishes and sea snakes in New Caledonia. <i>Parasite</i> , 2019 , 26, 66	3	4
49	Triple barcoding for a hyperparasite, its parasitic host, and the host itself: a study of <i>Cyclocotyla bellones</i> (Monogenea) on <i>Ceratothoa parallela</i> (Isopoda) on Boops boops (Teleostei). <i>Parasite</i> , 2021 , 28, 49	3	4
48	First record of the invasive land flatworm <i>Bipalium adventitium</i> (Platyhelminthes, Geoplanidae) in Canada. <i>Zootaxa</i> , 2019 , 4656, zootaxa.4656.3.13	0.5	3
47	<i>Dichelyne</i> (<i>Cucullanellus</i>) <i>bodiani</i> n. sp. and <i>Cucullanus hansonii</i> Olsen, 1952 (Nematoda: Cucullanidae) from fishes off New Caledonia. <i>Systematic Parasitology</i> , 2019 , 96, 299-310	1	3
46	Some adult and larval nematodes from fishes off New Caledonia. <i>Parasitology Research</i> , 2020 , 119, 2473-2484	2.4	3
45	New records of spirurid nematodes (Nematoda, Spirurida, Guyanemidae, Philometridae & Cystidicolidae) from marine fishes off New Caledonia, with redescriptions of two species and erection of <i>Ichthyofilaroides</i> n. gen. <i>Parasite</i> , 2020 , 27, 5	3	3
44	<i>Helicometra boseli</i> Nagaty, 1956 (Digenea: Opecoelidae) in <i>Sargocentron spiniferum</i> (Forsskål) (Beryciformes: Holocentridae) from New Caledonian waters with a review of the <i>Helicometra</i> spp. in holocentrids. <i>Systematic Parasitology</i> , 2014 , 89, 167-73	1	3
43	<i>Calydiscoides limae</i> sp. nov. (Monogenea, Diplectanidae) from <i>Pentapodus aureofasciatus</i> (Perciformes, Nemipteridae) off New Caledonia. <i>Acta Parasitologica</i> , 2009 , 54,	1.7	3
42	Does the number of sclerotised structures used for the systematics of monogeneans change with age? A study of the monocotylid <i>Dendromonocotyle pipinna</i> . <i>Parasitology Research</i> , 2010 , 107, 1509-14	2.4	3
41	<i>Alcornis haroldi</i> n. sp. (Digenea: Bucephalidae) from the yellowspotted trevally <i>Carangoides fulvoguttatus</i> (Forsskål) (Carangidae) from off New Caledonia. <i>Systematic Parasitology</i> , 2010 , 77, 35-43	1	3
40	<i>Stegodexamene anguillae</i> (Digenea: Lepocreadiidae), an intestinal parasite of eels (<i>Anguilla</i> spp.) in New Caledonia. <i>Parasitology Research</i> , 2007 , 100, 1047-51	2.4	3
39	Viral particles in a flatworm (<i>Paravortex tapetis</i>) parasitic in the commercial clam, <i>Ruditapes decussatus</i> . <i>Journal of Invertebrate Pathology</i> , 1995 , 65, 200-2	2.6	3

38	Actin and major sperm protein in spermatids and spermatozoa of the parasitic nematode <i>Heligmosomoides polygyrus</i> . <i>Molecular Reproduction and Development</i> , 1996 , 45, 332-41	2.6	3
37	<i>Capillaria dessetae</i> n. sp. (nematoda, Capillariinae) parasite de lagomorphe au Npal; intff de l'appareil reproducteur mē interne pour la taxonomie des Capillariinae. <i>Systematic Parasitology</i> , 1990 , 17, 125-132	1	3
36	Spermatozoa of rhigonematid nematodes: Morphology of 25 species and ultrastructure of <i>Rhigonema madecassum</i> . <i>International Journal for Parasitology</i> , 1990 , 20, 779-784	4.3	3
35	New observations on the genus <i>Hypocreadium</i> Ozaki, 1936 (Digenea: Lepocreadiidae) in the Indo-West Pacific region, including the description of one new species. <i>Zootaxa</i> , 2009 , 2110, 22-40	0.5	3
34	Ultrastructure of spermiogenesis and spermatozoa in <i>Euzetrema knoepffleri</i> (Platyhelminthes, Monogenea). <i>Parasite</i> , 1994 , 1, 123-126	3	3
33	Erection of <i>Euterranova</i> n. gen. and <i>Neoterranova</i> n. gen. (Nematoda, Anisakidae), with the description of <i>E. dentiduplicata</i> n. sp. and new records of two other anisakid nematodes from sharks off New Caledonia. <i>Parasite</i> , 2020 , 27, 58	3	3
32	Four polyopisthocotyleans (Platyhelminthes: Monogenea) from carangid fishes in the Mediterranean, off the Algerian coasts.. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021 , 1, 100026		3
31	Redescription of <i>Philometra filiformis</i> (Stossich, 1896) (Nematoda: Philometridae), a gonad-infecting parasite of the common pandora <i>Pagellus erythrinus</i> (Linnaeus) (Sparidae) in the Mediterranean Sea, including new taxonomic features revealed by SEM. <i>Systematic Parasitology</i> , 2017 , 94, 979-987	1	2
30	Complete mitogenome of the invasive land flatworm , the second Geoplanidae (Platyhelminthes) to display an unusually long gene. <i>Mitochondrial DNA Part B: Resources</i> , 2020 , 5, 2115-2116	0.5	2
29	Sympatric species of <i>Deretrema</i> Linton, 1910: <i>D. combesae</i> n. sp. and <i>D. combesorum</i> n. sp. (Digenea: Zoogonidae) from the manybar goatfish <i>Parupeneus multifasciatus</i> (Quoy & Gaimard, 1824) (Perciformes: Mullidae) from New Caledonia. <i>Parasitology International</i> , 2008 , 57, 18-24	2.1	2
28	<i>Holorchis castex</i> n. sp. (Digenea: Lepocreadiidae) from the painted sweet-lips <i>Diagramma pictum</i> (Thunberg, 1792) (Perciformes: Haemulidae) from New Caledonia. <i>Zootaxa</i> , 2007 , 1426, 51-56	0.5	2
27	<i>Homalometron moraveci</i> n. sp. (Digenea: Apocreadiidae) in the yellowfin goatfish, <i>Mulloidichthys vanicolensis</i> (Valenciennes, 1831) (Perciformes: Mullidae), from New Caledonia and the Great Barrier Reef, with a checklist of digeneans of <i>Mulloidichthys</i> species. <i>Zootaxa</i> , 2007 , 1525, 41-49	0.5	2
26	Une nouvelle espēe de Nmatode Capillariinae parasite de Soricidš (Mammalia, Insectivora) au Npal. <i>Annales De Parasitologie Humaine Et Comparē</i> , 1992 , 67, 9-18		2
25	A revision of (Monogenea, Plectanocotylidae), with molecular barcoding of three species and the description of a new species from the streaked gurnard off Algeria.. <i>PeerJ</i> , 2022 , 10, e12873	3.1	2
24	First Record of Presence of the Invasive Land Flatworm <i>Platydemus manokwari</i> (Platyhelminthes, Geoplanidae) in Guadeloupe		2
23	Spermatozoon ultrastructure in two monorchiid digeneans. <i>PeerJ</i> , 2016 , 4, e2488	3.1	2
22	Presence of the invasive land flatworm em <i>Platydemus/manokwari</i> /em (Platyhelminthes, Geoplanidae) in Guadeloupe, Martinique and Saint Martin (French West Indies). <i>Zootaxa</i> , 2021 , 4951, zootaxa.4951.2.11	0.5	2
21	Discovering the Pandoraâš box: the invasion of alien flatworms in Italy. <i>Biological Invasions</i> , 2022 , 1	2.7	2

20	New records of cucullanid nematodes from marine fishes off New Caledonia, with descriptions of five new species of <i>Cucullanus</i> (Nematoda, Cucullanidae). <i>Parasite</i> , 2020 , 27, 37	3	1
19	<i>Paracapillaria</i> (<i>Paracapillaria</i>) <i>gastrica</i> n. sp. (Nematoda: Capillariidae) from the marine fish <i>Synodus variegatus</i> Lacépède (Synodontidae, Aulopiformes) off New Caledonia. <i>Systematic Parasitology</i> , 2020 , 97, 157-163	1	1
18	Digeneans (Platyhelminthes) of the peacock sole, <i>Pardachirus pavoninus</i> (Lacépède, 1802) (Pleuronectiformes, Soleidae) off New Caledonia. <i>Zoosystema</i> , 2012 , 34, 825-835	0.7	1
17	Two thousand parasites on a single ray: An infection with two species of skin monogeneans on a blotched fantail ray kept in an aquarium. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	1
16	<i>Diploproctodaeum</i> spp. (Digenea, Lepocreadiidae) in Australian and New Caledonian waters including two new species from Tetraodontiformes and new records of related species. <i>Acta Parasitologica</i> , 2010 , 55,	1.7	1
15	Hammerhead flatworms (Platyhelminthes, Geoplanidae, Bipaliinae): mitochondrial genomes and description of two new species from France, Italy, and Mayotte.. <i>PeerJ</i> , 2022 , 10, e12725	3.1	1
14	First report in France of <i>Caenoplana decolorata</i> , a recently described species of alien terrestrial flatworm (Platyhelminthes, Geoplanidae)		1
13	The land flatworm (Geoplanidae) in Guadeloupe and Martinique: new reports and molecular characterization including complete mitogenome. <i>PeerJ</i> , 2020 , 8, e10098	3.1	1
12	A New Look at Monogenea and Digenea Spermatozoa 1983 , 454-457		1
11	Reproductive System of <i>Schistosoma</i> 2016 , 280-299		1
10	<i>Echinocephalus inserratus</i> sp. n. (Nematoda: Gnathostomatidae) from the stingray <i>Pastinachus ater</i> (Dasyatidae) and new records of congeneric and some other nematode larvae from teleost fishes off New Caledonia. <i>Folia Parasitologica</i> , 2021 , 68,	1.8	1
9	Hammerhead worms everywhere? Modelling the invasion of bipaliin flatworms in a changing climate. <i>Diversity and Distributions</i> , 2022 , 28, 844-858	5	1
8	A world of taxonomic pain: cryptic species, inexplicable host-specificity, and host-induced morphological variation among species of <i>Yamaguti</i> , 1934 (Trematoda: Bivesiculidae) from Indo-Pacific Holocentridae, Muraenidae and Serranidae.. <i>Parasitology</i> , 2022 , 1-23	2.7	0
7	Truly a hyperparasite, or simply an epibiont on a parasite? The case of <i>Cyclocotyla bellones</i> (Monogenea, Diclidophoridae).. <i>Parasite</i> , 2022 , 29, 28	3	0
6	Redescription, complete mitochondrial genome and phylogenetic relationships of <i>Hexostoma thynni</i> (Delaroché, 1811) Rafinesque, 1815 (Monogenea, Hexostomatidae). <i>Parasite</i> , 2022 , 29, 29	3	0
5	Introduction to histology of parasitic platyhelminthes. <i>Microscopy Research and Technique</i> , 1998 , 42, 173-58		
4	Durable parasitism. <i>Trends in Parasitology</i> , 2002 , 18, 188-189	6.4	
3	Spermatozoa, Spermatogenesis and Fertilization in <i>Schistosoma</i> 2016 , 300-319		

- 2 A comparative study of the ultrastructural characteristics of the mature spermatozoa of two fellodistomids *Tergestia clonacantha* and *T. laticollis* and contribution to the phylogenetic knowledge of the Gymnophalloidea. *Parasite*, **2020**, 27, 67 3
- 1 Redescription of *Ascarophis distorta* Fusco et Overstreet, 1978 (Nematoda, Cystidicolidae) from the stomach of some butterflyfishes off New Caledonia. *Acta Parasitologica*, **2021**, 66, 907-914 1.7