

Jean-Lou Justine

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5820053/publications.pdf>

Version: 2024-02-01

256
papers

5,335
citations

125106

35
h-index

175968

55
g-index

268
all docs

268
docs citations

268
times ranked

1829
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovering the Pandora's box: the invasion of alien flatworms in Italy. <i>Biological Invasions</i> , 2022, 24, 205-216.	1.2	9
2	Hammerhead flatworms (Platyhelminthes, Geoplanidae, Bipaliinae): mitochondrial genomes and description of two new species from France, Italy, and Mayotte. <i>PeerJ</i> , 2022, 10, e12725.	0.9	10
3	A revision of <i>Plectanocotyle</i> (Monogenea, Plectanocotylidae), with molecular barcoding of three species and the description of a new species from the streaked gurnard <i>Chelidonichthys lastoviza</i> off Algeria. <i>PeerJ</i> , 2022, 10, e12873.	0.9	5
4	Hammerhead worms everywhere? Modelling the invasion of bipaliin flatworms in a changing climate. <i>Diversity and Distributions</i> , 2022, 28, 844-858.	1.9	7
5	A world of taxonomic pain: cryptic species, inexplicable host-specificity, and host-induced morphological variation among species of <i>Bivesicula</i> Yamaguti, 1934 (Trematoda: Bivesiculidae) from Indo-Pacific Holocentridae, Muraenidae and Serranidae. <i>Parasitology</i> , 2022, 149, 831-853.	0.7	12
6	Truly a hyperparasite, or simply an epibiont on a parasite? The case of <i>Cyclocotyla bellones</i> (Monogenea, Diclidophoridae). <i>Parasite</i> , 2022, 29, 28.	0.8	1
7	Redescription, complete mitochondrial genome and phylogenetic relationships of <i>Hexostoma thynni</i> (Delaroche, 1811) Rafinesque, 1815 (Monogenea, Hexostomatidae). <i>Parasite</i> , 2022, 29, 29.	0.8	5
8	The invasive land flatworm <i>Obama nungara</i> in La Réunion, a French island in the Indian Ocean, the first report of the species for Africa. <i>Zootaxa</i> , 2022, 5154, 469-476.	0.2	3
9	Triple barcoding for a hyperparasite, its parasitic host, and the host itself: a study of <i>Cyclocotyla bellones</i> (Monogenea) on <i>Ceratothoa parallela</i> (Isopoda) on <i>Boops boops</i> (Teleostei). <i>Parasite</i> , 2021, 28, 49.	0.8	6
10	Redescription of <i>Ascarophis distorta</i> Fusco et Overstreet, 1978 (Nematoda, Cystidicolidae) from the stomach of some butterflyfishes off New Caledonia. <i>Acta Parasitologica</i> , 2021, 66, 907-914.	0.4	1
11	Presence of the invasive land flatworm <i>Platydemus manokwari</i> (Platyhelminthes, Geoplanidae) in Guadeloupe, Martinique and Saint Martin (French West Indies). <i>Zootaxa</i> , 2021, 4951, zootaxa.4951.2.11.	0.2	6
12	<i>Echinocephalus inserratus</i> sp. n. (Nematoda: Gnathostomatidae) from the stingray <i>Pastinachus ater</i> (Dasyatidae) and new records of congeneric and some other nematode larvae from teleost fishes off New Caledonia. <i>Folia Parasitologica</i> , 2021, 68, .	0.7	6
13	Redescription and molecular characterization of two species of <i>Pauciconfibula</i> (Monogenea). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10</i> 2363-2377.	0.6	10
14	Four polyopisthocotyleans (Platyhelminthes: Monogenea) from carangid fishes in the Mediterranean, off the Algerian coasts. <i>Current Research in Parasitology and Vector-borne Diseases</i> , 2021, 1, 100026.	0.7	3
15	Redescription of <i>Flexophora ophidii</i> Prost & Euzet, 1962 (Monogenea: Diclidophoridae) from <i>Ophidion barbatum</i> (Ophidiidae) off the Algerian coast, Mediterranean Sea. <i>Systematic Parasitology</i> , 2020, 97, 827-833.	0.5	5
16	Erection of <i>Euterranova</i> n. gen. and <i>Neoterranova</i> n. gen. (Nematoda, Anisakidae), with the description of <i>E. dentiduplicata</i> n. sp. and new records of two other anisakid nematodes from sharks off New Caledonia. <i>Parasite</i> , 2020, 27, 58.	0.8	7
17	A comparative study of the ultrastructural characteristics of the mature spermatozoa of two fellodistomids <i>Tergestia clonacantha</i> and <i>T. laticollis</i> and contribution to the phylogenetic knowledge of the Gymnophalloidea. <i>Parasite</i> , 2020, 27, 67.	0.8	1
18	No vagina, one vagina, or multiple vaginae? An integrative study of <i>Pseudaxine trachuri</i> (Monogenea). <i>Tj ETQq0 0 0 rgBT /Overlock 10</i> <i>Parasite</i> , 2020, 27, 50.	0.8	11

#	ARTICLE	IF	CITATIONS
19	New records of cucullanid nematodes from marine fishes off New Caledonia, with descriptions of five new species of <i>Cucullanus</i> (Nematoda, Cucullanidae). <i>Parasite</i> , 2020, 27, 37.	0.8	4
20	Complete mitogenome of the invasive land flatworm <i>Platydemus manokwari</i> . <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 1689-1690.	0.2	8
21	Some adult and larval nematodes from fishes off New Caledonia. <i>Parasitology Research</i> , 2020, 119, 2473-2484.	0.6	4
22	Complete mitogenome of the invasive land flatworm <i>Parakontikia ventrolineata</i> , the second Geoplanidae (Platyhelminthes) to display an unusually long <i>cox2</i> gene. <i>Mitochondrial DNA Part B: Resources</i> , 2020, 5, 2115-2116.	0.2	5
23	<i>Paracapillaria</i> (<i>Paracapillaria</i>) <i>gastrica</i> n. sp. (Nematoda: Capillariidae) from the marine fish <i>Synodus variegatus</i> Lacépède (Synodontidae, Aulopiformes) off New Caledonia. <i>Systematic Parasitology</i> , 2020, 97, 157-163.	0.5	5
24	New records of spirurid nematodes (Nematoda, Spirurida, Guyanemidae, Philometridae & Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td erection of <i>Ichthyofilaroides</i> n. gen.. <i>Parasite</i> , 2020, 27, 5.	0.8	4
25	New records of anisakid nematodes from marine fishes off New Caledonia, with descriptions of five new species of <i>Raphidascaris</i> (<i>Ichthyascaris</i>) (Nematoda, Anisakidae). <i>Parasite</i> , 2020, 27, 20.	0.8	7
26	<i>Obama</i> chez moi! The invasion of metropolitan France by the land planarian <i>Obama nungara</i> (Platyhelminthes, Geoplanidae). <i>PeerJ</i> , 2020, 8, e8385.	0.9	19
27	The land flatworm <i>Amaga expatria</i> (Geoplanidae) in Guadeloupe and Martinique: new reports and molecular characterization including complete mitogenome. <i>PeerJ</i> , 2020, 8, e10098.	0.9	6
28	First record of the invasive land flatworm <i>Bipalium adventitium</i> (Platyhelminthes, Geoplanidae) in Canada. <i>Zootaxa</i> , 2019, 4656, zootaxa.4656.3.13.	0.2	6
29	<i>Holocephalocotyle monstrosae</i> n. gen. n. sp. (Monogenea, Monocotylidae) from the olfactory rosette of the rabbit fish, <i>Chimaera monstrosa</i> (Holocephali, Chimaeridae) in deep waters off Algeria. <i>Parasite</i> , 2019, 26, 59.	0.8	12
30	Redescription and molecular characterisation of <i>Allogastrocotyle bivaginalis</i> Nasir & Fuentes Zambrano, 1983 (Monogenea: Gastrocotylidae) from <i>Trachurus picturatus</i> (Bowdich) (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	29
31	<i>Microcotyle visa</i> n. sp. (Monogenea: Microcotylidae), a gill parasite of <i>Pagrus caeruleostictus</i> (Valenciennes) (Teleostei: Sparidae) off the Algerian coast, Western Mediterranean. <i>Systematic Parasitology</i> , 2019, 96, 131-147.	0.5	29
32	<i>Dichelyne</i> (<i>Cucullanellus</i>) <i>bodiani</i> n. sp. and <i>Cucullanus hansonii</i> Olsen, 1952 (Nematoda: Cucullanidae) from fishes off New Caledonia. <i>Systematic Parasitology</i> , 2019, 96, 299-310.	0.5	3
33	Towards the resolution of the <i>Microcotyle erythrini</i> species complex: description of <i>Microcotyle isyebi</i> n. sp. (Monogenea, Microcotylidae) from Boops boops (Teleostei, Sparidae) off the Algerian coast. <i>Parasitology Research</i> , 2019, 118, 1417-1428.	0.6	25
34	Complete mitogenome of the giant invasive hammerhead flatworm <i>Bipalium kewense</i> . <i>Mitochondrial DNA Part B: Resources</i> , 2019, 4, 1343-1344.	0.2	10
35	New species and new records of camallanid nematodes (Nematoda, Camallanidae) from marine fishes and sea snakes in New Caledonia. <i>Parasite</i> , 2019, 26, 66.	0.8	4
36	Spermiogenesis and spermatozoon ultrastructure in basal polyopisthocotylean monogeneans, Hexabothriidae and Chimaericolidae, and their significance for the phylogeny of the Monogenea. <i>Parasite</i> , 2018, 25, 7.	0.8	16

#	ARTICLE	IF	CITATIONS
37	Ultrastructure of mature spermatozoa of three Bucephalidae (Prosorhynchus longisaccatus,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622	0.8	7
38	Three new species of Cucullanus (Nematoda: Cucullanidae) from marine fishes off New Caledonia, with a key to species of Cucullanus from Anguilliformes. Parasite, 2018, 25, 51.	0.8	10
39	Occurrence of anisakid parasites in marine fishes and whales off New Caledonia. Parasitology Research, 2018, 117, 3195-3204.	0.6	28
40	First report of the land planarian Endeavouria septemlineata (Hyman, 1939) (Platyhelminthes,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	0.2	5
41	<i>Rasheedia</i> n. nom. (Nematoda, Physalopteridae) for <i>Bulbocephalus</i> Rasheed, 1966 (a) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622 sp. and <i>R</i>. <i>novaecaledoniensis</i> n. sp. from perciform fishes off New Caledonia. Parasite, 2018, 25, 39.	0.8	5
42	Giant worms <i>chez moi!</i> Hammerhead flatworms (Platyhelminthes, Geoplanidae, <i>Bipalium</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 e4672.	0.9	31
43	Species of <i>Philometra</i> (Nematoda, Philometridae) from fishes off the Mediterranean coast of Africa, with a description of <i>Philometra rara</i> n. sp. from <i>Hyporthodus haifensis</i> and a molecular analysis of <i>Philometra saltatrix</i> from <i>Pomatomus saltatrix</i>. Parasite, 2017, 24, 8.	0.8	9
44	Advances in Spermatological Characters in the Digenea. Advances in Parasitology, 2017, 98, 111-165.	1.4	38
45	Redescription of Philometra filiformis (Stossich, 1896) (Nematoda: Philometridae), a gonad-infecting parasite of the common pandora Pagellus erythrinus (Linnaeus) (Sparidae) in the Mediterranean Sea, including new taxonomic features revealed by SEM. Systematic Parasitology, 2017, 94, 979-987.	0.5	2
46	Occurrence of Anisakis (Nematoda: Anisakidae) larvae in unusual hosts in Southern hemisphere. Parasitology International, 2017, 66, 837-840.	0.6	37
47	A new species of Microcotyle (Monogenea: Microcotylidae) from Scorpaena notata (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 622	0.6	35
48	Diplectanids from Mycteroperca spp. (Epinephelidae) in the Mediterranean Sea: Redescriptions of six species from material collected off Tunisia and Libya, proposal for the 'Pseudorhabdosynochus riouxi group'™, and a taxonomic key. PLoS ONE, 2017, 12, e0171392.	1.1	10
49	Two new species of nematode parasites, Cucullanus epinepheli sp. n. (Cucullanidae) and Procammallanus (Spirocammallanus) sinespinis sp. n. (Camallanidae), from marine serranid and haemulid fishes off New Caledonia. Folia Parasitologica, 2017, 64, .	0.7	12
50	Species of Pseudorhabdosynochus (Monogenea, Diplectanidae) from Groupers (Mycteroperca spp.,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 â€Beverleyburtonae Group™ and Description of Two New Species. PLoS ONE, 2016, 11, e0159886.	1.1	23
51	Two gonad-infecting species of <i>Philometra</i> (Nematoda: Philometridae) from groupers (Serranidae) off Tunisia, with a key to <i>Philometra</i> species infecting serranid gonads. Parasite, 2016, 23, 8.	0.8	17
52	Diversity of apostome ciliates, Chromidina spp. (Oligohymenophorea, Opalinopsidae), parasites of cephalopods of the Mediterranean Sea. Parasite, 2016, 23, 33.	0.8	19
53	Hexabothriid monogeneans from the gills of deep-sea sharks off Algeria, with the description of <i>Squalonchocotyle euzeti</i> n. sp. (Hexabothriidae) from the kitefin shark <i>Dalatias licha</i> (Euselachii, Dalatiidae). Helminthologia, 2016, 53, 354-362.	0.3	17
54	Descriptions of Philometra aenei n. sp. and P. tunisiensis n. sp. (Nematoda: Philometridae) from Epinephelus spp. off Tunisia confirm a high degree of host specificity of gonad-infecting species of Philometra Costa, 1845 in groupers (Serranidae). Systematic Parasitology, 2016, 93, 115-128.	0.5	32

#	ARTICLE	IF	CITATIONS
55	First report of the land planarian <i>Diversibipalium multilineatum</i> (Makino & Shirasawa, 1983) (Platyhelminthes, Tricladida, Continenticola) in Europe. <i>Zootaxa</i> , 2016, 4067, 577-80.	0.2	17
56	Nematode parasites of four species of <i>Carangoides</i> (Osteichthyes: Carangidae) in New Caledonian waters, with a description of <i>Philometra</i> <i>disparn</i> . sp. (Philometridae). <i>Parasite</i> , 2016, 23, 40.	0.8	12
57	Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. <i>Zootaxa</i> , 2016, 4196, zootaxa.4196.3.9.	0.2	63
58	<i>Hamacreadium cribbi</i> n. sp. (Digenea: Opecoelidae) from <i>Lethrinus miniatus</i> (Forster) (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	6
59	The EASIN Editorial Board: quality assurance, exchange and sharing of alien species information in Europe. <i>Management of Biological Invasions</i> , 2016, 7, 321-328.	0.5	23
60	<i>Pseudorhabdosynochus sulamericanus</i> (Monogenea, Diplectanidae), a parasite of deep-sea groupers (Serranidae) occurs transatlantically on three congeneric hosts (<i>Hyporthodus</i> spp.), one from the Mediterranean Sea and two from the western Atlantic. <i>PeerJ</i> , 2016, 4, e2233.	0.9	27
61	Spermatozoon ultrastructure in two monorchiid digeneans. <i>PeerJ</i> , 2016, 4, e2488.	0.9	2
62	Reproductive System of <i>Schistosoma</i> , 2016, , 280-299.		1
63	Spermatozoa, Spermatogenesis and Fertilization in <i>Schistosoma</i> , 2016, , 300-319.		0
64	<i>Pseudorhabdosynochus regius</i> n. sp. (Monogenea, Diplectanidae) from the mottled grouper <i>Mycteroperca rubra</i> (Teleostei) in the Mediterranean Sea and Eastern Atlantic. <i>Parasite</i> , 2015, 22, 9.	0.8	22
65	First spermatological study in the Atractotrematidae (Digenea, Haploporoidea): the case of <i>Atractotrema sigani</i> , intestinal parasite of <i>Siganus lineatus</i> . <i>Parasite</i> , 2015, 22, 26.	0.8	8
66	<i>Neomultitestis aspidogastriformis</i> Bray and Cribb, 2003 (Digenea, Lepocreadiidae): mature spermatozoon and sperm morphologies in the Lepocreadiidae. <i>Cell Biology International</i> , 2015, 39, 799-807.	1.4	14
67	New records of species of <i>Philometra</i> (Nematoda: Philometridae) from marine fishes off New Caledonia, including <i>P. cephalopholidis</i> sp. n. from <i>Cephalopholis sonnerati</i> (Serranidae). <i>Parasitology Research</i> , 2015, 114, 3223-3228.	0.6	8
68	Anisakid nematodes (Nematoda: Anisakidae) from the marine fishes <i>Plectropomus laevis</i> Lac�p�de (Serranidae) and <i>Sphyraena qenie</i> Klunzinger (Sphyraenidae) off New Caledonia, including two new species of <i>Hysterothylacium</i> Ward & Magath, 1917. <i>Systematic Parasitology</i> , 2015, 92, 181-195.	0.5	15
69	Ultrastructural characters of the spermatozoa in Digeneans of the genus <i>Bianium</i> Stunkard, 1930 (Digenea, Lepocreadiidae) parasites of fishes: a comparative study of <i>Bianium plicitum</i> and <i>Bianium arabicum</i> . <i>Parasitology Research</i> , 2015, 114, 3747-3757.	0.6	11
70	Characterisation of Ascaridoid larvae from marine fish off New Caledonia, with description of new <i>Hysterothylacium</i> larval types XIII and XIV. <i>Parasitology International</i> , 2015, 64, 397-404.	0.6	33
71	The invasive land planarian <i>Platydemus manokwari</i> (Platyhelminthes, Geoplanidae): records from six new localities, including the first in the USA. <i>PeerJ</i> , 2015, 3, e1037.	0.9	35
72	Ultrastructural study of sperm cells in Acanthocolpidae: the case of <i>Stephanostomum murielae</i> and <i>Stephanostomoides tenuis</i> (Digenea). <i>PeerJ</i> , 2015, 3, e744.	0.9	22

#	ARTICLE	IF	CITATIONS
73	Can parasites halt the invader? Mermithid nematodes parasitizing the yellow-legged Asian hornet in France. PeerJ, 2015, 3, e947.	0.9	29
74	<i>Capillaria plectropomi</i> n. sp. (Nematoda: Capillariidae), a new intestinal parasite of the leopard coral grouper <i>Plectropomus leopardus</i> (Serranidae) off New Caledonia. Parasite, 2014, 21, 76.	0.8	9
75	A Phylogenetic Re-Analysis of Groupers with Applications for Ciguatera Fish Poisoning. PLoS ONE, 2014, 9, e98198.	1.1	24
76	A review of the Zoogonidae (Digenea: Microphalloidea) from fishes of the waters around New Caledonia, with the description of <i>Overstreetia cribbi</i> n. sp.. PeerJ, 2014, 2, e292.	0.9	10
77	<i>Helicometra boseli</i> Nagaty, 1956 (Digenea: Opecoelidae) in <i>Sargocentron spiniferum</i> (Forsskål) (Beryciformes: Holocentridae) from New Caledonian waters with a review of the <i>Helicometra</i> spp. in holocentrids. Systematic Parasitology, 2014, 89, 167-173.	0.5	3
78	Philometrids (Nematoda: Philometridae) in carangid and serranid fishes off New Caledonia, including three new species. Parasite, 2014, 21, 21.	0.8	32
79	Diversity of trypanorhynch metacestodes in teleost fishes from coral reefs off eastern Australia and New Caledonia. Parasite, 2014, 21, 60.	0.8	21
80	<i>Huffmanella hamo</i> sp. n. (Nematoda: Trichosomoididae: Huffmanellinae) from the dagger-tooth pike conger <i>Muraenesox cinereus</i> off Japan. Folia Parasitologica, 2014, 61, 267-271.	0.7	14
81	The invasive New Guinea flatworm <i>Platydemus manokwari</i> in France, the first record for Europe: time for action is now. PeerJ, 2014, 2, e297.	0.9	41
82	Three species of opisthomonorchiiine monorchids (Digenea) in <i>Carangoides</i> spp. (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 Systematic Parasitology, 2013, 85, 147-156.	0.5	5
83	Bucephalidae (Digenea) from epinephelins (Serranidae: Perciformes) from the waters off New Caledonia, including <i>Neidhartia lochepintaden</i> sp.. Parasite, 2013, 20, 56.	0.8	11
84	The Monogenean Which Lost Its Clamps. PLoS ONE, 2013, 8, e79155.	1.1	25
85	A digenean parasite in a mudskipper: <i>Opegaster ouemoensis</i> sp. n. (Digenea: Opecoelidae) in <i>Periophthalmus argentilineatus</i> Valenciennes (Perciformes: Gobiidae) in the mangroves of New Caledonia. Folia Parasitologica, 2013, 60, 7-16.	0.7	7
86	Digeneans (Platyhelminthes) of the peacock sole, <i>Pardachirus pavoninus</i> (Lacépède, 1802) (Pleuronectiformes, Soleidae) off New Caledonia. Zoosystema, 2012, 34, 825-835.	0.2	1
87	Further reports of <i>Acanthocolpidae</i> Lohr, 1906 (Digenea) from fishes off New Caledonia, with descriptions of two new species. Systematic Parasitology, 2012, 83, 39-50.	0.5	6
88	A review of the Lepocreadiidae (Digenea, Lepocreadioidea) from fishes of the waters around New Caledonia. Acta Parasitologica, 2012, 57, 247-72.	0.4	9
89	An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish. Aquatic Biosystems, 2012, 8, 22.	1.8	46
90	Are all species of <i>Pseudorhabdosynochus</i> strictly host specific? A molecular study. Parasitology International, 2012, 61, 356-359.	0.6	22

#	ARTICLE	IF	CITATIONS
91	Raphidascaris (Ichthyascaris) etelidis n. sp. (Nematoda, Anisakidae), a new ascaridoid nematode from lutjanid fishes off New Caledonia. <i>Zoosystema</i> , 2012, 34, 113-121.	0.2	12
92	The genus <i>Caligus</i> MÅ¼ller, 1785 (Copepoda: Siphonostomatoida): two new species from reef associated fishes in New Caledonia, and some nomenclatural problems resolved. <i>Zootaxa</i> , 2012, 3534, 21.	0.2	11
93	A quick and simple method, usable in the field, for collecting parasites in suitable condition for both morphological and molecular studies. <i>Parasitology Research</i> , 2012, 111, 341-351.	0.6	82
94	Ultrastructural study of spermiogenesis and the spermatozoon of <i>Cavisoma magnum</i> (Southwell,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.1	5
95	Spermatozoon Ultrastructure of <i>Gyliuuchen</i> sp. (Digenea: Gyliuuchenidae), an Intestinal Parasite of <i>Siganus fuscescens</i> (Pisces: Teleostei). <i>Biological Bulletin</i> , 2011, 221, 197-205.	0.7	49
96	Foraminifera in the diet of coral reef fish from the lagoon of New Caledonia: Predation, digestion, dispersion. <i>Revue De Micropaleontologie</i> , 2011, 54, 87-103.	0.8	18
97	New data on the morphology of <i>Procamallanus</i> (<i>Procamallanus</i>) <i>annulatus</i> and <i>Procamallanus</i> (<i>Spirocamallanus</i>) <i>monotaxis</i> (Nematoda: Camallanidae) from marine fishes off New Caledonia. <i>Helminthologia</i> , 2011, 48, 41-50.	0.3	11
98	<i>Protocotyle euzetmaillardi</i> n. sp. (Monogenea: Hexabothriidae) from the bigeye sixgill shark <i>Hexanchus nakamurai</i> Teng (Elasmobranchii: Hexanchidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011, 78, 41-55.	0.5	6
99	Cucullanid nematodes (Nematoda: Cucullanidae) from deep-sea marine fishes off New Caledonia, including <i>Dichelyne etelidis</i> n. sp.. <i>Systematic Parasitology</i> , 2011, 78, 95-108.	0.5	21
100	Two new species of ancyrocephalid monogeneans from <i>Lethrinus rubrioperculatus</i> Sato (Perciformes:) Tj ETQq0 0 0 rgBT /Overlock 10 T 78, 123-138.	0.5	13
101	Four species of <i>Pseudorhabdosynochus</i> (Monogenea: Diplectanidae) from the camouflage grouper <i>Epinephelus polyphekadion</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011, 79, 41-61.	0.5	8
102	<i>Pseudorhabdosynochus quadratus</i> n. sp. (Monogenea: Diplectanidae) from the white-streaked grouper <i>Epinephelus ongus</i> (Bloch) (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2011, 79, 77-80.	0.5	6
103	<i>Huffmanella plectropomi</i> n. sp. (Nematoda: Trichosomoididae: Huffmanellinae) from the coral grouper <i>Plectropomus leopardus</i> (LacÅ©pÅde) off New Caledonia. <i>Systematic Parasitology</i> , 2011, 79, 139-143.	0.5	17
104	Bucephaline digeneans (Bucephalidae) in <i>Sphyræna putnamae</i> Jordan & Seale (Sphyrænidae) from the lagoon off New Caledonia. <i>Systematic Parasitology</i> , 2011, 79, 123-138.	0.5	4
105	Spermatological characters of bothriocephalideans (Cestoda) inferred from an ultrastructural study on <i>Oncodiscus sauridae</i> and <i>Senga</i> sp.. <i>Parasitology Research</i> , 2011, 109, 9-18.	0.6	17
106	Acanthocolpidae (Digenea) of marine fishes off New Caledonia, with the descriptions of two new species. <i>Folia Parasitologica</i> , 2011, 58, 35-47.	0.7	11
107	Two new gonad-infecting <i>Philometra</i> species (Nematoda: Philometridae) from the marine fish <i>Lutjanus vitta</i> (Perciformes: Lutjanidae) off New Caledonia. <i>Folia Parasitologica</i> , 2011, 58, 302-310.	0.7	24
108	Sperm ultrastructure of <i>Helicometra epinepheli</i> (Platyhelminthes, Digenea, Opecoelidae), parasite of <i>Epinephelus fasciatus</i> (Pisces, Teleostei). <i>Histology and Histopathology</i> , 2011, 26, 1019-28.	0.5	17

#	ARTICLE	IF	CITATIONS
109	<i>Pseudopecoelus sosoae</i> sp. nov. and <i>P. sewelli</i> (Digenea, Opecoelidae) from the deep-sea fish <i>Neoscombrops pacificus</i> (Perciformes, Acropomatidae) off New Caledonia. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	5
110	Some trichinelloid nematodes from marine fishes off New Caledonia, including description of <i>Pseudocapillaria novaecaledoniensis</i> sp. nov. (Capillariidae). <i>Acta Parasitologica</i> , 2010, 55, .	0.4	22
111	<i>Eltusa epinepheli</i> sp. nov. (Crustacea, Isopoda, Cymothoidae) a branchial parasite of the grouper <i>Epinephelus howlandi</i> (Serranidae, Epinephelinae) from off New Caledonia. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	7
112	Two thousand parasites on a single ray: An infection with two species of skin monogeneans on a blotched fantail ray kept in an aquarium. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	1
113	<i>Varialvus</i> gen. nov. (Digenea, Cryptogonimidae), from species of Lutjanidae (Perciformes) off the Great Barrier Reef, New Caledonia and the Maldives. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	16
114	<i>Diploproctodaem</i> spp. (Digenea, Lepocreadiidae) in Australian and New Caledonian waters including two new species from Tetraodontiformes and new records of related species. <i>Acta Parasitologica</i> , 2010, 55, .	0.4	1
115	Does the number of sclerotised structures used for the systematics of monogeneans change with age? A study of the monocotylid <i>Dendromonocotyle pipinna</i> . <i>Parasitology Research</i> , 2010, 107, 1509-1514.	0.6	4
116	Three new species, <i>Lamellodiscus tubulicornis</i> n. sp., <i>L. magnicornis</i> n. sp. and <i>L. parvicornis</i> n. sp. (Monogenea: Diplectanidae) from <i>Gymnocranius</i> spp. (Lethrinidae: Monotaxinae) off New Caledonia, with the proposal of the new morphological group "tubulicornis"™ within <i>Lamellodiscus</i> Johnston & Tiegs, 1922. <i>Systematic Parasitology</i> , 2010, 75, 159-179.	0.5	18
117	Five new monogenean species from the gills of <i>Mulloidichthys vanicolensis</i> (Perciformes: Mullidae) off New Caledonia, with the proposal of <i>Volsellituba</i> n. g. and <i>Pennulituba</i> n. g. (Monogenea: Tj ETQq1 1 0.784314xgBT /Overlock 10		
118	<i>Alcicornis haroldi</i> n. sp. (Digenea: Bucephalidae) from the yellowspotted trevally <i>Carangoides fulvoguttatus</i> (ForsskÅ¥) (Carangidae) from off New Caledonia. <i>Systematic Parasitology</i> , 2010, 77, 35-43.	0.5	3
119	Monogeneans from <i>Epinephelus chlorostigma</i> (Val.) (Perciformes: Serranidae) off New Caledonia, with the description of three new species of diplectanids. <i>Systematic Parasitology</i> , 2010, 77, 81-105.	0.5	19
120	Cryptic species of <i>Euryakaina</i> n. g. (Digenea: Cryptogonimidae) from sympatric lutjanids in the Indo-West Pacific. <i>Systematic Parasitology</i> , 2010, 77, 185-204.	0.5	26
121	<i>Multitestis</i> Manter 1931 (Digenea: Lepocreadiidae) in ehippid and chaetodontid fishes (Perciformes) in the south-western Pacific Ocean and the Indian Ocean off Western Australia. <i>Zootaxa</i> , 2010, 2427, .	0.2	5
122	An annotated list of fish parasites (Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected from Emperors and Emperor Bream (Lethrinidae) in New Caledonia further highlights parasite biodiversity estimates on coral reef fish. <i>Zootaxa</i> , 2010, 2691, 1.	0.2	40
123	Spermatozoon ultrastructure of <i>Aponurus laguncula</i> (Digenea: Lecithasteridae), a parasite of <i>Aluterus monoceros</i> (Pisces: Teleostei). <i>Parasitology International</i> , 2010, 59, 22-28.	0.6	54
124	Two new genera and species of cystidicolids (Nematoda, Cystidicolidae) from marine fishes off New Caledonia. <i>Parasitology International</i> , 2010, 59, 198-205.	0.6	18
125	Ultrastructural study of the spermatozoon of <i>Heterolebes maculosus</i> (Digenea, Opistholebetidae), a parasite of the porcupinefish <i>Diodon hystrix</i> (Pisces, Teleostei). <i>Parasitology International</i> , 2010, 59, 427-434.	0.6	70
126	Two new species of <i>Prochristianella</i> Dollfus, 1946 (Platyhelminthes, Cestoda) from the blue-spotted stingray, <i>Neotrygon kuhlii</i> (MÅ¼ller & Henle, 1841) off New Caledonia. <i>Zoosystema</i> , 2010, 32, 643-652.	0.2	6

#	ARTICLE	IF	CITATIONS
127	An annotated list of parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda and Nematoda) collected in groupers (Serranidae, Epinephelinae) in New Caledonia emphasizes parasite biodiversity in coral reef fish. <i>Folia Parasitologica</i> , 2010, 57, 237-262.	0.7	67
128	Sperm ultrastructure of the digenean <i>Siphoderina elongata</i> (Platyhelminthes, Cryptogonimidae) intestinal parasite of <i>Nemipterus furcosus</i> (Pisces, Teleostei). <i>Parasitology Research</i> , 2009, 105, 87-95.	0.6	33
129	Monogeneans of the grouper <i>Epinephelus tauvina</i> (Perciformes, Serranidae) off Moorea, French Polynesia, with a description of <i>Pseudorhabdosynochus pai</i> n. sp. (Monogenea: Diplectanidae). <i>Systematic Parasitology</i> , 2009, 72, 113-125.	0.5	9
130	A redescription of <i>Pseudorhabdosynochus epinepheli</i> (Yamaguti, 1938), the type-species of <i>Pseudorhabdosynochus</i> Yamaguti, 1958 (Monogenea: Diplectanidae), and the description of <i>P. satyui</i> n. sp. from <i>Epinephelus akaara</i> off Japan. <i>Systematic Parasitology</i> , 2009, 72, 27-55.	0.5	24
131	Two new species of <i>Bothriocephalus</i> Rudolphi, 1808 (Cestoda: Bothriocephalidea) from marine fish off Australia and New Caledonia. <i>Systematic Parasitology</i> , 2009, 73, 229-238.	0.5	7
132	<i>Adlardia novaecaledoniae</i> n. g., n. sp. (Digenea: Cryptogonimidae) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Val.) (Perciformes: Nemipteridae) off New Caledonia. <i>Systematic Parasitology</i> , 2009, 73, 151-160.	0.5	18
133	A new species of <i>Triloculotrema</i> Kearn, 1993 (Monogenea: Monocotylidae) from a deep-sea shark, the blacktailed spurdog <i>Squalus melanurus</i> (Squaliformes: Squalidae), off New Caledonia. <i>Systematic Parasitology</i> , 2009, 74, 59-63.	0.5	8
134	<i>Neolebouria blatta</i> n. sp. (Digenea: Opecoelidae) from <i>Pristipomoides argyrogrammicus</i> (Valenciennes) and <i>Etelis carbunculus</i> Cuvier (Perciformes: Lutjanidae) off New Caledonia. <i>Systematic Parasitology</i> , 2009, 74, 161-167.	0.5	12
135	<i>Calydiscoides limae</i> sp. nov. (Monogenea, Diplectanidae) from <i>Pentapodus aureofasciatus</i> (Perciformes, Nemipteridae) off New Caledonia. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	3
136	Resolution of the discrepant host-specificity of <i>Pseudorhabdosynochus</i> species (Monogenea,) Tj ETQq0 0 0 rgBT /Overlock 1Q Tf 50 382	0.4	8
137	Polyopisthocotylean monogeneans from carangid fishes off Queensland, Australia and New Caledonia, with a description of <i>Heteromicrocotyloides megaspinosus</i> sp. nov.. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	8
138	Opecoelids (Platyhelminthes, Digenea) from the fork-tailed threadfin bream <i>Nemipterus furcosus</i> (Valenciennes, 1830) (Perciformes, Nemipteridae), with preliminary keys to the problematic genera <i>Macvicaria</i> Gibson et Bray, 1982 and <i>Neolebouria</i> Gibson, 1976. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	10
139	Two cystidicolids (Nematoda, Cystidicolidae) from marine fishes off New Caledonia. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	8
140	<i>Cableia balistidicola</i> n. sp. (Digenea, Monorchidae) from Pacific Ocean balistids (Tetraodontiformes) and new reports of <i>Cableia pudica</i> Bray, Cribb and Barker, 1996 in temperate Australian monacanthids. <i>Parasitology International</i> , 2009, 58, 341-345.	0.6	4
141	Turbellarian black spot disease in bluespine unicornfish <i>Naso unicornis</i> in New Caledonia, caused by the parasitic turbellarian <i>Piscinquilinus</i> sp.. <i>Diseases of Aquatic Organisms</i> , 2009, 85, 245-249.	0.5	9
142	New observations on the genus <i>Hypocreadium</i> Ozaki, 1936 (Digenea: Lepocreadiidae) in the Indo-West Pacific region, including the description of one new species. <i>Zootaxa</i> , 2009, 2110, 22-40.	0.2	3
143	New data on dracunculoid nematodes from fishes off New Caledonia, including four new species of <i>Philometra</i> (Philometridae) and <i>Ichthyofilaria</i> (Guyanemidae). <i>Folia Parasitologica</i> , 2009, 56, 129-142.	0.7	40
144	A revision of the family Dissonidae Kurtz, 1924 (Copepoda: Siphonostomatoida). <i>Systematic Parasitology</i> , 2008, 70, 81-106.	0.5	15

#	ARTICLE	IF	CITATIONS
145	Two new species of <i>Pseudorhabdosynochus</i> Yamaguti, 1958 (Monogenea: Diplectanidae) from the deep-sea grouper <i>Epinephelus morrhua</i> (Val.) (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2008, 71, 145-158.	0.5	15
146	Linking species abundance distributions and body size in monogenean communities. <i>Parasitology Research</i> , 2008, 103, 187-193.	0.6	19
147	<i>Diplectanum parvus</i> sp. nov. (Monogenea, Diplectanidae) from <i>Cephalopholis urodeta</i> (Perciformes, Serranidae) off New Caledonia. <i>Acta Parasitologica</i> , 2008, 53, 369.	0.4	8
148	Some philometrid nematodes (Philometridae), including four new species of <i>Philometra</i> , from marine fishes off New Caledonia. <i>Acta Parasitologica</i> , 2008, 53, 369.	0.4	38
149	<i>Pseudorhabdosynochus inversus</i> sp. nov. (Monogenea, Diplectanidae) from the halfmoon grouper <i>Epinephelus rivulatus</i> (Perciformes, Serranidae) off New Caledonia. <i>Acta Parasitologica</i> , 2008, 53, 339.	0.4	8
150	Sympatric species of <i>Deretrema</i> Linton, 1910: <i>D. combesae</i> n. sp. and <i>D. combesorum</i> n. sp. (Digenea: Deretrematidae) from New Caledonia. <i>Parasitology International</i> , 2008, 57, 18-24.	0.6	2
151	Monogeneans of the speckled blue grouper, <i>Epinephelus cyanopodus</i> (Perciformes, Serranidae), from off New Caledonia, with a description of four new species of <i>Pseudorhabdosynochus</i> and one new species of <i>Laticola</i> (Monogenea: Diplectanidae), and evidence of monogenean faunal changes according to the size of fish. <i>Zootaxa</i> , 2008, 1695, 1-10.	0.2	29
152	<i>Pseudolacistorhynchus nanus</i> n. sp. (Cestoda: Trypanorhyncha) Parasitic in the spiral valve of the zebra shark, <i>Stegostoma fasciatum</i> (Hermann, 1783). <i>Transactions of the Royal Society of South Australia</i> , 2007, 131, 175-181.	0.1	6
153	<i>Holorchis castex</i> n. sp. (Digenea: Lepocreadiidae) from the painted sweet-lips <i>Diagramma pictum</i> (Thunberg, 1792) (Perciformes: Haemulidae) from New Caledonia. <i>Zootaxa</i> , 2007, 1426, 51-56.	0.2	2
154	<i>Huffmanella</i> spp. (Nematoda, Trichosomoididae) parasites in coral reef fishes off New Caledonia, with descriptions of <i>H. balista</i> n. sp. and <i>H. longa</i> n. sp.. <i>Zootaxa</i> , 2007, 1628, 1-10.	0.2	24
155	<i>Homalometron moravecii</i> n. sp. (Digenea: Apocreadiidae) in the yellowfin goatfish, <i>Mulloidichthys vanicolensis</i> (Valenciennes, 1831) (Perciformes: Mullidae), from New Caledonia and the Great Barrier Reef, with a checklist of digeneans of <i>Mulloidichthys</i> species. <i>Zootaxa</i> , 2007, 1525, 1-10.	0.2	2
156	Redescriptions of four species of <i>Otobothrium</i> Linton, 1890 (Cestoda: Trypanorhyncha), including new records from Australia, New Caledonia and Malaysia, with the description of <i>O. parvum</i> n. sp.. <i>Zootaxa</i> , 2007, 1587, 1-25.	0.2	19
157	Ultrastructure and tubulin immunocytochemistry of the copulatory stylet-like structure in <i>Childia</i> species (Acoela). <i>Journal of Morphology</i> , 2007, 268, 166-180.	0.6	5
158	<i>Pseudopyncadena tendu</i> sp. nov. (Digenea, Opecoelidae) in the yellow-spotted triggerfish <i>Pseudobalistes fuscus</i> (Perciformes, Balistidae) and additional opecoelids parasitizing fishes from the waters off New Caledonia. <i>Acta Parasitologica</i> , 2007, 52, 13.	0.4	15
159	A new species of <i>Ascarophis</i> (Nematoda, Cystidicolidae) from the stomach of the marine scorpaeniform fish <i>Hoplichthys citrinus</i> from a seamount off the Chesterfield Islands, New Caledonia. <i>Acta Parasitologica</i> , 2007, 52, 238.	0.4	20
160	<i>Pseudorhabdosynochus bacchus</i> sp. nov. (Monogenea, Diplectanidae) from <i>Epinephelus coeruleopunctatus</i> (Perciformes, Serranidae) off New Caledonia. <i>Acta Parasitologica</i> , 2007, 52, 196.	0.4	13
161	Redescription of <i>Pseudogilquinia pillersi</i> (Southwell, 1929) (Cestoda, Trypanorhyncha) from serranid and lethrinid fishes from New Caledonia and Australia. <i>Acta Parasitologica</i> , 2007, 52, 213.	0.4	10
162	Parasite biodiversity in a coral reef fish: twelve species of monogeneans on the gills of the grouper <i>Epinephelus maculatus</i> (Perciformes: Serranidae) off New Caledonia, with a description of eight new species of <i>Pseudorhabdosynochus</i> (Monogenea: Diplectanidae). <i>Systematic Parasitology</i> , 2007, 66, 81-129.	0.5	57

#	ARTICLE	IF	CITATIONS
163	Species of <i>Calydiscoides</i> Young, 1969 (Monogenea: Diplectanidae) from lethrinid fishes, with the redescription of all of the type-specimens and the description of <i>C. euzeti</i> n. sp. from <i>Lethrinus rubrioperculatus</i> and <i>L. xanthochilus</i> off New Caledonia. <i>Systematic Parasitology</i> , 2007, 67, 187-209.	0.5	9
164	<i>Pseudorhabdosynochus argus</i> n. sp. (Monogenea: Diplectanidae) from <i>Cephalopholis argus</i> , <i>P. minutus</i> n. sp. and <i>Diplectanum nanus</i> n. sp. from <i>C. sonnerati</i> and other monogeneans from <i>Cephalopholis</i> spp. (Perciformes: Serranidae) off Australia and New Caledonia. <i>Systematic Parasitology</i> , 2007, 68, 195-215.	0.5	24
165	Ultrastructural and immunocytochemical investigation of acoe sperm with 9 + 1 axoneme structure: new sperm characters for unraveling phylogeny in Acoela. <i>Zoomorphology</i> , 2007, 126, 1-16.	0.4	30
166	<i>Stegodexamene anguillae</i> (Digenea: Lepocreadiidae), an intestinal parasite of eels (<i>Anguilla</i> spp.) in New Caledonia. <i>Parasitology Research</i> , 2007, 100, 1047-1051.	0.6	3
167	Monogeneans of the malabar grouper <i>Epinephelus malabaricus</i> (Perciformes, Serranidae) off New Caledonia, with a description of six new species of <i>Pseudorhabdosynochus</i> (Monogenea: Diplectanidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006, 64, 69-90.	0.5	32
168	Three species of <i>Calydiscoides</i> (Monogenea: Diplectanidae) from five <i>Lethrinus</i> spp. (Lethrinidae: <i>Lethrinus</i> spp.) off New Caledonia. <i>Parasitologica</i> , 2007, 54, 191-202.	0.7	9
169	<i>Haliotrema banana</i> sp. n. (Monogenea: Ancyrocephalidae) from <i>Bodianus perditio</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006, 64, 147-172.	0.5	22
170	Redescription of <i>Metabronema magnum</i> (Nematoda: Cystidicolidae), a swimbladder parasite of the carangid fish <i>Gnathanodon speciosus</i> off New Caledonia. <i>Folia Parasitologica</i> , 2007, 54, 293-300.	0.7	15
171	A NEW SPECIES OF <i>PROCAMALLANUS</i> (NEMATODA: CAMALLANIDAE) FROM PACIFIC EELS (<i>ANGUILLA</i> SPP.). <i>Journal of Parasitology</i> , 2006, 92, 130-137.	0.3	20
172	<i>Hypocreadium toombo</i> n. sp. (Digenea: Lepocreadiidae) in the yellow-spotted triggerfish <i>Pseudobalistes fuscus</i> (Perciformes: Balistidae) and additional lepecreadiids parasitizing fishes from the waters off New Caledonia. <i>Zootaxa</i> , 2006, 1326, 37.	0.2	10
173	<i>Elthusa arnoglossi</i> sp. nov. (Crustacea: Isopoda: Cymothoidae), a branchial parasite of flatfishes (Bothidae) from the Chesterfield Islands, New Caledonia. <i>Zootaxa</i> , 2006, 1338, 57.	0.2	9
174	<i>Pseudorhabdosynochus venus</i> n. sp. (Monogenea: Diplectanidae) from <i>Epinephelus howlandi</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006, 63, 153-158.	0.5	15
175	<i>Thaumatoctyle pseudodasybatis</i> Hargis, 1955 (Monogenea: Monocotylidae) from <i>Aetobatus</i> cf. <i>narinari</i> , with a comparison of specimens from Australia, French Polynesia and New Caledonia. <i>Systematic Parasitology</i> , 2006, 64, 47-55.	0.5	13
176	The "Pseudorhabdosynochus cupatus group" (Monogenea: Diplectanidae) on <i>Epinephelus fasciatus</i> , <i>E. howlandi</i> , <i>E. rivulatus</i> and <i>E. merra</i> (Perciformes: Serranidae) off New Caledonia, with descriptions of <i>Pseudorhabdosynochus cyathus</i> n. sp. and <i>P. calathus</i> n. sp.. <i>Systematic Parasitology</i> , 2006, 64, 69-90.	0.5	32
177	Diplectanids (Monogenea) parasitic on the gills of the coralgroupers <i>Plectropomus laevis</i> and <i>P. leopardus</i> (Perciformes, Serranidae) off New Caledonia, with the description of five new species and the erection of <i>Echinoplectanum</i> n. g.. <i>Systematic Parasitology</i> , 2006, 64, 147-172.	0.5	22
178	<i>Laticolada</i> n. sp. (Monogenea: Diplectanidae) from <i>Epinephelus maculatus</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2006, 64, 173-180.	0.5	14
179	Three nematode species from elasmobranchs off New Caledonia. <i>Systematic Parasitology</i> , 2006, 64, 131-145.	0.5	19
180	Gilquiniid cestodes (Trypanorhyncha) from elasmobranch fishes off New Caledonia with descriptions of two new genera and a new species. <i>Systematic Parasitology</i> , 2006, 65, 235-249.	0.5	20

#	ARTICLE	IF	CITATIONS
181	<i>Prosorhynchus maternus</i> sp. n. (Digenea: Bucephalidae) from the Malabar grouper <i>Epinephelus malabaricus</i> (Perciformes: Serranidae) off New Caledonia. <i>Folia Parasitologica</i> , 2006, 53, 181-188.	0.7	13
182	Some camallanid nematodes from marine perciform fishes off New Caledonia. <i>Folia Parasitologica</i> , 2006, 53, 223-239.	0.7	23
183	<i>Camallanus cotti</i> (Nematoda: Camallanidae), an introduced parasite of fishes in New Caledonia. <i>Folia Parasitologica</i> , 2006, 53, 287-296.	0.7	17
184	Additional molecular evidence to support a sister taxon relationship between Heligmosomoidea and Molineoidea nematodes (Trichostrongylina). <i>Parasitology Research</i> , 2005, 96, 343-346.	0.6	8
185	Monocotylids (Monogenea: Monopisthocotylea) from <i>Aetobatus</i> cf. <i>narinari</i> off New Caledonia, with a description of <i>Decacotyle elpora</i> n. sp.. <i>Systematic Parasitology</i> , 2005, 60, 175-185.	0.5	18
186	<i>Huffmanella lata</i> n. sp. (Nematoda: Trichosomoididae: Huffmanellinae) from the shark <i>Carcharhinus amblyrhynchos</i> (Elasmobranchii: Carcharhinidae) off New Caledonia. <i>Systematic Parasitology</i> , 2005, 61, 181-184.	0.5	18
187	Species of <i>Pseudorhabdosynochus</i> Yamaguti, 1958 (Monogenea: Diplectanidae) from <i>Epinephelus fasciatus</i> and <i>E. merra</i> (Perciformes: Serranidae) off New Caledonia and other parts of the Indo-Pacific Ocean, with a comparison of measurements of specimens prepared using different methods, and a description of <i>P. caledonicus</i> n. sp.. <i>Systematic Parasitology</i> , 2005, 62, 1-37.	0.5	56
188	<i>Pseudorhabdosynochus hirundineus</i> n. sp. (Monogenea: Diplectanidae) from <i>Variola louti</i> (Perciformes: Serranidae) off New Caledonia. <i>Systematic Parasitology</i> , 2005, 62, 39-45.	0.5	23
189	Two Anisakid Nematodes from Marine Fishes off New Caledonia, Including <i>Raphidascaris (Ichthyascaris) nemipteri</i> n. sp. from <i>Nemipterus furcosus</i> . <i>Systematic Parasitology</i> , 2005, 62, 101-110.	0.5	18
190	A new genus of parasitic copepod (Siphonostomatoidea: Caligidae) from the razorback scabbardfish, <i>Assurger anzac</i> (Trichiuridae) off New Caledonia. <i>Folia Parasitologica</i> , 2005, 52, 349-358.	0.7	14
191	Three new species of <i>Huffmanella</i> Moravec, 1987 (Nematoda: Trichosomoididae) from the gills of marine fish off New Caledonia. <i>Systematic Parasitology</i> , 2004, 59, 29-37.	0.5	30
192	Phylogenetic Positions of the Bothitrematidae and Neocalceostomatidae (Monopisthocotylean) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>	0.0	18
193	Durable parasitism. <i>Trends in Parasitology</i> , 2002, 18, 188-189.	1.5	0
194	<i>Moravecinema segonzaci</i> gen. et sp. n. (Nematoda: Cystidicolidae) from <i>Pachycara thermophilum</i> (Zoarcidae), a deep-sea hydrothermal vent fish from the Mid-Atlantic Ridge. <i>Folia Parasitologica</i> , 2002, 49, 299-303.	0.7	8
195	Phylogeny of the Trichostrongylina (Nematoda) Inferred from 28S rDNA Sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001, 19, 430-442.	1.2	69
196	Phylogenetic relationships within the polyopisthocotylean monogeneans (Platyhelminthes) inferred from partial 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2001, 31, 393-401.	1.3	129
197	Phylogenetic position of the monogeneans <i>Sundanonchus</i> , <i>Thaparocleidus</i> , and <i>Cichlidogyrus</i> inferred from 28S rDNA sequences. <i>International Journal for Parasitology</i> , 2000, 30, 659-662.	1.3	27
198	Phylogeny of the Monopisthocotylea and Polyopisthocotylea (Platyhelminthes) inferred from 28S rDNA sequences Note: New nucleotide sequence data reported in this paper will be available in the GenBank database under the accession numbers AF131706-131733. Alignment will be available on request to the authors or from http://www.mnhn.fr/mnhn/bpph/Data/IndexData.html . <i>International Journal for Parasitology</i> , 2000, 30, 171-185.	1.3	84

#	ARTICLE	IF	CITATIONS
199	Microtubular system during spermiogenesis and in the spermatozoon of <i>Convoluta saliens</i> (platyhelminthes, acoela): Tubulin immunocytochemistry and electron microscopy. <i>Molecular Reproduction and Development</i> , 1999, 52, 74-85.	1.0	14
200	Acoel spermatozoa: ultrastructure and immunocytochemistry of tubulin. <i>Hydrobiologia</i> , 1998, 383, 207-214.	1.0	31
201	The microtubular system and posttranslationally modified tubulin during spermatogenesis in a parasitic nematode with amoeboid and aflagellate spermatozoa. <i>Molecular Reproduction and Development</i> , 1998, 49, 150-167.	1.0	11
202	The Homology of Cortical Microtubules in Platyhelminth Spermatozoa: a Comparative Immunocytochemical Study of Acetylated Tubulin. <i>Acta Zoologica</i> , 1998, 79, 235-241.	0.6	9
203	Tubulin polyglycylation in platyhelminthes: Diversity among stable microtubule networks and very late occurrence during spermiogenesis. , 1998, 39, 318-330.		17
204	Introduction to histology of parasitic platyhelminthes. , 1998, 42, 173-175.		0
205	Non-monophyly of the monogeneans?. <i>International Journal for Parasitology</i> , 1998, 28, 1653-1657.	1.3	37
206	Spermatozoa as Phylogenetic Characters for the Eucestoda. <i>Journal of Parasitology</i> , 1998, 84, 385.	0.3	152
207	Phylogeny of the Orders of the Eucestoda (Cercomeromorphae) Based on Comparative Morphology: Historical Perspectives and a New Working Hypothesis. <i>Journal of Parasitology</i> , 1997, 83, 1128.	0.3	125
208	Immunocytochemical study of tubulin in the 9+â€™1â€™ sperm axoneme of a monogenean (Platyhelminthes), <i>Pseudodactylogyrus</i> sp.. <i>Tissue and Cell</i> , 1997, 29, 699-706.	1.0	8
209	Spermiogenesis and spermatozoon of <i>Echinostoma caproni</i> (Platyhelminthes, Digenea): transmission and scanning electron microscopy, and tubulin immunocytochemistry. <i>Tissue and Cell</i> , 1997, 29, 107-118.	1.0	68
210	Actin in spermatids and spermatozoa of <i>Teladorsagia circumcincta</i> and <i>Trichostrongylus colubriformis</i> (Nematoda, Trichostrongylida). <i>Parasite</i> , 1997, 4, 373-376.	0.8	0
211	Spermiogenesis in <i>Paratomella rubra</i> (Platyhelminthes, Acoela): Ultrastructural, Immunocytochemical, Cytochemical Studies and Phylogenetic Implications. <i>Acta Zoologica</i> , 1997, 78, 295-307.	0.6	17
212	Phylogenetic analysis of the Monogenea and their relationships with Digenea and Eucestoda inferred from 28S rDNA sequences1Note: Nucleotide sequence data reported in this paper are available in the EMBL, GenBank, and DDJB data bases under the accession numbers AF026103â€“AF026119.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 90, 433-438.	0.5	116
213	Actin and major sperm protein in spermatids and spermatozoa of the parasitic nematode <i>Heligmosomoides polygyrus</i> . <i>Molecular Reproduction and Development</i> , 1996, 45, 332-341.	1.0	4
214	Viral Particles in a Flatworm (<i>Paravortex tapetis</i>) Parasitic in the Commercial Clam, <i>Ruditapes decussatus</i> . <i>Journal of Invertebrate Pathology</i> , 1995, 65, 200-202.	1.5	6
215	Actin in the acrosome of the spermatozoa of the crab, <i>Cancer pagurus</i> L. (Decapoda, Crustacea). <i>Molecular Reproduction and Development</i> , 1994, 38, 178-186.	1.0	17
216	The Cytoskeletal Proteins Actin and Tubulin in the Spermatozoa of Four Decapod Crabs (Crustacea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.6	21

#	ARTICLE	IF	CITATIONS
217	Spermiogenesis in a Scutariellid (Platyhelminthes). Acta Zoologica, 1994, 75, 287-295.	0.6	17
218	Ultrastructure of spermiogenesis and spermatozoa in <i>Euzetrema knoepffleri</i> (Platyhelminthes). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702	0.8	3
219	Ultrastructure of Spermiogenesis in <i>Acanthocotyle</i> and <i>Myxinidocotyle</i> (Platyhelminthes, Monogenea, Acanthocotylidae). Acta Zoologica, 1993, 74, 119-126.	0.6	6
220	Virus-like particles in a monogenean (platyhelminthes) parasitic in a marine fish. International Journal for Parasitology, 1993, 23, 69-75.	1.3	18
221	The development and evolution of actin-containing organelles during spermiogenesis of a primitive nematode. Biology of the Cell, 1993, 79, 231-241.	0.7	9
222	Homogeneity of sperm structure in six species of Schistosomes (Digenea, Platyhelminthes). Annales De Parasitologie Humaine Et Compar�e, 1993, 68, 185-187.	0.4	30
223	Une nouvelle esp�ce de N�matode Capillariinae parasite de Soricid�s (Mammalia, Insectivora) au N�pal. Annales De Parasitologie Humaine Et Compar�e, 1992, 67, 9-18.	0.4	2
224	Ultrastructure of spermiogenesis, spermatozoa and the tegument in <i>Atrистер</i> sp. (Platyhelminthes). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 15	0.7	15
225	Phylogeny of parasitic Platyhelminthes: a critical study of synapomorphies proposed on the basis of the ultrastructure of spermiogenesis and spermatozoa. Canadian Journal of Zoology, 1991, 69, 1421-1440.	0.4	219
226	A cladistic analysis of the genera in the subfamily pudicinae (nematoda, trichostrongyloidea). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382	1.3	10
227	Cladistic study in the monogenea (Platyhelminthes), based upon a parsimony analysis of spermiogenetic and spermatozoal ultrastructural characters. International Journal for Parasitology, 1991, 21, 821-838.	1.3	104
228	Viral particles in <i>Temnocephala iheringi</i> (platyhelminthes, temnocephalidea), a parasite of the mollusc <i>Pomacea canaliculata</i> . Journal of Invertebrate Pathology, 1991, 57, 287-289.	1.5	8
229	Ultrastructure of spermatozoa in two Monopisthocotylean Monogeneans : <i>Encotyllabe</i> sp. (Capsalidae) and <i>Tetraonchoides</i> sp. (Tetraonchoididae). Annales De Parasitologie Humaine Et Compar�e, 1991, 66, 173-178.	0.4	7
230	Ultrastructure of the Flame Bulbs of <i>Urastoma cyprinae</i> (Platyhelminthes, Prolecithophora™). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14	0.6	14
231	<i>Capillaria dessetae</i> n. sp. (nematoda, Capillariinae) parasite de lagomorphe au N�pal; int�rieur de l'appareil reproducteur m�le interne pour la taxonomie des Capillariinae. Systematic Parasitology, 1990, 17, 125-132.	0.5	4
232	Spermatozoa of rhigonematid nematodes: Morphology of 25 species and ultrastructure of <i>Rhigonema madecassum</i> . International Journal for Parasitology, 1990, 20, 779-784.	1.3	3
233	Ultrastructure of the flame bulbs of the Monopisthocotylean Monogenea <i>Loimosina wilsoni</i> (Loimoidae) and <i>Calceostoma herculanea</i> (Calceostomatidae). Annales De Parasitologie Humaine Et Compar�e, 1989, 64, 433-442.	0.4	16
234	Ultrastructure comparee de la spermiogenese et du spermatozoide de trois especes de <i>Paravortex</i> (Rhabdocoela, "Dalyellioida", Graffillidae), Turbellaries parasites intestinaux de Mollusques. Zoologica Scripta, 1989, 18, 161-174.	0.7	22

#	ARTICLE	IF	CITATIONS
235	Implications phylogenetiques de l'ultrastructure de la spermatogenese, du spermatozoide et de l'ovogenese du Turbellarie <i>Urastoma cyprinae</i> ("Prolecithophora", Urastomidae). <i>Zoologica Scripta</i> , 1989, 18, 175-185.	0.7	25
236	Ultrastructure of granules in the seminal vesicle of the parasitic turbellarian <i>Urastoma cyprinae</i> (?Prolecithophora?, Urastomidae). <i>Zeitschrift für Parasitenkunde</i> (Berlin, Germany), 1989, 76, 176-177.	0.8	5
237	Ultrastructure of the spermatozoon of the mosquito <i>Toxorhynchites</i> (Diptera, Culicidae). <i>Zoologica Scripta</i> , 1988, 17, 289-291.	0.7	7
238	Bending of 9 + 1 axonemes of flatworm spermatozoa in hypotonic media: An experimental study. <i>Journal of Structural Biology</i> , 1988, 100, 31-38.	0.9	8
239	Ultrastructural Observations on the Spermatozoa of Two Temnocephalids (Platyhelminthes). <i>Acta Zoologica</i> , 1987, 68, 1-7.	0.6	16
240	Phylogenetic relationships between the families Capsalidae and Dionchidae (Platyhelminthes,) spermio-genesis. <i>Zoologica Scripta</i> , 1987, 16, 111-116.	0.7	19
241	Ultrastructure of the spermatozoon of the cestode <i>Duthiersia fimbriata</i> Diesing, 1854 (Pseudophyllidea, Diphylobothriidae). <i>Canadian Journal of Zoology</i> , 1986, 64, 1545-1548.	0.4	38
242	Oncomiracidium, morphogenèse du haptuer et ultrastructure du spermatozoïde de <i>Pseudodactylogyrus anguillae</i> (Yin et Sproston, 1948) Gussev, 1965 (Monogenea, Monopisthocotylea,)	0.4	10
243	Ultrastructural Observations on Fertilization in <i>Dionchus remorae</i> (Platyhelminthes,)	0.6	27
244	Comparative ultrastructural study of spermio-genesis in monogeneans (flatworms). <i>Journal of Structural Biology</i> , 1986, 96, 54-63.	0.9	27
245	Ultrastructure de la spermio-genese et du spermatozoide de <i>Loimosina wikoni</i> et affinites phyletiques des Loimoidae (Plathelminthes, Monogenea, Monopisthocotylea). <i>Zoologica Scripta</i> , 1985, 14, 169-175.	0.7	18
246	First Report of aflagellate spermatozoon in a parasitic Platyhelminthe, found in the Monogenean <i>Diplozoon gracile</i> (Polyopisthocotylea, Diplozoidae). <i>Annales De Parasitologie Humaine Et Comparée</i> , 1985, 60, 761-762.	0.4	13
247	Spermatozoon ultrastructure and phylogenetic relationships in the monogeneans (platyhelminthes). <i>International Journal for Parasitology</i> , 1985, 15, 601-608.	1.3	86
248	A spermatozoon with undulating membrane in a parasitic flatworm, <i>Gotocotyla</i> (Monogenea,)	1.4	24
249	The aflagellate spermatozoon of <i>Diplozoon</i> (Platyhelminthes: Monogenea: Polyopisthocotylea): A demonstrative case of relationship between sperm ultrastructure and biology of reproduction. <i>Journal of Ultrastructure Research</i> , 1985, 92, 47-54.	1.4	39
250	Ultrastructural Observations on the Spermatozoon, Oocyte and Fertilization Process in <i>Gonapodasmius</i> , a Gonochoristic Trematode (Trematoda: Digenea: Didymozoidae). <i>Acta Zoologica</i> , 1984, 65, 171-177.	0.6	51
251	Atypical spermio-genesis in a parasitic flatworm, <i>Didymozoon</i> (trematoda: digenea: didymozoidae). <i>Journal of Ultrastructure Research</i> , 1984, 87, 106-111.	1.4	39
252	Comparative ultrastructural study of spermio-genesis in monogeneans (flatworms). <i>Journal of Ultrastructure Research</i> , 1984, 88, 77-91.	1.4	30

#	ARTICLE	IF	CITATIONS
253	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). Journal of Ultrastructure Research, 1983, 84, 213-223.	1.4	44
254	Comparative ultrastructural study of spermiogenesis in monogeneans (flatworms). Journal of Ultrastructure Research, 1983, 84, 224-237.	1.4	32
255	A New Look at Monogenea and Digenea Spermatozoa. , 1983, , 454-457.		2
256	The complete mitogenome of the potentially invasive flatworm <i>Australopacifica atrata</i> (Platyhelminthes, Geoplanidae) displays unusual features common to other Rhynchodeminae. ZooKeys, 0, 1110, 121-133.	0.5	3