Kasi Pitchumani

List of Publications by Citations

Source: https://exaly.com/author-pdf/582054/kasi-pitchumani-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 136
 4,087
 37
 54

 papers
 citations
 h-index
 g-index

 172
 4,467
 4.6
 6.02

ext. papers ex

4,40/ 4.0 ext. citations avg, IF

L-index

#	Paper	IF	Citations
136	Solvent-free multicomponent synthesis of pyranopyrazoles: per-6-amino-Ecyclodextrin as a remarkable catalyst and host. <i>Tetrahedron Letters</i> , 2010 , 51, 3312-3316	2	139
135	Palladium nanoparticles supported on triazine functionalised mesoporous covalent organic polymers as efficient catalysts for MizorokiHeck cross coupling reaction. <i>Green Chemistry</i> , 2014 , 16, 4223-4233	10	130
134	K10 montmorillonite clays as environmentally benign catalysts for organic reactions. <i>Catalysis Science and Technology</i> , 2014 , 4, 2378-2396	5.5	117
133	Cu(II)-hydrotalcite as an efficient heterogeneous catalyst for Huisgen [3+2] cycloaddition. <i>Chemistry - A European Journal</i> , 2009 , 15, 2755-8	4.8	109
132	Syntheses of 5-substituted 1H-tetrazoles catalyzed by reusable CoY zeolite. <i>Journal of Organic Chemistry</i> , 2011 , 76, 9090-5	4.2	108
131	Nickel-Catalyzed Solvent-Free Three-Component Coupling of Aldehyde, Alkyne and Amine. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 411-415	3.2	91
130	Melamine-Based Microporous Network Polymer Supported Palladium Nanoparticles: A Stable and Efficient Catalyst for the Sonogashira Coupling Reaction in Water. <i>ChemCatChem</i> , 2015 , 7, 666-673	5.2	88
129	Zn2+-K10-clay (clayzic) as an efficient water-tolerant, solid acid catalyst for the synthesis of benzimidazoles and quinoxalines at room temperature. <i>Tetrahedron Letters</i> , 2011 , 52, 69-73	2	81
128	Per-6-amino-beta-cyclodextrin as an efficient supramolecular ligand and host for Cu(I)-catalyzed N-arylation of imidazole with aryl bromides. <i>Journal of Organic Chemistry</i> , 2008 , 73, 9121-4	4.2	80
127	Simple and efficient reduction of nitroarenes by hydrazine in faujasite zeolites. <i>Applied Catalysis A: General</i> , 2004 , 265, 135-139	5.1	78
126	Aerobic homocoupling of arylboronic acids catalysed by copper terephthalate metalorganic frameworks. <i>Green Chemistry</i> , 2014 , 16, 2865	10	74
125	One-Pot Multicomponent Solvent-Free Synthesis of 2-Amino-4H-benzo[b]pyrans Catalyzed by Per-6-amino-Ecyclodextrin. ACS Sustainable Chemistry and Engineering, 2013, 1, 174-179	8.3	73
124	Remarkable Product Selectivity During Photo-Fries and Photo-Claisen Rearrangements within Zeolites. <i>Journal of the American Chemical Society</i> , 1996 , 118, 9428-9429	16.4	72
123	Clay entrapped nickel nanoparticles as efficient and recyclable catalysts for hydrogenation of olefins. <i>Tetrahedron Letters</i> , 2008 , 49, 1818-1823	2	71
122	Clay-anchored non-heme ironBalen complex catalyzed cleavage of CC bond in aqueous medium. <i>Tetrahedron</i> , 2006 , 62, 9911-9918	2.4	70
121	Copper(I)-catalyzed three component reaction of sulfonyl azide, alkyne, and nitrone cycloaddition/rearrangement cascades: a novel one-step synthesis of imidazolidin-4-ones. <i>Organic Letters</i> , 2011 , 13, 5728-31	6.2	63
120	Per-6-amino-Etyclodextrin as a reusable promoter and chiral host for enantioselective Henry reaction. <i>Organic Letters</i> , 2010 , 12, 4070-3	6.2	62

(1998-2013)

119	Per-6-amino-Eyclodextrin as a chiral base catalyst promoting one-pot asymmetric synthesis of 2-aryl-2,3-dihydro-4-quinolones. <i>Journal of Organic Chemistry</i> , 2013 , 78, 744-51	4.2	60	
118	Per-6-amino-Etyclodextrin catalyzed asymmetric Michael addition of nitromethane and thiols to chalcones in water. <i>Tetrahedron: Asymmetry</i> , 2008 , 19, 2037-2044		60	
117	Clay-supported ceric ammonium nitrate as an effective, viable catalyst in the oxidation of olefins, chalcones and sulfides by molecular oxygen. <i>Catalysis Communications</i> , 2009 , 10, 872-878	3.2	59	
116	An acyclic, dansyl based colorimetric and fluorescent chemosensor for Hg(II) via twisted intramolecular charge transfer (TICT). <i>Analytica Chimica Acta</i> , 2012 , 751, 171-5	6.6	58	
115	Naked-eye detection of Fe3+ and Ru3+ in water: Colorimetric and ratiometric sensor based on per-6-amino-Ecyclodextrin/p-nitrophenol. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 273-277	8.5	58	
114	Triazine-based mesoporous covalent imine polymers as solid supports for copper-mediated Chan-Lam cross-coupling N-arylation reactions. <i>Chemistry - A European Journal</i> , 2014 , 20, 8761-70	4.8	54	
113	One-Pot Synthesis of Propargylamines Using Ag(I)-Exchanged K10 Montmorillonite Clay as Reusable Catalyst in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 781-787	8.3	54	
112	Toxicity and immunological activity of silver nanoparticles. <i>Applied Clay Science</i> , 2010 , 48, 547-551	5.2	50	
111	A multicomponent, solvent-free, one-pot synthesis of benzoxanthenones catalyzed by HY zeolite: their anti-microbial and cell imaging studies. <i>Tetrahedron Letters</i> , 2012 , 53, 1018-1024	2	43	
110	Zeolite-mediated regioselective nitration of phenol in solid state. <i>Journal of Molecular Catalysis A</i> , 2002 , 185, 305-309		43	
109	Alginate stabilized silver nanocube-Rh6G composite as a highly selective mercury sensor in aqueous solution. <i>Nanoscale</i> , 2011 , 3, 1166-70	7.7	41	
108	l-Proline anchored hydrotalcite clays: An efficient catalyst for asymmetric Michael addition. <i>Applied Catalysis A: General</i> , 2008 , 340, 25-32	5.1	41	
107	Clay encapsulated ZnO nanoparticles as efficient catalysts for N-benzylation of amines. <i>Catalysis Communications</i> , 2011 , 16, 15-19	3.2	39	
106	Palladium nanoparticles embedded on thiourea-modified chitosan: a green and sustainable heterogeneous catalyst for the Suzuki reaction in water. <i>RSC Advances</i> , 2015 , 5, 27533-27539	3.7	38	
105	Selective Eurn-offEluorescent sensing of mercury ions using aminocyclodextrin:3-hydroxy-N-phenyl-2-naphthamide complex in aqueous solution. <i>RSC Advances</i> , 2014 , 4, 11714	3.7	38	
104	Selective Reduction of Nitroarenes by using Zeolite-Supported Copper Nanoparticles with 2-Propanol as a Sustainable Reducing Agent. <i>ChemCatChem</i> , 2012 , 4, 1917-1921	5.2	38	
103	Asymmetrically modified zeolite as a medium for enantioselective photoreactions: Reactions from spin forbidden excited states. <i>Tetrahedron Letters</i> , 1997 , 38, 8825-8828	2	38	
102	Activation Conditions Play a Key Role in the Activity of Zeolite CaY: NMR and Product Studies of Brlisted Acidity. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 5627-5638	2.8	38	

101	Fabrication of Pd Nanoparticles Embedded C@Fe3O4 Core-Shell Hybrid Nanospheres: An Efficient Catalyst for Cyanation in Aryl Halides. <i>ACS Applied Materials & Amp; Interfaces</i> , 2015 , 7, 22907-17	9.5	37
100	Highly selective "turn-on" fluorescent and colorimetric sensing of fluoride ion using 2-(2-hydroxyphenyl)-2,3-dihydroquinolin-4(1H)-one based on excited-state proton transfer. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 146-52	4.5	37
99	A highly selective ratiometric fluorescent chemosensor for Cu(ii) based on dansyl-functionalized thiol stabilized silver nanoparticles. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 1962-1967	7.3	37
98	Transfer hydrogenation of carbonyl compounds and carbonflarbon multiple bonds by zeolite supported Cu nanoparticles. <i>Catalysis Science and Technology</i> , 2012 , 2, 296-300	5.5	37
97	The aminocyclodextrin/Pd(OAc)2 complex as an efficient catalyst for the Mizoroki-Heck cross-coupling reaction. <i>Chemistry - A European Journal</i> , 2013 , 19, 14425-31	4.8	36
96	Per-6-ammonium-Etyclodextrin/p-nitrophenol complex as a colorimetric sensor for phosphate and pyrophosphate anions in water. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 909-914	8.5	36
95	A pyridinium modified Ecyclodextrin: an ionic supramolecular ligand for palladium acetate in CII coupling reactions in water. <i>Green Chemistry</i> , 2016 , 18, 5518-5528	10	36
94	An intramolecular charge transfer (ICT) based chemosensor for silver ion using 4-methoxy-N-((thiophen-2-yl)methyl)benzenamine. <i>Analyst, The</i> , 2012 , 137, 5320-4	5	35
93	Layered double hydroxide-supported L-methionine-catalyzed chemoselective O-methylation of phenols and esterification of carboxylic acids with dimethyl carbonate: a "green" protocol. <i>Chemistry - A European Journal</i> , 2010 , 16, 1128-32	4.8	34
92	An efficient hydration of nitriles to amides in aqueous media by hydrotalcite-clay supported nickel nanoparticles. <i>Catalysis Communications</i> , 2012 , 29, 109-113	3.2	33
91	Oxidative hydroxylation of arylboronic acids to phenols catalyzed by copper nanoparticles ellagic acid composite. <i>Journal of Molecular Catalysis A</i> , 2014 , 395, 500-505		31
90	Highly selective fluorescent sensing of fenitrothion using per-6-amino-Etyclodextrin:Eu(III) complex. <i>Biosensors and Bioelectronics</i> , 2012 , 35, 452-455	11.8	31
89	Facile clay-induced Fischer indole synthesis: A new approach to synthesis of 1,2,3,4-tetrahydrocarbazole and indoles. <i>Applied Catalysis A: General</i> , 2005 , 292, 305-311	5.1	31
88	Plumbagin as colorimetric and ratiometric sensor for arginine. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 521-527	8.5	30
87	Design and one-pot synthesis of a novel pyrene based fluorescent sensor for selective Eurn on naked eye detection of Ni2+ ions, and live cell imaging. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 429-437	8.5	30
86	Copper-Based Metal Drganic Frameworks as Reusable Heterogeneous Catalysts for the One-Pot Syntheses of Imidazo [1,2-a] pyridines. <i>Asian Journal of Organic Chemistry</i> , 2014 , 3, 784-791	3	30
85	Flavone modified-Ecyclodextrin as a highly selective and efficient fluorescent chemosensor for Cu2+ ions and l-histidine. <i>Sensors and Actuators B: Chemical</i> , 2013 , 188, 59-64	8.5	30
84	Effect of cyclodextrin encapsulation on photo-fries rearrangement of benzensulphonanilide. <i>Tetrahedron Letters</i> , 1991 , 32, 2975-2978	2	30

(2012-2015)

83	Selective sensing of silver ion using berberine, a naturally occurring plant alkaloid. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 170-175	8.5	29
82	One-pot synthesis of 2-substituted quinoxalines using K10-montmorillonite as heterogeneous catalyst. <i>Tetrahedron Letters</i> , 2014 , 55, 1616-1620	2	29
81	Reactions in clay media: photooxidation of sulfides by clay-bound methylene blue. <i>Tetrahedron</i> , 2001 , 57, 8391-8394	2.4	28
80	Copper(I)-Y Zeolite-Catalyzed Regio- and Stereoselective [2 + 2 + 2] Cyclotrimerization Cascade: An Atom- and Step-Economical Synthesis of Pyrimido[1,6-a]quinoline. <i>Journal of Organic Chemistry</i> , 2015 , 80, 10299-308	4.2	27
79	Copper(I)-Catalyzed [3+2] Cycloaddition/Ring-Opening Rearrangement/[4+2] Cycloaddition/Aromatization Cascade: An Unprecedented Chemo- and Stereoselective Three Component Coupling of Sulfonyl Azide, Alkyne and N-Arylidenepyridin-2-	5.6	26
78	amine to Pyrido[1,2-a]pyrimidin-4-imine. Advanced Synthesis and Catalysis, 2013, 355, 93-98 Per-6-amino-Eyclodextrin/Cul catalysed cyanation of aryl halides with K4[Fe(CN)6]. New Journal of Chemistry, 2012, 36, 2334	3.6	26
77	Simple, solvent free syntheses of unsymmetrical sulfides from thiols and alkyl halides using hydrotalcite clays. <i>Journal of Molecular Catalysis A</i> , 2004 , 217, 117-120		26
76	Microwave promoted one-pot synthesis of 2-aryl substituted 1,3,4-oxadiazoles and 1,2,4-oxadiazole derivatives using Al3+-K10 clay as a heterogeneous catalyst. <i>Tetrahedron Letters</i> , 2014 , 55, 3678-3682	2	25
75	Solvent-Free Syntheses of 1,5-Benzodiazepines Using HY Zeolite as a Green Solid Acid Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 1169-1176	8.3	25
74	Oxidation of organic sulfides with clay-supported iodosylbenzene as oxygen donor. <i>Tetrahedron</i> , 1997 , 53, 7635-7640	2.4	25
73	A highly selective, sensitive and Eurn-onlFluorescent sensor for the paramagnetic Fe3+ ion. <i>Sensors and Actuators B: Chemical</i> , 2016 , 230, 199-205	8.5	22
72	Ecyclodextrin included coumarin derivatives as selective fluorescent sensors for Cu2+ ions in HeLa cells. <i>RSC Advances</i> , 2016 , 6, 20269-20275	3.7	22
71	Cascade synthesis of bis-N-sulfonylcyclobutenes via Cu(I)/Lewis acid-catalyzed (3 + 2)/(2 + 2) cycloadditions: observation of aggregation-induced emission enhancement from restricted C=N photoisomerization. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 2937-41	3.9	22
70	Selectivity in bromination of alkylbenzenes in the presence of montmorillonite clay. <i>Tetrahedron</i> , 1997 , 53, 2581-2584	2.4	22
69	Photoreactions in clay media: singlet oxygen oxidation of electron-rich substrates mediated by clay-bound dyes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2002 , 153, 205-210	4.7	22
68	Isolation of biochanin A, an isoflavone, and its selective sensing of copper(II) ion. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 75-80	8.5	21
67	Amino acid intercalated layered double hydroxide catalyzed chemoselective methylation of phenols and thiophenols with dimethyl carbonate. <i>Tetrahedron Letters</i> , 2013 , 54, 7167-7170	2	21
66	Pyridinium ylide-assisted KY zeolite catalyzed tandem synthesis of polysubstituted cyclopropanes. <i>Catalysis Communications</i> , 2012 , 26, 39-43	3.2	21

65	Cubical Palladium Nanoparticles on C@Fe3O4 for Nitro reduction, Suzuki-Miyaura Coupling and Sequential Reactions. <i>Journal of Molecular Catalysis A</i> , 2016 , 423, 511-519		21
64	Michael addition of indoles to Ehitrostyrenes catalyzed by HY zeolite under solvent-free conditions. <i>Tetrahedron Letters</i> , 2014 , 55, 2061-2064	2	20
63	A green route for the synthesis of 2-substituted benzoxazole derivatives catalyzed by Al3+-exchanged K10 clay. <i>Tetrahedron Letters</i> , 2013 , 54, 6415-6419	2	20
62	Dual emission from 4-dimethylaminobenzonitrile in cyclodextrin derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2000 , 131, 101-110	4.7	19
61	Photo-fries reaction of naphthyl esters within zeolites. <i>Tetrahedron Letters</i> , 1996 , 37, 6251-6254	2	19
60	Isolable C@Fe3O4 nanospheres supported cubical Pd nanoparticles as reusable catalysts for Stille and Mizoroki-Heck coupling reactions. <i>Tetrahedron Letters</i> , 2017 , 58, 3276-3282	2	18
59	D-Glucose sensing by (E)-(4-((pyren-1-ylmethylene)amino)phenyl) boronic acid via a photoinduced electron transfer (PET) mechanism. <i>RSC Advances</i> , 2013 , 3, 11566	3.7	18
58	Synergistic photodynamic action of ZnO nanomaterials encapsulated meso-tetra (4-sulfonatophenyl) porphyrin. <i>Powder Technology</i> , 2013 , 237, 497-505	5.2	18
57	Selectivity in bromination of aniline and N-substituted anilines encapsulated in Etyclodextrin. <i>Tetrahedron</i> , 1996 , 52, 3487-3496	2.4	18
56	Ultrafine Bimetallic PdCo Alloy Nanoparticles on Hollow Carbon Capsules: An Efficient Heterogeneous Catalyst for Transfer Hydrogenation of Carbonyl Compounds. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 491-500	8.3	18
55	Mesoporous Microcapsules through d-Glucose Promoted Hydrothermal Self-Assembly of Colloidal Silica: Reusable Catalytic Containers for Palladium Catalyzed Hydrogenation Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 667-674	8.3	17
54	Fries rearrangement of esters in montmorillonite clays: Steric control on selectivity. <i>Tetrahedron</i> , 1997 , 53, 17171-17176	2.4	17
53	Copper(I)-Catalyzed One-Pot Synthesis of Highly Functionalized Pyrrolidines from Sulfonyl Azides, Alkynes, and Dimethyl 2-(Phenylamino)maleate. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 463	3 <i>-</i> 467	16
52	Synthesis of substituted isoquinolines via iminoalkyne cyclization using Ag(I) exchanged K10-montmorillonite clay as a reusable catalyst. <i>RSC Advances</i> , 2014 , 4, 38491	3.7	16
51	Regioselective monobromination of substituted phenols in the presence of Etyclodextrin. <i>Tetrahedron</i> , 2007 , 63, 4959-4967	2.4	16
50	Reductive quenching of excited states of chromium(III)-polypyridyl complexes with alkyl aryl sulphides. <i>Tetrahedron</i> , 1993 , 49, 4721-4740	2.4	16
49	Copper(i)-Y zeolite catalyzed N-sulfonylketenimine mediated annulation of hydroxynaphthoquinones: syntheses of naphtho[2,1-b]furan-2,5-diones and benzo[de]chromene-2,6-diones. <i>Chemical Communications</i> , 2016 , 52, 8436-9	5.8	15
48	Triphasic catalyst systems based on surfactant/clay composites. <i>Green Chemistry</i> , 1999 , 1, 95-97	10	15

47	Modification of chemical reactivity upon cyclodextrin encapsulation:. <i>Tetrahedron</i> , 1994 , 50, 7903-7912	2.4	15	
46	Cation-exchanged montmorillonite clays as Lewis acid catalysts in the Fries rearrangement of phenyl toluene-p-sulphonate. <i>Journal of the Chemical Society Chemical Communications</i> , 1990 , 1613		15	
45	Autofluorescence in BrdU-positive cells and augmentation of regeneration kinetics by riboflavin. <i>Stem Cells and Development</i> , 2012 , 21, 2071-83	4.4	14	
44	Zeolite mediated protection of carbonyl groups. <i>Green Chemistry</i> , 1999 , 1, 173-174	10	14	
43	Selectivity in sodium borohydride reduction of coumarin encapsulated in Etyclodextrin. <i>Tetrahedron</i> , 1994 , 50, 12979-12988	2.4	14	
42	Naked eye sensing of melamine: aggregation induced recognition by sodium D-gluconate stabilised silver nanoparticles. <i>New Journal of Chemistry</i> , 2016 , 40, 3869-3874	3.6	13	
41	Al-MCM-41 as a mild and ecofriendly catalyst for Michael addition of indole to Hunsaturated ketones. <i>Journal of Molecular Catalysis A</i> , 2012 , 363-364, 115-121		13	
40	Triplet photochemistry within zeolites through heavy atom effect, sensitization and light atom effect. <i>Tetrahedron</i> , 2003 , 59, 5763-5772	2.4	12	
39	Effect of cyclodextrin complexation on photo-Fries rearrangement of naphthyl esters. <i>Tetrahedron</i> , 1999 , 55, 9601-9610	2.4	12	
38	Sheet silicate catalysed demethylation and Fischer-Hepp rearrangement of N-methyl-N-nitrosoaniline. <i>Journal of Molecular Catalysis A</i> , 1997 , 118, 189-193		11	
37	Photoinduced reduction of aryl methyl sulfones on titanium dioxide. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 1473		11	
36	A Ratiometric Tetrazolylpyridine-Based II urn-OnIFluorescent Chemosensor for Zinc(II) Ion in Aqueous Media. <i>ChemPlusChem</i> , 2014 , 79, 1361-1366	2.8	10	
35	A Clean Clay Catalysed Synthesis of [N-Diarylnitrones. Synthetic Communications, 1997, 27, 4041-4047	1.7	10	
34	Utility of Zeolitic Medium in Photo-Fries and Photo-Claisen Rearrangements#. <i>Research on Chemical Intermediates</i> , 1999 , 25, 623-631	2.8	10	
33	TripletBriplet energy transfer between organic molecules trapped in zeolites. <i>Chemical Communications</i> , 1996 , 2049-2050	5.8	10	
32	Water-Soluble Palladium Complex of N?-(pyridin-2-yl)propane-1,3-diamine modified Ecyclodextrin: An efficient Catalyst for Transfer Hydrogenation of Carbonyl Compounds. <i>ACS Sustainable</i> Chemistry and Engineering, 2018 , 6, 16130-16138	8.3	10	
31	Influence of cations in faujasite zeolites in cis-trans isomerization of 4-bromophenyl styryl sulfone. <i>Tetrahedron</i> , 1998 , 54, 15667-15672	2.4	9	
				4

29	Zeolite-promoted selective mono-N-methylation of aniline with dimethyl carbonate. <i>Journal of Molecular Catalysis A</i> , 2004 , 218, 196-201		9
28	Heterogenization of cobalt nanoparticles on hollow carbon capsules: Lab-in-capsule for catalytic transfer hydrogenation of carbonyl compounds. <i>Molecular Catalysis</i> , 2018 , 448, 153-161	3.3	8
27	An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions. <i>Helvetica Chimica Acta</i> , 2013 , 96, 1269-1272	2	8
26	The catalytic influence of clays on Bamberger rearrangement: unexpected formation of p-nitrosodiphenyl amine from N-phenylhydroxylamine. <i>Catalysis Letters</i> , 1998 , 54, 165-167	2.8	8
25	Novel approaches towards the generation of excited triplets of organic guest molecules with zeolites. <i>Chemical Communications</i> , 1998 , 1197-1198	5.8	8
24	Zeolite Encapsulated Nanocrystalline CuO: A Redox Catalyst for the Oxidation of Secondary Alcohols. <i>Journal of Nanomaterials</i> , 2008 , 2008, 1-7	3.2	8
23	Photodimerisation of enones in a clay microenvironment. <i>Photochemical and Photobiological Sciences</i> , 2002 , 1, 991-5	4.2	8
22	ECyclodextrin Monosulphonic Acid Promoted Multicomponent Synthesis of 1,8-Dioxodecahydroacridines in Water. <i>ChemistrySelect</i> , 2018 , 3, 10886-10891	1.8	8
21	Synthesis of 2-substituted 3-ethyl-3H-imidazo[4,5-b]pyridines catalyzed by Al3+-exchanged K10 clay as solid acids. <i>Tetrahedron Letters</i> , 2013 , 54, 6479-6484	2	7
20	A novel photorearrangement of benzyl phenyl sulfone encapsulated in Etyclodextrin. <i>Tetrahedron Letters</i> , 1995 , 36, 1149-1152	2	7
19	Electron Transfer Reactions within Zeolites: Radical Cation from Benzonorbornadiene. <i>Journal of the American Chemical Society</i> , 1996 , 118, 8152-8153	16.4	7
18	Synthesis of 5-benzyl-4-aryl-octahydro-1H-benzo[b][1,5]diazepin-2-ones as potent antidepressant and antimicrobial agents. <i>Medicinal Chemistry Research</i> , 2014 , 23, 2070-2079	2.2	6
17	Novel photohydration of trans-stilbenes and trans-anethole inside cyclodextrin nanocavity in aqueous medium. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009 , 206, 40-45	4.7	6
16	Photodimerisation of acenaphthylene in a clay microenvironment. <i>Photochemical and Photobiological Sciences</i> , 2003 , 2, 95-7	4.2	6
15	Influence of Cyclodextrin Encapsulation on Norrish Mang Photoreaction of Valerophenone. <i>Bulletin of the Chemical Society of Japan</i> , 2005 , 78, 2000-2006	5.1	6
14	Chemical constituents from the flowering buds of Bauhinia tomentosa Linn (FBBT). <i>Natural Product Research</i> , 2016 , 30, 1670-4	2.3	5
13	Synthesis and antimicrobial activities of highly functionalised novel flactam and thiazolidine-grafted tetrahydrobenzothiophenes. <i>Medicinal Chemistry Research</i> , 2013 , 22, 2964-2974	2.2	5
12	ECyclodextrin-Mediated Acetic Acid Catalyzed Diastereoselective Mannich Reaction in Water. <i>Synlett</i> , 2012 , 23, 2328-2332	2.2	5

LIST OF PUBLICATIONS

11	Acceleration of Thiol Ester Hydrolysis by Cyclodextrins: Evidence from Rate and Computational Studies. <i>European Journal of Organic Chemistry</i> , 2006 , 2006, 1034-1042	3.2	5
10	Chemistry in Confinement: Copper and Palladium Catalyzed Ecofriendly Organic Transformations within Porous Frameworks. <i>Chemical Record</i> , 2018 , 18, 506-526	6.6	4
9	Isoxazoles incorporated N-substituted decahydroquinolines: a precursor to the next generation antimicrobial drug. <i>European Journal of Medicinal Chemistry</i> , 2012 , 47, 608-14	6.8	4
8	Design and synthesis of 3,5-diarylpiperidin-2,6-diones as anticonvulsant agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 1263-6	2.9	4
7	Selectivity in photolysis of benzyl acetate and benzyl hexanoate upon cyclodextrin complexation. Journal of Photochemistry and Photobiology A: Chemistry, 2006, 184, 34-43	4.7	4
6	Cation to anion triplet-triplet energy transfer in crystalline organic salts. <i>Tetrahedron Letters</i> , 1996 , 37, 6037-6040	2	4
5	Triaminopyrimidine Based Porous Organic Polymers: Synthesis, Characterization and Catalytic Applications in One-pot Room Temperature Synthesis of Dihydropyranopyranes. <i>ChemistrySelect</i> , 2018 , 3, 13743-13750	1.8	4
4	Synthesis, Characterization, and DNA Binding Studies of Nanoplumbagin. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-9	3.2	3
3	ECyclodextrin-Monosulphonic Acid Catalyzed Efficient Synthesis of 1-Amidoalkyl-2-naphthols. <i>ChemistrySelect</i> , 2017 , 2, 10798-10803	1.8	2
2	Cavity size effect on ICT-dual emission of p-(N,N-dimethylamino)-2-styrylquinoline: complexation with cyclodextrin derivatives. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2007 , 57, 403-4	408	1
1	Quinolinium modified Eyclodextrin: An ionic ligand towards sustainable A3-coupling and tandem cyclisation reactions of aldehydes, amines and alkynes. <i>Molecular Catalysis</i> , 2022 , 519, 112151	3.3	0