

Gary S Goldfield

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/582301/publications.pdf>

Version: 2024-02-01

171
papers

7,419
citations

71102

41
h-index

64796

79
g-index

173
all docs

173
docs citations

173
times ranked

8455
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Effects of the HEARTY exercise randomized controlled trial on eating behaviors in adolescents with obesity. <i>Obesity Science and Practice</i> , 2023, 9, 158-171. | 1.9 | 1 |
| 2 | Associations between screen time and cognitive development in preschoolers. <i>Paediatrics and Child Health</i> , 2022, 27, 105-110. | 0.6 | 8 |
| 3 | Physical Activity as Both Predictor and Outcome of Emotional Distress Trajectories in Middle Childhood. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2022, 43, 159-167. | 1.1 | 0 |
| 4 | Problem Technology Use, Academic Performance, and School Connectedness among Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2337. | 2.6 | 3 |
| 5 | Coping in adolescents: A mediator between stress and disordered eating. <i>Eating Behaviors</i> , 2022, 47, 101626. | 2.0 | 1 |
| 6 | Examining Shared Pathways for Eating Disorders and Obesity in a Community Sample of Adolescents: The REAL Study. <i>Frontiers in Psychology</i> , 2022, 13, 805596. | 2.1 | 4 |
| 7 | EEG Power Band Asymmetries in Children with and without Classical Ensemble Music Training. <i>Symmetry</i> , 2022, 14, 538. | 2.2 | 2 |
| 8 | The impact of new government childcare accreditation standards on children's in-care physical activity and sedentary time. <i>BMC Public Health</i> , 2022, 22, 616. | 2.9 | 4 |
| 9 | Two-month administration of methylphenidate improves olfactory sensitivity and suppresses appetite in individuals with obesity. <i>Canadian Journal of Physiology and Pharmacology</i> , 2022, 100, 432-440. | 1.4 | 4 |
| 10 | Interindividual Differences in Trainability and Moderators of Cardiorespiratory Fitness, Waist Circumference, and Body Mass Responses: A Large-Scale Individual Participant Data Meta-analysis. <i>Sports Medicine</i> , 2022, 52, 2837-2851. | 6.5 | 13 |
| 11 | Effect of high-intensity interval training and high-intensity resistance training on irisin and fibroblast growth factor 21 in men with overweight and obesity. <i>Canadian Journal of Physiology and Pharmacology</i> , 2022, 100, 937-944. | 1.4 | 12 |
| 12 | The Canadian 24-Hour Movement Guidelines and Psychological Distress among Adolescents: Les Directives canadiennes en matière de mouvement sur 24 heures et la détresse psychologique chez les adolescents. <i>Canadian Journal of Psychiatry</i> , 2021, 66, 624-633. | 1.9 | 12 |
| 13 | The effects of intervening with physical activity in the early years (ages 3-5) on health-related quality of life: a secondary analysis of the Activity Begins in Childhood (ABC) trial. <i>Quality of Life Research</i> , 2021, 30, 221-227. | 3.1 | 2 |
| 14 | Early changes in appetite and energy expenditure are not associated to body weight and fat losses in pre-menopausal women living with overweight/obesity. <i>Physiology and Behavior</i> , 2021, 228, 113201. | 2.1 | 1 |
| 15 | 24-Hour Movement Behaviors and Internalizing and Externalizing Behaviors Among Youth. <i>Journal of Adolescent Health</i> , 2021, 68, 969-977. | 2.5 | 22 |
| 16 | Associations Between the Child Care Environment and Children's In-Care Physical Activity and Sedentary Time. <i>Health Education and Behavior</i> , 2021, 48, 42-53. | 2.5 | 20 |
| 17 | Higher Child-Reported Internalizing and Parent-Reported Externalizing Behaviors were Associated with Decreased Quality of Life among Pediatric Cardiac Patients Independent of Diagnosis: A Cross-Sectional Mixed-Methods Assessment. <i>Congenital Heart Disease</i> , 2021, 16, 255-267. | 0.2 | 1 |
| 18 | Screening for depression in children and adolescents: a protocol for a systematic review update. <i>Systematic Reviews</i> , 2021, 10, 24. | 5.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Longitudinal correlates of sleep duration in young children. <i>Sleep Medicine</i> , 2021, 78, 128-134. | 1.6 | 17 |
| 20 | 24-h Movement Guidelines and Substance Use among Adolescents: A School-Based Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3309. | 2.6 | 3 |
| 21 | Association of the dopamine D2 receptor rs1800497 polymorphism with food addiction, food reinforcement, and eating behavior in Chilean adults. <i>Eating and Weight Disorders</i> , 2021, , 1. | 2.5 | 8 |
| 22 | Exploring Differences in Cardiorespiratory Fitness Response Rates Across Varying Doses of Exercise Training: A Retrospective Analysis of Eight Randomized Controlled Trials. <i>Sports Medicine</i> , 2021, 51, 1785-1797. | 6.5 | 19 |
| 23 | Examining the Bidirectional Association Between Body Esteem and Body Mass Index During Adolescence. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2021, Publish Ahead of Print, 631-636. | 1.1 | 2 |
| 24 | No association between dopaminergic polymorphisms and response to treatment of binge-eating disorder. <i>Gene</i> , 2021, 781, 145538. | 2.2 | 2 |
| 25 | Psychological and Demographic Determinants of Substance Use and Mental Health During the COVID-19 Pandemic. <i>Frontiers in Public Health</i> , 2021, 9, 680028. | 2.7 | 17 |
| 26 | Associations between sleep duration, adiposity indicators, and cognitive development in young children. <i>Sleep Medicine</i> , 2021, 82, 54-60. | 1.6 | 9 |
| 27 | Healthy body, healthy mind: Long-term mutual benefits between classroom and sport engagement in children from ages 6 to 12 years. <i>Preventive Medicine Reports</i> , 2021, 24, 101581. | 1.8 | 3 |
| 28 | THE RELATIVE REINFORCING VALUE OF SNACK FOOD IS A SIGNIFICANT PREDICTOR OF FAT LOSS IN WOMEN WITH OVERWEIGHT OR OBESITY. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, , . | 1.9 | 1 |
| 29 | Longitudinal association between movement behaviours and depressive symptoms among adolescents using compositional data analysis. <i>PLoS ONE</i> , 2021, 16, e0256867. | 2.5 | 13 |
| 30 | Screen time is independently associated with serum brain-derived neurotrophic factor (BDNF) in youth with obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 1083-1090. | 1.9 | 7 |
| 31 | Associations between physical activity, sedentary time and social-emotional functioning in young children. <i>Mental Health and Physical Activity</i> , 2021, 21, 100422. | 1.8 | 2 |
| 32 | Associations of the BDNF Val66Met Polymorphism With Body Composition, Cardiometabolic Risk Factors, and Energy Intake in Youth With Obesity: Findings From the HEARTY Study. <i>Frontiers in Neuroscience</i> , 2021, 15, 715330. | 2.8 | 6 |
| 33 | The Effects of Reducing Social Media Use on Body Esteem Among Transitional-Aged Youth. <i>Journal of Social and Clinical Psychology</i> , 2021, 40, 481-507. | 0.5 | 3 |
| 34 | Depressive symptoms, perceived stress, self-efficacy, and outcome expectations: Predict fitness among adolescents with obesity. <i>Journal of Health Psychology</i> , 2020, 25, 798-809. | 2.3 | 6 |
| 35 | Interindividual variability and individual responses to exercise training in adolescents with obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020, 45, 45-54. | 1.9 | 24 |
| 36 | Consistent participation in organized physical activity predicts emotional adjustment in children. <i>Pediatric Research</i> , 2020, 88, 125-130. | 2.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Bingeing, Purging, and Suicidal Ideation in Clinical and Non-Clinical Samples of Youth. <i>Eating Disorders</i> , 2020, 28, 289-307. | 3.0 | 6 |
| 38 | Social media use and parent-child relationship: A cross-sectional study of adolescents. <i>Journal of Community Psychology</i> , 2020, 48, 793-803. | 1.8 | 21 |
| 39 | Associations between the Canadian 24 h movement guidelines and different types of bullying involvement among adolescents. <i>Child Abuse and Neglect</i> , 2020, 108, 104638. | 2.6 | 18 |
| 40 | 33 - Objectively Measured Physical Activity, Sedentary Behaviour and Cardiometabolic Measures in Adults with Type 2 Diabetes: Results from the Canadian Health Measures Survey (2007-2017). <i>Canadian Journal of Diabetes</i> , 2020, 44, S16. | 0.8 | 0 |
| 41 | Psychological Correlates of Sedentary Screen Time Behaviour Among Children and Adolescents: a Narrative Review. <i>Current Obesity Reports</i> , 2020, 9, 493-511. | 8.4 | 30 |
| 42 | Mediating role of disordered eating in the relationship between screen time and BMI in adolescents: longitudinal findings from the Research on Eating and Adolescent Lifestyles (REAL) study. <i>Public Health Nutrition</i> , 2020, 23, 3336-3345. | 2.2 | 6 |
| 43 | Combinations of physical activity, sedentary time, and sleep duration and their associations with depressive symptoms and other mental health problems in children and adolescents: a systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 72. | 4.6 | 160 |
| 44 | Evaluating Preschool Visual Attentional Selective-Set: Preliminary ERP Modeling and Simulation of Target Enhancement Homology. <i>Brain Sciences</i> , 2020, 10, 124. | 2.3 | 7 |
| 45 | Sedentary Time and Physical Activity Associations Between Child Care Educators and Children. <i>American Journal of Preventive Medicine</i> , 2020, 58, e105-e111. | 3.0 | 13 |
| 46 | The Association Between Weight-Based Teasing from Peers and Family in Childhood and Depressive Symptoms in Childhood and Adulthood: A Systematic Review. <i>Current Obesity Reports</i> , 2020, 9, 15-29. | 8.4 | 20 |
| 47 | Sex differences in the relationship between social media use, short sleep duration, and body mass index among adolescents. <i>Sleep Health</i> , 2020, 6, 601-608. | 2.5 | 16 |
| 48 | 24-hour movement guidelines and suicidality among adolescents. <i>Journal of Affective Disorders</i> , 2020, 274, 372-380. | 4.1 | 25 |
| 49 | Physical activity, screen time and sleep duration: Combined associations with psychosocial health among Canadian children and youth. <i>Health Reports</i> , 2020, 31, 9-16. | 0.8 | 15 |
| 50 | Evaluating the psychometric properties of the parent-rated Strengths and Difficulties Questionnaire in a nationally representative sample of Canadian children and adolescents aged 6 to 17 years. <i>Health Reports</i> , 2020, 31, 13-20. | 0.8 | 8 |
| 51 | Health trajectories of children with severe obesity attending a weight management program. <i>Paediatrics and Child Health</i> , 2020, 25, 439-446. | 0.6 | 2 |
| 52 | Genetic variation of the dopamine D2 receptor gene: association with the reinforcing value of food and eating in the absence of hunger in Chilean children. <i>Nutricion Hospitalaria</i> , 2020, 34, 524-533. | 0.3 | 4 |
| 53 | Development of the Ottawa Disordered Eating Screen for Youth: The ODES-Y. <i>Journal of Pediatrics</i> , 2019, 215, 209-215. | 1.8 | 2 |
| 54 | Edmonton Obesity Staging System for Pediatrics, quality of life and fitness in adolescents with obesity. <i>Obesity Science and Practice</i> , 2019, 5, 449-458. | 1.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Understanding low adherence to an exercise program for adolescents with obesity: the HEARTY trial. <i>Obesity Science and Practice</i> , 2019, 5, 437-448. | 1.9 | 25 |
| 56 | 24-Hour Movement Behaviors and Impulsivity. <i>Pediatrics</i> , 2019, 144, . | 2.1 | 41 |
| 57 | Effects of weight teasing and gender on body esteem in youth: A longitudinal analysis from the REAL study. <i>Body Image</i> , 2019, 29, 65-73. | 4.3 | 25 |
| 58 | Canadian Centre for Mental Health and Sport (CCMHS) Position Statement: Principles of Mental Health in Competitive and High-Performance Sport. <i>Clinical Journal of Sport Medicine</i> , 2019, 29, 173-180. | 1.8 | 59 |
| 59 | Effects of fat mass and obesity-associated (FTO) gene polymorphisms on binge eating in women with binge-eating disorder: The moderating influence of attachment style. <i>Nutrition</i> , 2019, 61, 208-212. | 2.4 | 12 |
| 60 | The rate of weight loss does not affect resting energy expenditure and appetite sensations differently in women living with overweight and obesity. <i>Physiology and Behavior</i> , 2019, 199, 314-321. | 2.1 | 13 |
| 61 | Physical activity and brain structure, brain function, and cognition in children and youth: A systematic review of randomized controlled trials. <i>Mental Health and Physical Activity</i> , 2019, 16, 105-127. | 1.8 | 51 |
| 62 | Physical activity and perceptions of stress during the menopause transition: A longitudinal study. <i>Journal of Health Psychology</i> , 2019, 24, 799-811. | 2.3 | 7 |
| 63 | Effects of aerobic training, resistance training, or both on brain-derived neurotrophic factor in adolescents with obesity: The hearty randomized controlled trial. <i>Physiology and Behavior</i> , 2018, 191, 138-145. | 2.1 | 26 |
| 64 | Association of the FTO fat mass and obesity-associated gene rs9939609 polymorphism with rewarding value of food and eating behavior in Chilean children. <i>Nutrition</i> , 2018, 54, 105-110. | 2.4 | 21 |
| 65 | The effect of a physical activity intervention on preschoolers'™ fundamental motor skills " A cluster RCT. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 714-719. | 1.3 | 28 |
| 66 | Associations between 24 hour movement behaviours and global cognition in US children: a cross-sectional observational study. <i>The Lancet Child and Adolescent Health</i> , 2018, 2, 783-791. | 5.6 | 154 |
| 67 | Changes in the Brain-Derived Neurotrophic Factor Are Associated with Improvements in Diabetes Risk Factors after Exercise Training in Adolescents with Obesity: The HEARTY Randomized Controlled Trial. <i>Neural Plasticity</i> , 2018, 2018, 1-8. | 2.2 | 20 |
| 68 | Effects of prenatal exposure to cigarettes on anthropometrics, energy intake, energy expenditure, and screen time in children. <i>Physiology and Behavior</i> , 2018, 194, 394-400. | 2.1 | 3 |
| 69 | Socioemotional predictors of body esteem in adolescent males.. <i>Psychology of Men and Masculinity</i> , 2018, 19, 439-445. | 1.3 | 5 |
| 70 | Effects of aerobic or resistance training or both on health-related quality of life in youth with obesity: the HEARTY Trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 361-370. | 1.9 | 14 |
| 71 | Psychosocial health and quality of life among children with cardiac diagnoses: agreement and discrepancies between parent and child reports. <i>Cardiology in the Young</i> , 2017, 27, 713-721. | 0.8 | 20 |
| 72 | Brain on Fire: Incentive Saliency, Hedonic Hot Spots, Dopamine, Obesity, and Other Hunger Games. <i>Annual Review of Nutrition</i> , 2017, 37, 183-205. | 10.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Does exercise training affect resting metabolic rate in adolescents with obesity?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 15-22. | 1.9 | 11 |
| 74 | Association of the dopamine D2 receptor rs1800497 polymorphism and eating behavior in Chilean children. <i>Nutrition</i> , 2017, 35, 139-145. | 2.4 | 16 |
| 75 | Investigating predictors of eating: is resting metabolic rate really the strongest proxy of energy intake?. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1206-1212. | 4.7 | 41 |
| 76 | Trajectories of mood and stress and relationships with protective factors during the transition to menopause: results using latent class growth modeling in a Canadian cohort. <i>Archives of Women's Mental Health</i> , 2017, 20, 733-745. | 2.6 | 20 |
| 77 | Association of the melanocortin 4 receptor gene rs17782313 polymorphism with rewarding value of food and eating behavior in Chilean children. <i>Journal of Physiology and Biochemistry</i> , 2017, 73, 29-35. | 3.0 | 8 |
| 78 | Systematic review of the relationships between sedentary behaviour and health indicators in the early years (0-4 years). <i>BMC Public Health</i> , 2017, 17, 868. | 2.9 | 216 |
| 79 | Canadian 24-Hour Movement Guidelines for the Early Years (0-4 years): An Integration of Physical Activity, Sedentary Behaviour, and Sleep. <i>BMC Public Health</i> , 2017, 17, 874. | 2.9 | 382 |
| 80 | Response. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 219-220. | 0.4 | 0 |
| 81 | Maternal gestational weight gain and objectively measured physical activity among offspring. <i>PLoS ONE</i> , 2017, 12, e0180249. | 2.5 | 5 |
| 82 | Development and Preliminary Validation of a Comprehensive Questionnaire to Assess Women's Knowledge and Perception of the Current Weight Gain Guidelines during Pregnancy. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1187. | 2.6 | 9 |
| 83 | Does Intervening in Childcare Settings Impact Fundamental Movement Skill Development?. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 926-932. | 0.4 | 54 |
| 84 | Excessive Time on Social Networking Sites and Disordered Eating Behaviors Among Undergraduate Students: Appearance and Weight Esteem as Mediating Pathways. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2016, 19, 709-715. | 3.9 | 36 |
| 85 | Effects of Child Care Intervention on Physical Activity and Body Composition. <i>American Journal of Preventive Medicine</i> , 2016, 51, 225-231. | 3.0 | 39 |
| 86 | Association Between Active Travel and Depression: Some Clarifications Needed. <i>Journal of Adolescent Health</i> , 2016, 58, 584. | 2.5 | 0 |
| 87 | Examining the bidirectional relationship between physical activity, screen time, and symptoms of anxiety and depression over time during adolescence. <i>Preventive Medicine</i> , 2016, 88, 147-152. | 3.4 | 125 |
| 88 | Screen time is associated with depressive symptomatology among obese adolescents: a HEARTY study. <i>European Journal of Pediatrics</i> , 2016, 175, 909-919. | 2.7 | 38 |
| 89 | The mediating role of energy intake on the relationship between screen time behaviour and body mass index in adolescents with obesity: The HEARTY study. <i>Appetite</i> , 2016, 107, 437-444. | 3.7 | 22 |
| 90 | Attachment Style and Obesity: Disordered Eating Behaviors as a Mediator in a Community Sample of Canadian Youth. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2016, 37, 762-770. | 1.1 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Energy depletion by diet or aerobic exercise alone: impact of energy deficit modality on appetite parameters. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1008-1016. | 4.7 | 33 |
| 92 | Body composition and energy intake – skeletal muscle mass is the strongest predictor of food intake in obese adolescents: The HEARTY trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 611-617. | 1.9 | 59 |
| 93 | Effects of aerobic training, resistance training, or both on cardiorespiratory and musculoskeletal fitness in adolescents with obesity: the HEARTY trial. <i>Applied Physiology, Nutrition and Metabolism</i> , 2016, 41, 255-265. | 1.9 | 46 |
| 94 | Outdoor time, physical activity, sedentary time, and health indicators at ages 7 to 14: 2012/2013 Canadian Health Measures Survey. <i>Health Reports</i> , 2016, 27, 3-13. | 0.8 | 20 |
| 95 | Effects of aerobic training, resistance training, or both on psychological health in adolescents with obesity: The HEARTY randomized controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 1123-1135. | 2.0 | 53 |
| 96 | Screen time is independently associated with health-related quality of life in overweight and obese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, e448-54. | 1.5 | 24 |
| 97 | Comparative Distribution and Validity of DSM-IV and DSM-5 Diagnoses of Eating Disorders in Adolescents from the Community. <i>European Eating Disorders Review</i> , 2015, 23, 100-110. | 4.1 | 63 |
| 98 | Resistance Exercise in Already-Active Diabetic Individuals (READI): Study rationale, design and methods for a randomized controlled trial of resistance and aerobic exercise in type 1 diabetes. <i>Contemporary Clinical Trials</i> , 2015, 41, 129-138. | 1.8 | 10 |
| 99 | Screen time is associated with depression and anxiety in Canadian youth. <i>Preventive Medicine</i> , 2015, 73, 133-138. | 3.4 | 264 |
| 100 | Effects of aerobic and resistance training on abdominal fat, apolipoproteins and high-sensitivity C-reactive protein in adolescents with obesity: the HEARTY randomized clinical trial. <i>International Journal of Obesity</i> , 2015, 39, 1494-1500. | 3.4 | 41 |
| 101 | Physical Activity and Sedentary Behavior in Obese Youth. <i>Journal of Pediatrics</i> , 2015, 166, 1270-1275.e2. | 1.8 | 5 |
| 102 | Weight Status and DSM-5 Diagnoses of Eating Disorders in Adolescents From the Community. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 403-411.e2. | 0.5 | 68 |
| 103 | Investigating Predictors of Eating: Is Resting Metabolic Rate Really the Strongest Proxy of Energy Intake?. <i>Canadian Journal of Diabetes</i> , 2015, 39, S59. | 0.8 | 1 |
| 104 | Fasting for 24 Hours Heightens Reward from Food and Food-Related Cues. <i>PLoS ONE</i> , 2014, 9, e85970. | 2.5 | 62 |
| 105 | Is Exergaming a Viable Tool in the Fight against Childhood Obesity?. <i>Journal of Obesity</i> , 2014, 2014, 1-2. | 2.7 | 5 |
| 106 | Overweight or obese young people are not at increased risk of depression, but young people with depression are at increased risk of obesity. <i>Evidence-based Nursing</i> , 2014, 17, 112-112. | 0.2 | 7 |
| 107 | Appetite Sensations, Appetite Signaling Proteins, and Glucose in Obese Adolescents with Subclinical Binge Eating Disorder. <i>ISRN Obesity</i> , 2014, 2014, 1-7. | 2.2 | 7 |
| 108 | Children and youth do not compensate for an imposed bout of prolonged sitting by reducing subsequent food intake or increasing physical activity levels: a randomised cross-over study. <i>British Journal of Nutrition</i> , 2014, 111, 747-754. | 2.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | No clear evidence that exergames can prevent obesity. <i>Obesity Reviews</i> , 2014, 15, 692-693. | 6.5 | 5 |
| 110 | Effects of Aerobic Training, Resistance Training, or Both on Percentage Body Fat and Cardiometabolic Risk Markers in Obese Adolescents. <i>JAMA Pediatrics</i> , 2014, 168, 1006. | 6.2 | 150 |
| 111 | Is energy intake altered by a 10-week aerobic exercise intervention in obese adolescents?. <i>Physiology and Behavior</i> , 2014, 135, 130-134. | 2.1 | 18 |
| 112 | Activity Begins in Childhood (ABC) – inspiring healthy active behaviour in preschoolers: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2014, 15, 305. | 1.6 | 19 |
| 113 | The Maternal Obesity Management (MOM) Trial Protocol: A lifestyle intervention during pregnancy to minimize downstream obesity. <i>Contemporary Clinical Trials</i> , 2013, 35, 87-96. | 1.8 | 41 |
| 114 | Prolonged sitting and markers of cardiometabolic disease risk in children and youth: A randomized crossover study. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 1423-1428. | 3.4 | 58 |
| 115 | Screen Viewing and Diabetes Risk Factors in Overweight and Obese Adolescents. <i>American Journal of Preventive Medicine</i> , 2013, 44, S364-S370. | 3.0 | 30 |
| 116 | Effects of Aerobic Exercise, Resistance Exercise or Both on Percent Body Fat in Overweight Adolescents: The HEARTY Trial. <i>Canadian Journal of Diabetes</i> , 2013, 37, S9-S10. | 0.8 | 0 |
| 117 | The Medical and Mental Health Status of Children and Youth With Severe Complex Obesity. <i>Canadian Journal of Diabetes</i> , 2013, 37, S263. | 0.8 | 0 |
| 118 | Comparison of Pregnant Nulli- and Multiparous Women Attitude to Weight Gain. <i>Canadian Journal of Diabetes</i> , 2013, 37, S231-S232. | 0.8 | 0 |
| 119 | Top 10 practical lessons learned from physical activity interventions in overweight and obese children and adolescents. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 249-258. | 1.9 | 28 |
| 120 | The TaqIA RFLP is associated with attenuated intervention-induced body weight loss and increased carbohydrate intake in post-menopausal obese women. <i>Appetite</i> , 2013, 60, 111-116. | 3.7 | 27 |
| 121 | Are Active Video Games Useful in Increasing Physical Activity and Addressing Obesity in Children?. <i>JAMA Pediatrics</i> , 2013, 167, 677. | 6.2 | 7 |
| 122 | Evaluating a Fruit and Vegetable Program: In Eastern Ontario Schools. <i>Canadian Journal of Dietetic Practice and Research</i> , 2013, 74, 167-174. | 0.6 | 11 |
| 123 | Are dopamine-related genotypes risk factors for excessive gestational weight gain?. <i>International Journal of Women's Health</i> , 2013, 5, 253. | 2.6 | 6 |
| 124 | Perceived Facilitators, Barriers, and Changes in a Randomized Exercise Trial for Obese Youth: A Qualitative Inquiry. <i>Journal of Physical Activity and Health</i> , 2012, 9, 650-660. | 2.0 | 9 |
| 125 | The Effects of Aerobic Exercise on Psychosocial Functioning of Adolescents Who Are Overweight or Obese. <i>Journal of Pediatric Psychology</i> , 2012, 37, 1136-1147. | 2.1 | 33 |
| 126 | Fasting for 24h improves nasal chemosensory performance and food palatability in a related manner. <i>Appetite</i> , 2012, 58, 978-981. | 3.7 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Internalization of the thin and muscular body ideal and disordered eating in adolescence: The mediation effects of body esteem. <i>Body Image</i> , 2012, 9, 68-75. | 4.3 | 78 |
| 128 | Physical Activity Promotion in the Preschool Years: A Critical Period to Intervene. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 1326-1342. | 2.6 | 171 |
| 129 | Making access to TV contingent on physical activity: effects on liking and relative reinforcing value of TV and physical activity in overweight and obese children. <i>Journal of Behavioral Medicine</i> , 2012, 35, 1-7. | 2.1 | 8 |
| 130 | Family meals and body mass index among adolescents: effects of gender. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 539-546. | 1.9 | 35 |
| 131 | Self-silencing and anger regulation as predictors of disordered eating among adolescent females. <i>Eating Behaviors</i> , 2011, 12, 112-118. | 2.0 | 21 |
| 132 | Relative Reinforcing Value of Energy-dense Snack Foods: In Overweight and Obese Adults. <i>Canadian Journal of Dietetic Practice and Research</i> , 2011, 72, 170-174. | 0.6 | 18 |
| 133 | Video Game Playing Is Independently Associated with Blood Pressure and Lipids in Overweight and Obese Adolescents. <i>PLoS ONE</i> , 2011, 6, e26643. | 2.5 | 62 |
| 134 | Physical Activity and Psychological Adjustment in Adolescents. <i>Journal of Physical Activity and Health</i> , 2011, 8, 157-163. | 2.0 | 52 |
| 135 | The Relationship between Child and Parent Food Hedonics and Parent and Child Food Group Intake in Children with Overweight/Obesity. <i>Journal of the American Dietetic Association</i> , 2011, 111, 425-430. | 1.1 | 39 |
| 136 | Systematic review of sedentary behaviour and health indicators in school-aged children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 98. | 4.6 | 1,423 |
| 137 | Gender differences in the effects of methylphenidate on energy intake in young adults: a preliminary study. <i>Applied Physiology, Nutrition and Metabolism</i> , 2011, 36, 1009-1013. | 1.9 | 9 |
| 138 | The relation between weight-based teasing and psychological adjustment in adolescents. <i>Paediatrics and Child Health</i> , 2010, 15, 283-288. | 0.6 | 73 |
| 139 | Body Dissatisfaction, Dietary Restraint, Depression, and Weight Status in Adolescents. <i>Journal of School Health</i> , 2010, 80, 186-192. | 1.6 | 194 |
| 140 | Effects of interactive video game cycling on overweight and obese adolescent health. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010, 35, 805-815. | 1.9 | 64 |
| 141 | Body Image, Disordered Eating and Anabolic Steroid Use in Female Bodybuilders. <i>Eating Disorders</i> , 2009, 17, 200-210. | 3.0 | 53 |
| 142 | Body Image, Disordered Eating, and Anabolic Steroids in Male Bodybuilders: Current versus Former Users. <i>Physician and Sportsmedicine</i> , 2009, 37, 111-114. | 2.1 | 10 |
| 143 | Predictors of Response to an Intervention Modifying Physical Activity and Sedentary Behavior in Overweight/Obese Children: Attitudes vs. Behavior. <i>Journal of Physical Activity and Health</i> , 2009, 6, 463-466. | 2.0 | 6 |
| 144 | Methylphenidate Hydrochloride Increases Energy Expenditure in Healthy Adults. <i>Obesity</i> , 2008, 16, 470-472. | 3.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Smoking, dietary restraint, gender, and the relative reinforcing value of snack food in a large university sample. <i>Appetite</i> , 2008, 50, 278-289. | 3.7 | 20 |
| 146 | Stress and the relative reinforcing value of food in female binge eaters. <i>Physiology and Behavior</i> , 2008, 93, 579-587. | 2.1 | 50 |
| 147 | The effects of prolonged caloric restriction leading to weight-loss on food hedonics and reinforcement. <i>Physiology and Behavior</i> , 2008, 94, 474-480. | 2.1 | 64 |
| 148 | Effects of Dietary Restraint and Body Mass Index on the Relative Reinforcing Value of Snack Food. <i>Eating Disorders</i> , 2008, 17, 46-62. | 3.0 | 10 |
| 149 | Gender Differences in Response to a Physical Activity Intervention in Overweight and Obese Children. <i>Journal of Physical Activity and Health</i> , 2008, 5, 592-606. | 2.0 | 18 |
| 150 | Effects of Modifying Physical Activity and Sedentary Behavior on Psychosocial Adjustment in Overweight/Obese Children. <i>Journal of Pediatric Psychology</i> , 2007, 32, 783-793. | 2.1 | 68 |
| 151 | Methylphenidate reduces energy intake and dietary fat intake in adults: a mechanism of reduced reinforcing value of food?. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 308-315. | 4.7 | 64 |
| 152 | Dietary restraint, anxiety, and the relative reinforcing value of snack food in non-obese women. <i>Eating Behaviors</i> , 2006, 7, 323-332. | 2.0 | 25 |
| 153 | Body Image, Binge Eating, and Bulimia Nervosa in Male Bodybuilders. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 160-168. | 1.9 | 58 |
| 154 | Effects of Breastfeeding on Weight Changes in Family-based Pediatric Obesity Treatment. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2006, 27, 93-97. | 1.1 | 10 |
| 155 | Effects of Open-Loop Feedback on Physical Activity and Television Viewing in Overweight and Obese Children: A Randomized, Controlled Trial. <i>Pediatrics</i> , 2006, 118, e157-e166. | 2.1 | 98 |
| 156 | Validity of foot-to-foot bioelectrical impedance analysis in overweight and obese children and parents. <i>Journal of Sports Medicine and Physical Fitness</i> , 2006, 46, 447-53. | 0.7 | 18 |
| 157 | Validation of a questionnaire measure of the relative reinforcing value of food. <i>Eating Behaviors</i> , 2005, 6, 283-292. | 2.0 | 57 |
| 158 | Influence of Methylphenidate on Eating in Obese Men. <i>Obesity</i> , 2004, 12, 224-232. | 4.0 | 86 |
| 159 | Olanzapine use as an adjunctive treatment for hospitalized children with anorexia nervosa: Case reports. <i>International Journal of Eating Disorders</i> , 2003, 33, 98-103. | 4.0 | 85 |
| 160 | Case Report: Delivery of Family Therapy in the Treatment of Anorexia Nervosa Using Telehealth. <i>Telemedicine Journal and E-Health</i> , 2003, 9, 111-114. | 2.8 | 39 |
| 161 | Can fruits and vegetables and activities substitute for snack foods?. <i>Health Psychology</i> , 2002, 21, 299-303. | 1.6 | 86 |
| 162 | Can fruits and vegetables and activities substitute for snack foods?. <i>Health Psychology</i> , 2002, 21, 299-303. | 1.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Parental Activity as a Determinant of Activity Level and Patterns of Activity in Obese Children. <i>Research Quarterly for Exercise and Sport</i> , 2001, 72, 202-209. | 1.4 | 72 |
| 164 | Cost-effectiveness of group and mixed family-based treatment for childhood obesity. <i>International Journal of Obesity</i> , 2001, 25, 1843-1849. | 3.4 | 139 |
| 165 | Open-loop feedback to increase physical activity in obese children. <i>International Journal of Obesity</i> , 2000, 24, 888-892. | 3.4 | 55 |
| 166 | Physical activity in the treatment of childhood overweight and obesity: current evidence and research issues. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, S553. | 0.4 | 162 |
| 167 | Are bodybuilders at risk for an eating disorder?. <i>Eating Disorders</i> , 1998, 6, 133-151. | 3.0 | 18 |
| 168 | Light therapy in bulimia nervosa: a double-blind, placebo-controlled study. <i>Psychiatry Research</i> , 1996, 60, 1-9. | 3.3 | 34 |
| 169 | Body image and steroid use in male bodybuilders. <i>International Journal of Eating Disorders</i> , 1995, 18, 159-165. | 4.0 | 192 |
| 170 | Associations between 24-Hour Movement Behaviours and Global Cognition in a Cross-Sectional Sample of American Children. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 171 | Appearance satisfaction mediates the relationship between recreational screen time and depressive symptoms in adolescents. <i>Child and Adolescent Mental Health</i> , 0, , . | 3.5 | 2 |