Mohammadreza Zamani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5824757/publications.pdf

Version: 2024-02-01

22 papers 289

933447 10 h-index 940533 16 g-index

22 all docs 22 docs citations

times ranked

22

385 citing authors

#	Article	IF	CITATIONS
1	Capability of novel fluorescence DNA-conjugated CdTe/ZnS quantum dots nanoprobe for COVID-19 sensing. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 269, 120702.	3.9	16
2	Cyanide Biodegradation by Trichoderma harzianum and Cyanide Hydratase Network Analysis. Molecules, 2022, 27, 3336.	3.8	4
3	Rapid and Highly Sensitive Detection of Target DNA Related to COVID-19 Virus With a Fluorescent Bio-conjugated Probe via a FRET Mechanism. Journal of Fluorescence, 2022, 32, 1959-1967.	2.5	3
4	Preparation of novel fluorescence nanosensor ΰC - CdTe/ZnS quantum dots for high accurate detection of Epirubicin. Materials Today Communications, 2021, 26, 101874.	1.9	4
5	Efficient and Versatile Application of Fluorescence DNA-Conjugated CdTe Quantum Dots Nanoprobe for Detection of a Specific Target DNA of SARS Cov-2 Virus. Langmuir, 2021, 37, 10223-10232.	3.5	17
6	Influence of recombinant Trichoderma strains on growth of bean (Phaseolus vulgaris L) by increased root colonization and induction of root growth related genes. Scientia Horticulturae, 2020, 261, 108932.	3.6	17
7	Disulfide bonds elimination of endoglucanase II from Trichoderma reesei by site-directed mutagenesis to improve enzyme activity and thermal stability: An experimental and theoretical approach. International Journal of Biological Macromolecules, 2018, 120, 1572-1580.	7. 5	23
8	Significant increase in cyanide degradation by Bacillus sp. M01 PTCC 1908 with response surface methodology optimization. AMB Express, 2017, 7, 200.	3.0	13
9	Cloning, Overexpression and in vitro Antifungal Activity of Zea Mays PR10 Protein. Iranian Journal of Biotechnology, 2017, 15, 42-49.	0.3	12
	blocectifiology, 2017, 15, 42-45.		
10	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207.	0 0 0 rgBT 0.3	/Overlock 10 T 10
	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ		
10	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQq0 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of	0.3	10
10	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of interest gene in transgenic Nicotiana tabacum. Turkish Journal of Biology, 2016, 40, 1-11. Increased antifungal activity of Chit42 from Trichoderma atroviride by addition of a chitin binding	0.8	6
10 11 12	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of interest gene in transgenic Nicotiana tabacum. Turkish Journal of Biology, 2016, 40, 1-11. Increased antifungal activity of Chit42 from Trichoderma atroviride by addition of a chitin binding domain. Tropical Plant Pathology, 2016, 41, 350-356. Co-transformation of canola by chimeric chitinase and tlp genes towards improving resistance to	0.8	6 4
10 11 12	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of interest gene in transgenic Nicotiana tabacum. Turkish Journal of Biology, 2016, 40, 1-11. Increased antifungal activity of Chit42 from Trichoderma atroviride by addition of a chitin binding domain. Tropical Plant Pathology, 2016, 41, 350-356. Co-transformation of canola by chimeric chitinase and tlp genes towards improving resistance to Sclerotinia sclerotiorum. World Journal of Microbiology and Biotechnology, 2016, 32, 144. A comparative study of transgenic canola (Brassica napus L.) harboring either chimeric or native Chit42 genes against phytopathogenic fungi. Journal of Plant Biochemistry and Biotechnology, 2016,	0.8	10 6 4 13
10 11 12 13	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of interest gene in transgenic Nicotiana tabacum. Turkish Journal of Biology, 2016, 40, 1-11. Increased antifungal activity of Chit42 from Trichoderma atroviride by addition of a chitin binding domain. Tropical Plant Pathology, 2016, 41, 350-356. Co-transformation of canola by chimeric chitinase and tlp genes towards improving resistance to Sclerotinia sclerotiorum. World Journal of Microbiology and Biotechnology, 2016, 32, 144. A comparative study of transgenic canola (Brassica napus L.) harboring either chimeric or native Chit42 genes against phytopathogenic fungi. Journal of Plant Biochemistry and Biotechnology, 2016, 25, 358-366. Enhanced resistance to Sclerotinia sclerotiorum in Brassica napus by co-expression of defensin and	0.3 0.8 1.5 3.6	10 6 4 13
10 11 12 13 14	Agrobacterium-Mediated Transformation of the Oryza sativa Thaumatin-Like Protein to Canola (R Line) Tj ETQqQ 2017, 15, 201-207. Efficient seed-specifically regulated autoexcision of marker gene (nptll) with inducible expression of interest gene in transgenic Nicotiana tabacum. Turkish Journal of Biology, 2016, 40, 1-11. Increased antifungal activity of Chit42 from Trichoderma atroviride by addition of a chitin binding domain. Tropical Plant Pathology, 2016, 41, 350-356. Co-transformation of canola by chimeric chitinase and tlp genes towards improving resistance to Sclerotinia sclerotiorum. World Journal of Microbiology and Biotechnology, 2016, 32, 144. A comparative study of transgenic canola (Brassica napus L.) harboring either chimeric or native Chit42 genes against phytopathogenic fungi. Journal of Plant Biochemistry and Biotechnology, 2016, 25, 358-366. Enhanced resistance to Sclerotinia sclerotiorum in Brassica napus by co-expression of defensin and chimeric chitinase genes. Journal of Applied Genetics, 2016, 57, 417-425. Generation of transgenic sugar beet (Beta vulgarism L.) overexpressing the polygalacturonase inhibiting protein 1 of Phaseolus vulgaris (PvPGIP1) through Agrobacterium-mediated transformation.	0.3 0.8 1.5 3.6 1.7	10 6 4 13 2

#	Article	IF	CITATIONS
19	Designing a new chitinase with more chitin binding and antifungal activity. World Journal of Microbiology and Biotechnology, 2013, 29, 1517-1523.	3.6	24
20	Physicochemical study of a novel chimeric chitinase with enhanced binding ability. Acta Biochimica Et Biophysica Sinica, 2013, 45, 845-856.	2.0	7
21	Sugarcane (NCo310) Transient Transformation Using uidA Reporter Gene. Iranian Journal of Biotechnology, 2013, 11, x-x.	0.3	1
22	Production of pectic enzymes by barepatch isolates of Rhizoctonia solani AG 8. Australasian Plant Pathology, 2003, 32, 65.	1.0	8