

Shengxiang Ge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5824791/publications.pdf>

Version: 2024-02-01

128
papers

5,896
citations

126907

33
h-index

82547

72
g-index

142
all docs

142
docs citations

142
times ranked

10967
citing authors

#	ARTICLE	IF	CITATIONS
1	Antibody Responses to SARS-CoV-2 in Patients With Novel Coronavirus Disease 2019. <i>Clinical Infectious Diseases</i> , 2020, 71, 2027-2034.	5.8	2,214
2	A bacterially expressed particulate hepatitis E vaccine: antigenicity, immunogenicity and protectivity on primates. <i>Vaccine</i> , 2005, 23, 2893-2901.	3.8	204
3	Influence of mutations in hepatitis B virus surface protein on viral antigenicity and phenotype in occult HBV strains from blood donors. <i>Journal of Hepatology</i> , 2012, 57, 720-729.	3.7	158
4	Molecular and Phylogenetic Analyses Suggest an Additional Hepatitis B Virus Genotype "P". <i>PLoS ONE</i> , 2010, 5, e9297.	2.5	123
5	Acetylcholinesterase-Catalyzed Hydrolysis Allows Ultrasensitive Detection of Pathogens with the Naked Eye. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 14065-14069.	13.8	123
6	Virus-mimetic nanovesicles as a versatile antigen-delivery system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6129-38.	7.1	118
7	Seroprevalence of Hepatitis E Virus Infection, Rural Southern People's Republic of China. <i>Emerging Infectious Diseases</i> , 2006, 12, 1682-1688.	4.3	117
8	Swine as a Principal Reservoir of Hepatitis E Virus That Infects Humans in Eastern China. <i>Journal of Infectious Diseases</i> , 2006, 193, 1643-1649.	4.0	116
9	Randomized-controlled phase II clinical trial of a bacterially expressed recombinant hepatitis E vaccine. <i>Vaccine</i> , 2009, 27, 1869-1874.	3.8	113
10	Methods Favoring Homology-Directed Repair Choice in Response to CRISPR/Cas9 Induced-Double Strand Breaks. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6461.	4.1	109
11	Prevalence of Hepatitis E Virus in Chinese Blood Donors. <i>Journal of Clinical Microbiology</i> , 2010, 48, 317-318.	3.9	96
12	An assessment of hepatitis E virus (HEV) in US blood donors and recipients: no detectable HEV RNA in 1939 donors tested and no evidence for HEV transmission to 362 prospectively followed recipients. <i>Transfusion</i> , 2013, 53, 2505-2511.	1.6	95
13	Biomarkers of Rheumatoid Arthritis-Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2015, 67, 28-38.	5.6	92
14	Analysis of hepatitis E virus neutralization sites using monoclonal antibodies directed against a virus capsid protein. <i>Vaccine</i> , 2005, 23, 2881-2892.	3.8	82
15	Evaluation of antibody-based and nucleic acid-based assays for diagnosis of hepatitis E virus infection in a rhesus monkey model. <i>Journal of Medical Virology</i> , 2003, 71, 518-526.	5.0	81
16	Novel Double-Antigen Sandwich Immunoassay for Human Hepatitis B Core Antibody. <i>Vaccine Journal</i> , 2010, 17, 464-469.	3.1	77
17	Quantitative hepatitis B core antibody level may help predict treatment response in chronic hepatitis B patients. <i>Gut</i> , 2013, 62, 182.2-184.	12.1	67
18	Rapid PCR powered by microfluidics: A quick review under the background of COVID-19 pandemic. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 143, 116377.	11.4	65

#	ARTICLE	IF	CITATIONS
19	Molecular Characteristics of Occult Hepatitis B Virus from Blood Donors in Southeast China. <i>Journal of Clinical Microbiology</i> , 2010, 48, 357-362.	3.9	64
20	Rapid Fluorescent Lateral-Flow Immunoassay for Hepatitis B Virus Genotyping. <i>Analytical Chemistry</i> , 2015, 87, 5173-5180.	6.5	59
21	Severe hand, foot and mouth disease associated with Coxsackievirus A10 infections in Xiamen, China in 2015. <i>Journal of Clinical Virology</i> , 2017, 93, 20-24.	3.1	59
22	Gender associates with both susceptibility to infection and pathogenesis of SARS-CoV-2 in Syrian hamster. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 136.	17.1	57
23	Quantitative Hepatitis B Core Antibody Level Is a New Predictor for Treatment Response In HBeAg-positive Chronic Hepatitis B Patients Receiving Peginterferon. <i>Theranostics</i> , 2015, 5, 218-226.	10.0	54
24	Instrument-free point-of-care molecular diagnosis of H1N1 based on microfluidic convective PCR. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 738-744.	7.8	47
25	Performance of Detecting IgM Antibodies against Enterovirus 71 for Early Diagnosis. <i>PLoS ONE</i> , 2010, 5, e11388.	2.5	44
26	Efficient intracellular delivery of proteins by a multifunctional chimaeric peptide in vitro and in vivo. <i>Nature Communications</i> , 2021, 12, 5131.	12.8	44
27	A smartphone-based point-of-care diagnosis of H1N1 with microfluidic convection PCR. <i>Microsystem Technologies</i> , 2017, 23, 2951-2956.	2.0	43
28	Specific primer amplification of the VP1 region directed by 5' UTR sequence analysis: Enterovirus testing and identification in clinical samples from hand-foot-and-mouth disease patients. <i>Journal of Virological Methods</i> , 2013, 193, 463-469.	2.1	42
29	Antigenic analysis of divergent genotypes human Enterovirus 71 viruses by a panel of neutralizing monoclonal antibodies: Current genotyping of EV71 does not reflect their antigenicity. <i>Vaccine</i> , 2013, 31, 425-430.	3.8	41
30	A paper-based microfluidic Dot-ELISA system with smartphone for the detection of influenza A. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	2.2	41
31	A highly specific rapid antigen detection assay for on-site diagnosis of MERS. <i>Journal of Infection</i> , 2016, 73, 82-84.	3.3	39
32	Clinical Significance of Anti-HEV IgA in Diagnosis of Acute Genotype 4 Hepatitis E Virus Infection Negative for Anti-HEV IgM. <i>Digestive Diseases and Sciences</i> , 2009, 54, 2512-8.	2.3	36
33	Clinical characteristics and risk factors of sporadic Hepatitis E in central China. <i>Virology Journal</i> , 2011, 8, 152.	3.4	35
34	Improved characteristics and protective efficacy in an animal model of E. coli-derived recombinant double-layered rotavirus virus-like particles. <i>Vaccine</i> , 2014, 32, 1921-1931.	3.8	34
35	Serological survey of neutralizing antibodies to eight major enteroviruses among healthy population. <i>Emerging Microbes and Infections</i> , 2018, 7, 1-15.	6.5	33
36	A genetic engineering strategy for editing near-infrared-II fluorophores. <i>Nature Communications</i> , 2022, 13, .	12.8	33

#	ARTICLE	IF	CITATIONS
37	Multiplex analysis of plasma cytokines/chemokines showing different immune responses in active TB patients, latent TB infection and healthy participants. <i>Tuberculosis</i> , 2017, 107, 88-94.	1.9	32
38	Epidemics and aetiology of hand, foot and mouth disease in Xiamen, China, from 2008 to 2015. <i>Epidemiology and Infection</i> , 2017, 145, 1865-1874.	2.1	30
39	Development of multiplex real-time reverse-transcriptase polymerase chain reaction assay for simultaneous detection of Zika, dengue, yellow fever, and chikungunya viruses in a single tube. <i>Journal of Medical Virology</i> , 2018, 90, 1681-1686.	5.0	29
40	Free convective PCR: From principle study to commercial applications—A critical review. <i>Analytica Chimica Acta</i> , 2020, 1108, 177-197.	5.4	27
41	Transfusion of plasma from a blood donor induced hepatitis E in Rhesus monkey. <i>Vox Sanguinis</i> , 2004, 86, 45-47.	1.5	26
42	Nucleic Acid Testing for Coronavirus Disease 2019: Demand, Research Progression, and Perspective. <i>Critical Reviews in Analytical Chemistry</i> , 2022, 52, 413-424.	3.5	25
43	Serum miR-483-5p as a potential biomarker to detect hepatocellular carcinoma. <i>Hepatology International</i> , 2013, 7, 199-207.	4.2	24
44	Characterization and protective efficacy in an animal model of a novel truncated rotavirus VP8 subunit parenteral vaccine candidate. <i>Vaccine</i> , 2015, 33, 2606-2613.	3.8	24
45	Heat inactivation decreases the qualitative real-time RT-PCR detection rates of clinical samples with high cycle threshold values in COVID-19. <i>Diagnostic Microbiology and Infectious Disease</i> , 2020, 98, 115109.	1.8	24
46	Expression and characterization of a novel truncated rotavirus VP4 for the development of a recombinant rotavirus vaccine. <i>Vaccine</i> , 2018, 36, 2086-2092.	3.8	23
47	A One-Step, Triplex, Real-Time RT-PCR Assay for the Simultaneous Detection of Enterovirus 71, Coxsackie A16 and Pan-Enterovirus in a Single Tube. <i>PLoS ONE</i> , 2014, 9, e102724.	2.5	22
48	Evaluation of a rapid test for detection of H5N1 avian influenza virus. <i>Journal of Virological Methods</i> , 2008, 154, 213-215.	2.1	21
49	Immunogenicity and protective efficacy of rotavirus VP8 fused to cholera toxin B subunit in a mouse model. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 2959-2968.	3.3	21
50	The Prevalence of Human T-Lymphotropic Virus Infection among Blood Donors in Southeast China, 2004-2013. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003685.	3.0	20
51	A rapid test for the detection of influenza A virus including pandemic influenza A/H1N1 2009. <i>Journal of Virological Methods</i> , 2010, 167, 100-102.	2.1	19
52	A Convenient Nucleic Acid Test on the Basis of the Capillary Convective PCR for the On-Site Detection of Enterovirus 71. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 452-458.	2.8	19
53	Cytomegalovirus Shedding in Healthy Seropositive Female College Students: A 6-Month Longitudinal Study. <i>Journal of Infectious Diseases</i> , 2018, 217, 1069-1073.	4.0	19
54	Real-time capillary convective PCR based on horizontal thermal convection. <i>Microfluidics and Nanofluidics</i> , 2019, 23, 1.	2.2	19

#	ARTICLE	IF	CITATIONS
55	Room-temperature-storable PCR mixes for SARS-CoV-2 detection. <i>Clinical Biochemistry</i> , 2020, 84, 73-78.	1.9	19
56	Development of an IgM-capture ELISA for Coxsackievirus A16 infection. <i>Journal of Virological Methods</i> , 2011, 171, 107-110.	2.1	18
57	Centrifugal micropipette-tip with pressure signal readout for portable quantitative detection of myoglobin. <i>Chemical Communications</i> , 2017, 53, 11774-11777.	4.1	18
58	A novel immunoassay for PreS1 and/or core-related antigens for detection of HBsAg variants. <i>Journal of Virological Methods</i> , 2010, 168, 108-113.	2.1	17
59	Evaluation of human enterovirus 71 and coxsackievirus A16 specific immunoglobulin M antibodies for diagnosis of hand-foot-and-mouth disease. <i>Virology Journal</i> , 2012, 9, 12.	3.4	17
60	A Low-Cost and Fast Real-Time PCR System Based on Capillary Convection. <i>SLAS Technology</i> , 2017, 22, 13-17.	1.9	17
61	Differential diagnosis of pandemic (H1N1) 2009 infection by detection of haemagglutinin with an enzyme-linked immunoassay. <i>Clinical Microbiology and Infection</i> , 2011, 17, 1574-1580.	6.0	16
62	Enzyme-free colorimetric determination of EV71 virus using a 3D-MnO ₂ -PEG nanoflower and 4-MBA-MA-AgNPs. <i>Nanoscale</i> , 2016, 8, 16168-16171.	5.6	16
63	An emerging and expanding clade accounts for the persistent outbreak of Coxsackievirus A6-associated hand, foot, and mouth disease in China since 2013. <i>Virology</i> , 2018, 518, 328-334.	2.4	16
64	An automated microfluidic chemiluminescence immunoassay platform for quantitative detection of biomarkers. <i>Biomedical Microdevices</i> , 2018, 20, 91.	2.8	16
65	Development of an enzyme-linked immunospot assay for determination of rotavirus infectivity. <i>Journal of Virological Methods</i> , 2014, 209, 7-14.	2.1	15
66	The prevalence of latent tuberculosis infection in rural Jiangsu, China. <i>Public Health</i> , 2017, 146, 39-45.	2.9	15
67	Characterization and analysis of real-time capillary convective PCR toward commercialization. <i>Biomicrofluidics</i> , 2017, 11, 024103.	2.4	15
68	Development and evaluation of rapid point-of-care tests for detection of Enterovirus 71 and Coxsackievirus A16 specific immunoglobulin M antibodies. <i>Journal of Virological Methods</i> , 2016, 231, 44-47.	2.1	14
69	Establishment and validation of a two-step screening scheme for improved performance of serological screening of nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2018, 7, 1458-1467.	2.8	14
70	A point of care platform based on microfluidic chip for nucleic acid extraction in less than 1 minute. <i>Biomicrofluidics</i> , 2019, 13, 034102.	2.4	14
71	Intermittent abortive reactivation of Epstein-Barr virus during the progression of nasopharyngeal cancer as indicated by elevated antibody levels. <i>Oral Oncology</i> , 2019, 93, 85-90.	1.5	14
72	An HRP-labeled lateral flow immunoassay for rapid simultaneous detection and differentiation of influenza A and B viruses. <i>Journal of Medical Virology</i> , 2019, 91, 503-507.	5.0	14

#	ARTICLE	IF	CITATIONS
73	Structural and biophysical characterization of Mycobacterium tuberculosis dodecin Rv1498A. <i>Journal of Structural Biology</i> , 2011, 175, 31-38.	2.8	13
74	A one-step dipstick assay for the on-site detection of nucleic acid. <i>Clinical Biochemistry</i> , 2013, 46, 1852-1856.	1.9	13
75	POINT-OF-CARE TEST FOR C-REACTIVE PROTEIN BY A FLUORESCENCE-BASED LATERAL FLOW IMMUNOASSAY. <i>Instrumentation Science and Technology</i> , 2014, 42, 635-645.	1.8	13
76	Epidemiologic and etiologic characteristics of hand, foot, and mouth disease in Chongqing, China between 2010 and 2013. <i>Journal of Medical Virology</i> , 2016, 88, 408-416.	5.0	13
77	Autoreactive T cells to citrullinated HSP90 are associated with interstitial lung disease in rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1398-1405.	1.9	13
78	Comparison of detection strategies for screening and confirming congenital cytomegalovirus infection in newborns in a highly seroprevalent population: a mother-child cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 12, 100182.	2.9	13
79	Maternal CMV seroprevalence rate in early gestation and congenital cytomegalovirus infection in a Chinese population. <i>Emerging Microbes and Infections</i> , 2021, 10, 1824-1831.	6.5	13
80	A Smartphone-Based Genotyping Method for Hepatitis B Virus at Point-of-Care Settings. <i>SLAS Technology</i> , 2017, 22, 122-129.	1.9	12
81	Evaluation of a newly developed chemiluminescence immunoassay for detecting cardiac troponin T. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22311.	2.1	12
82	A fast and low-cost genotyping method for hepatitis B virus based on pattern recognition in point-of-care settings. <i>Scientific Reports</i> , 2016, 6, 28274.	3.3	11
83	Hepatitis B Virus Surface Antigen (HBsAg)-Positive and HBsAg-Negative Hepatitis B Virus Infection among Mother-Teenager Pairs 13 Years after Neonatal Hepatitis B Virus Vaccination. <i>Vaccine Journal</i> , 2013, 20, 269-275.	3.1	10
84	Establishment and validation of an enzyme-linked immunosorbent assay for IgG antibody against cytomegalovirus based on pp150 antigen. <i>Journal of Virological Methods</i> , 2017, 240, 21-25.	2.1	10
85	Rapid enumeration of CD4 ⁺ T lymphocytes using an integrated microfluidic system based on Chemiluminescence image detection at point-of-care testing. <i>Biomedical Microdevices</i> , 2018, 20, 15.	2.8	10
86	Molecular epidemiology of group A rotavirus in outpatient diarrhea infants and children in Chongqing, China, 2011-2015. <i>Journal of Medical Virology</i> , 2019, 91, 1788-1796.	5.0	9
87	Evaluation of a novel chemiluminescent microplate enzyme immunoassay for hepatitis B surface antigen detection. <i>Journal of Virological Methods</i> , 2016, 228, 55-59.	2.1	8
88	Baseline antibody level may help predict the risk of active human cytomegalovirus infection in a HCMV seropositive population. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 863-868.	2.9	8
89	A Rapid On-Site Assay for the Detection of Influenza A by Capillary Convective PCR. <i>Molecular Diagnosis and Therapy</i> , 2018, 22, 225-234.	3.8	8
90	A low cost, membranes based serum separator modular. <i>Biomicrofluidics</i> , 2018, 12, 024108.	2.4	7

#	ARTICLE	IF	CITATIONS
91	The distinct impact of maternal antibodies on the immunogenicity of live and recombinant rotavirus vaccines. <i>Vaccine</i> , 2019, 37, 4061-4067.	3.8	7
92	Methylation of CYP1A1 and VKORC1 promoter associated with stable dosage of warfarin in Chinese patients. <i>PeerJ</i> , 2021, 9, e11549.	2.0	7
93	An encodable multiplex microsphere-phase amplification sensing platform detects SARS-CoV-2 mutations. <i>Biosensors and Bioelectronics</i> , 2022, 203, 114032.	10.1	7
94	Evaluation of a domestic interferon-gamma release assay for detecting <i>Mycobacterium tuberculosis</i> infection in China. <i>Tuberculosis</i> , 2015, 95, 523-526.	1.9	6
95	A Single-Bead-Based, Fully Integrated Microfluidic System for High-Throughput CD4+T Lymphocyte Enumeration. <i>SLAS Technology</i> , 2018, 23, 134-143.	1.9	6
96	Elimination of human cytomegalovirus DNA degradation in urine. <i>Journal of Medical Virology</i> , 2021, 93, 5033-5039.	5.0	6
97	Persisting lung pathogenesis and minimum residual virus in hamster after acute COVID-19. <i>Protein and Cell</i> , 2022, 13, 72-77.	11.0	6
98	A hand-held, real-time, AI-assisted capillary convection PCR system for point-of-care diagnosis of African swine fever virus. <i>Sensors and Actuators B: Chemical</i> , 2022, 358, 131476.	7.8	6
99	Nonnegative matrix factorization with Hessian regularizer. <i>Pattern Analysis and Applications</i> , 2018, 21, 501-513.	4.6	5
100	A bead-based microfluidic system for joint detection in TORCH screening at point-of-care testing. <i>Microsystem Technologies</i> , 2018, 24, 2007-2015.	2.0	5
101	Using MOEA with Redistribution and Consensus Branches to Infer Phylogenies. <i>International Journal of Molecular Sciences</i> , 2018, 19, 62.	4.1	5
102	Using a Machine-Learning Approach to Predict Discontinuous Antibody-Specific B-Cell Epitopes. <i>Current Bioinformatics</i> , 2017, 12, .	1.5	5
103	Pre-existing maternal IgG antibodies as a protective factor against congenital cytomegalovirus infection: A mother-child prospective cohort study. <i>EBioMedicine</i> , 2022, 77, 103885.	6.1	5
104	Comparison of Three Luminescent Immunoassays for Hepatitis B Virus Surface Antigen Quantification during the Natural History of Chronic Hepatitis B Virus Infection. <i>Vaccine Journal</i> , 2014, 21, 1521-1527.	3.1	4
105	Development and evaluation of a rapid point-of-care test for detecting the hepatitis E virus antigen. <i>Clinical Biochemistry</i> , 2018, 55, 89-92.	1.9	4
106	IL-6 release of Rv0183 antigen-stimulated whole blood is a potential biomarker for active tuberculosis patients. <i>Journal of Infection</i> , 2018, 76, 376-382.	3.3	4
107	Adiponectin is valuable in the diagnosis of acute heart failure with renal insufficiency. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 2725-2734.	1.8	4
108	Transferable, easy-to-use and room-temperature-storable PCR mixes for microfluidic molecular diagnostics. <i>Talanta</i> , 2021, 235, 122797.	5.5	4

#	ARTICLE	IF	CITATIONS
109	Development of a fluorescent probe hydrolysis-insulated isothermal PCR for rapid and sensitive on-site detection of African swine fever virus. <i>Virologica Sinica</i> , 2022, 37, 462-464.	3.0	4
110	Whole blood GBP5 protein levels in patients with and without active tuberculosis. <i>BMC Infectious Diseases</i> , 2022, 22, 328.	2.9	4
111	An Integrated, Real-Time Convective PCR System for Isolation, Amplification, and Detection of Nucleic Acids. <i>Chemosensors</i> , 2022, 10, 271.	3.6	4
112	An efficient isothermal PCR method for on-site detection of nucleic acid. <i>BioTechniques</i> , 2019, 67, 63-69.	1.8	3
113	A novel point-of-care test of respiratory syncytial viral RNA based on cellulose-based purification and convective PCR. <i>Clinica Chimica Acta</i> , 2020, 511, 154-159.	1.1	3
114	Development of a quantifiable optical reader for lateral flow immunoassay. , 2015, , .		2
115	Transcriptional response of USP18 predicts treatment outcomes of interferon α in HBeAg ϵ positive chronic hepatitis B patientsefere. <i>Journal of Viral Hepatitis</i> , 2019, 26, 1050-1058.	2.0	2
116	Molecular characterization of an uncommon multigene Reassortant G1P[4] rotavirus identified in China. <i>Infection, Genetics and Evolution</i> , 2020, 85, 104413.	2.3	2
117	Establishment of Sandwich ELISA for Quality Control in Rotavirus Vaccine Production. <i>Vaccines</i> , 2022, 10, 243.	4.4	2
118	Rare RET Variant p.D707E in a Chinese Pedigree with Hereditary Medullary Thyroid Carcinoma. <i>Pathobiology</i> , 2017, 84, 152-160.	3.8	1
119	Sporadic hand, foot, and mouth disease cases associated with non-C4 enterovirus 71 strains in Xiamen, China, from 2009 to 2018. <i>Archives of Virology</i> , 2021, 166, 2263-2266.	2.1	1
120	Accurate nucleic acid quantification in a single sample tube without the need for calibration. <i>Analytica Chimica Acta</i> , 2021, 1167, 338599.	5.4	1
121	P1086 QUANTITATIVE HEPATITIS B CORE ANTIBODY LEVEL IS A NEW BASELINE PREDICTOR FOR TREATMENT RESPONSE IN HBeAg-POSITIVE CHRONIC HEPATITIS B PATIENTS RECEIVING PEGINTERFERON THERAPY. <i>Journal of Hepatology</i> , 2014, 60, S439.	3.7	0
122	5-year prospective cluster randomised controlled study of a new nasopharyngeal carcinoma screening programme. <i>Lancet, The</i> , 2015, 386, S4.	13.7	0
123	Target cells capture and detection based on a surface plasmon resonance biosensor. <i>Micro and Nano Letters</i> , 2015, 10, 452-455.	1.3	0
124	AB1167 $\hat{\epsilon}$...Autoreactive T cells to citrullinated HSP90 in interstitial lung disease in rheumatoid arthritis. , 2017, , .		0
125	Reply to Nagappa and Marimuthu. <i>Clinical Infectious Diseases</i> , 2020, 71, 3016-3017.	5.8	0
126	A Novel Clustering Method Using Variational Autoencoder with Reliable Sample Decision and Balanced K-Means++ for Single-particle Cryo-EM Images. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
127	Characterization of Monoclonal Antibodies Recognizing Citrulline-Modified Residues. <i>Frontiers in Immunology</i> , 2022, 13, 849779.	4.8	0
128	New discovery of high-affinity SARS-CoV-2 spike S2 protein binding peptide selected by PhIP-Seq. <i>Virologica Sinica</i> , 2022, 37, 758-761.	3.0	0