Eileen Kaner

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5827046/eileen-kaner-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141 3,311 32 52 h-index g-index citations papers 3,989 172 3.7 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
141	The COVID-19 alcohol paradox: British household purchases during 2020 compared with 2015-2019 <i>PLoS ONE</i> , 2022 , 17, e0261609	3.7	O
140	Effectiveness of digital interventions for people with comorbid heavy drinking and depression: A systematic review and narrative synthesis. <i>Journal of Affective Disorders</i> , 2022 , 298, 10-23	6.6	1
139	Impact of poverty and family adversity on adolescent health: a multi-trajectory analysis using the UK Millennium Cohort Study <i>Lancet Regional Health - Europe, The</i> , 2022 , 13, 100279		3
138	What is the impact of structural and cultural factors and interventions within educational settings on promoting positive mental health and preventing poor mental health: a systematic review <i>BMC Public Health</i> , 2022 , 22, 524	4.1	2
137	The Drugs Did For Me What I CouldnR Do For MyselfRA Qualitative Exploration of the Relationship Between Mental Health and Amphetamine-Type Stimulant (ATS) Use Substance Abuse: Research and Treatment, 2021, 15, 11782218211060852	1.6	O
136	Factors associated with primary health care providers Ralcohol screening behavior in Colombia, Mexico and Peru. <i>Substance Abuse</i> , 2021 , 42, 1007-1015	3.8	O
135	Effectiveness of community interventions for protecting and promoting the mental health of working-age adults experiencing financial uncertainty: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2021 ,	5.1	3
134	Factors affecting primary care practitionersRalcohol-related discussions with older adults: a qualitative study. <i>British Journal of General Practice</i> , 2021 , 71, e762-e771	1.6	2
133	Refining the content and design of an alcohol reduction app, , to improve its usability and effectiveness: a mixed methods approach. <i>F1000Research</i> , 2021 , 10, 511	3.6	1
132	Evaluating the effectiveness of the smartphone app, Drink Less, compared with the NHS alcohol advice webpage, for the reduction of alcohol consumption among hazardous and harmful adult drinkers in the UK at 6-month follow-up: protocol for a randomised controlled trial. <i>Addiction</i> , 2021 ,	4.6	4
131	Impact of COVID-19 Confinement on Alcohol Purchases in Great Britain: Controlled Interrupted Time-Series Analysis During the First Half of 2020 Compared With 2015-2018. <i>Alcohol and Alcoholism</i> , 2021 , 56, 307-316	3.5	14
130	Exploring pathways into and out of amphetamine type stimulant use at critical turning points: a qualitative interview study. <i>Health Sociology Review</i> , 2021 , 30, 111-126	2.3	6
129	Psychosocial Interventions to Improve Psychological, Social and Physical Wellbeing in Family Members Affected by an Adult Relativeß Substance Use: A Systematic Search and Review of the Evidence. International Journal of Environmental Research and Public Health, 2021, 18,	4.6	7
128	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <i>International Journal of Drug Policy</i> , 2021 , 93, 103113	5.5	О
127	Impact of minimum unit pricing on alcohol purchases in Scotland and Wales: controlled interrupted time series analyses. <i>Lancet Public Health, The</i> , 2021 , 6, e557-e565	22.4	11
126	Barriers and facilitators to implementation of shared medical appointments in primary care for the management of long-term conditions: a systematic review and synthesis of qualitative studies. <i>BMJ Open</i> , 2021 , 11, e046842	3	1
125	Primary care-based screening and management of depression amongst heavy drinking patients: Interim secondary outcomes of a three-country quasi-experimental study in Latin America. <i>PLoS ONE</i> , 2021 , 16, e0255594	3.7	O

(2020-2021)

124	Is Buying and Drinking Zero and Low Alcohol Beer a Higher Socio-Economic Phenomenon? Analysis of British Survey Data, 2015-2018 and Household Purchase Data 2015-2020. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
123	Perceived appropriateness of alcohol screening and brief advice programmes in Colombia, Mexico and Peru and barriers to their implementation in primary health care - a cross-sectional survey. <i>Primary Health Care Research and Development</i> , 2021 , 22, e4	1.6	1
122	Impact of Training and Municipal Support on Primary Health Care-Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. <i>Journal of General Internal Medicine</i> , 2021 , 36, 2663-2671	4	3
121	Health and social care providersRperspectives of older peopleß drinking: A systematic review and thematic synthesis of qualitative studies. <i>Age and Ageing</i> , 2020 ,	3	7
120	Containment and care? A qualitative interview study exploring police custody staff views about delivering brief alcohol interventions to heavy drinking arrestees. <i>Drugs: Education, Prevention and Policy</i> , 2020 , 27, 436-444	1.2	1
119	Using life course charts to assess and compare trajectories of amphetamine type stimulant consumption in different user groups: a cross-sectional study. <i>Harm Reduction Journal</i> , 2020 , 17, 8	4.6	10
118	Preoperative behavioural intervention to reduce drinking before elective orthopaedic surgery: the PRE-OP BIRDS feasibility RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-176	4.4	3
117	A Context-Specific Digital Alcohol Brief Intervention in Symptomatic Breast Clinics (Abreast of Health): Development and Usability Study. <i>JMIR Research Protocols</i> , 2020 , 9, e14580	2	5
116	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020 , 8, 1-144	1.5	3
115	Behaviour change interventions to reduce risky substance use and improve mental health in children in care: the SOLID three-arm feasibility RCT. <i>Public Health Research</i> , 2020 , 8, 1-162	1.7	O
114	Qualitative Evaluation of Web-Based Digital Intervention to Prevent and Reduce Excessive Alcohol Use and Harm Among Young People Aged 14-15 Years: A "Think-Aloud" Study. <i>JMIR Pediatrics and Parenting</i> , 2020 , 3, e19749	4.2	0
113	A qualitative exploration of 14 to 17-year old adolescentsRviews of early and preventative mental health support in schools. <i>Journal of Public Health</i> , 2020 ,	3.5	1
112	Impact of the introduction and withdrawal of financial incentives on the delivery of alcohol screening and brief advice in English primary health care: an interrupted time-series analysis. <i>Addiction</i> , 2020 , 115, 49-60	4.6	10
111	Managing older peopleß perceptions of alcohol-related risk: a qualitative exploration in Northern English primary care. <i>British Journal of General Practice</i> , 2020 , 70, e916-e926	1.6	5
110	A randomised controlled feasibility study of interpersonal art psychotherapy for the treatment of aggression in people with intellectual disabilities in secure care. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 180	1.9	2
109	Exploring care from extended family through rural women® accounts of perinatal mental illness - a qualitative study with implications for policy and practice. <i>Health and Place</i> , 2020 , 66, 102427	4.6	1
108	A pilot feasibility randomised controlled trial of two behaviour change interventions compared to usual care to reduce substance misuse in looked after children and care leavers aged 12-20 years: The SOLID study. <i>PLoS ONE</i> , 2020 , 15, e0238286	3.7	3
107	The Association Between Adverse Child Health, Psychological, Educational and Social Outcomes, and Nondependent Parental Substance: A Rapid Evidence Assessment. <i>Trauma, Violence, and Abuse</i> , 2020 , 21, 470-483	6.6	17

106	Exploring the links between unhealthy eating behaviour and heavy alcohol use in the social, emotional and cultural lives of young adults (aged 18-25): A qualitative research study. <i>Appetite</i> , 2020 , 144, 104449	4.5	10
105	PatientsRexperiences of alcohol screening and advice in primary care: a qualitative study. <i>BMC Family Practice</i> , 2020 , 21, 68	2.6	11
104	Predictive Validity, Diagnostic Accuracy and Test-Retest Reliability of the Strength of Urges to Drink (SUTD) Scale. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
103	Immediate impact of minimum unit pricing on alcohol purchases in Scotland: controlled interrupted time series analysis for 2015-18. <i>BMJ, The</i> , 2019 , 366, l5274	5.9	66
102	Associations between socio-economic factors and alcohol consumption: A population survey of adults in England. <i>PLoS ONE</i> , 2019 , 14, e0209442	3.7	33
101	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. <i>PLoS ONE</i> , 2019 , 14, e0217855	3.7	2
100	"There are carers, and then there are carers who actually care"; Conceptualizations of care among looked after children and care leavers, social workers and carers. <i>Child Abuse and Neglect</i> , 2019 , 92, 219	- 2 29	11
99	The key therapeutic factors needed to deliver behavioural change interventions to decrease risky substance use (drug and alcohol) for looked after children and care leavers: a qualitative exploration with young people, carers and front line workers. BMC Medical Research Methodology,	4.7	3
98	Brief alcohol intervention for risky drinking in young people aged 14🗓 5 years in secondary schools: the SIPS JR-HIGH RCT. <i>Public Health Research</i> , 2019 , 7, 1-134	1.7	2
97	Socioeconomic inequalities in the delivery of brief interventions for smoking and excessive drinking: findings from a cross-sectional household survey in England. <i>BMJ Open</i> , 2019 , 9, e023448	3	4
96	Which individual, social and environmental influences shape key phases in the amphetamine type stimulant use trajectory? A systematic narrative review and thematic synthesis of the qualitative literature. <i>Addiction</i> , 2019 , 114, 24-47	4.6	21
95	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. <i>Journal of Public Health</i> , 2019 , 41, e53-e60	3.5	6
94	Brief Interventions in Primary Care: an Evidence Overview of Practitioner and Digital Intervention Programmes. <i>Current Addiction Reports</i> , 2018 , 5, 265-273	3.9	29
93	Promoting Alcohol Reduction in Non-Treatment Seeking parents (PAReNTS): a protocol for a pilot feasibility cluster randomised controlled trial of alcohol screening and brief interventions to reduce parental alcohol use disorders in vulnerable families. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 111	1.9	4
92	Cluster randomised controlled trial of a theory-based multiple behaviour change intervention aimed at healthcare professionals to improve their management of type 2 diabetes in primary care. <i>Implementation Science</i> , 2018 , 13, 65	8.4	19
91	Reported Theory Use by Digital Interventions for Hazardous and Harmful Alcohol Consumption, and Association With Effectiveness: Meta-Regression. <i>Journal of Medical Internet Research</i> , 2018 , 20, e69	7.6	20
90	Alcohol and other substance use among medical and law students at a UK university: a cross-sectional questionnaire survey. <i>Postgraduate Medical Journal</i> , 2018 , 94, 131-136	2	14
89	Examining Associations between Body Mass Index in 18?25 Year-Olds and Energy Intake from Alcohol: Findings from the Health Survey for England and the Scottish Health Survey. <i>Nutrients</i> , 2018 , 10,	6.7	11

88	Non-Pharmacological Interventions to Reduce Unhealthy Eating and Risky Drinking in Young Adults Aged 18?25 Years: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018 , 10,	6.7	2
87	Alcohol Screening and Brief Intervention in Police Custody Suites: Pilot Cluster Randomised Controlled Trial (AcCePT). <i>Alcohol and Alcoholism</i> , 2018 , 53, 548-559	3.5	7
86	Preoperative Behavioural Intervention versus standard care to Reduce Drinking before elective orthopaedic Surgery (PRE-OP BIRDS): protocol for a multicentre pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 140	1.9	3
85	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. <i>Journal of Adolescent Health</i> , 2017 , 60, 438-446	5.8	25
84	How economic recessions and unemployment affect illegal drug use: A systematic realist literature review. <i>International Journal of Drug Policy</i> , 2017 , 44, 69-83	5.5	70
83	Non-pharmacological interventions designed to reduce health risks due to unhealthy eating behaviour and linked risky or excessive drinking in adults aged 18-25 years: a systematic review protocol. Systematic Reviews, 2017, 6, 42	3	4
82	Healthier central England or North-South divide? Analysis of national survey data on smoking and high-risk drinking. <i>BMJ Open</i> , 2017 , 7, e014210	3	21
81	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. <i>Annals of Family Medicine</i> , 2017 , 15, 335-340	2.9	26
80	Predictors of and reasons for attempts to reduce alcohol intake: A population survey of adults in England. <i>PLoS ONE</i> , 2017 , 12, e0173458	3.7	15
79	Socio-ecological influences on adolescent (aged 10-17) alcohol use and linked unhealthy eating behaviours: protocol for a systematic review and synthesis of qualitative studies. <i>Systematic Reviews</i> , 2017 , 6, 180	3	4
78	Interpersonal art psychotherapy for the treatment of aggression in people with learning disabilities in secure care: a protocol for a randomised controlled feasibility study. <i>Pilot and Feasibility Studies</i> , 2017 , 3, 42	1.9	2
77	RHidden HabitusRA Qualitative Study of Socio-Ecological Influences on Drinking Practices and Social Identity in Mid-Adolescence. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	13
76	Does Industry-Driven Alcohol Marketing Influence Adolescent Drinking Behaviour? A Systematic Review. <i>Alcohol and Alcoholism</i> , 2017 , 52, 84-94	3.5	21
75	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. <i>European Journal of General Practice</i> , 2017 , 23, 241-245	2.8	6
74	Alcohol screening and brief interventions for adults and young people in health and community-based settings: a qualitative systematic literature review. <i>BMC Public Health</i> , 2017 , 17, 562	4.1	27
73	Supporting Looked After Children and Care Leavers In Decreasing Drugs, and alcohol (SOLID): protocol for a pilot feasibility randomised controlled trial of interventions to decrease risky substance use (drugs and alcohol) and improve mental health of looked after children and care	1.9	4
72	Effectiveness and Cost-effectiveness of Opportunistic Screening and Stepped-care Interventions for Older Alcohol Users in Primary Care. <i>Alcohol and Alcoholism</i> , 2017 , 52, 655-664	3.5	12
71	Managing Alcohol Use Disorder in Primary Health Care. <i>Current Psychiatry Reports</i> , 2017 , 19, 79	9.1	19

70	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. <i>Alcohol and Alcoholism</i> , 2017 , 52, 312-317	3.5	7
69	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	22
68	Are Brief Alcohol Interventions Adequately Embedded in UK Primary Care? A Qualitative Study Utilising Normalisation Process Theory. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	14
67	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. <i>F1000Research</i> , 2017 , 6, 311	3.6	8
66	Scaling-up primary health care-based prevention and management of heavy drinking at the municipal level in middle-income countries in Latin America: Background and protocol for a three-country quasi-experimental study. <i>F1000Research</i> , 2017 , 6, 311	3.6	8
65	Commentary on Berg et al. (2016): Whoß minding the children-do we need to focus on reducing intergenerational risk due to parents who drink problematically?. <i>Addiction</i> , 2016 , 111, 1804-5	4.6	3
64	Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. <i>British Journal of General Practice</i> , 2016 , 66, e1-9	1.6	65
63	How effective are brief interventions in reducing alcohol consumption: do the setting, practitioner group and content matter? Findings from a systematic review and metaregression analysis. <i>BMJ Open</i> , 2016 , 6, e011473	3	63
62	Feasibility of alcohol screening among patients receiving opioid treatment in primary care. <i>BMC Family Practice</i> , 2016 , 17, 153	2.6	11
61	Impact of financial incentives on alcohol intervention delivery in primary care: a mixed-methods study. <i>BMC Family Practice</i> , 2016 , 17, 165	2.6	12
60	Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. <i>BMC Public Health</i> , 2016 , 16, 535	4.1	8
59	Unravelling the alcohol harm paradox: a population-based study of social gradients across very heavy drinking thresholds. <i>BMC Public Health</i> , 2016 , 16, 599	4.1	56
58	Use of aids for smoking cessation and alcohol reduction: A population survey of adults in England. <i>BMC Public Health</i> , 2016 , 16, 1237	4.1	6
57	Prevalence of alcohol related attendance at an inner city emergency department and its impact: a dual prospective and retrospective cohort study. <i>Emergency Medicine Journal</i> , 2016 , 33, 187-93	1.5	35
56	Impact of primary healthcare providersRinitial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. <i>Implementation Science</i> , 2016 , 11, 96	8.4	7
55	A Qualitative Study of Service Provision for Alcohol Related Health Issues in Mid to Later Life. <i>PLoS ONE</i> , 2016 , 11, e0148601	3.7	22
54	Deconstructing the Alcohol Harm Paradox: A Population Based Survey of Adults in England. <i>PLoS ONE</i> , 2016 , 11, e0160666	3.7	45
53	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016 , 111, 1935-1945	4.6	51

(2014-2016)

52	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol. <i>BMJ Open</i> , 2016 , 6, e012474	3	7
51	Enhancing alcohol screening and brief intervention among people receiving opioid agonist treatment: qualitative study in primary care. <i>Drugs and Alcohol Today</i> , 2016 , 16, 247-258	1.4	5
50	Protocol for a national monthly survey of alcohol use in England with 6-month follow-up: Rhe Alcohol Toolkit StudyR <i>BMC Public Health</i> , 2015 , 15, 230	4.1	41
49	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14-17 years presenting to Emergency Departments (SIPS junior). <i>BMC Public Health</i> , 2015 , 15, 345	4.1	17
48	A pilot feasibility trial of alcohol screening and brief intervention in the police custody setting (ACCEPT): study protocol for a cluster randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2015 , 1, 6	1.9	4
47	Brief alcohol interventions 2015 , 147-154		
46	Implementation strategies to enhance management of heavy alcohol consumption in primary health care: a meta-analysis. <i>Addiction</i> , 2015 , 110, 1877-900	4.6	35
45	Online health check for reducing alcohol intake among employees: a feasibility study in six workplaces across England. <i>PLoS ONE</i> , 2015 , 10, e0121174	3.7	13
44	Professional Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015 , 50, 430-7	3.5	26
43	Alcohol-related risk and harm amongst young offenders aged 11-17. <i>International Journal of Prisoner Health</i> , 2015 , 11, 75-86	1	5
42	Alcohol screening and brief intervention for adolescents: the how, what and where of reducing alcohol consumption and related harm among young people. <i>Alcohol and Alcoholism</i> , 2014 , 49, 207-12	3.5	81
41	Improving Diabetes care through Examining, Advising, and prescribing (IDEA): protocol for a theory-based cluster randomised controlled trial of a multiple behaviour change intervention aimed at primary healthcare professionals. <i>Implementation Science</i> , 2014 , 9, 61	8.4	19
40	The effectiveness of alcohol screening and brief intervention in emergency departments: a multicentre pragmatic cluster randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e99463	3.7	73
39	Preparation for parenthood: a concept analysis. <i>Journal of Reproductive and Infant Psychology</i> , 2014 , 32, 148-165	2.9	14
38	The impact of brief alcohol interventions in primary healthcare: a systematic review of reviews. <i>Alcohol and Alcoholism</i> , 2014 , 49, 66-78	3.5	379
37	Managing alcohol problems in general practice in Europe: results from the European ODHIN survey of general practitioners. <i>Alcohol and Alcoholism</i> , 2014 , 49, 531-9	3.5	47
36	Alcohol screening and brief interventions for offenders in the probation setting (SIPS Trial): a pragmatic multicentre cluster randomized controlled trial. <i>Alcohol and Alcoholism</i> , 2014 , 49, 540-8	3.5	40
35	Autonomy, special offers and routines: a Q methodological study of industry-driven marketing influences on young peopleß drinking behaviour. <i>Addiction</i> , 2014 , 109, 1833-44	4.6	13

34	From efficacy to effectiveness and beyond: what next for brief interventions in primary care?. <i>Frontiers in Psychiatry</i> , 2014 , 5, 113	5	23
33	A pilot feasibility cluster randomised controlled trial of screening and brief alcohol intervention to prevent hazardous drinking in young people aged 14¶5 years in a high school setting (SIPS JR-HIGH). <i>Public Health Research</i> , 2014 , 2, 1-208	1.7	6
32	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial.	8.4	40
31	Implementation Science, 2013, 8, 11 Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 346, e8501	5.9	186
30	Psychosocial interventions for alcohol use among problem drug users: protocol for a feasibility study in primary care. <i>JMIR Research Protocols</i> , 2013 , 2, e26	2	11
29	Brief intervention to prevent hazardous drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 166	2.8	7
28	Screening for alcohol use in criminal justice settings: an exploratory study. <i>Alcohol and Alcoholism</i> , 2012 , 47, 423-7	3.5	35
27	Identifying the gap between need and intervention for alcohol use disorders in Europe. <i>Addiction</i> , 2011 , 106 Suppl 1, 31-6	4.6	26
26	Brief alcohol intervention: time for translational research. <i>Addiction</i> , 2010 , 105, 960-1; discussion 964-5	4.6	40
25	Alcohol screening and brief intervention in a policing context: A mixed methods feasibility study. Drug and Alcohol Review, 2010 , 29, 647-54	3.2	17
24	NICE work if you can get it: Development of national guidance incorporating screening and brief intervention to prevent hazardous and harmful drinking in England. <i>Drug and Alcohol Review</i> , 2010 , 29, 589-95	3.2	22
23	The research translation problem: Alcohol screening and brief intervention in primary care Real world evidence supports theory. <i>Drugs: Education, Prevention and Policy,</i> 2010 , 17, 732-748	1.2	23
22	Sloshed and sentenced: A prevalence study of alcohol use disorders among offenders in the North East of England. <i>International Journal of Prisoner Health</i> , 2009 , 5, 201-11	1	25
21	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 287	4.1	57
20	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009 , 9, 418	4.1	26
19	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. <i>BMC Health Services Research</i> , 2009 , 9, 114	2.9	36
18	Brief Intervention 2009 , 189-213		11
17	The effectiveness and cost-effectiveness of opportunistic screening and stepped care interventions for older hazardous alcohol users in primary care (AESOPS) - a randomised control trial protocol. BMC Health Services Research, 2008, 8, 129	2.9	19

LIST OF PUBLICATIONS

Brief alcohol interventions Leverybody B business. Advances in Psychiatric Treatment, 2008, 14, 469-476 8 16 Medical communication and technology: a video-based process study of the use of decision aids in 3.6 15 24 primary care consultations. BMC Medical Informatics and Decision Making, 2007, 7, 2 Seeing through the glass darkly? A qualitative exploration of GPsRdrinking and their alcohol 14 1.9 35 intervention practices. Family Practice, 2006, 23, 481-7 Clinical reasoning, clinical trials and risky drinkers in everyday primary care: A qualitative study of 2.6 13 14 British general practitioners. Addiction Research and Theory, 2006, 14, 387-397 Effectiveness of nurse-led brief alcohol intervention: a cluster randomized controlled trial. Journal 3.1 65 12 of Advanced Nursing, 2006, 54, 426-39 Patients or research subjects? A qualitative study of participation in a randomised controlled trial 38 11 3.1 of a complex intervention. Patient Education and Counseling, 2006, 62, 260-70 A multicountry controlled trial of strategies to promote dissemination and implementation of brief alcohol intervention in primary health care: findings of a World Health Organization collaborative 78 10 study. Journal of Studies on Alcohol and Drugs, 2005, 66, 379-88 Implementing routine screening and brief alcohol intervention in primary health care: A Delphi 0.8 9 survey of expert opinion. Journal of Substance Use, 2004, 9, 68-85 Attitudes and managing alcohol problems in general practice: an interaction analysis based on 8 103 3.5 findings from a WHO collaborative study. Alcohol and Alcoholism, 2004, 39, 351-6 Engaging general practitioners in the management of hazardous and harmful alcohol consumption: 89 7 results of a meta-analysis. Journal of Studies on Alcohol and Drugs, 2004, 65, 191-9 Attitudes and management of alcohol problems in general practice: descriptive analysis based on 6 findings of a World Health Organization international collaborative survey. Alcohol and Alcoholism, 68 3.5 2003, 38, 597-601 Promoting brief alcohol intervention by nurses in primary care: a cluster randomised controlled 3.1 43 trial. Patient Education and Counseling, 2003, 51, 277-84 A qualitative study of nursesPattitudes and practices regarding brief alcohol intervention in primary 3.1 112 health care. Journal of Advanced Nursing, 2002, 39, 333-42 Alcohol screening and brief intervention in primary care: Which way now?. Drugs and Alcohol Today, 1.4 1 2001, 1, 28-33 Refining the content and design of an alcohol reduction app, Drink Less, to improve its usability and 3.6 \circ effectiveness: a mixed methods approach. F1000Research, 10, 511 Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a 3.6 three-country quasi-experimental study. F1000Research, 6, 311