

Jolle Micallef

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5828394/joelle-micallef-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

2,102
citations

25
h-index

38
g-index

145
ext. papers

2,797
ext. citations

3.8
avg, IF

4.94
L-index

#	Paper	IF	Citations
104	Cannabis use: signal of increasing risk of serious cardiovascular disorders. <i>Journal of the American Heart Association</i> , 2014 , 3, e000638	6	145
103	Effect of ascorbic acid in patients with Charcot-Marie-Tooth disease type 1A: a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2009 , 8, 1103-10	24.1	103
102	Impact of a prescription monitoring program on doctor-shopping for high dosage buprenorphine. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 36-43	2.6	87
101	An exploratory randomised double-blind and placebo-controlled phase 2 study of a combination of baclofen, naltrexone and sorbitol (PXT3003) in patients with Charcot-Marie-Tooth disease type 1A. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 199	4.2	72
100	Assessment of abuse potential of benzodiazepines from a prescription database using 'doctor shopping' as an indicator. <i>CNS Drugs</i> , 2010 , 24, 611-20	6.7	63
99	Neurobiology and clinical pharmacology of obsessive-compulsive disorder. <i>Clinical Neuropharmacology</i> , 2001 , 24, 191-207	1.4	56
98	Assessment of doctor-shopping for high dosage buprenorphine maintenance treatment in a French region: development of a new method for prescription database. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 473-81	2.6	52
97	Antiparkinsonian drug-induced sleepiness: a double-blind placebo-controlled study of L-dopa, bromocriptine and pramipexole in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 333-40	3.8	50
96	Comparison of methadone and high dosage buprenorphine users in French care centres. <i>Addiction</i> , 2001 , 96, 1433-41	4.6	48
95	Non-steroidal anti-inflammatory drugs, pharmacology, and COVID-19 infection. <i>Therapie</i> , 2020 , 75, 355-362	3.62	46
94	The drugs that mostly frequently induce acute kidney injury: a case -noncase study of a pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1341-1349	3.8	43
93	Doctor shopping reveals geographical variations in opioid abuse. <i>Pain Physician</i> , 2013 , 16, 89-100	1.8	40
92	OPPIDUM surveillance program: 20 years of information on drug abuse in France. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 672-82	3.1	36
91	Evidence of clonazepam abuse liability: results of the tools developed by the French Centers for Evaluation and Information on Pharmacodependence (CEIP) network. <i>Fundamental and Clinical Pharmacology</i> , 2011 , 25, 633-41	3.1	35
90	Patterns of methylphenidate use and assessment of its abuse and diversion in two French administrative areas using a proxy of deviant behaviour determined from a reimbursement database: main trends from 2005 to 2008. <i>CNS Drugs</i> , 2011 , 25, 415-24	6.7	35
89	Observation of psychoactive substance consumption: methods and results of the French OPPIDUM programme. <i>European Addiction Research</i> , 2001 , 7, 32-6	4.6	35
88	Mortality Associated With Time in and Out of Buprenorphine Treatment in French Office-Based General Practice: A 7-Year Cohort Study. <i>Annals of Family Medicine</i> , 2017 , 15, 355-358	2.9	34

87	Which psychoactive prescription drugs are illegally obtained and through which ways of acquisition? About OPPIDUM survey. <i>Fundamental and Clinical Pharmacology</i> , 2012 , 26, 549-56	3.1	34
86	Patterns of Methylphenidate Use and Assessment of Its Abuse among the General Population and Individuals with Drug Dependence. <i>European Addiction Research</i> , 2016 , 22, 119-26	4.6	29
85	Assessment of abuse of tianeptine from a reimbursement database using 'doctor-shopping' as an indicator. <i>Fundamental and Clinical Pharmacology</i> , 2012 , 26, 286-94	3.1	29
84	A double-blind, placebo- and flurazepam-controlled investigation of the residual psychomotor and cognitive effects of modified release zolpidem in young healthy volunteers. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 284-9	1.7	28
83	Anxiolytics, hypnotics, and antidepressants dispensed to adolescents in a French region in 2002. <i>Pharmacoepidemiology and Drug Safety</i> , 2006 , 15, 494-503	2.6	27
82	Cannabis smoking impairs driving performance on the simulator and real driving: a randomized, double-blind, placebo-controlled, crossover trial. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 558-570	3.7	26
81	Addictovigilance contribution during COVID-19 epidemic and lockdown in France. <i>Therapie</i> , 2020 , 75, 343-354	3.8	25
80	Estimation of clonazepam abuse liability: a new method using a reimbursed drug database. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 318-24	2.2	22
79	Monitoring of benzodiazepine diversion using a multi-indicator approach. <i>International Clinical Psychopharmacology</i> , 2011 , 26, 268-77	2.2	21
78	Thrombotic microangiopathy associated with gemcitabine use: Presentation and outcome in a national French retrospective cohort. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 403-412	3.8	21
77	Patterns and profiles of methylphenidate use both in children and adults. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1215-1227	3.8	20
76	Which indicators can public health authorities use to monitor prescription drug abuse and evaluate the impact of regulatory measures? Controlling High Dosage Buprenorphine abuse. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 29-36	4.9	20
75	Effects of subanesthetic doses of ketamine on sensorimotor information processing in healthy subjects. <i>Clinical Neuropharmacology</i> , 2002 , 25, 101-6	1.4	20
74	N-methyl-D-aspartate receptors and information processing: human choice reaction time under a subanaesthetic dose of ketamine. <i>Neuroscience Letters</i> , 2001 , 303, 29-32	3.3	20
73	Advantages and limitations of online communities of patients for research on health products. <i>Therapie</i> , 2017 , 72, 135-143	3.8	19
72	Brain Networks are Independently Modulated by Donepezil, Sleep, and Sleep Deprivation. <i>Brain Topography</i> , 2018 , 31, 380-391	4.3	19
71	Triptans use and overuse: A pharmacoepidemiology study from the French health insurance system database covering 4.1 million people. <i>Cephalalgia</i> , 2015 , 35, 1172-80	6.1	18
70	Slow-release oral morphine sulfate abuse: results of the postmarketing surveillance systems for psychoactive prescription drug abuse in France. <i>European Addiction Research</i> , 2013 , 19, 235-44	4.6	18

69	Serious central nervous system side effects of cephalosporins: A national analysis of serious reports registered in the French Pharmacovigilance Database. <i>Journal of the Neurological Sciences</i> , 2019 , 398, 196-201	3.2	18
68	Doctor shopping of opioid analgesics relative to benzodiazepines: A pharmacoepidemiological study among 11.7 million inhabitants in the French countries. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 88-94	4.9	17
67	Misuse of buprenorphine maintenance treatment since introduction of its generic forms: OPPIDUM survey. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 184-90	2.6	17
66	Clinical spectrum and gender differences in a large cohort of Charcot-Marie-Tooth type 1A patients. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 155-60	3.2	16
65	Immeasurable time bias due to hospitalization in medico-administrative databases: which impact for pharmacoepidemiological studies?. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 544-553	2.6	15
64	Neuropsychiatric events and dolutegravir in HIV patients: a worldwide issue involving a class effect. <i>Aids</i> , 2017 , 31, 1775-1777	3.5	15
63	Use of intravenous immunoglobulins in clinical practice: data from three French university hospitals. <i>Fundamental and Clinical Pharmacology</i> , 2011 , 25, 753-61	3.1	15
62	Low lamin A expression in lung adenocarcinoma cells from pleural effusions is a pejorative factor associated with high number of metastatic sites and poor Performance status. <i>PLoS ONE</i> , 2017 , 12, e0183136	3.7	15
61	Comparison of Cannabinoid Concentrations in Plasma, Oral Fluid and Urine in Occasional Cannabis Smokers After Smoking Cannabis Cigarette. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2016 , 19, 411-422	3.4	15
60	Effect of desipramine on patients with breathing disorders in RETT syndrome. <i>Annals of Clinical and Translational Neurology</i> , 2018 , 5, 118-127	5.3	14
59	Neurobehavioral and Cognitive Changes Induced by Sleep Deprivation in Healthy Volunteers. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016 , 15, 777-801	2.6	14
58	Detection of signals of abuse and dependence applying disproportionality analysis. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 229-36	2.8	13
57	Nivolumab in routine practice for older patients with advanced or metastatic non-small cell lung cancer. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 494-500	3.6	12
56	HIV-1 infection and first line ART induced differential responses in mitochondria from blood lymphocytes and monocytes: the ANRS EP45 "Aging" study. <i>PLoS ONE</i> , 2012 , 7, e41129	3.7	12
55	Evolution of opioids reimbursement since 2004 from the National Database of the General Health Insurance System. <i>Therapie</i> , 2011 , 66, 369-72	3.8	12
54	Identification and tracking of Addictovigilance signals in general practice: which interactions between the general practitioners and the French Addictovigilance Network?. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 643-651	3.1	11
53	HIV protease inhibitors do not cause the accumulation of prelamin A in PBMCs from patients receiving first line therapy: the ANRS EP45 "aging" study. <i>PLoS ONE</i> , 2012 , 7, e53035	3.7	11
52	A meta-analysis of randomized double-blind clinical trials in CMT1A to assess the change from baseline in CMTNS and ONLS scales after one year of treatment. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 74	4.2	10

51	Analysis of the benefits of vitamin cocktails in treating Charcot-Marie-Tooth disease type 1A. <i>Muscle and Nerve</i> , 2008 , 38, 1052-4	3.4	10
50	Chronic use of proton pump inhibitors, adverse events and potential biological mechanisms: A translational analysis. <i>Therapie</i> , 2018 , 73, 273-281	3.8	10
49	Genesis of an emergency public drug information website by the French Society of Pharmacology and Therapeutics during the COVID-19 pandemic. <i>Fundamental and Clinical Pharmacology</i> , 2020 , 34, 389-396	3.1	9
48	Example of an investigation of an "emergent" phenomenon in addiction vigilance: the case of methylphenidate. <i>Therapie</i> , 2015 , 70, 191-202	3.8	9
47	Effects of dimethylaminoethanol pyroglutamate (DMAE p-Glu) against memory deficits induced by scopolamine: evidence from preclinical and clinical studies. <i>Psychopharmacology</i> , 2009 , 207, 201-12	4.7	9
46	French organization for the pharmacovigilance of COVID-19 vaccines: A major challenge. <i>Therapie</i> , 2021 , 76, 297-303	3.8	9
45	Comment on: An Insight Into Z-Drug Abuse and Dependence: An Examination of Reports to the European Medicines Agency Database of Suspected Adverse Drug Reactions. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 528-530	5.8	8
44	Proton pump inhibitors prescriptions in France: Main trends from 2006 to 2016 on French health insurance database. <i>Therapie</i> , 2018 , 73, 385-388	3.8	8
43	Antidepressant adherence patterns in older patients: use of a clustering method on a prescription database. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 226-236	3.1	8
42	Orphan drug clinical development. <i>Therapie</i> , 2020 , 75, 141-147	3.8	8
41	Interest of large electronic health care databases in addictovigilance: Lessons from 15 years of pharmacoepidemiological contribution. <i>Therapie</i> , 2019 , 74, 307-314	3.8	8
40	Investigating patient narratives posted on Internet and their informativeness level for pharmacovigilance purpose: The example of comments about statins. <i>Therapie</i> , 2017 , 72, 483-490	3.8	7
39	Comment on: "Social Media Mining for Toxicovigilance: Automatic Monitoring of Prescription Medication Abuse from Twitter". <i>Drug Safety</i> , 2017 , 40, 183-185	5.1	7
38	Methylphenidate: Gender trends in adult and pediatric populations over a 7year period. <i>Therapie</i> , 2017 , 72, 635-641	3.8	7
37	Pharmacology and drug development in rare diseases: the attractiveness and expertise of the French medical pharmacology. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 685-694	3.1	7
36	Effects of lorazepam on emotional reactivity, performance, and vigilance in subjects with high or low anxiety. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 226-33	1.7	7
35	Insights on the Evidence of Cardiotoxicity of Hydroxychloroquine Prior and During COVID-19 Epidemic. <i>Clinical and Translational Science</i> , 2021 , 14, 163-169	4.9	7
34	Type I interferons as the potential mechanism linking mRNA COVID-19 vaccines to Bell's palsy. <i>Therapie</i> , 2021 , 76, 365-367	3.8	7

33	Drug-induced panic attacks: Analysis of cases registered in the French pharmacovigilance database. <i>Journal of Psychiatric Research</i> , 2017 , 90, 60-66	5.2	6
32	Ten-year trend of opioid and nonopioid analgesic use in the French adult population. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 555-564	3.8	6
31	Gabapentinoid Abuse in France: Evidence on Health Consequences and New Points of Vigilance. <i>Frontiers in Psychiatry</i> , 2021 , 12, 639780	5	6
30	Orphan drug designation in Europe: A booster for the research and development of drugs in rare diseases. <i>Therapie</i> , 2020 , 75, 133-139	3.8	5
29	A 15-day course of donepezil modulates spectral EEG dynamics related to target auditory stimuli in young, healthy adult volunteers. <i>Clinical Neurophysiology</i> , 2019 , 130, 863-875	4.3	5
28	Adaptability and reproducibility of a memory disruption rTMS protocol in the PharmaCog IMI European project. <i>Scientific Reports</i> , 2018 , 8, 9371	4.9	5
27	Hyper inflammatory syndrome following COVID-19 mRNA vaccine in children: A national post-authorization pharmacovigilance study.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 100393		5
26	COVID-19 and NSAIDs: Primum non nocere. <i>Therapie</i> , 2020 , 75, 514-515	3.8	4
25	Doctor shopping for methylphenidate as a proxy for misuse and potential abuse in the 67 million inhabitants in France. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 751-761	3.1	3
24	Urinary retention associated with aripiprazole: Report of a new case and review of the literature. <i>Therapie</i> , 2018 , 73, 287-289	3.8	3
23	Which psychoactive substances are used by patients seen in the healthcare system in French overseas territories? Results of the OPPIDUM survey. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 126-131	3.1	3
22	Features of inflammatory heart reactions following mRNA COVID-19 vaccination at a global level. <i>Clinical Pharmacology and Therapeutics</i> , 2021 ,	6.1	3
21	French Pharmacovigilance Public System and COVID-19 Pandemic. <i>Drug Safety</i> , 2021 , 44, 405-408	5.1	3
20	Evolution of doctor shopping for oxycodone in the 67 million inhabitants in France as a proxy for potential misuse or abuse. <i>Pain</i> , 2021 , 162, 770-777	8	3
19	Orphandev, French Clinical Trials Network dedicated to Orphan drugs and therapeutics development for rare diseases. <i>Orphanet Journal of Rare Diseases</i> , 2010 , 5,	4.2	2
18	Patients' organizations in rare diseases and involvement in drug information: Illustrations with LMC France, the French Association of Chronic Myeloid leukemia. <i>Therapie</i> , 2020 , 75, 221-224	3.8	2
17	Early Detection of Prescription Drug Abuse Using Doctor Shopping Monitoring From Claims Databases: Illustration From the Experience of the French Addictovigilance Network. <i>Frontiers in Psychiatry</i> , 2021 , 12, 640120	5	2
16	Misuse of Benzodiazepines in France 2016 , 1101-1111		2

15	Venlafaxine Abuse in a Patient With a History of Methylphenidate Abuse: A Case Report. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 172-174	1.7	2
14	Perampanel-associated self-harm ideation after dosage increase. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 243-244	2.8	2
13	Safety concerns on the abuse potential of esketamine: Multidimensional analysis of a new anti-depressive drug on the market.. <i>Fundamental and Clinical Pharmacology</i> , 2021 ,	3.1	2
12	Third nerve palsy after influenza vaccination in inflammatory bowel disease (IBD). <i>Therapie</i> , 2017 , 72, 695-697	3.8	1
11	Comment on "Patient Reporting in the EU: Analysis of EudraVigilance Data". <i>Drug Safety</i> , 2017 , 40, 935-936	3.6	1
10	Combatting the misuse of benzodiazepines and related Z drugs in French general practice: a clinical review. <i>BJGP Open</i> , 2020 , 4,	3.1	1
9	Warning on increased serious health complications related to non-medical use of nitrous oxide. <i>Therapie</i> , 2021 , 76, 478-479	3.8	1
8	A 13-Year National Monitoring Study to Assess Narcotic Prescriptions and Indications (2007-2019). <i>Drug Safety</i> , 2021 , 45, 37	5.1	1
7	Reply to 'Overuse or underuse of methylphenidate in adults in France: commentary on Pauly et al. 2018' by Weibel et al. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 275-276	3.8	1
6	Impact of pregnancy on psychoactive substance use among women with substance use disorders recruited in addiction specialized care centers in France. <i>Fundamental and Clinical Pharmacology</i> , 2018 , 32, 188-197	3.1	0
5	Commentary on Perry et al.: New means, new measures-without discarding all the previous ones!. <i>Addiction</i> , 2022 , 117, 205-206	4.6	0
4	Innovative approaches in CNS clinical drug development: Quantitative systems pharmacology. <i>Therapie</i> , 2021 , 76, 111-119	3.8	0
3	Abuse and misuse of second-generation antipsychotics: an analysis using VigiBase TM , the World Health Organisation pharmacovigilance database. <i>British Journal of Clinical Pharmacology</i> ,	3.8	0
2	French Specific Surveillance System for Drug Abuse. <i>International Journal of Mental Health</i> , 2014 , 43, 49-62	1.4	
1	Quels sont mēdicaments psychoactifs obtenus illēgalement et par quels moyens d'acquisition ? 10'ans d'ēbobservation ¶travers le dispositif national OPPIDUM. <i>Therapie</i> , 2021 , 76, 169	3.8	