

Yaopeng Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5829722/yaopeng-zhang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

2,375
citations

29
h-index

42
g-index

115
ext. papers

2,894
ext. citations

6.5
avg, IF

5.31
L-index

#	Paper	IF	Citations
112	Effects of dynamic mechanical stimulations on the regeneration of in vitro and in vivo cartilage tissue based on silk fibroin scaffold. <i>Composites Part B: Engineering</i> , 2022 , 235, 109764	10	3
111	Biodegradable silk fibroin-based bio-piezoelectric/triboelectric nanogenerators as self-powered electronic devices. <i>Nano Energy</i> , 2022 , 96, 107101	17.1	4
110	Role of angiogenesis in bladder tissue engineering 2022 , 463-490		
109	Effects of compound stimulation of fluid shear stress plus ultrasound on stem cell proliferation and osteogenesis. <i>International Journal of Energy Production and Management</i> , 2021 , 8, rbab066	5.3	4
108	The Analyses of High Infectivity Mechanism of SARS-CoV-2 and Its Variants. <i>Covid</i> , 2021 , 1, 666-673		1
107	Electrospun regenerated silk fibroin is a promising biomaterial for the maintenance of inner ear progenitors in vitro. <i>Journal of Biomaterials Applications</i> , 2021 , 8853282211051501	2.9	0
106	Low-Power and Tunable-Performance Biomemristor Based on Silk Fibroin. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 3459-3468	5.5	5
105	Flow Analysis of Regenerated Silk Fibroin/Cellulose Nanofiber Suspensions via a Bioinspired Microfluidic Chip. <i>Advanced Materials Technologies</i> , 2021 , 6, 2100124	6.8	5
104	Unconventional Spidroin Assemblies in Aqueous Dope for Spinning into Tough Synthetic Fibers. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 3608-3617	5.5	4
103	Silk fibroin/reduced graphene oxide composite mats with enhanced mechanical properties and conductivity for tissue engineering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 197, 111444	6	9
102	Low-loss light-guiding, strong silk generated by a bioinspired microfluidic chip. <i>Chemical Engineering Journal</i> , 2021 , 405, 126793	14.7	14
101	The bioaerosols emitted from toilet and wastewater treatment plant: a literature review. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 2509-2521	5.1	11
100	Electrospun regenerated silk fibroin scaffolds with improved pore size, mechanical properties and cytocompatibility using mesh collectors. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 5514-5527	7.3	8
99	A trade-off between antifouling and the electrochemical stabilities of PEDOTs. <i>Journal of Materials Chemistry B</i> , 2021 , 9, 2717-2726	7.3	0
98	Transparent Conductive Silk Film with a PEDOT-OH Nano Layer as an Electroactive Cell Interface. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 1202-1215	5.5	3
97	Highly Strong and Conductive Carbon Fibers Originated from Bioinspired Lignin/Nanocellulose Precursors Obtained by Flow-Assisted Alignment and In Situ Interfacial Complexation. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 2591-2599	8.3	4
96	Highly oriented lamellar polyaniline with short-range disorder for enhanced electrochromic performance. <i>Chemical Engineering Journal</i> , 2021 , 417, 128126	14.7	11

95	3D-printed strong hybrid materials with low shrinkage for dental restoration. <i>Composites Science and Technology</i> , 2021 , 213, 108902	8.6	5
94	Selective adsorption and fluorescence sensing of tetracycline by Zn-mediated chitosan non-woven fabric. <i>Journal of Colloid and Interface Science</i> , 2021 , 603, 418-429	9.3	3
93	Bio-memristors based on silk fibroin. <i>Materials Horizons</i> , 2021 , 8, 3281-3294	14.4	3
92	3D-Printed Strong Dental Crown with Multi-Scale Ordered Architecture, High-Precision, and Bioactivity.. <i>Advanced Science</i> , 2021 , e2104001	13.6	3
91	One-Step Approach to Prepare Transparent Conductive Regenerated Silk Fibroin/PEDOT:PSS Films for Electroactive Cell Culture.. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	2
90	Water-stable and finasteride-loaded polyvinyl alcohol nanofibrous particles with sustained drug release for improved prostatic artery embolization - In vitro and in vivo evaluation. <i>Materials Science and Engineering C</i> , 2020 , 115, 111107	8.3	5
89	Biomaterial-Based Scaffolds as Antibacterial Suture Materials. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 3154-3161	5.5	8
88	Dual-wavelength fluorescent anti-counterfeiting fibers with skin-core structure. <i>Journal of Polymer Engineering</i> , 2020 , 40, 143-151	1.4	4
87	Sustained release of stromal cell-derived factor-1 alpha from silk fibroin microfiber promotes urethral reconstruction in rabbits. <i>Journal of Biomedical Materials Research - Part A</i> , 2020 , 108, 1760-1773	5.4	3
86	Pulse-driven bio-triboelectric nanogenerator based on silk nanoribbons. <i>Nano Energy</i> , 2020 , 74, 104837	17.1	40
85	Application of Fenton pre-oxidation, Ca-induced coagulation, and sludge reclamation for enhanced treatment of ultra-high concentration poly(vinyl alcohol) wastewater. <i>Journal of Hazardous Materials</i> , 2020 , 389, 121866	12.8	9
84	High-Frequency Synchronization Improves Firing Rate Contrast and Information Transmission Efficiency in E/I Neuronal Networks. <i>Neural Plasticity</i> , 2020 , 2020, 8823111	3.3	
83	Natural polymer-based bioabsorbable conducting wires for implantable bioelectronic devices. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 25323-25335	13	8
82	Super-strong and uniform fluorescent composite silk from trace AIE nanoparticle feeding. <i>Composites Communications</i> , 2020 , 21, 100414	6.7	6
81	3D printed hydrogels with oxidized cellulose nanofibers and silk fibroin for the proliferation of lung epithelial stem cells. <i>Cellulose</i> , 2020 , 28, 1-17	5.5	20
80	Super-strong and Intrinsically Fluorescent Silkworm Silk from Carbon Nanodots Feeding. <i>Nano-Micro Letters</i> , 2019 , 11, 75	19.5	18
79	Nd(OTf) ₃ -catalyzed intramolecular-intermolecular cascade cyclization reaction: An access to phenanthro[9,10-b]furan derivatives. <i>Journal of Saudi Chemical Society</i> , 2019 , 23, 1041-1048	4.3	2
78	Iron-catalyzed synthesis of phenanthrenes via intramolecular hydroarylation of arene-alkynes. <i>Journal of Saudi Chemical Society</i> , 2019 , 23, 967-972	4.3	0

77	Bacterial cellulose nanofibers promote stress and fidelity of 3D-printed silk based hydrogel scaffold with hierarchical pores. <i>Carbohydrate Polymers</i> , 2019 , 221, 146-156	10.3	68
76	Fabrication and characterization of regenerated <i>Antheraea pernyi</i> silk fibroin scaffolds for Schwann cell culturing. <i>European Polymer Journal</i> , 2019 , 117, 123-133	5.2	7
75	3D printing of mesoporous bioactive glass/silk fibroin composite scaffolds for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2019 , 103, 109731	8.3	62
74	Silk materials for medical, electronic and optical applications. <i>Science China Technological Sciences</i> , 2019 , 62, 903-918	3.5	28
73	Synthesis of novel thioxanthone-containing macromolecular photosensitizer and its photocatalytic property. <i>Polymer</i> , 2019 , 174, 101-108	3.9	7
72	Graphene trapped silk scaffolds integrate high conductivity and stability. <i>Carbon</i> , 2019 , 148, 16-27	10.4	27
71	Angiogenesis Potential of Bladder Acellular Matrix Hydrogel by Compounding Endothelial Cells.. <i>ACS Applied Bio Materials</i> , 2019 , 2, 1158-1167	4.1	2
70	Laminin-Coated Electrospun Regenerated Silk Fibroin Mats Promote Neural Progenitor Cell Proliferation, Differentiation, and Survival. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 190	5.8	31
69	Strong Silk Fibers Containing Cellulose Nanofibers Generated by a Bioinspired Microfluidic Chip. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14765-14774	8.3	25
68	Employing Lactam Copolymerization Strategy to Effectively Achieve Pure Organic Room-Temperature Phosphorescence in Amorphous State. <i>Advanced Optical Materials</i> , 2019 , 7, 1901277	8.1	22
67	Silk scaffolds with gradient pore structure and improved cell infiltration performance. <i>Materials Science and Engineering C</i> , 2019 , 94, 179-189	8.3	26
66	High-Performance Microsupercapacitors Based on Bioinspired Graphene Microfibers. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10157-10164	9.5	30
65	The influence of short chain branch on formation of shear induced crystals in bimodal polyethylene at high shear temperatures. <i>European Polymer Journal</i> , 2018 , 105, 359-369	5.2	12
64	Shear induced crystallization of bimodal and unimodal high density polyethylene. <i>Polymer</i> , 2018 , 153, 223-231	3.9	5
63	Prevascularized bladder acellular matrix hydrogel/silk fibroin composite scaffolds promote the regeneration of urethra in a rabbit model. <i>Biomedical Materials (Bristol)</i> , 2018 , 14, 015002	3.5	9
62	Structure and interaction of silk fibroin and graphene oxide in concentrated solution under shear. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 2590-2597	7.9	12
61	Single Molecular Layer of Silk Nanoribbon as Potential Basic Building Block of Silk Materials. <i>ACS Nano</i> , 2018 , 12, 11860-11870	16.7	52
60	Intrinsically Fluorescent Silks from Silkworms Fed with Rare-Earth Upconverting Phosphors. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 4021-4027	5.5	17

59	All-Organic Conductive Biomaterial as an Electroactive Cell Interface. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35547-35556	9.5	11
58	Microstructural evolution of regenerated silk fibroin/graphene oxide hybrid fibers under tensile deformation. <i>RSC Advances</i> , 2017 , 7, 3108-3116	3.7	12
57	Mesenchymal Stem Cell-Seeded Regenerated Silk Fibroin Complex Matrices for Liver Regeneration in an Animal Model of Acute Liver Failure. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14716-14723	9.5	33
56	Robust silk fibroin/bacterial cellulose nanoribbon composite scaffolds with radial lamellae and intercalation structure for bone regeneration. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 3640-3650	7.3	34
55	Strain-induced structural evolution during drawing of poly(ethylene terephthalate) fiber at different temperatures by in situ synchrotron SAXS and WAXD. <i>Polymer</i> , 2017 , 119, 185-194	3.9	14
54	Characterization of bladder acellular matrix hydrogel with inherent bioactive factors. <i>Materials Science and Engineering C</i> , 2017 , 77, 184-189	8.3	13
53	The Development of Fibers That Mimic the Core-Sheath and Spindle-Knot Morphology of Artificial Silk Using Microfluidic Devices. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700102	3.9	22
52	Silk Fibroin-Based Scaffolds with Controlled Delivery Order of VEGF and BDNF for Cavernous Nerve Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2016 , 2, 2018-2025	5.5	27
51	Recombinant spider silk from aqueous solutions via a bio-inspired microfluidic chip. <i>Scientific Reports</i> , 2016 , 6, 36473	4.9	61
50	Lamellar and fibrillar structure evolution of poly(ethylene terephthalate) fiber in thermal annealing. <i>Polymer</i> , 2016 , 105, 157-166	3.9	23
49	Integrated microfluidic device for the spherical hydrogel pH sensor fabrication. <i>RSC Advances</i> , 2016 , 6, 11204-11210	3.7	10
48	Hybrid Silk Fibers Dry-Spun from Regenerated Silk Fibroin/Graphene Oxide Aqueous Solutions. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 3349-58	9.5	92
47	Tissue performance of bladder following stretched electrospun silk fibroin matrix and bladder acellular matrix implantation in a rabbit model. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 9-16	5.4	25
46	Dual-factor loaded functional silk fibroin scaffolds for peripheral nerve regeneration with the aid of neovascularization. <i>RSC Advances</i> , 2016 , 6, 7683-7691	3.7	29
45	Bladder Acellular Matrix Graft Reinforced Silk Fibroin Composite Scaffolds Loaded VEGF with Aligned Electrospun Fibers in Multiple Layers. <i>ACS Biomaterials Science and Engineering</i> , 2015 , 1, 238-246	5.5	19
44	Influence of shear on the structures and properties of regenerated silk fibroin aqueous solutions. <i>RSC Advances</i> , 2015 , 5, 62936-62940	3.7	8
43	Reinforced and Ultraviolet Resistant Silks from Silkworms Fed with Titanium Dioxide Nanoparticles. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 2551-2557	8.3	72
42	Insights into process-structure-property relationships of poly(ethylene terephthalate) industrial yarns by synchrotron radiation WAXD and SAXS. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	11

41	Tough and VEGF-releasing scaffolds composed of artificial silk fibroin mats and a natural acellular matrix. <i>RSC Advances</i> , 2015 , 5, 16748-16758	3.7	19
40	Role of humidity on the structures and properties of regenerated silk fibers. <i>Progress in Natural Science: Materials International</i> , 2015 , 25, 430-436	3.6	26
39	Nanoconfined crystallites toughen artificial silk. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 1408-1414	7.3	51
38	Silk fibroin tissue engineering scaffolds with aligned electrospun fibers in multiple layers. <i>RSC Advances</i> , 2014 , 4, 47570-47575	3.7	17
37	Effects of environment parameters on sol-gel transition and dry-spinnability of regenerated silk fibroin aqueous solution. <i>Fibers and Polymers</i> , 2014 , 15, 540-546	2	3
36	Artificial Silk Materials with Enhanced Mechanical Properties and Controllable Structures. <i>International Journal of the Society of Materials Engineering for Resources</i> , 2014 , 20, 1-5	0	1
35	Tunable Structures and Properties of Electrospun Regenerated Silk Fibroin Mats Annealed in Water Vapor at Different Times and Temperatures. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-7	3.2	11
34	Tough silk fibers prepared in air using a biomimetic microfluidic chip. <i>International Journal of Biological Macromolecules</i> , 2014 , 66, 319-24	7.9	59
33	Tissue-engineered buccal mucosa using silk fibroin matrices for urethral reconstruction in a canine model. <i>Journal of Surgical Research</i> , 2014 , 188, 1-7	2.5	42
32	In vitro studies on the structure and properties of silk fibroin aqueous solutions in silkworm. <i>International Journal of Biological Macromolecules</i> , 2013 , 62, 162-6	7.9	21
31	Electrospun regenerated silk fibroin mats with enhanced mechanical properties. <i>International Journal of Biological Macromolecules</i> , 2013 , 56, 83-8	7.9	56
30	Evaluation of stretched electrospun silk fibroin matrices seeded with urothelial cells for urethra reconstruction. <i>Journal of Surgical Research</i> , 2013 , 184, 774-81	2.5	45
29	A simple process for dry spinning of regenerated silk fibroin aqueous solution. <i>Journal of Materials Research</i> , 2013 , 28, 2897-2902	2.5	20
28	Studies on the post-treatment of the dry-spun fibers from regenerated silk fibroin solution: Post-treatment agent and method. <i>Materials & Design</i> , 2012 , 36, 816-822		35
27	A bio-inspired microfluidic concentrator for regenerated silk fibroin solution. <i>Sensors and Actuators B: Chemical</i> , 2012 , 162, 435-440	8.5	20
26	The structure-property relationships of artificial silk fabricated by dry-spinning process. <i>Journal of Materials Chemistry</i> , 2012 , 22, 18372		57
25	Significantly reinforced composite fibers electrospun from silk fibroin/carbon nanotube aqueous solutions. <i>Biomacromolecules</i> , 2012 , 13, 2859-67	6.9	67
24	Preparation of regenerated silk fibroin/silk sericin fibers by coaxial electrospinning. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 980-6	7.9	59

23	Posttreatment of the dry-spun fibers obtained from regenerated silk fibroin aqueous solution in ethanol aqueous solution. <i>Journal of Materials Research</i> , 2011 , 26, 1100-1106	2.5	30
22	Bio-inspired capillary dry spinning of regenerated silk fibroin aqueous solution. <i>Materials Science and Engineering C</i> , 2011 , 31, 1602-1608	8.3	56
21	Preparation and characterization of electrospun silk fibroin/sericin blend fibers. <i>Journal of Materials Research</i> , 2011 , 26, 2931-2937	2.5	13
20	Determination of Molecular Weight of Silk Fibroin by Non-Gel Sieving Capillary Electrophoresis. <i>Journal of AOAC INTERNATIONAL</i> , 2010 , 93, 1143-1147	1.7	8
19	Antheraea pernyi silk fiber: a potential resource for artificially biospinning spider dragline silk. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 683962		14
18	Vacuum membrane distillation by microchip with temperature gradient. <i>Lab on A Chip</i> , 2010 , 10, 899-908	7.2	35
17	Influence of γ radiation on the structure and properties of paper grade bamboo pulp. <i>Carbohydrate Polymers</i> , 2010 , 81, 114-119	10.3	18
16	A comparative study of bamboo Lyocell fiber and other regenerated cellulose fibers 2nd ICC 2007, Tokyo, Japan, October 25-29, 2007. <i>Holzforschung</i> , 2009 , 63,	2	9
15	Vacuum membrane distillation on a microfluidic chip. <i>Chemical Communications</i> , 2009 , 2750-2	5.8	25
14	Electrospinning and rheology of regenerated Bombyx mori silk fibroin aqueous solutions: The effects of pH and concentration. <i>Polymer</i> , 2008 , 49, 2880-2885	3.9	78
13	A microchannel concentrator controlled by integral thermoresponsive valves. <i>Sensors and Actuators B: Chemical</i> , 2008 , 129, 481-486	8.5	21
12	A flap-type hydrogel actuator with fast responses to temperature. <i>Smart Materials and Structures</i> , 2007 , 16, 2175-2182	3.4	16
11	Solubility and rheological behavior of silk fibroin (Bombyx mori) in N-methyl morpholine N-oxide. <i>International Journal of Biological Macromolecules</i> , 2005 , 35, 155-61	7.9	34
10	A study on the flow stability of regenerated silk fibroin aqueous solution. <i>International Journal of Biological Macromolecules</i> , 2005 , 36, 66-70	7.9	42
9	Studies on spinning and rheological behaviors of regenerated silk fibroin/N-methylmorpholine-N-oxide/H ₂ O solutions. <i>Journal of Materials Science</i> , 2005 , 40, 5355-5358	4.3	24
8	Electrospun ultra-fine silk fibroin fibers from aqueous solutions. <i>Journal of Materials Science</i> , 2005 , 40, 5359-5363	4.3	58
7	Studies on the synthesis and thermal properties of copoly(L-lactic acid/glycolic acid) by direct melt polycondensation. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2163-2168	2.9	33
6	Prediction of molecular weight distribution of cellulose by using the rheological method. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 598-603	2.9	10

5	Atomic force microscopy of cellulose membranes prepared from the N-methylmorpholine-N-oxide/water solvent system. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 3389-3395	2.9	9
4	The Chain Orientation of Cellulose Flat and Tubular Films Prepared from N-Methylmorpholine N-Oxide Solutions. <i>Polymer Journal</i> , 2002 , 34, 666-673	2.7	2
3	Formation and Characterization of Cellulose Membranes from N-Methylmorpholine-N-oxide Solution. <i>Macromolecular Bioscience</i> , 2001 , 1, 141-148	5.5	43
2	3D Printed Gelatin Scaffold with Improved Shape Fidelity and Cytocompatibility by Using <i>Antheraea pernyi</i> Silk Fibroin Nanofibers. <i>Advanced Fiber Materials</i> , 1	10.9	2
1	Inkjet printing of 2D polyaniline for fabricating flexible and patterned electrochromic devices. <i>Science China Materials</i> ,	7.1	1