

# Jaw-Wen Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5830925/publications.pdf>

Version: 2024-02-01

291  
papers

9,448  
citations

41258

49  
h-index

62479

80  
g-index

299  
all docs

299  
docs citations

299  
times ranked

13521  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of Trimethylamine N-Oxide Attenuates Neointimal Formation Through Reduction of Inflammasome and Oxidative Stress in a Mouse Model of Carotid Artery Ligation. <i>Antioxidants and Redox Signaling</i> , 2023, 38, 215-233.	2.5	8
2	Prolonged sitting time links to subclinical atherosclerosis. <i>Journal of the Chinese Medical Association</i> , 2022, 85, 51-58.	0.6	5
3	The waist-to-body mass index ratio as an anthropometric predictor for cardiovascular outcome in subjects with established atherosclerotic cardiovascular disease. <i>Scientific Reports</i> , 2022, 12, 804.	1.6	4
4	Plasma metabolomic profiles associated with hypertension and blood pressure in response to thiazide diuretics. <i>Hypertension Research</i> , 2022, 45, 464-473.	1.5	5
5	Antioxidation and Nrf2-mediated heme oxygenase-1 activation contribute to renal protective effects of hydralazine in diabetic nephropathy. <i>Biomedicine and Pharmacotherapy</i> , 2022, 151, 113139.	2.5	6
6	Gal-1 (Galectin-1) Upregulation Contributes to Abdominal Aortic Aneurysm Progression by Enhancing Vascular Inflammation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 331-345.	1.1	12
7	Nrf-2 mediated heme oxygenase-1 activation contributes to the anti-inflammatory and renal protective effects of Ginkgo biloba extract in diabetic nephropathy. <i>Journal of Ethnopharmacology</i> , 2021, 266, 113474.	2.0	23
8	24-h ambulatory blood pressure variability and hypertensive nephropathy in Han Chinese hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021, 23, 281-288.	1.0	10
9	Sex difference in sympathetic nervous system activity and blood pressure in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021, 23, 137-146.	1.0	6
10	Circulating fatty-acid binding-protein 4 levels predict CV events in patients after coronary interventions. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 728-736.	0.8	6
11	Fenofibrate attenuates doxorubicin-induced cardiac dysfunction in mice via activating the eNOS/EPC pathway. <i>Scientific Reports</i> , 2021, 11, 1159.	1.6	11
12	A Novel Resolution of Diabetes: C-C Chemokine Motif Ligand 4 Is a Common Target in Different Types of Diabetes by Protecting Pancreatic Islet Cell and Modulating Inflammation. <i>Frontiers in Immunology</i> , 2021, 12, 650626.	2.2	10
13	Prospective evaluation of lipid management following acute coronary syndrome in non-Western countries. <i>Clinical Cardiology</i> , 2021, 44, 955-962.	0.7	5
14	Adherence to healthy lifestyle improved clinical outcomes in coronary artery disease patients after coronary intervention. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 596-605.	0.6	12
15	Significance of serum FGF-23 for risk assessment of contrast-associated acute kidney injury and clinical outcomes in patients undergoing coronary angiography. <i>PLoS ONE</i> , 2021, 16, e0254835.	1.1	5
16	Optimal blood pressure for patients with end-stage renal disease following coronary interventions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1622-1630.	1.0	1
17	Sitagliptin attenuates arterial calcification by downregulating oxidative stress-induced receptor for advanced glycation end products in LDLR knockout mice. <i>Scientific Reports</i> , 2021, 11, 17851.	1.6	5
18	Inhibition on CXCL5 reduces aortic matrix metalloproteinase 9 expression and protects against acute aortic dissection. <i>Vascular Pharmacology</i> , 2021, 141, 106926.	1.0	11

#	ARTICLE	IF	CITATIONS
19	Association between phosphate and long-term outcome in CAD patients underwent coronary intervention. <i>Scientific Reports</i> , 2021, 11, 20080.	1.6	3
20	Direct CCL4 Inhibition Modulates Gut Microbiota, Reduces Circulating Trimethylamine N-Oxide, and Improves Glucose and Lipid Metabolism in High-Fat-Diet-Induced Diabetes Mellitus. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 6237-6250.	1.6	17
21	Prediction of Masked Hypertension and Masked Uncontrolled Hypertension Using Machine Learning. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 778306.	1.1	19
22	Associations between galectin-1, left ventricular diastolic dysfunction, and heart failure with preserved ejection fraction. <i>Journal of Cardiology</i> , 2021, , .	0.8	1
23	Uric Acid and Impairment of Renal Function in Non-diabetic Hypertensive Patients. <i>Frontiers in Medicine</i> , 2021, 8, 746886.	1.2	3
24	Prognostic indicators for the onset of ischaemic versus haemorrhagic stroke in stable coronary artery disease. <i>Medicine (United States)</i> , 2021, 100, e27973.	0.4	1
25	A performance guide for major risk factors control in patients with atherosclerotic cardiovascular disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 674-684.	0.8	10
26	Fenofibrate Reverses Dysfunction of EPCs Caused by Chronic Heart Failure. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 158-170.	1.1	11
27	Hydralazine improves ischemia-induced neovasculogenesis via xanthine-oxidase inhibition in chronic renal insufficiency. <i>Pharmacological Research</i> , 2020, 151, 104509.	3.1	5
28	Hemoglobin A1C Levels are Independently Associated with the Risk of Coronary Atherosclerotic Plaques in Patients without Diabetes: A Cross-Sectional Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 789-800.	0.9	7
29	Deletion of the FHL2 gene attenuates intima-media thickening in a partially ligated carotid artery ligated mouse model. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 160-173.	1.6	11
30	Optimal blood pressure for the prevention of hypertensive nephropathy in nondiabetic hypertensive patients in Taiwan. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1425-1433.	1.0	7
31	CCL4 Inhibition in Atherosclerosis: Effects on Plaque Stability, Endothelial Cell Adhesiveness, and Macrophages Activation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6567.	1.8	23
32	Prognostic effect of high-density lipoprotein cholesterol level in patients with atherosclerotic cardiovascular disease under statin treatment. <i>Scientific Reports</i> , 2020, 10, 21835.	1.6	5
33	Fatty-Acid-Binding Protein 4 as a Novel Contributor to Mononuclear Cell Activation and Endothelial Cell Dysfunction in Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9245.	1.8	17
34	Association of Arachidonic Acid-derived Lipid Mediators with Subsequent Onset of Acute Myocardial Infarction in Patients with Coronary Artery Disease. <i>Scientific Reports</i> , 2020, 10, 8105.	1.6	23
35	The Role of Chemokines and Chemokine Receptors in Diabetic Nephropathy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3172.	1.8	28
36	Association between Preoperative Nutritional Status and Clinical Outcomes of Patients with Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. <i>Nutrients</i> , 2020, 12, 1295.	1.7	30

#	ARTICLE	IF	CITATIONS
37	Pulmonary hemodynamics and wave reflections in adults with atrial septal defects. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H925-H936.	1.5	3
38	Association of variability in uric acid and future clinical outcomes of patient with coronary artery disease undergoing percutaneous coronary intervention. <i>Atherosclerosis</i> , 2020, 297, 40-46.	0.4	31
39	Inhibition of Serine Protease Activity Protects Against High Fat Diet-Induced Inflammation and Insulin Resistance. <i>Scientific Reports</i> , 2020, 10, 1725.	1.6	20
40	Potential impacts of high-sensitivity creatine kinase-MB on long-term clinical outcomes in patients with stable coronary heart disease. <i>Scientific Reports</i> , 2020, 10, 5638.	1.6	10
41	Systemic immune-inflammatory index (SII) predicted clinical outcome in patients with coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13230.	1.7	291
42	Factor analysis for the clustering of cardiometabolic risk factors and sedentary behavior, a cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0242365.	1.1	5
43	Risk of ischemic stroke in patients with end-stage renal disease receiving peritoneal dialysis with new-onset atrial fibrillation. <i>Journal of the Chinese Medical Association</i> , 2020, 83, 1066-1070.	0.6	1
44	The influence of atrial fibrillation on the mortality of incident ESRD patients undergoing maintenance hemodialysis. <i>PLoS ONE</i> , 2020, 15, e0228405.	1.1	4
45	Title is missing!. , 2020, 15, e0242365.		0
46	Title is missing!. , 2020, 15, e0242365.		0
47	Title is missing!. , 2020, 15, e0242365.		0
48	Title is missing!. , 2020, 15, e0242365.		0
49	Title is missing!. , 2020, 15, e0242365.		0
50	Title is missing!. , 2020, 15, e0242365.		0
51	Inhibition of macrophage inflammatory protein-1 $\beta$ improves endothelial progenitor cell function and ischemia-induced angiogenesis in diabetes. <i>Angiogenesis</i> , 2019, 22, 53-65.	3.7	15
52	Arterial Hemodynamics in Prehypertensives. <i>International Journal of Hypertension</i> , 2019, 2019, 1-9.	0.5	1
53	Point of Care eGFR and the Prediction of Outcomes in Pneumonia. <i>Scientific Reports</i> , 2019, 9, 8478.	1.6	7
54	Circulating Activin A Is a Surrogate for the Incidence of Diastolic Dysfunction and Heart Failure in Patients With Preserved Ejection Fraction. <i>Circulation Journal</i> , 2019, 83, 1514-1519.	0.7	6

#	ARTICLE	IF	CITATIONS
55	Microbial etiology of pneumonia in patients with decreased renal function. <i>PLoS ONE</i> , 2019, 14, e0216367.	1.1	2
56	The benefit of secondary prevention with oat fiber in reducing future cardiovascular event among CAD patients after coronary intervention. <i>Scientific Reports</i> , 2019, 9, 3091.	1.6	11
57	Circulating TNFSF14 (Tumor Necrosis Factor Superfamily 14) Predicts Clinical Outcome in Patients With Stable Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1240-1252.	1.1	15
58	Activation of heme oxygenase-1 by Ginkgo biloba extract differentially modulates endothelial and smooth muscle-like progenitor cells for vascular repair. <i>Scientific Reports</i> , 2019, 9, 17316.	1.6	9
59	The Mediterranean diet reduces the genetic risk of chromosome 9p21 for myocardial infarction in an Asian population community cohort. <i>Scientific Reports</i> , 2019, 9, 18405.	1.6	10
60	Study protocol for a prospective observational study to investigate the role of luminal pressure on arteriovenous fistula maturation. <i>Medicine (United States)</i> , 2019, 98, e17238.	0.4	3
61	Phorbol ester-induced angiogenesis of endothelial progenitor cells: The role of NADPH oxidase-mediated, redox-related matrix metalloproteinase pathways. <i>PLoS ONE</i> , 2019, 14, e0209426.	1.1	5
62	Serum bilirubin improves the risk predictions of cardiovascular and total death in diabetic patients. <i>Clinica Chimica Acta</i> , 2019, 488, 1-6.	0.5	19
63	Impact of type D personality on clinical outcomes in Asian patients with stable coronary artery disease. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 721-729.	0.8	21
64	The Correlation between Waist-Hip Ratio and Achieving Therapeutic Lipid Goals in Taiwan. <i>Acta Cardiologica Sinica</i> , 2019, 35, 605-614.	0.1	2
65	The ratio of AGE to sRAGE independently associated with albuminuria in hypertensive patients. <i>BMC Endocrine Disorders</i> , 2018, 18, 84.	0.9	5
66	The prognostic significance of heart-type fatty acid binding protein in patients with stable coronary heart disease. <i>Scientific Reports</i> , 2018, 8, 14410.	1.6	19
67	Tocilizumab, a Humanized Monoclonal Antibody Against the Interleukin-6 Receptor, Inhibits High Glucose-Induced Vascular Smooth Muscle Cell Migration Through Mitogen-Activated Protein Kinase Signaling Pathways. <i>Journal of Interferon and Cytokine Research</i> , 2018, 38, 510-516.	0.5	6
68	On-treatment lipid profiles to predict the cardiovascular outcomes in ASCVD patients comorbid with chronic kidney disease – The multi-center T-SPARCLE registry study. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 814-824.	0.8	9
69	Increased activin A levels in prediabetes and association with carotid intima-media thickness: a cross-sectional analysis from I-Lan Longitudinal Aging Study. <i>Scientific Reports</i> , 2018, 8, 9957.	1.6	12
70	Research update for articles published in <sc>EJCI</sc> in 2016. <i>European Journal of Clinical Investigation</i> , 2018, 48, e13016.	1.7	0
71	Circulating Fibroblast Growth Factor 21 is Associated with Subsequent Renal Injury Events in Patients Undergoing Coronary Angiography. <i>Scientific Reports</i> , 2018, 8, 12425.	1.6	9
72	Chronic hyperuricemia impairs blood flow recovery in the ischemic hindlimb through suppression of endothelial progenitor cells. <i>Oncotarget</i> , 2018, 9, 9285-9298.	0.8	10

#	ARTICLE	IF	CITATIONS
73	Energy utilization of induced pluripotent stem cell-derived cardiomyocyte in Fabry disease. <i>International Journal of Cardiology</i> , 2017, 232, 255-263.	0.8	33
74	2017 Taiwan lipid guidelines for high risk patients. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 217-248.	0.8	123
75	Identification of new biosignatures for clinical outcomes in stable coronary artery disease - The study protocol and initial observations of a prospective follow-up study in Taiwan. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 42.	0.7	22
76	Association of low serum albumin concentration and adverse cardiovascular events in stable coronary heart disease. <i>International Journal of Cardiology</i> , 2017, 241, 1-5.	0.8	65
77	Association between echocardiographic epicardial fat thickness and circulating endothelial progenitor cell level in patients with stable angina pectoris. <i>Clinical Cardiology</i> , 2017, 40, 697-703.	0.7	6
78	Risk of Febuxostat-Associated Myopathy in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 744-750.	2.2	17
79	Usefulness of the CHADS2 Score for Prognostic Stratification in Patients With Coronary Artery Disease Having Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2017, 119, 839-844.	0.7	12
80	The impact of chronic hepatitis B infection on major adverse cardiovascular events and all-cause mortality in patients with diabetes: a nationwide population-based study from Taiwan. <i>BMJ Open</i> , 2017, 7, e016179.	0.8	14
81	Optimal achieved blood pressure for patients with stable coronary artery disease. <i>Scientific Reports</i> , 2017, 7, 10137.	1.6	6
82	Residual Risk Factors to Predict Major Adverse Cardiovascular Events in Atherosclerotic Cardiovascular Disease Patients with and without Diabetes Mellitus. <i>Scientific Reports</i> , 2017, 7, 9179.	1.6	37
83	Association between frailty and carotid intima media thickness and inflammatory marker in an elderly population. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2449-2454.	0.7	16
84	Antipsychotic treatment is associated with risk of atrial fibrillation: A nationwide nested case-control study. <i>International Journal of Cardiology</i> , 2017, 227, 134-140.	0.8	23
85	Dipeptidyl Peptidase-4 Inhibitors, Peripheral Arterial Disease, and Lower Extremity Amputation Risk in Diabetic Patients. <i>American Journal of Medicine</i> , 2017, 130, 348-355.	0.6	22
86	Lipid lowering therapy in patients with atherosclerotic cardiovascular diseases: Which matters in the real world? Statin intensity or low-density lipoprotein cholesterol level? Data from a multicenter registry cohort study in Taiwan. <i>PLoS ONE</i> , 2017, 12, e0186861.	1.1	20
87	Endothelin-1-Induced Cell Hypertrophy in Cardiomyocytes is Improved by Fenofibrate: Possible Roles of Adiponectin. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 508-517.	0.9	12
88	Coenzyme Q10 Attenuates High Glucose-Induced Endothelial Progenitor Cell Dysfunction through AMP-Activated Protein Kinase Pathways. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-14.	1.0	35
89	Peroxisome Proliferator-Activated Receptor $\gamma$ Reduces Endothelin-1-Caused Cardiomyocyte Hypertrophy by Inhibiting Nuclear Factor- $\kappa$ B and Adiponectin. <i>Mediators of Inflammation</i> , 2016, 2016, 1-11.	1.4	6
90	Aliskiren directly improves endothelial progenitor cell function from Type 2 diabetic patients. <i>European Journal of Clinical Investigation</i> , 2016, 46, 544-554.	1.7	8

#	ARTICLE	IF	CITATIONS
91	Inhibition of hypoxia inducible factor-1 $\alpha$ attenuates abdominal aortic aneurysm progression through the down-regulation of matrix metalloproteinases. <i>Scientific Reports</i> , 2016, 6, 28612.	1.6	62
92	Emerging role of chemokine CC motif ligand 4 related mechanisms in diabetes mellitus and cardiovascular disease: friends or foes?. <i>Cardiovascular Diabetology</i> , 2016, 15, 117.	2.7	65
93	Association between low-grade albuminuria and frailty among community-dwelling middle-aged and older people: a cross-sectional analysis from I-Lan Longitudinal Aging Study. <i>Scientific Reports</i> , 2016, 6, 39434.	1.6	22
94	Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. <i>Scientific Reports</i> , 2016, 6, 26541.	1.6	18
95	Serum Indoxyl Sulfate Associates with Postangioplasty Thrombosis of Dialysis Grafts. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1254-1264.	3.0	51
96	Sleep apnea and risk of aortic dissection: A nonrandomized, pair-matched cohort study. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 422-427.	0.6	7
97	Simvastatin pretreatment enhances ischemia-induced neovascularization and blood flow recovery in streptozotocin-treated mice. <i>Journal of Vascular Surgery</i> , 2016, 64, 1112-1120.e1.	0.6	9
98	Prediction of vascular dementia and Alzheimer's disease in patients with atrial fibrillation or atrial flutter using CHADS2 score. <i>Journal of the Chinese Medical Association</i> , 2016, 79, 470-476.	0.6	14
99	Usefulness of the CHADS2 Score for Determining Risk of Seizure in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2016, 118, 1340-1344.	0.7	9
100	Association between use of oral-antidiabetic drugs and the risk of aortic aneurysm: a nested case-control analysis. <i>Cardiovascular Diabetology</i> , 2016, 15, 125.	2.7	53
101	Hypertension subtypes modify metabolic response to thiazide diuretics. <i>European Journal of Clinical Investigation</i> , 2016, 46, 80-91.	1.7	2
102	Response to Comment on Yang et al. Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> 2016;39:e54-e55. <i>Diabetes Care</i> , 2016, 39, e161-e162.	4.3	0
103	Using multimedia tools and high-fidelity simulations to improve medical students' resuscitation performance: an observational study. <i>BMJ Open</i> , 2016, 6, e012195.	0.8	6
104	CHADS2 score predicts risk of contrast-induced nephropathy in stable coronary artery disease patients undergoing percutaneous coronary interventions. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 501-509.	0.8	16
105	Association of Statin Use and Reduced Risk of Lower-Extremity Amputation Among Patients With Diabetes: A Nationwide Population-Based Cohort Observation. <i>Diabetes Care</i> , 2016, 39, e54-e55.	4.3	7
106	Indoxyl sulfate suppresses endothelial progenitor cell-mediated neovascularization. <i>Kidney International</i> , 2016, 89, 574-585.	2.6	83
107	The association between urinary calculi and increased risk of future cardiovascular events: A nationwide population-based study. <i>Journal of Cardiology</i> , 2016, 67, 463-470.	0.8	14
108	Increased Circulating Visfatin Is Associated With Progression of Kidney Disease in Non-Diabetic Hypertensive Patients. <i>American Journal of Hypertension</i> , 2016, 29, 528-536.	1.0	14

#	ARTICLE	IF	CITATIONS
109	Aliskiren Inhibits Neointimal Matrix Metalloproteinases in Experimental Atherosclerosis. <i>Acta Cardiologica Sinica</i> , 2016, 32, 586-593.	0.1	3
110	Association of Serum Bilirubin with SYNTAX Score and Future Cardiovascular Events in Patients Undergoing Coronary Intervention. <i>Acta Cardiologica Sinica</i> , 2016, 32, 412-9.	0.1	8
111	Usefulness of Circulating Decoy Receptor 3 in Predicting Coronary Artery Disease Severity and Future Major Adverse Cardiovascular Events in Patients With Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2015, 116, 1028-1033.	0.7	15
112	Rivaroxaban, a factor Xa inhibitor, improves neovascularization in the ischemic hindlimb of streptozotocin-induced diabetic mice. <i>Cardiovascular Diabetology</i> , 2015, 14, 81.	2.7	41
113	The Association Between Insomnia and Increased Future Cardiovascular Events. <i>Psychosomatic Medicine</i> , 2015, 77, 743-751.	1.3	77
114	The Biphasic Effects of Oxidized-Low Density Lipoprotein on the Vasculogenic Function of Endothelial Progenitor Cells. <i>PLoS ONE</i> , 2015, 10, e0123971.	1.1	22
115	Simvastatin Attenuates Oxidative Stress, NF- $\kappa$ B Activation, and Artery Calcification in LDLR <sup>-/-</sup> Mice Fed with High Fat Diet via Down-regulation of Tumor Necrosis Factor- $\alpha$ and TNF Receptor 1. <i>PLoS ONE</i> , 2015, 10, e0143686.	1.1	44
116	The Level of Circulating Endothelial Progenitor Cell Is Associated with Cerebral Vasoreactivity: A Pilot Study. <i>BioMed Research International</i> , 2015, 2015, 1-4.	0.9	5
117	Oxidative Stress Activates Endothelial Innate Immunity via Sterol Regulatory Element Binding Protein 2 (SREBP2) Transactivation of MicroRNA-92a. <i>Circulation</i> , 2015, 131, 805-814.	1.6	127
118	Association of circadian genes with diurnal blood pressure changes and non-dipper essential hypertension: a genetic association with young-onset hypertension. <i>Hypertension Research</i> , 2015, 38, 155-162.	1.5	41
119	Phytosterols increase circulating endothelial progenitor cells and insulin-like growth factor-1 levels in patients with nonalcoholic fatty liver disease: A randomized crossover study. <i>Journal of Functional Foods</i> , 2015, 13, 148-157.	1.6	9
120	The influence of gender on the communication skills assessment of medical students. <i>European Journal of Internal Medicine</i> , 2015, 26, 670-674.	1.0	9
121	Serum Bilirubin Levels Predict Future Development of Metabolic Syndrome in Healthy Middle-aged Nonsmoking Men. <i>American Journal of Medicine</i> , 2015, 128, 1138.e35-1138.e41.	0.6	23
122	Four-and-a-Half LIM Domains Protein 2 Is a Coactivator of Wnt Signaling in Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3072-3084.	3.0	34
123	Obstructive sleep apnea and the risk of ischemic stroke in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2015, 181, 144-146.	0.8	12
124	Guideline-adherent therapy in patients with cardiovascular diseases in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 1000-1007.	0.8	16
125	Determinants for Achieving the LDL-C Target of Lipid Control for Secondary Prevention of Cardiovascular Events in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0116513.	1.1	33
126	Direct Renin Inhibition with Aliskiren Improves Ischemia-Induced Neovasculogenesis in Diabetic Animals via the SDF-1 Related Mechanism. <i>PLoS ONE</i> , 2015, 10, e0136627.	1.1	13



#	ARTICLE	IF	CITATIONS
127	Arterial Stiffness Index and Coronary Artery Plaques in Patients with Subclinical Coronary Atherosclerosis. <i>Acta Cardiologica Sinica</i> , 2015, 31, 59-65.	0.1	8
128	Reduction of Circulating Endothelial Progenitor Cell Level Is Associated with Contrast-Induced Nephropathy in Patients Undergoing Percutaneous Coronary and Peripheral Interventions. <i>PLoS ONE</i> , 2014, 9, e89942.	1.1	12
129	A Novel SNP Associated with Nighttime Pulse Pressure in Young-Onset Hypertension Patients Could Be a Genetic Prognostic Factor for Cardiovascular Events in a General Cohort in Taiwan. <i>PLoS ONE</i> , 2014, 9, e97919.	1.1	11
130	The Impact of Endothelial Progenitor Cells on Restenosis after Percutaneous Angioplasty of Hemodialysis Vascular Access. <i>PLoS ONE</i> , 2014, 9, e101058.	1.1	25
131	The Impact of Chronic Kidney Disease on Lipid Management and Goal Attainment in Patients with Atherosclerosis Diseases in Taiwan. <i>International Journal of Medical Sciences</i> , 2014, 11, 381-388.	1.1	12
132	Increased Risk of Ischemic Stroke in Patients with Benign Paroxysmal Positional Vertigo: A 9-Year Follow-Up Nationwide Population Study in Taiwan. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 108.	1.7	38
133	Genetic predictors of thiazide-induced serum potassium changes in nondiabetic hypertensive patients. <i>Hypertension Research</i> , 2014, 37, 759-764.	1.5	3
134	Common quantitative trait locus downstream of <i>RETN</i> gene identified by genome-wide association study is associated with risk of type 2 diabetes mellitus in Han Chinese: a Mendelian randomization effect. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 232-240.	1.7	31
135	A Three-Stage Genome-Wide Association Study Combining Multilocus Test and Gene Expression Analysis for Young-Onset Hypertension in Taiwan Han Chinese. <i>American Journal of Hypertension</i> , 2014, 27, 819-827.	1.0	12
136	Matrix metalloproteinase-9 deficiency attenuates diabetic nephropathy by modulation of podocyte functions and dedifferentiation. <i>Kidney International</i> , 2014, 86, 358-369.	2.6	100
137	Usefulness of the CHADS2 Score for Prognostic Stratification of Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2014, 114, 1309-1314.	0.7	45
138	Primary Sjögren's syndrome and risk of ischemic stroke: a nationwide study. <i>Clinical Rheumatology</i> , 2014, 33, 931-937.	1.0	25
139	The association of asthma and atrial fibrillation – A nationwide population-based nested case-control study. <i>International Journal of Cardiology</i> , 2014, 176, 464-469.	0.8	37
140	Aspirin attenuates vinorelbine-induced endothelial inflammation via modulating SIRT1/AMPK axis. <i>Biochemical Pharmacology</i> , 2014, 88, 189-200.	2.0	35
141	RISK OF CENTRAL SEROUS CHORIORETINOPATHY IN ADULTS PRESCRIBED ORAL CORTICOSTEROIDS. <i>Retina</i> , 2014, 34, 1867-1874.	1.0	51
142	Diabetes Mellitus and the Risk of Alzheimer's Disease: A Nationwide Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e87095.	1.1	187
143	Effects of Cardiovascular Risk Factors on Endothelial Progenitor Cell. <i>Acta Cardiologica Sinica</i> , 2014, 30, 375-81.	0.1	15
144	In acute kidney injury, indoxyl sulfate impairs human endothelial progenitor cells: modulation by statin. <i>Angiogenesis</i> , 2013, 16, 609-624.	3.7	78

#	ARTICLE	IF	CITATIONS
145	Gender Difference in Statin Intervention on Blood Lipid Control among Patients with Coronary Heart Disease. <i>International Journal of Gerontology</i> , 2013, 7, 116-121.	0.7	6
146	The beneficial effects of statins in patients undergoing hemodialysis. <i>International Journal of Cardiology</i> , 2013, 168, 4155-4159.	0.8	7
147	Zoledronate attenuates angiotensin II-induced abdominal aortic aneurysm through inactivation of Rho/ROCK-dependent JNK and NF- $\kappa$ B pathway. <i>Cardiovascular Research</i> , 2013, 100, 501-510.	1.8	55
148	Hip fracture and risk of acute myocardial infarction: A nationwide study. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 404-411.	3.1	54
149	Herpes simplex virus infection and risk of atrial fibrillation: A nationwide study. <i>International Journal of Cardiology</i> , 2013, 164, 201-204.	0.8	30
150	Reduced number and impaired function of circulating endothelial progenitor cells in patients with abdominal aortic aneurysm. <i>International Journal of Cardiology</i> , 2013, 168, 1070-1077.	0.8	30
151	Ginkgo biloba extract reduces high-glucose-induced endothelial reactive oxygen species generation and cell adhesion molecule expression by enhancing HO-1 expression via Akt/eNOS and p38 MAP kinase pathways. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 803-811.	1.9	32
152	Deletion of FHL2 Gene Impaired Ischemia-Induced Blood Flow Recovery by Modulating Circulating Proangiogenic Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 709-717.	1.1	24
153	Association Between Panic Disorder and Risk of Atrial Fibrillation. <i>Psychosomatic Medicine</i> , 2013, 75, 30-35.	1.3	30
154	Usefulness of plasma matrix metalloproteinase-9 level in predicting future coronary revascularization in patients after acute myocardial infarction. <i>Coronary Artery Disease</i> , 2013, 24, 23-28.	0.3	28
155	Epidemiology of Idiopathic Central Serous Chorioretinopathy in Taiwan, 2001-2006: A Population-based Study. <i>PLoS ONE</i> , 2013, 8, e66858.	1.1	104
156	Genetic variation in C-reactive protein in ethnic Chinese population in Taiwan. <i>European Journal of Clinical Investigation</i> , 2013, 43, 449-456.	1.7	15
157	Angiotensin-Receptor Blockers and Risk of Alzheimer's Disease in Hypertension Population. <i>Circulation Journal</i> , 2013, 77, 405-410.	0.7	39
158	Increased Risk of Gastrointestinal Malignancy in Patients with Diabetes Mellitus and Correlations with Anti-Diabetes Drugs: A Nationwide Population-based Study in Taiwan. <i>Internal Medicine</i> , 2013, 52, 939-946.	0.3	40
159	Fine-Mapping Angiotensin-Converting Enzyme Gene: Separate QTLs Identified for Hypertension and for ACE Activity. <i>PLoS ONE</i> , 2013, 8, e56119.	1.1	22
160	Pitavastatin and Atorvastatin Double-Blind Randomized Comparative Study among High-Risk Patients, Including Those with Type 2 Diabetes Mellitus, in Taiwan (PAPAGO-T Study). <i>PLoS ONE</i> , 2013, 8, e76298.	1.1	28
161	Increased Circulating Endothelial Apoptotic Microparticle to Endothelial Progenitor Cell Ratio Is Associated with Subsequent Decline in Glomerular Filtration Rate in Hypertensive Patients. <i>PLoS ONE</i> , 2013, 8, e68644.	1.1	35
162	Association between CHADS2 Score and the Preventive Effect of Statin Therapy on New-Onset Atrial Fibrillation in Patients with Acute Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e74709.	1.1	10

#	ARTICLE	IF	CITATIONS
163	The Impacts of In-Hospital Invasive Strategy on Long-Term Outcome in Elderly Patients with Non-ST-Elevation Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2013, 29, 115-23.	0.1	7
164	Primary Sjögren's Syndrome and the Risk of Acute Myocardial Infarction: A Nationwide Study. <i>Acta Cardiologica Sinica</i> , 2013, 29, 124-31.	0.1	15
165	Contemporary Management of Coronary Artery Disease and Acute Coronary Syndrome in Patients with Chronic Kidney Disease and End-Stage Renal Disease. <i>Acta Cardiologica Sinica</i> , 2013, 29, 132-41.	0.1	8
166	Obesity Paradox - The Controversial Role of Body Mass Index and Plasma Adiponectin in Coronary Artery Disease and Acute Coronary Syndrome. <i>Acta Cardiologica Sinica</i> , 2013, 29, 381-6.	0.1	1
167	Increased Rosuvastatin Dose versus Concomitant Fenofibrate and Rosuvastatin Therapy to Achieve Lipid Goal in Patients with Diabetes or Atherosclerosis with Metabolic Syndrome. <i>Acta Cardiologica Sinica</i> , 2013, 29, 421-8.	0.1	5
168	Combined Framingham Risk Score and Coronary Artery Calcium Score Predict Subclinical Coronary Plaque Assessed by Coronary Computed Tomography Angiogram in Asymptomatic Taiwanese Population. <i>Acta Cardiologica Sinica</i> , 2013, 29, 429-35.	0.1	1
169	Fenofibrate Modulates HO-1 and Ameliorates Endothelial Expression of Cell Adhesion Molecules in Systolic Heart Failure. <i>Acta Cardiologica Sinica</i> , 2013, 29, 251-60.	0.1	7
170	Baseline Serum Aldosterone-to-Renin Ratio is Associated with the Add-on Effect of Thiazide Diuretics in Non-Diabetic Essential Hypertensives. <i>Acta Cardiologica Sinica</i> , 2013, 29, 37-48.	0.1	1
171	Clinical Application of Endothelial Progenitor Cell: Are We Ready?. <i>Acta Cardiologica Sinica</i> , 2013, 29, 479-87.	0.1	5
172	A Two-Stage Matched Case-Control Study on Multiple Hypertensive Candidate Genes in Han Chinese. <i>American Journal of Hypertension</i> , 2012, 25, 804-811.	1.0	5
173	Central serous chorioretinopathy and risk of ischaemic stroke: a population-based cohort study. <i>British Journal of Ophthalmology</i> , 2012, 96, 1484-1488.	2.1	36
174	Increased Risk of Ischemic Stroke in Patients with Systemic Lupus Erythematosus: A Nationwide Population-based Study. <i>Internal Medicine</i> , 2012, 51, 17-21.	0.3	49
175	Moderate to High Concentrations of High-Density Lipoprotein From Healthy Subjects Paradoxically Impair Human Endothelial Progenitor Cells and Related Angiogenesis by Activating Rho-Associated Kinase Pathways. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2405-2417.	1.1	59
176	The Association of Tooth Scaling and Decreased Cardiovascular Disease: A Nationwide Population-based Study. <i>American Journal of Medicine</i> , 2012, 125, 568-575.	0.6	49
177	Thiazolidinediones can prevent new onset atrial fibrillation in patients with non-insulin dependent diabetes. <i>International Journal of Cardiology</i> , 2012, 156, 199-202.	0.8	93
178	Indicators associated with coronary atherosclerosis in metabolic syndrome. <i>Clinica Chimica Acta</i> , 2012, 413, 226-231.	0.5	9
179	Niacin improves ischemia-induced neovascularization in diabetic mice by enhancement of endothelial progenitor cell functions independent of changes in plasma lipids. <i>Angiogenesis</i> , 2012, 15, 377-389.	3.7	37
180	Oral alendronate use and risk of cancer in postmenopausal women with osteoporosis: A nationwide study. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 1951-1958.	3.1	34

#	ARTICLE	IF	CITATIONS
181	Ginkgo biloba extract reduces high-glucose-induced endothelial adhesion by inhibiting the redox-dependent interleukin-6 pathways. <i>Cardiovascular Diabetology</i> , 2012, 11, 49.	2.7	27
182	Far infra-red therapy promotes ischemia-induced angiogenesis in diabetic mice and restores high glucose-suppressed endothelial progenitor cell functions. <i>Cardiovascular Diabetology</i> , 2012, 11, 99.	2.7	47
183	Registry of Lipid Control and the Use of Lipid-lowering Drugs for Secondary Prevention of Cardiovascular Events in Patients with Established Atherosclerotic Disease in Taiwan: Rationality and Methods. <i>International Journal of Gerontology</i> , 2012, 6, 241-246.	0.7	13
184	Zoledronate Inhibits Ischemia-Induced Neovascularization by Impairing the Mobilization and Function of Endothelial Progenitor Cells. <i>PLoS ONE</i> , 2012, 7, e41065.	1.1	23
185	Effect of invasive strategy on different genders of chinese patients with non-ST-elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 946-955.	0.7	3
186	Prognostic Value of Combining Echocardiography and Natriuretic Peptide Levels in Patients with Heart Failure. <i>Current Heart Failure Reports</i> , 2012, 9, 148-153.	1.3	2
187	Effects of annual influenza vaccination on mortality and hospitalization in elderly patients with ischemic heart disease: A nationwide population-based study. <i>Preventive Medicine</i> , 2012, 54, 431-433.	1.6	42
188	Psoriasis and increased risk of ischemic stroke in Taiwan: A nationwide study. <i>Journal of Dermatology</i> , 2012, 39, 279-281.	0.6	24
189	Decreased Circulating Endothelial Progenitor Cell Levels and Function in Patients with Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2012, 7, e31799.	1.1	43
190	Identification of IGF1, SLC4A4, WWOX, and SFMBT1 as Hypertension Susceptibility Genes in Han Chinese with a Genome-Wide Gene-Based Association Study. <i>PLoS ONE</i> , 2012, 7, e32907.	1.1	51
191	Low-Dose Dextromethorphan, a NADPH Oxidase Inhibitor, Reduces Blood Pressure and Enhances Vascular Protection in Experimental Hypertension. <i>PLoS ONE</i> , 2012, 7, e46067.	1.1	24
192	Recurrence of esophageal cancer presents as transient ischemic attack. <i>Journal of the Chinese Medical Association</i> , 2011, 74, 176-178.	0.6	3
193	A core competence-based objective structured clinical examination (OSCE) in evaluation of clinical performance of postgraduate year-1 (PGY1) residents. <i>Journal of the Chinese Medical Association</i> , 2011, 74, 198-204.	0.6	14
194	Assessment of first-year post-graduate residents: Usefulness of multiple tools. <i>Journal of the Chinese Medical Association</i> , 2011, 74, 531-538.	0.6	14
195	Globular adiponectin improves high glucose-suppressed endothelial progenitor cell function through endothelial nitric oxide synthase dependent mechanisms. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 51, 109-119.	0.9	51
196	Genetic variants of connexin37 are associated with carotid intima-medial thickness and future onset of ischemic stroke. <i>Atherosclerosis</i> , 2011, 214, 101-106.	0.4	41
197	Nrf-2 mediated heme oxygenase-1 expression, an antioxidant-independent mechanism, contributes to anti-atherogenesis and vascular protective effects of Ginkgo biloba extract. <i>Atherosclerosis</i> , 2011, 214, 301-309.	0.4	85
198	Adiponectin Gene Polymorphism Is Selectively Associated with the Concomitant Presence of Metabolic Syndrome and Essential Hypertension. <i>PLoS ONE</i> , 2011, 6, e19999.	1.1	42

#	ARTICLE	IF	CITATIONS
199	Clinical instructors' perception of a faculty development programme promoting postgraduate year-1 (PGY1) residents' ACGME six core competencies: a 2-year study. <i>BMJ Open</i> , 2011, 1, e000200-e000200.	0.8	13
200	Statin use in patients with asthma - a nationwide population-based study. <i>European Journal of Clinical Investigation</i> , 2011, 41, 507-512.	1.7	80
201	Genetic variation in renin predicts the effects of thiazide diuretics. <i>European Journal of Clinical Investigation</i> , 2011, 41, 828-835.	1.7	12
202	Predictive Value of Pre-discharge Spectral Tissue Doppler Echocardiography and N-terminal Pro-B-type Natriuretic Peptide in Patients Hospitalized with Acute Heart Failure. <i>Echocardiography</i> , 2011, 28, 303-310.	0.3	12
203	Statin Use and Hospitalization in Patients with Chronic Obstructive Pulmonary Disease: A Nationwide Population-Based Cohort Study in Taiwan. <i>Clinical Therapeutics</i> , 2011, 33, 1365-1370.	1.1	42
204	Angiotensin II Receptor Blockers and Risk of Cancer in Patients With Systemic Hypertension. <i>American Journal of Cardiology</i> , 2011, 107, 1028-1033.	0.7	80
205	Endothelial Progenitor Cells in Primary Aldosteronism: A Biomarker of Severity for Aldosterone Vasculopathy and Prognosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3175-3183.	1.8	75
206	A Genome-Wide Association Study Reveals a Quantitative Trait Locus of Adiponectin on <i>CDH13</i> That Predicts Cardiometabolic Outcomes. <i>Diabetes</i> , 2011, 60, 2417-2423.	0.3	106
207	Decreased circulating endothelial progenitor cell levels and function in essential hypertensive patients with electrocardiographic left ventricular hypertrophy. <i>Hypertension Research</i> , 2011, 34, 999-1003.	1.5	25
208	Association Between Mycoplasma Pneumonia and Increased Risk of Ischemic Stroke. <i>Stroke</i> , 2011, 42, 2940-2943.	1.0	36
209	Increased circulating CD31+/annexin V+ apoptotic microparticles and decreased circulating endothelial progenitor cell levels in hypertensive patients with microalbuminuria. <i>Journal of Hypertension</i> , 2010, 28, 1655-1665.	0.3	87
210	Risk of Adverse Outcomes in Taiwan Associated With Concomitant Use of Clopidogrel and Proton Pump Inhibitors in Patients Who Received Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2010, 105, 1705-1709.	0.7	50
211	The severity of non-alcoholic fatty liver disease correlates with high sensitivity C-reactive protein value and is independently associated with increased cardiovascular risk in healthy population. <i>Clinical Biochemistry</i> , 2010, 43, 1399-1404.	0.8	50
212	Intake of Red Wine Increases the Number and Functional Capacity of Circulating Endothelial Progenitor Cells by Enhancing Nitric Oxide Bioavailability. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 869-877.	1.1	135
213	Serum bilirubin predicts long-term clinical outcomes in patients with cardiac syndrome X. <i>Heart</i> , 2010, 96, 1227-1232.	1.2	33
214	Estimation of central systolic blood pressure using an oscillometric blood pressure monitor. <i>Hypertension Research</i> , 2010, 33, 592-599.	1.5	57
215	Assessment of Clinical Competence of Medical Students Using the Objective Structured Clinical Examination: First 2 Years' Experience in Taipei Veterans General Hospital. <i>Journal of the Chinese Medical Association</i> , 2010, 73, 589-595.	0.6	10
216	Baseline plasma glycemic profiles but not inflammatory biomarkers predict symptomatic restenosis after angioplasty of arteriovenous fistulas in patients with hemodialysis. <i>Atherosclerosis</i> , 2010, 209, 598-600.	0.4	15

#	ARTICLE	IF	CITATIONS
217	Moderate intake of red wine improves ischemia-induced neovascularization in diabetic miceâ€”Roles of endothelial progenitor cells and nitric oxide. <i>Atherosclerosis</i> , 2010, 212, 426-435.	0.4	36
218	Genome-Wide Association Study of Young-Onset Hypertension in the Han Chinese Population of Taiwan. <i>PLoS ONE</i> , 2009, 4, e5459.	1.1	58
219	Matrix Metalloproteinase-9 Is Essential for Ischemia-Induced Neovascularization by Modulating Bone Marrowâ€”Derived Endothelial Progenitor Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1179-1184.	1.1	147
220	Plasma ADMA Predicts Restenosis of Arteriovenous Fistula. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 213-222.	3.0	42
221	Lipoprotein lipase variants associated with an endophenotype of hypertension: hypertension combined with elevated triglycerides. <i>Human Mutation</i> , 2009, 30, 49-55.	1.1	11
222	Predictors of inexplicable coronary artery spasm during coronary angiography in patients with stable angina â€” The role of intravascular oxidative stress. <i>Clinical Biochemistry</i> , 2009, 42, 570-577.	0.8	3
223	Glucose and Non-glucose Predictors of Future Onset of Type 2 Diabetes in Newly Diagnosed Essential Hypertensives. <i>Journal of the Chinese Medical Association</i> , 2009, 72, 564-572.	0.6	0
224	Plasma levels of soluble receptor for advanced glycation end products are associated with endothelial function and predict cardiovascular events in nondiabetic patients. <i>Coronary Artery Disease</i> , 2009, 20, 267-273.	0.3	30
225	Combination of an ACE Inhibitor and Indapamide Improves Blood Pressure Control, but Attenuates the Beneficial Effects of ACE Inhibition on Plasma Adiponectin in Patients With Essential Hypertension. <i>Circulation Journal</i> , 2009, 73, 2282-2287.	0.7	10
226	Cholestin ( <i>Monascus purpureus</i> rice) inhibits homocysteine-induced reactive oxygen species generation, nuclear factor- $\kappa$ B activation, and vascular cell adhesion molecule-1 expression in human aortic endothelial cells. <i>Journal of Biomedical Science</i> , 2008, 15, 183-196.	2.6	27
227	Baseline serum matrix metalloproteinase-9 level predicts long-term prognosis after coronary revascularizations in stable coronary artery disease. <i>Clinical Biochemistry</i> , 2008, 41, 292-298.	0.8	14
228	Efficacy of a Very-low-dose Combination of Perindopril and Indapamideâ€”Preterax Compared with Cilazapril Monotherapy in Patients with Inadequate Blood Pressure Controlâ€”A Randomized, Double-blind, Add-on Study. <i>Journal of the Chinese Medical Association</i> , 2008, 71, 247-253.	0.6	1
229	Serum Bilirubin and Ferritin Levels Link Heme Oxygenase-1 Gene Promoter Polymorphism and Susceptibility to Coronary Artery Disease in Diabetic Patients. <i>Diabetes Care</i> , 2008, 31, 1615-1620.	4.3	93
230	Genome-Wide Scan for Quantitative ACE Activity in Taiwan Young-Onset Hypertension Study. <i>Human Heredity</i> , 2008, 65, 85-90.	0.4	8
231	High Glucose Impairs Early and Late Endothelial Progenitor Cells by Modifying Nitric Oxide-Related but Not Oxidative Stress-Mediated Mechanisms. <i>Diabetes</i> , 2007, 56, 1559-1568.	0.3	300
232	Decreased heparin cofactor II activity is associated with impaired endothelial function determined by brachial ultrasonography and predicts cardiovascular events. <i>International Journal of Cardiology</i> , 2007, 114, 152-158.	0.8	16
233	Increased endothelial monocyte adhesiveness is related to clinical outcomes in chronic heart failure. <i>International Journal of Cardiology</i> , 2007, 121, 276-283.	0.8	16
234	Superoxide dismutase and catalase inhibit oxidized low-density lipoprotein-induced human aortic smooth muscle cell proliferation: Role of cell-cycle regulation, mitogen-activated protein kinases, and transcription factors. <i>Atherosclerosis</i> , 2007, 190, 124-134.	0.4	49

#	ARTICLE	IF	CITATIONS
235	Ginkgo biloba Extract Inhibits Endotoxin-Induced Human Aortic Smooth Muscle Cell Proliferation via Suppression of Toll-like Receptor 4 Expression and NADPH Oxidase Activation. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 1977-1984.	2.4	45
236	Salvianolic acid B attenuates MMP-2 and MMP-9 expression in vivo in apolipoprotein-E-deficient mouse aorta and in vitro in LPS-treated human aortic smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , 2007, 100, 372-384.	1.2	67
237	Pravastatin induces thrombomodulin expression in TNF $\alpha$ -treated human aortic endothelial cells by inhibiting Rac1 and Cdc42 translocation and activity. <i>Journal of Cellular Biochemistry</i> , 2007, 101, 642-653.	1.2	24
238	Carvedilol, a pharmacological antioxidant, inhibits neointimal matrix metalloproteinase-2 and -9 in experimental atherosclerosis. <i>Free Radical Biology and Medicine</i> , 2007, 43, 1508-1522.	1.3	45
239	Long-term exposure to oxidized low-density lipoprotein enhances tumor necrosis factor- $\alpha$ -stimulated endothelial adhesiveness of monocytes by activating superoxide generation and redox-sensitive pathways. <i>Free Radical Biology and Medicine</i> , 2006, 40, 817-826.	1.3	34
240	Circulating mononuclear superoxide production and inflammatory markers for long-term prognosis in patients with cardiac syndrome X. <i>Free Radical Biology and Medicine</i> , 2006, 40, 983-991.	1.3	27
241	Salvianolic acid B attenuates cyclooxygenase-2 expression in vitro in LPS-treated human aortic smooth muscle cells and in vivo in the apolipoprotein-E-deficient mouse aorta. <i>Journal of Cellular Biochemistry</i> , 2006, 98, 618-631.	1.2	73
242	Downregulation of the constitutively expressed Hsc70 in diabetic myocardium is mediated by insulin deficiency. <i>Journal of Endocrinology</i> , 2006, 190, 433-440.	1.2	23
243	Endotoxin Induces Toll-Like Receptor 4 Expression in Vascular Smooth Muscle Cells via NADPH Oxidase Activation and Mitogen-Activated Protein Kinase Signaling Pathways. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2630-2637.	1.1	87
244	The Role of Human Antigen R, an RNA-binding Protein, in Mediating the Stabilization of Toll-Like Receptor 4 mRNA Induced by Endotoxin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2622-2629.	1.1	75
245	Antiphospholipid Syndrome Presenting as Intracardiac Thrombus With Pulmonary Embolism. <i>Circulation Journal</i> , 2005, 69, 1290-1292.	0.7	6
246	Plasma matrix metalloproteinase-3 level is an independent prognostic factor in stable coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2005, 35, 537-545.	1.7	58
247	-arginine improves endothelial function and reduces LDL oxidation in patients with stable coronary artery disease. <i>Clinical Nutrition</i> , 2005, 24, 988-997.	2.3	46
248	Lipoprotein Lipase Gene is Linked and Associated with Hypertension in Taiwan Young-onset Hypertension Genetic Study. <i>Journal of Biomedical Science</i> , 2005, 12, 651-658.	2.6	18
249	Insulin Deficiency Downregulated Heat Shock Protein 60 and IGF-1 Receptor Signaling in Diabetic Myocardium. <i>Diabetes</i> , 2005, 54, 175-181.	0.3	54
250	Superoxide Dismutase Inhibits the Expression of Vascular Cell Adhesion Molecule-1 and Intracellular Cell Adhesion Molecule-1 Induced by Tumor Necrosis Factor- $\alpha$ in Human Endothelial Cells Through the JNK/p38 Pathways. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 334-340.	1.1	99
251	Enhanced Coronary Calcification Determined by Electron Beam CT Is Strongly Related to Endothelial Dysfunction in Patients With Suspected Coronary Artery Disease. <i>Chest</i> , 2005, 128, 810-815.	0.4	49
252	Heart Rate Recovery After Exercise and Endothelial Function—Two Important Factors to Predict Cardiovascular Events. <i>Preventive Cardiology</i> , 2005, 8, 167-172.	1.1	28

#	ARTICLE	IF	CITATIONS
253	Risk Stratification and Prognostic Implication of Plasma Biomarkers in Nondiabetic Patients With Stable Coronary Artery Disease. <i>Chest</i> , 2004, 126, 1032-1039.	0.4	40
254	Heme oxygenase-1 gene promotor microsatellite polymorphism is associated with angiographic restenosis after coronary stenting. <i>European Heart Journal</i> , 2004, 25, 39-47.	1.0	84
255	Carvedilol Inhibits Tumor Necrosis Factor- $\alpha$ -Induced Endothelial Transcription Factor Activation, Adhesion Molecule Expression, and Adhesiveness to Human Mononuclear Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2075-2081.	1.1	51
256	Usefulness of attenuated heart rate recovery immediately after exercise to predict endothelial dysfunction in patients with suspected coronary artery disease. <i>American Journal of Cardiology</i> , 2004, 93, 10-13.	0.7	65
257	Atherosclerotic left main coronary artery aneurysm—Case reports. <i>International Journal of Angiology</i> , 2004, 13, 89-91.	0.2	2
258	Clinical characteristics of young-onset hypertension—implications for different genders. <i>International Journal of Cardiology</i> , 2004, 96, 65-71.	0.8	14
259	Independent prognostic value of elevated high-sensitivity C-reactive protein in chronic heart failure. <i>American Heart Journal</i> , 2004, 147, 931-938.	1.2	164
260	Endovascular stenting treatment for drug-refractory hypertension due to ostial stenosis of transplanted renal artery. <i>Journal of the Chinese Medical Association</i> , 2004, 67, 189-92.	0.6	2
261	Impairment of Coronary Microvascular Function in Patients with Neurally Mediated Syncope. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 605-612.	0.5	1
262	Differential mononuclear cell activity and endothelial inflammation in coronary artery disease and cardiac syndrome X. <i>International Journal of Cardiology</i> , 2003, 89, 53-62.	0.8	37
263	Ginkgo biloba Extract Inhibits Tumor Necrosis Factor- $\alpha$ -Induced Reactive Oxygen Species Generation, Transcription Factor Activation, and Cell Adhesion Molecule Expression in Human Aortic Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003, 23, 1559-1566.	1.1	138
264	The prognostic value of circulating soluble cell adhesion molecules in patients with chronic congestive heart failure. <i>European Journal of Heart Failure</i> , 2003, 5, 507-516.	2.9	70
265	Acute and late clinical outcomes of coronary balloon angioplasty with or without stenting in diabetes—the fact in the "real world". <i>Journal of the Chinese Medical Association</i> , 2003, 66, 699-708.	0.6	0
266	Beneficial effects on blood pressure and lipid profile of programmed exercise training in subjects with white coat hypertension. <i>American Journal of Hypertension</i> , 2002, 15, 571-576.	1.0	38
267	Long-term angiotensin-converting enzyme inhibition reduces plasma asymmetric dimethylarginine and improves endothelial nitric oxide bioavailability and coronary microvascular function in patients with syndrome X. <i>American Journal of Cardiology</i> , 2002, 90, 974-982.	0.7	204
268	Effects of Ginkgo biloba extract on the proliferation of vascular smooth muscle cells in vitro and on intimal thickening and interleukin-1 $\beta$ expression after balloon injury in cholesterol-fed rabbits in vivo. <i>Journal of Cellular Biochemistry</i> , 2002, 85, 572-582.	1.2	37
269	Microsatellite polymorphism in promoter of heme oxygenase-1 gene is associated with susceptibility to coronary artery disease in type 2 diabetic patients. <i>Human Genetics</i> , 2002, 111, 1-8.	1.8	293
270	Magnolol attenuates VCAM-1 expression in vitro in TNF- $\alpha$ -treated human aortic endothelial cells and in vivo in the aorta of cholesterol-fed rabbits. <i>British Journal of Pharmacology</i> , 2002, 135, 37-47.	2.7	90



#	ARTICLE	IF	CITATIONS
271	Differential Coronary Calcification on Electron-Beam CT Between Syndrome X and Coronary Artery Disease in Patients With Chronic Stable Angina Pectoris. <i>Chest</i> , 2001, 120, 1525-1533.	0.4	9
272	Salvianolic acid B attenuates VCAM-1 and ICAM-1 expression in TNF- $\alpha$ -treated human aortic endothelial cells. <i>Journal of Cellular Biochemistry</i> , 2001, 82, 512-521.	1.2	161
273	Salvia miltiorrhiza inhibits intimal hyperplasia and monocyte chemotactic protein-1 expression after balloon injury in cholesterol-fed rabbits. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 484-493.	1.2	44
274	Impaired forearm reactive hyperemia is related to late restenosis after coronary stenting. <i>American Journal of Cardiology</i> , 2000, 85, 1071-1076.	0.7	31
275	Linkage analysis with candidate genes: the Taiwan young-onset hypertension genetic study. <i>Human Genetics</i> , 2000, 107, 210-215.	1.8	51
276	Differential coronary hemodynamics and left ventricular contractility in patients with syndrome X. <i>International Journal of Cardiology</i> , 2000, 75, 49-57.	0.8	3
277	Insulin-Like Growth Factor I Improves Cardiovascular Function and Suppresses Apoptosis of Cardiomyocytes in Dilated Cardiomyopathy1. <i>Endocrinology</i> , 1999, 140, 4831-4840.	1.4	83
278	Differential coronary microvascular function in patients with left ventricular dysfunction of unknown cause – implication for possible mechanism of myocardial ischemia in early stage of cardiomyopathy. <i>International Journal of Cardiology</i> , 1999, 69, 251-261.	0.8	30
279	Early Alteration of Coronary Hemodynamics in Late Restenosis after Coronary Angioplasty. <i>International Heart Journal</i> , 1999, 40, 535-548.	0.6	4
280	Coronary Flow Reserve and Ischemic-like Electrocardiogram in Patients with Symptomatic Mitral Valve Prolapse.. <i>International Heart Journal</i> , 1999, 40, 571-578.	0.6	4
281	Parasympathetic withdrawal antedates dynamic myocardial ischemia in patients with syndrome X. <i>International Journal of Cardiology</i> , 1998, 66, 253-260.	0.8	15
282	Regulation of Cardiomyocyte Apoptotic Signaling by Insulin-like Growth Factor I. <i>Circulation Research</i> , 1998, 83, 516-522.	2.0	270
283	Differentiating Syndrome X from Coronary Artery Disease by Treadmill Exercise Test in Patients with Chest Pain and Exercise-Induced Myocardial Ischemia. <i>Angiology</i> , 1998, 49, 13-24.	0.8	3
284	Changes in Cardiac Autonomic Activities in Patients with Syndrome X. <i>Angiology</i> , 1996, 47, 929-939.	0.8	8
285	Coronary Microvascular Dysfunction is Associated with Ischemic-like Electrocardiogram during Exercise in Patients with Anginal Chest Pain and Normal Coronary Angiograms.. <i>International Heart Journal</i> , 1996, 37, 865-878.	0.6	10
286	Arterial Hemodynamics in Human Hypertension. <i>Hypertension</i> , 1995, 25, 1326-1332.	1.3	29
287	Radiofrequency catheter ablation for treatment of Wolff-Parkinson-White syndrome – short- and long-term follow-up. <i>International Journal of Cardiology</i> , 1992, 37, 199-207.	0.8	6
288	Catheter ablation of accessory atrioventricular pathways in 114 symptomatic patients with Wolff-Parkinson-White syndrome – a comparative study of direct-current and radiofrequency ablation. <i>American Heart Journal</i> , 1992, 124, 356-365.	1.2	12

#	ARTICLE	IF	CITATIONS
289	Safety and Efficacy of a Modified Catheter-Mediated Ablation of Accessory Pathways.. International Heart Journal, 1992, 33, 303-326.	0.6	1
290	Reappraisal of Intermediate-Term Follow-Up of Radiofrequency Ablation of Accessory Atrioventricular Pathways for Treatment of Wolff-Parkinson-White Syndrome.. International Heart Journal, 1992, 33, 755-769.	0.6	0
291	SLC12A3 Variation and Renal Function in Chinese Patients With Hypertension. Frontiers in Medicine, 0, 9, .	1.2	2