

# Chuanju Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5832639/publications.pdf>

Version: 2024-02-01

137  
papers

6,938  
citations

57631

44  
h-index

74018

75  
g-index

142  
all docs

142  
docs citations

142  
times ranked

7213  
citing authors

#	ARTICLE	IF	CITATIONS
1	Digoxin targets low density lipoprotein receptor-related protein 4 and protects against osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 544-555.	0.5	13
2	Analysis of the Biomarkers for Neurodegenerative Diseases in Aged Progranulin Deficient Mice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 629.	1.8	2
3	Penfluridol targets acid sphingomyelinase to inhibit TNF signaling and is therapeutic against inflammatory autoimmune diseases. <i>Arthritis Research and Therapy</i> , 2022, 24, 27.	1.6	4
4	Injectable recombinant block polymer gel for sustained delivery of therapeutic protein in post traumatic osteoarthritis. <i>Biomaterials</i> , 2022, 281, 121370.	5.7	19
5	Kindlin-2 preserves integrity of the articular cartilage to protect against osteoarthritis. <i>Nature Aging</i> , 2022, 2, 332-347.	5.3	21
6	Targeting macrophage TFE3-14-3-3 epsilon Interface by naringenin inhibits abdominal aortic aneurysm. <i>Cell Discovery</i> , 2022, 8, 21.	3.1	21
7	Repurposing FDA-approved drugs for SARS-CoV-2 through an ELISA-based screening for the inhibition of RBD/ACE2 interaction. <i>Protein and Cell</i> , 2021, 12, 586-591.	4.8	18
8	Irisin deficiency disturbs bone metabolism. <i>Journal of Cellular Physiology</i> , 2021, 236, 664-676.	2.0	43
9	A novel mechanism of EAE resistance highlights the conflicting roles of progranulin-mediated immunosuppression and antigen processing. <i>Cellular and Molecular Immunology</i> , 2021, 18, 506-507.	4.8	1
10	Progranulin promotes bone fracture healing via TNFR pathways in mice with type 2 diabetes mellitus. <i>Annals of the New York Academy of Sciences</i> , 2021, 1490, 77-89.	1.8	16
11	14-3-3 epsilon is an intracellular component of TNFR2 receptor complex and its activation protects against osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1615-1627.	0.5	28
12	Progranulin associates with Rab2 and is involved in autophagosome-lysosome fusion in Gaucher disease. <i>Journal of Molecular Medicine</i> , 2021, 99, 1639-1654.	1.7	9
13	TNFR2/14-3-3 signaling complex instructs macrophage plasticity in inflammation and autoimmunity. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	42
14	Pinch Loss Ameliorates Obesity, Glucose Intolerance, and Fatty Liver by Modulating Adipocyte Apoptosis in Mice. <i>Diabetes</i> , 2021, 70, 2492-2505.	0.3	15
15	Roles and Mechanisms of Irisin in Attenuating Pathological Features of Osteoarthritis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 703670.	1.8	14
16	Cytosolic Phospholipase A2 Is Required for Fexofenadine's Therapeutic Effects against Inflammatory Bowel Disease in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11155.	1.8	6
17	Monitoring Atsttrin-Mediated Inhibition of TNF $\alpha$ /NF- $\kappa$ B Activation Through In Vivo Bioluminescence Imaging. <i>Methods in Molecular Biology</i> , 2021, 2248, 201-210.	0.4	2
18	In Vitro Physical and Functional Interaction Assays to Examine the Binding of Progranulin Derivative Atsttrin to TNFR2 and Its Anti-TNF $\alpha$ Activity. <i>Methods in Molecular Biology</i> , 2021, 2248, 109-119.	0.4	4

#	ARTICLE	IF	CITATIONS
19	Progranulin promotes diabetic fracture healing in mice with type 1 diabetes. <i>Annals of the New York Academy of Sciences</i> , 2020, 1460, 43-56.	1.8	16
20	FGFR3 deficiency enhances CXCL12-dependent chemotaxis of macrophages via upregulating CXCR7 and aggravates joint destruction in mice. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 112-122.	0.5	41
21	LIM domain proteins Pinch1/2 regulate chondrogenesis and bone mass in mice. <i>Bone Research</i> , 2020, 8, 37.	5.4	24
22	Atsttrin Promotes Cartilage Repair Primarily Through TNFR2-Akt Pathway. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 577572.	1.8	10
23	Effect of a coronary-heart-disease-associated variant of ADAMTS7 on endothelial cell angiogenesis. <i>Atherosclerosis</i> , 2020, 296, 11-17.	0.4	6
24	Short Interfering RNA (siRNA)-Based Therapeutics for Cartilage Diseases. <i>Regenerative Engineering and Translational Medicine</i> , 2020, 7, 283-290.	1.6	13
25	Focal adhesion protein Kindlin-2 regulates bone homeostasis in mice. <i>Bone Research</i> , 2020, 8, 2.	5.4	50
26	Kindlin-2 modulates MafA and $\beta$ -catenin expression to regulate $\beta$ -cell function and mass in mice. <i>Nature Communications</i> , 2020, 11, 484.	5.8	38
27	Targeting tumor necrosis factor receptors in ankylosing spondylitis. <i>Annals of the New York Academy of Sciences</i> , 2019, 1442, 5-16.	1.8	31
28	Fexofenadine inhibits TNF signaling through targeting to cytosolic phospholipase A2 and is therapeutic against inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1524-1535.	0.5	32
29	A Semi-Quantitative Drug Affinity Responsive Target Stability (DARTS) assay for studying Rapamycin/mTOR interaction. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	5
30	Clinical Application of Teriparatide in Fracture Prevention. <i>JBJS Reviews</i> , 2019, 7, e10-e10.	0.8	5
31	Progranulin: A conductor of receptors orchestra, a chaperone of lysosomal enzymes and a therapeutic target for multiple diseases. <i>Cytokine and Growth Factor Reviews</i> , 2019, 45, 53-64.	3.2	58
32	Progranulin deficiency exacerbates spinal cord injury by promoting neuroinflammation and cell apoptosis in mice. <i>Journal of Neuroinflammation</i> , 2019, 16, 238.	3.1	62
33	Lipoatrophy and metabolic disturbance in mice with adipose-specific deletion of kindlin-2. <i>JCI Insight</i> , 2019, 4, .	2.3	43
34	p204 Is Required for Canonical Lipopolysaccharide-induced TLR4 Signaling in Mice. <i>EBioMedicine</i> , 2018, 29, 78-91.	2.7	22
35	RNA-Seq analysis of interferon inducible p204-mediated network in anti-tumor immunity. <i>Scientific Reports</i> , 2018, 8, 6495.	1.6	6
36	Molecular regulations and therapeutic targets of Gaucher disease. <i>Cytokine and Growth Factor Reviews</i> , 2018, 41, 65-74.	3.2	13

#	ARTICLE	IF	CITATIONS
37	Chitinase-3-like Protein 1: A Progranulin Downstream Molecule and Potential Biomarker for Gaucher Disease. <i>EBioMedicine</i> , 2018, 28, 251-260.	2.7	15
38	Progranulin: A key player in autoimmune diseases. <i>Cytokine</i> , 2018, 101, 48-55.	1.4	86
39	Multifunctional molecule ERp57: From cancer to neurodegenerative diseases. , 2018, 181, 34-48.		66
40	Brain-penetrant heat shock protein amplifier arimoclomol enhances GCase activity in in vitro Gaucher disease models. <i>EBioMedicine</i> , 2018, 38, 7-8.	2.7	0
41	Progranulin associates with hexosaminidase A and ameliorates GM2 ganglioside accumulation and lysosomal storage in Tay-Sachs disease. <i>Journal of Molecular Medicine</i> , 2018, 96, 1359-1373.	1.7	34
42	Establishment of a Modified Collagen-Induced Arthritis Mouse Model to Investigate the Anti-inflammatory Activity of Progranulin in Inflammatory Arthritis. <i>Methods in Molecular Biology</i> , 2018, 1806, 305-313.	0.4	11
43	Role of ADAMTS-12 in Protecting Against Inflammatory Arthritis in Mice By Interacting With and Inactivating Proinflammatory Connective Tissue Growth Factor. <i>Arthritis and Rheumatology</i> , 2018, 70, 1745-1756.	2.9	17
44	Foxo4 and Stat3-dependent IL-10 production by progranulin in regulatory T cells restrains inflammatory arthritis. <i>FASEB Journal</i> , 2017, 31, 1354-1367.	0.2	35
45	Progranulin acts as a shared chaperone and regulates multiple lysosomal enzymes. <i>Genes and Diseases</i> , 2017, 4, 125-126.	1.5	19
46	Serum progranulin levels in Hispanic rheumatoid arthritis patients treated with TNF antagonists: a prospective, observational study. <i>Clinical Rheumatology</i> , 2017, 36, 507-516.	1.0	15
47	Progranulin derivative Atsttrin protects against early osteoarthritis in mouse and rat models. <i>Arthritis Research and Therapy</i> , 2017, 19, 280.	1.6	48
48	ATF6a, a Runx2-activable transcription factor, is a novel regulator of chondrocyte hypertrophy. <i>Journal of Cell Science</i> , 2016, 129, 717-28.	1.2	19
49	Progranulin inhibits expression and release of chemokines CXCL9 and CXCL10 in a TNFR1 dependent manner. <i>Scientific Reports</i> , 2016, 6, 21115.	1.6	30
50	Progranulin suppresses titanium particle induced inflammatory osteolysis by targeting TNF signaling. <i>Scientific Reports</i> , 2016, 6, 20909.	1.6	43
51	Extracellular matrix protein 1, a direct targeting molecule of parathyroid hormone-related peptide, negatively regulates chondrogenesis and endochondral ossification via associating with progranulin growth factor. <i>FASEB Journal</i> , 2016, 30, 2741-2754.	0.2	21
52	Does progranulin account for the opposite effects of etanercept and infliximab/adalimumab in osteoarthritis?. <i>Journal of Orthopaedic Research</i> , 2016, 34, 12-14.	1.2	10
53	The role of progranulin in arthritis. <i>Annals of the New York Academy of Sciences</i> , 2016, 1383, 5-20.	1.8	52
54	Association Between Progranulin and Gaucher Disease. <i>EBioMedicine</i> , 2016, 11, 127-137.	2.7	72

#	ARTICLE	IF	CITATIONS
55	Prolyl hydroxylase domain proteins regulate bone mass through their expression in osteoblasts. <i>Gene</i> , 2016, 594, 125-130.	1.0	6
56	Review: Novel Insights Into Tumor Necrosis Factor Receptor, Death Receptor 3, and Progranulin Pathways in Arthritis and Bone Remodeling. <i>Arthritis and Rheumatology</i> , 2016, 68, 2845-2856.	2.9	30
57	Progranulin Recruits HSP70 to $\beta$ -Glucocerebrosidase and Is Therapeutic Against Gaucher Disease. <i>EBioMedicine</i> , 2016, 13, 212-224.	2.7	88
58	Chondro-protective effects of low intensity pulsed ultrasound. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1989-1998.	0.6	54
59	A Disintegrin and Metalloprotease with Thrombospondin Type I Motif 7. <i>American Journal of Pathology</i> , 2015, 185, 1552-1563.	1.9	17
60	Progranulin Knockout Accelerates Intervertebral Disc Degeneration in Aging Mice. <i>Scientific Reports</i> , 2015, 5, 9102.	1.6	38
61	Overexpression of ADAMTS-7 leads to accelerated initiation and progression of collagen-induced arthritis in mice. <i>Molecular and Cellular Biochemistry</i> , 2015, 404, 171-179.	1.4	15
62	The roles of interferon-inducible p200 family members IFI16 and p204 in innate immune responses, cell differentiation and proliferation. <i>Genes and Diseases</i> , 2015, 2, 46-56.	1.5	32
63	Progranulin protects against osteoarthritis through interacting with TNF- $\alpha$ and $\beta$ -Catenin signalling. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2244-2253.	0.5	138
64	Progranulin Facilitates Conversion and Function of Regulatory T Cells under Inflammatory Conditions. <i>PLoS ONE</i> , 2014, 9, e112110.	1.1	49
65	Three TNFR-binding domains of PGRN act independently in inhibition of TNF-alpha binding and activity. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 1176.	3.0	47
66	ADAMTS-18: A metalloproteinase with multiple functions. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 1456.	3.0	26
67	The role of PGRN in musculoskeletal development and disease. <i>Frontiers in Bioscience - Landmark</i> , 2014, 19, 662.	3.0	19
68	ADAMTS-12: A Multifaced Metalloproteinase in Arthritis and Inflammation. <i>Mediators of Inflammation</i> , 2014, 2014, 1-12.	1.4	28
69	Effects of the myeloid cell nuclear differentiation antigen on the proliferation, apoptosis and migration of osteosarcoma cells. <i>Oncology Letters</i> , 2014, 7, 815-819.	0.8	14
70	Selective oral ROCK2 inhibitor down-regulates IL-21 and IL-17 secretion in human T cells via STAT3-dependent mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16814-16819.	3.3	185
71	A Solid-Phase Assay for Studying Direct Binding of Progranulin to TNFR and Progranulin Antagonism of TNF/TNFR Interactions. <i>Methods in Molecular Biology</i> , 2014, 1155, 163-172.	0.4	23
72	XBP 1S, a BMP 2-inducible transcription factor, accelerates endochondral bone growth by activating GEP growth factor. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 1157-1171.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Progranulin inhibition of TNF $\hat{\pm}$ . Immunology and Cell Biology, 2014, 92, 299-300.	1.0	8
74	ADAMTS-7 forms a positive feedback loop with TNF $\hat{\pm}$ in the pathogenesis of osteoarthritis. Annals of the Rheumatic Diseases, 2014, 73, 1575-1584.	0.5	64
75	FGFR3 induces degradation of BMP type I receptor to regulate skeletal development. Biochimica Et Biophysica Acta - Molecular Cell Research, 2014, 1843, 1237-1247.	1.9	40
76	Regulation of chondrocyte differentiation by IRE1 $\hat{\pm}$ depends on its enzymatic activity. Cellular Signalling, 2014, 26, 1998-2007.	1.7	10
77	Establishment of a Surgically-induced Model in Mice to Investigate the Protective Role of Progranulin in Osteoarthritis. Journal of Visualized Experiments, 2014, , e50924.	0.2	26
78	PGRN protects against colitis progression in mice in an IL-10 and TNFR2 dependent manner. Scientific Reports, 2014, 4, 7023.	1.6	58
79	ADAMTS7 Cleavage and Vascular Smooth Muscle Cell Migration Is Affected by a Coronary-Artery-Disease-Associated Variant. American Journal of Human Genetics, 2013, 92, 366-374.	2.6	95
80	Progranulin deficiency exaggerates, whereas progranulin $\hat{\pm}$ -derived Atsttrin attenuates, severity of dermatitis in mice. FEBS Letters, 2013, 587, 1805-1810.	1.3	78
81	Progranulin directly binds to the CRD2 and CRD3 of TNFR extracellular domains. FEBS Letters, 2013, 587, 3428-3436.	1.3	66
82	Insights into the role of progranulin in immunity, infection, and inflammation. Journal of Leukocyte Biology, 2013, 93, 199-208.	1.5	192
83	The promotion of bone healing by progranulin, a downstream molecule of BMP-2, through interacting with TNF/TNFR signaling. Biomaterials, 2013, 34, 6412-6421.	5.7	98
84	ADAMTS7. , 2013, , 1180-1186.		0
85	BMP Receptor 1A Determines the Cell Fate of the Postnatal Growth Plate. International Journal of Biological Sciences, 2013, 9, 895-906.	2.6	41
86	Modified Yeast-Two-Hybrid System to Identify Proteins Interacting with the Growth Factor Progranulin. Journal of Visualized Experiments, 2012, , .	0.2	11
87	Prevention of Atrophic Nonunion by the Systemic Administration of Parathyroid Hormone (PTH 1 $\hat{\pm}$ 34) in an Experimental Animal Model. Journal of Orthopaedic Trauma, 2012, 26, 719-723.	0.7	24
88	XBP1S Associates with RUNX2 and Regulates Chondrocyte Hypertrophy. Journal of Biological Chemistry, 2012, 287, 34500-34513.	1.6	29
89	GEP constitutes a negative feedback loop with MyoD and acts as a novel mediator in controlling skeletal muscle differentiation. Cellular and Molecular Life Sciences, 2012, 69, 1855-1873.	2.4	13
90	Progranulin: A growth factor, a novel TNFR ligand and a drug target. , 2012, 133, 124-132.		107

#	ARTICLE	IF	CITATIONS
91	Progranulin: A promising therapeutic target for rheumatoid arthritis. <i>FEBS Letters</i> , 2011, 585, 3675-3680.	1.3	100
92	The Growth Factor Progranulin Binds to TNF Receptors and Is Therapeutic Against Inflammatory Arthritis in Mice. <i>Science</i> , 2011, 332, 478-484.	6.0	644
93	Cartilage Oligomeric Matrix Protein Inhibits Vascular Smooth Muscle Calcification by Interacting With Bone Morphogenetic Protein-2. <i>Circulation Research</i> , 2011, 108, 917-928.	2.0	103
94	Matrix Metalloproteinases That Associate With and Cleave Bone Morphogenetic Protein-2 In Vitro Are Elevated in Hypertrophic Fracture Nonunion Tissue. <i>Journal of Orthopaedic Trauma</i> , 2010, 24, 557-563.	0.7	29
95	Administration of Human Recombinant Bone Morphogenetic Protein-2 for Spine Fusion May Be Associated With Transient Postoperative Renal Insufficiency. <i>Spine</i> , 2010, 35, E231-E237.	1.0	21
96	The role of ADAMTSs in arthritis. <i>Protein and Cell</i> , 2010, 1, 33-47.	4.8	76
97	XBP1U inhibits the XBP1S-mediated upregulation of the iNOS gene expression in mammalian ER stress response. <i>Cellular Signalling</i> , 2010, 22, 1818-1828.	1.7	42
98	Granulin $\epsilon$ precursor binds directly to ADAMTS $\epsilon$ 7 and ADAMTS $\epsilon$ 12 and inhibits their degradation of cartilage oligomeric matrix protein. <i>Arthritis and Rheumatism</i> , 2010, 62, 2023-2036.	6.7	115
99	GEP, a Local Growth Factor, is Critical for Odontogenesis and Amelogenesis. <i>International Journal of Biological Sciences</i> , 2010, 6, 719-729.	2.6	8
100	Cartilage Oligomeric Matrix Protein Maintains the Contractile Phenotype of Vascular Smooth Muscle Cells by Interacting With $\alpha$ 7 $\beta$ 1 Integrin. <i>Circulation Research</i> , 2010, 106, 514-525.	2.0	113
101	Granulin epithelin precursor: a bone morphogenetic protein 2 $\epsilon$ inducible growth factor that activates Erk1/2 signaling and JunB transcription factor in chondrogenesis. <i>FASEB Journal</i> , 2010, 24, 1879-1892.	0.2	112
102	Interaction between cartilage oligomeric matrix protein and extracellular matrix protein 1 mediates endochondral bone growth. <i>Matrix Biology</i> , 2010, 29, 276-286.	1.5	41
103	The emerging roles of ADAMTS-7 and ADAMTS-12 matrix metalloproteinases. <i>Open Access Rheumatology: Research and Reviews</i> , 2009, 1, 121.	0.8	10
104	The role of ADAMTS-7 and ADAMTS-12 in the pathogenesis of arthritis. <i>Nature Clinical Practice Rheumatology</i> , 2009, 5, 38-45.	3.2	75
105	ADAMTS-7 Mediates Vascular Smooth Muscle Cell Migration and Neointima Formation in Balloon-Injured Rat Arteries. <i>Circulation Research</i> , 2009, 104, 688-698.	2.0	189
106	ADAMTS-7, a Direct Target of PTHrP, Adversely Regulates Endochondral Bone Growth by Associating with and Inactivating GEP Growth Factor. <i>Molecular and Cellular Biology</i> , 2009, 29, 4201-4219.	1.1	100
107	miR-199a*, a Bone Morphogenetic Protein 2-responsive MicroRNA, Regulates Chondrogenesis via Direct Targeting to Smad1. <i>Journal of Biological Chemistry</i> , 2009, 284, 11326-11335.	1.6	213
108	Regulation of chondrocyte differentiation by ADAMTS-12 metalloproteinase depends on its enzymatic activity. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 667-680.	2.4	37

#	ARTICLE	IF	CITATIONS
109	MicroRNAs in skeletogenesis. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 2757.	3.0	14
110	p204, a p200 family protein, as a multifunctional regulator of cell proliferation and differentiation. <i>Cytokine and Growth Factor Reviews</i> , 2008, 19, 357-369.	3.2	41
111	p204 Protein Overcomes the Inhibition of Core Binding Factor $\beta$ -mediated Osteogenic Differentiation by Id Helix-Loop-Helix Proteins. <i>Molecular Biology of the Cell</i> , 2008, 19, 2113-2126.	0.9	37
112	The Retinoblastoma Protein Is an Essential Mediator of Osteogenesis That Links the p204 Protein to the Cbfa1 Transcription Factor Thereby Increasing Its Activity. <i>Journal of Biological Chemistry</i> , 2007, 282, 16860-16870.	1.6	45
113	RbAp48 Is a Critical Mediator Controlling the Transforming Activity of Human Papillomavirus Type 16 in Cervical Cancer. <i>Journal of Biological Chemistry</i> , 2007, 282, 26381-26391.	1.6	37
114	Cartilage Oligomeric Matrix Protein Associates with Granulin-Epithelin Precursor (GEP) and Potentiates GEP-stimulated Chondrocyte Proliferation. <i>Journal of Biological Chemistry</i> , 2007, 282, 11347-11355.	1.6	125
115	Transcriptional activation of cartilage oligomeric matrix protein by Sox9, Sox5, and Sox6 transcription factors and CBP/p300 coactivators. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 3899.	3.0	48
116	IFI16 inhibits tumorigenicity and cell proliferation of bone and cartilage tumor cells. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 4855.	3.0	22
117	Regional gene therapy for full-thickness articular cartilage lesions using naked DNA with a collagen matrix. <i>Journal of Orthopaedic Research</i> , 2006, 24, 1118-1127.	1.2	26
118	ADAMTS-7: a metalloproteinase that directly binds to and degrades cartilage oligomeric matrix protein. <i>FASEB Journal</i> , 2006, 20, 988-990.	0.2	142
119	p204 Is Required for the Differentiation of P19 Murine Embryonal Carcinoma Cells to Beating Cardiac Myocytes. <i>Journal of Biological Chemistry</i> , 2006, 281, 14882-14892.	1.6	27
120	ADAMTS-12 Associates with and Degrades Cartilage Oligomeric Matrix Protein. <i>Journal of Biological Chemistry</i> , 2006, 281, 15800-15808.	1.6	92
121	p204 Protein Overcomes the Inhibition of the Differentiation of P19 Murine Embryonal Carcinoma Cells to Beating Cardiac Myocytes by Id Proteins. <i>Journal of Biological Chemistry</i> , 2006, 281, 14893-14906.	1.6	30
122	The Interferon-inducible p204 Protein Acts as a Transcriptional Coactivator of Cbfa1 and Enhances Osteoblast Differentiation. <i>Journal of Biological Chemistry</i> , 2005, 280, 2788-2796.	1.6	56
123	CAP-1A is a novel linker that binds clathrin and the voltage-gated sodium channel Nav1.8. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 636-649.	1.0	35
124	SERUM INTERLEUKIN-6 AS A MARKER OF PERIPROSTHETIC INFECTION FOLLOWING TOTAL HIP AND KNEE ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2005, 87, 1921-1927.	1.4	57
125	Leukemia/Lymphoma-related Factor, a POZ Domain-containing Transcriptional Repressor, Interacts with Histone Deacetylase-1 and Inhibits Cartilage Oligomeric Matrix Protein Gene Expression and Chondrogenesis. <i>Journal of Biological Chemistry</i> , 2004, 279, 47081-47091.	1.6	88
126	Association of the 16-kDa Subunit c of Vacuolar Proton Pump with the Ileal Na <sup>+</sup> -dependent Bile Acid Transporter. <i>Journal of Biological Chemistry</i> , 2004, 279, 16295-16300.	1.6	26



#	ARTICLE	IF	CITATIONS
127	A silencer element in the cartilage oligomeric matrix protein gene regulates chondrocyte-specific expression. <i>Journal of Orthopaedic Research</i> , 2004, 22, 751-758.	1.2	6
128	Expression of bone morphogenetic proteins, receptors, and tissue inhibitors in human fetal, adult, and osteoarthritic articular cartilage. <i>Journal of Orthopaedic Research</i> , 2004, 22, 1188-1192.	1.2	51
129	Expression of bone morphogenetic proteins by Dupuytren's fibroblasts. <i>Journal of Hand Surgery</i> , 2004, 29, 809-814.	0.7	17
130	Modulation of the Cardiac Sodium Channel Nav1.5 by Fibroblast Growth Factor Homologous Factor 1B. <i>Journal of Biological Chemistry</i> , 2003, 278, 1029-1036.	1.6	140
131	Calmodulin Binds to the C Terminus of Sodium Channels Na <sub>v</sub> 1.4 and Na <sub>v</sub> 1.6 and Differentially Modulates Their Functional Properties. <i>Journal of Neuroscience</i> , 2003, 23, 8261-8270.	1.7	135
132	The MyoD-Inducible p204 Protein Overcomes the Inhibition of Myoblast Differentiation by Id Proteins. <i>Molecular and Cellular Biology</i> , 2002, 22, 2893-2905.	1.1	78
133	Direct Interaction with Contactin Targets Voltage-gated Sodium Channel Nav1.9/NaN to the Cell Membrane. <i>Journal of Biological Chemistry</i> , 2001, 276, 46553-46561.	1.6	76
134	Fibroblast Growth Factor Homologous Factor 1B Binds to the C Terminus of the Tetrodotoxin-resistant Sodium Channel rNav1.9a (NaN). <i>Journal of Biological Chemistry</i> , 2001, 276, 18925-18933.	1.6	111
135	MyoD-Dependent Induction during Myoblast Differentiation of p204, a Protein Also Inducible by Interferon. <i>Molecular and Cellular Biology</i> , 2000, 20, 7024-7036.	1.1	65
136	The Interferon- and Differentiation-inducible p202a Protein Inhibits the Transcriptional Activity of c-Myc by Blocking Its Association with Max. <i>Journal of Biological Chemistry</i> , 2000, 275, 27377-27385.	1.6	40
137	The interferon-inducible nucleolar p204 protein binds the ribosomal RNA-specific UBF1 transcription factor and inhibits ribosomal RNA transcription. <i>EMBO Journal</i> , 1999, 18, 2845-2854.	3.5	70