

Philipp Schwabl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5833560/publications.pdf>

Version: 2024-02-01

91
papers

4,599
citations

136940

32
h-index

106340

65
g-index

91
all docs

91
docs citations

91
times ranked

4610
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Clinical Course of Porto-Sinusoidal Vascular Disease Is Distinct From Idiopathic Noncirrhotic Portal Hypertension. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e251-e266. | 4.4 | 25 |
| 2 | Intraperitoneal Activation of Coagulation and Fibrinolysis in Patients with Cirrhosis and Ascites. <i>Thrombosis and Haemostasis</i> , 2022, 122, 353-362. | 3.4 | 7 |
| 3 | Decreasing von Willebrand Factor Levels Upon Nonselective Beta Blocker Therapy Indicate a Decreased Risk of Further Decompensation, Acute-on-chronic Liver Failure, and Death. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1362-1373.e6. | 4.4 | 39 |
| 4 | Distinct structural and dynamic components of portal hypertension in different animal models and human liver disease etiologies. <i>Hepatology</i> , 2022, 75, 610-622. | 7.3 | 18 |
| 5 | The prognostic value of HVPG-response to non-selective beta-blockers in patients with NASH cirrhosis and varices. <i>Digestive and Liver Disease</i> , 2022, 54, 500-508. | 0.9 | 11 |
| 6 | Peripheral versus central venous blood sampling does not influence the assessment of platelet activation in cirrhosis. <i>Platelets</i> , 2022, 33, 879-886. | 2.3 | 5 |
| 7 | HCC risk stratification after cure of hepatitis C in patients with compensated advanced chronic liver disease. <i>Journal of Hepatology</i> , 2022, 76, 812-821. | 3.7 | 59 |
| 8 | Splenectomy ameliorates portal pressure and anemia in animal models of cirrhotic and non-cirrhotic portal hypertension. <i>Advances in Medical Sciences</i> , 2022, 67, 154-162. | 2.1 | 4 |
| 9 | The “Viennese epidemic” of acute HCV in the era of direct-acting antivirals. <i>Journal of Viral Hepatitis</i> , 2022, 29, 385-394. | 2.0 | 10 |
| 10 | Angiopoietin 2 levels decrease after HCV-cure and reflect the evolution of portal hypertension. <i>Digestive and Liver Disease</i> , 2022, 54, 1222-1229. | 0.9 | 2 |
| 11 | Distinct prognostic value of different portal hypertension-associated features in patients with primary biliary cholangitis. <i>Journal of Gastroenterology</i> , 2022, 57, 99-110. | 5.1 | 11 |
| 12 | Acute hemodynamic response to propranolol predicts bleeding and nonbleeding decompensation in patients with cirrhosis. <i>Hepatology Communications</i> , 2022, 6, 2569-2580. | 4.3 | 6 |
| 13 | Systemic inflammation is linked to liver fibrogenesis in patients with advanced chronic liver disease. <i>Liver International</i> , 2022, 42, 2501-2512. | 3.9 | 16 |
| 14 | Amelioration of systemic inflammation in advanced chronic liver disease upon beta-blocker therapy translates into improved clinical outcomes. <i>Gut</i> , 2021, 70, 1758-1767. | 12.1 | 51 |
| 15 | Iron deficiency-induced thrombocytosis increases thrombotic tendency in rats. <i>Haematologica</i> , 2021, 106, 782-794. | 3.5 | 20 |
| 16 | Noninvasive Risk Stratification After HCV Eradication in Patients With Advanced Chronic Liver Disease. <i>Hepatology</i> , 2021, 73, 1275-1289. | 7.3 | 45 |
| 17 | Systemic inflammation increases across distinct stages of advanced chronic liver disease and correlates with decompensation and mortality. <i>Journal of Hepatology</i> , 2021, 74, 819-828. | 3.7 | 96 |
| 18 | Placental growth factor levels neither reflect severity of portal hypertension nor portal-hypertensive gastropathy in patients with advanced chronic liver disease. <i>Digestive and Liver Disease</i> , 2021, 53, 345-352. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Prognostic impact of sarcopenia in cirrhotic patients stratified by different severity of portal hypertension. <i>Liver International</i> , 2021, 41, 799-809. | 3.9 | 27 |
| 20 | The Non-Steroidal FXR Agonist Cilofexor Improves Portal Hypertension and Reduces Hepatic Fibrosis in a Rat NASH Model. <i>Biomedicines</i> , 2021, 9, 60. | 3.2 | 37 |
| 21 | Influence of Genetic Variants on Disease Regression and Outcomes in HCV-Related Advanced Chronic Liver Disease after SVR. <i>Journal of Personalized Medicine</i> , 2021, 11, 281. | 2.5 | 5 |
| 22 | The differential activation of cardiovascular hormones across distinct stages of portal hypertension predicts clinical outcomes. <i>Hepatology International</i> , 2021, 15, 1160-1173. | 4.2 | 12 |
| 23 | Detection of Microplastic in Human Placenta and Meconium in a Clinical Setting. <i>Pharmaceutics</i> , 2021, 13, 921. | 4.5 | 155 |
| 24 | Nuclear receptors in liver fibrosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166235. | 3.8 | 23 |
| 25 | Direct patient-physician communication via a hepatitis hotline facilitates treatment initiation in patients with poor adherence. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 452-460. | 1.9 | 7 |
| 26 | Noninvasive Diagnosis of Portal Hypertension in Patients With Compensated Advanced Chronic Liver Disease. <i>American Journal of Gastroenterology</i> , 2021, 116, 723-732. | 0.4 | 105 |
| 27 | Hepatitis C Virus RNA Is Commonly Detectable in Rectal and Nasal Fluids of Patients With High Viremia. <i>Clinical Infectious Diseases</i> , 2020, 71, 1292-1299. | 5.8 | 16 |
| 28 | Changes in Hepatic Venous Pressure Gradient Predict Hepatic Decompensation in Patients Who Achieved Sustained Virologic Response to Interferon-Free Therapy. <i>Hepatology</i> , 2020, 71, 1023-1036. | 7.3 | 112 |
| 29 | Prevalence of and risk factors for anaemia in patients with advanced chronic liver disease. <i>Liver International</i> , 2020, 40, 194-204. | 3.9 | 45 |
| 30 | Impact of HSD17B13 rs72613567 genotype on hepatic decompensation and mortality in patients with portal hypertension. <i>Liver International</i> , 2020, 40, 393-404. | 3.9 | 20 |
| 31 | Microplastics in hot water. <i>Nature Food</i> , 2020, 1, 671-672. | 14.0 | 19 |
| 32 | Thromboelastometry in patients with advanced chronic liver disease stratified by severity of portal hypertension. <i>Hepatology International</i> , 2020, 14, 1083-1092. | 4.2 | 9 |
| 33 | Assessment of Human Health Risks Posed by Nano-and Microplastics Is Currently Not Feasible. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8832. | 2.6 | 45 |
| 34 | Comparison of the diagnostic quality of aspiration and core-biopsy needles for transjugular liver biopsy. <i>Digestive and Liver Disease</i> , 2020, 52, 1473-1479. | 0.9 | 6 |
| 35 | Soluble guanylyl cyclase stimulation and phosphodiesterase inhibition improve portal hypertension and reduce liver fibrosis in bile duct-ligated rats. <i>United European Gastroenterology Journal</i> , 2020, 8, 1174-1185. | 3.8 | 20 |
| 36 | Vitamin A levels reflect disease severity and portal hypertension in patients with cirrhosis. <i>Hepatology International</i> , 2020, 14, 1093-1103. | 4.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Noninvasive detection of portal hypertension by enhanced liver fibrosis score in patients with different aetiologies of advanced chronic liver disease. Liver International, 2020, 40, 1713-1724. | 3.9 | 14 |
| 38 | Bioimpedance spectroscopy for fluid status assessment in patients with decompensated liver cirrhosis: Implications for peritoneal dialysis. Scientific Reports, 2020, 10, 2869. | 3.3 | 5 |
| 39 | Novel reliability criteria for controlled attenuation parameter assessments for noninvasive evaluation of hepatic steatosis. United European Gastroenterology Journal, 2020, 8, 321-331. | 3.8 | 30 |
| 40 | Measurement of the Hepatic Venous Pressure Gradient and Transjugular Liver Biopsy. Journal of Visualized Experiments, 2020, , . | 0.3 | 51 |
| 41 | Controlled attenuation parameter does not predict hepatic decompensation in patients with advanced chronic liver disease. Liver International, 2019, 39, 127-135. | 3.9 | 39 |
| 42 | Vascular Targets for the Treatment of Portal Hypertension. Seminars in Liver Disease, 2019, 39, 483-501. | 3.6 | 19 |
| 43 | The impact of hepatic steatosis on portal hypertension. PLoS ONE, 2019, 14, e0224506. | 2.5 | 10 |
| 44 | Performance of Controlled Attenuation Parameter in Patients with Advanced Chronic Liver Disease and Portal Hypertension. Digestive Diseases and Sciences, 2019, 64, 3642-3651. | 2.3 | 8 |
| 45 | Impact of farnesoid X receptor single nucleotide polymorphisms on hepatic decompensation and mortality in cirrhotic patients with portal hypertension. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 2164-2172. | 2.8 | 9 |
| 46 | Prevalence and Predictors of Hepatic Steatosis in Patients with HIV/HCV Coinfection and the Impact of HCV Eradication. AIDS Patient Care and STDs, 2019, 33, 197-206. | 2.5 | 10 |
| 47 | High efficacy of interferon-free therapy for acute hepatitis C in HIV-positive patients. United European Gastroenterology Journal, 2019, 7, 507-516. | 3.8 | 22 |
| 48 | Transjugular aspiration liver biopsy performed by hepatologists trained in HVPG measurements is safe and provides important diagnostic information. Digestive and Liver Disease, 2019, 51, 1144-1151. | 0.9 | 23 |
| 49 | Ascitic fluid polymorphic nuclear cell count impacts on outcome of cirrhotic patients with ascites. United European Gastroenterology Journal, 2019, 7, 651-661. | 3.8 | 7 |
| 50 | Programmed cell death protein-1 (PD-1)-targeted immunotherapy in advanced hepatocellular carcinoma: efficacy and safety data from an international multicentre real-world cohort. Alimentary Pharmacology and Therapeutics, 2019, 49, 1323-1333. | 3.7 | 106 |
| 51 | Detection of Various Microplastics in Human Stool. Annals of Internal Medicine, 2019, 171, 453-457. | 3.9 | 939 |
| 52 | ePTFE-TIPS vs repetitive LVP plus albumin for the treatment of refractory ascites in patients with cirrhosis. Liver International, 2018, 38, 1036-1044. | 3.9 | 28 |
| 53 | Efficacy of ledipasvir/sofosbuvir plus ribavirin for 12 weeks in patients with chronic hepatitis C genotype 3 and compensated liver disease. European Journal of Gastroenterology and Hepatology, 2018, 30, 291-295. | 1.6 | 10 |
| 54 | Non-invasive liver fibrosis assessment and HCV treatment initiation within a systematic screening program in HIV/HCV coinfecting patients. Wiener Klinische Wochenschrift, 2018, 130, 105-114. | 1.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Point Shear Wave Elastography for Non-invasive Assessment of Liver Fibrosis in Patients with Viral Hepatitis. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 2578-2586. | 1.5 | 11 |
| 56 | Comparison of three cut-offs to diagnose clinically significant portal hypertension by liver stiffness in chronic viral liver diseases: a meta-analysis. <i>European Radiology</i> , 2018, 28, 5221-5230. | 4.5 | 20 |
| 57 | The soluble guanylate cyclase stimulator riociguat reduces fibrogenesis and portal pressure in cirrhotic rats. <i>Scientific Reports</i> , 2018, 8, 9372. | 3.3 | 39 |
| 58 | Invasive Hemodynamic Characterization of the Portal-hypertensive Syndrome in Cirrhotic Rats. <i>Journal of Visualized Experiments</i> , 2018, , . | 0.3 | 5 |
| 59 | Transjugular intrahepatic portosystemic shunts (TIPS) for the prevention of variceal re-bleeding – A two decades experience. <i>PLoS ONE</i> , 2018, 13, e0189414. | 2.5 | 20 |
| 60 | Anticoagulation in non-malignant portal vein thrombosis is safe and improves hepatic function. <i>Wiener Klinische Wochenschrift</i> , 2018, 130, 446-455. | 1.9 | 41 |
| 61 | Plasma renin concentration represents an independent risk factor for mortality and is associated with liver dysfunction in patients with cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 184-190. | 2.8 | 17 |
| 62 | Non-selective beta-blocker treatment does not impact on kidney function in cirrhotic patients with varices. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1-8. | 1.5 | 13 |
| 63 | Metabolic preconditioning protects BSEP/ABCB11 ^{+/+} mice against cholestatic liver injury. <i>Journal of Hepatology</i> , 2017, 66, 95-101. | 3.7 | 51 |
| 64 | The FXR agonist PX20606 ameliorates portal hypertension by targeting vascular remodelling and sinusoidal dysfunction. <i>Journal of Hepatology</i> , 2017, 66, 724-733. | 3.7 | 130 |
| 65 | Austrian consensus guidelines on the management and treatment of portal hypertension (Billroth-III). <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 135-158. | 1.9 | 111 |
| 66 | Re-bleeding rates and survival after early transjugular intrahepatic portosystemic shunt (TIPS) in clinical practice. <i>Digestive and Liver Disease</i> , 2017, 49, 1360-1367. | 0.9 | 28 |
| 67 | Progress in eradication of HCV in HIV positive patients with significant liver fibrosis in Vienna. <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 517-526. | 1.9 | 9 |
| 68 | Novel treatment options for portal hypertension. <i>Gastroenterology Report</i> , 2017, 5, 90-103. | 1.3 | 25 |
| 69 | Interferon-free treatment with sofosbuvir/daclatasvir achieves sustained virologic response in 100% of HIV/hepatitis C virus-coinfected patients with advanced liver disease. <i>Aids</i> , 2016, 30, 1039-1047. | 2.2 | 42 |
| 70 | The trigger matters – outcome of hepatorenal syndrome vs. specifically triggered acute kidney injury in cirrhotic patients with ascites. <i>Liver International</i> , 2016, 36, 1649-1656. | 3.9 | 10 |
| 71 | Interferon-free regimens improve health-related quality of life and fatigue in HIV/HCV-coinfected patients with advanced liver disease. <i>Medicine (United States)</i> , 2016, 95, e4061. | 1.0 | 18 |
| 72 | Sustained virologic response to interferon-free therapies ameliorates HCV-induced portal hypertension. <i>Journal of Hepatology</i> , 2016, 65, 692-699. | 3.7 | 245 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Liver Capsule: FXR agonists against liver disease. <i>Hepatology</i> , 2016, 64, 1773-1773. | 7.3 | 15 |
| 74 | Treatment intensification with boceprevir in HIV-positive patients with acute HCV-genotype 1 infection at high risk for treatment failure. <i>Wiener Klinische Wochenschrift</i> , 2016, 128, 414-420. | 1.9 | 1 |
| 75 | Advances in the management of HIV/HCV coinfection. <i>Hepatology International</i> , 2016, 10, 424-435. | 4.2 | 47 |
| 76 | Prognosis of cirrhotic patients with fungiascites and spontaneous fungal peritonitis (SFP). <i>Journal of Hepatology</i> , 2016, 64, 1452-1454. | 3.7 | 13 |
| 77 | Impact of acute kidney injury on prognosis of patients with liver cirrhosis and ascites: A retrospective cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1657-1665. | 2.8 | 37 |
| 78 | Response-Guided Boceprevir-based Triple Therapy in HIV/HCV-coinfected Patients: The HIVCOBOC-RGT Study. <i>Journal of Infectious Diseases</i> , 2015, 211, 729-735. | 4.0 | 10 |
| 79 | Risk factors for development of spontaneous bacterial peritonitis and subsequent mortality in cirrhotic patients with ascites. <i>Liver International</i> , 2015, 35, 2121-2128. | 3.9 | 72 |
| 80 | New reliability criteria for transient elastography increase the number of accurate measurements for screening of cirrhosis and portal hypertension. <i>Liver International</i> , 2015, 35, 381-390. | 3.9 | 111 |
| 81 | Revisiting liver disease progression in HIV/HCV-coinfected patients: the influence of vitamin D, insulin resistance, immune status, IL28B and PNPLA3. <i>Liver International</i> , 2015, 35, 876-885. | 3.9 | 32 |
| 82 | Circulating MiRNA-122 Levels Are Associated with Hepatic Necroinflammation and Portal Hypertension in HIV/HCV Coinfection. <i>PLoS ONE</i> , 2015, 10, e0116768. | 2.5 | 21 |
| 83 | The Impact of PNPLA3 rs738409 SNP on Liver Fibrosis Progression, Portal Hypertension and Hepatic Steatosis in HIV/HCV Coinfection. <i>PLoS ONE</i> , 2015, 10, e0143429. | 2.5 | 23 |
| 84 | PRO-C3-Levels in Patients with HIV/HCV-Co-Infection Reflect Fibrosis Stage and Degree of Portal Hypertension. <i>PLoS ONE</i> , 2014, 9, e108544. | 2.5 | 29 |
| 85 | Nonselective β_2 Blockers Increase Risk for Hepatorenal Syndrome and Death in Patients With Cirrhosis and Spontaneous Bacterial Peritonitis. <i>Gastroenterology</i> , 2014, 146, 1680-1690.e1. | 1.3 | 336 |
| 86 | Pioglitazone decreases portosystemic shunting by modulating inflammation and angiogenesis in cirrhotic and non-cirrhotic portal hypertensive rats. <i>Journal of Hepatology</i> , 2014, 60, 1135-1142. | 3.7 | 39 |
| 87 | Proton Pump Inhibitor Intake neither Predisposes to Spontaneous Bacterial Peritonitis or Other Infections nor Increases Mortality in Patients with Cirrhosis and Ascites. <i>PLoS ONE</i> , 2014, 9, e110503. | 2.5 | 55 |
| 88 | Nebivolol treatment increases splanchnic blood flow and portal pressure in cirrhotic rats via modulation of nitric oxide signalling. <i>Liver International</i> , 2013, 33, 561-568. | 3.9 | 16 |
| 89 | Carvedilol for primary prophylaxis of variceal bleeding in cirrhotic patients with haemodynamic non-response to propranolol. <i>Gut</i> , 2013, 62, 1634-1641. | 12.1 | 275 |
| 90 | Noninvasive screening for liver fibrosis and portal hypertension by transient elastography—a large single center experience. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 395-402. | 1.9 | 93 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Sorafenib attenuates the portal hypertensive syndrome in partial portal vein ligated rats. Journal of Hepatology, 2009, 51, 865-873. | 3.7 | 95 |