
Juan Carlos Arango-Lasprilla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5834063/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	How the COVIDâ€19 pandemic has changed our lives: A study of psychological correlates across 59 countries. Journal of Clinical Psychology, 2021, 77, 556-570.	1.0	154
2	Major and Minor Depression After Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1211-1219.	0.5	142
3	Traumatic brain injury and functional outcomes: Does minority status matter?. Brain Injury, 2007, 21, 701-708.	0.6	117
4	Do racial/ethnic differences exist in post-injury outcomes after TBI? A comprehensive review of the literature. Brain Injury, 2009, 23, 775-789.	0.6	104
5	Sleeping when the world locks down: Correlates of sleep health during the COVID-19 pandemic across 59 countries. Sleep Health, 2021, 7, 134-142.	1.3	101
6	Epidemiology of Idiopathic Normal Pressure Hydrocephalus: A Systematic Review of the Literature. World Neurosurgery, 2015, 84, 2002-2009.	0.7	99
7	Lockdown-Related Disparities Experienced by People with Disabilities during the First Wave of the COVID-19 Pandemic: Scoping Review with Thematic Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 6178.	1.2	96
8	Functional Outcomes From Inpatient Rehabilitation After Traumatic Brain Injury: How Do Hispanics Fare?. Archives of Physical Medicine and Rehabilitation, 2007, 88, 11-18.	0.5	95
9	Racial and Ethnic Disparities in Functional, Psychosocial, and Neurobehavioral Outcomes After Brain Injury. Journal of Head Trauma Rehabilitation, 2010, 25, 128-136.	1.0	90
10	Associations between disability and employment 1 year after traumatic brain injury in a working age population. Brain Injury, 2012, 26, 261-269.	0.6	71
11	Methodology for the development of normative data for ten Spanish-language neuropsychological tests in eleven Latin American countries. NeuroRehabilitation, 2015, 37, 493-499.	0.5	71
12	Factors predicting depression among persons with spinal cord injury 1 to 5 years post injury. NeuroRehabilitation, 2011, 29, 9-21.	0.5	66
13	Predictors of marital stability 2 years following traumatic brain injury. Brain Injury, 2008, 22, 565-574.	0.6	64
14	Family needs in caregivers of individuals with traumatic brain injury from Colombia, South America. Brain Injury, 2010, 24, 1017-1026.	0.6	64
15	Racial Differences in Employment Outcomes After Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2008, 89, 988-995.	0.5	63
16	Family needs and psychosocial functioning of caregivers of individuals with spinal cord injury from Colombia, South America. NeuroRehabilitation, 2010, 27, 83-93.	0.5	63
17	Profession of neuropsychology in Latin America. Applied Neuropsychology Adult, 2017, 24, 318-330.	0.7	50
18	Incidence of Idiopathic Normal-Pressure Hydrocephalus in Northern Spain. World Neurosurgery, 2016, 87, 298-310.	0.7	49

#	Article	IF	CITATIONS
19	Marriage After Brain Injury. Journal of Head Trauma Rehabilitation, 2011, 26, 43-55.	1.0	48
20	Psychosocial Impacts of the COVID-19 Quarantine: A Study of Gender Differences in 59 Countries. Medicina (Lithuania), 2021, 57, 789.	0.8	48
21	Measuring recovery in new learning and memory following traumatic brain injury: A mixed-effects modeling approach. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 617-625.	0.8	47
22	Health-related Quality of Life 12 months after severe traumatic brain injury: A prospective nationwide cohort study. Journal of Rehabilitation Medicine, 2013, 45, 785-791.	0.8	47
23	Global Outcome Trajectories up to 10 Years After Moderate to Severe Traumatic Brain Injury. Frontiers in Neurology, 2019, 10, 219.	1.1	45
24	Health Risks and Consequences of a COVID-19 Infection for People with Disabilities: Scoping Review and Descriptive Thematic Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 4348.	1.2	45
25	A mixed methods evaluation of the Brain Injury Family Intervention. NeuroRehabilitation, 2010, 27, 19-29.	0.5	44
26	Health-related quality of life in caregivers of individuals with traumatic brain injury from Guadalajara, Mexico. Journal of Rehabilitation Medicine, 2011, 43, 983-986.	0.8	44
27	The ties that bind: The relationship between caregiver burden and the neuropsychological functioning of TBI survivors. NeuroRehabilitation, 2012, 30, 87-95.	0.5	43
28	Linking Family Dynamics and the Mental Health of Colombian Dementia Caregivers. American Journal of Alzheimer's Disease and Other Dementias, 2014, 29, 67-75.	0.9	41
29	Methodology for the development of normative data for Spanish-speaking pediatric populations. NeuroRehabilitation, 2017, 41, 581-592.	0.5	41
30	Early predictors of employment outcomes 1 year post traumatic brain injury in a population of Hispanic individuals. NeuroRehabilitation, 2012, 30, 13-22.	0.5	39
31	Racial/Ethnic Disparities in Mental Health Over the First 2 Years After Traumatic Brain Injury: A Model Systems Study. Archives of Physical Medicine and Rehabilitation, 2014, 95, 2288-2295.	0.5	39
32	The Influence of Minority Status on Job Stability After Traumatic Brain Injury. PM and R, 2009, 1, 41-49.	0.9	38
33	Predictors of Extended Rehabilitation Length of Stay After Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1495-1504.	0.5	38
34	Racial and Ethnic Disparities in Employment Outcomes for Persons With Traumatic Brain Injury: A Longitudinal Investigation $1\hat{a} \in 5$ Years After Injury. PM and R, 2011, 3, 1083-1091.	0.9	38
35	Impact of personal and environmental factors on employment outcome two years after moderate-to-severe traumatic brain injury. Journal of Rehabilitation Medicine, 2013, 45, 801-807.	0.8	37
36	Family needs after brain injury: A cross cultural study. NeuroRehabilitation, 2015, 36, 203-214.	0.5	36

#	Article	IF	CITATIONS
37	Race/ethnicity differences in satisfaction with life among persons with traumatic brain injury. NeuroRehabilitation, 2009, 24, 5-14.	0.5	35
38	A Study of Older Adults' Mental Health across 33 Countries during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2021, 18, 5090.	1.2	35
39	Health-related quality of life of individuals with traumatic brain injury in Barranquilla, Colombia. Brain Injury, 2012, 26, 825-833.	0.6	34
40	Group-Level Progressive Alterations in Brain Connectivity Patterns Revealed by Diffusion-Tensor Brain Networks across Severity Stages in Alzheimer's Disease. Frontiers in Aging Neuroscience, 2017, 9, 215.	1.7	34
41	The profession of neuropsychology in Spain: results of a national survey. Clinical Neuropsychologist, 2016, 30, 1335-1355.	1.5	33
42	Cognitive changes in the preclinical phase of familial Alzheimer's disease. Journal of Clinical and Experimental Neuropsychology, 2007, 29, 892-900.	0.8	32
43	Employment Probability Trajectories Up To 10 Years After Moderate-To-Severe Traumatic Brain Injury. Frontiers in Neurology, 2018, 9, 1051.	1.1	32
44	An investigation of the differential effect of self-generation to improve learning and memory in multiple sclerosis and traumatic brain injury. Neuropsychological Rehabilitation, 2007, 17, 273-292.	1.0	31
45	Factors influencing acceptance of disability in individuals with spinal cord injury in Neiva, Colombia, South America. Disability and Rehabilitation, 2012, 34, 1082-1088.	0.9	31
46	Personal Strengths and Health Related Quality of Life in Dementia Caregivers from Latin America. Behavioural Neurology, 2015, 2015, 1-8.	1.1	31
47	Modeling of Community Integration Trajectories in the First Five Years after Traumatic Brain Injury. Journal of Neurotrauma, 2016, 33, 95-100.	1.7	30
48	Neurobehavioural symptoms 1 year after traumatic brain injury: A preliminary study of the relationship between race/ethnicity and symptoms. Brain Injury, 2012, 26, 814-824.	0.6	29
49	Trajectories of Life Satisfaction Over the First 10 Years After Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2016, 31, 167-179.	1.0	29
50	Normative data for verbal fluency in healthy Latin American adults: Letter M, and fruits and occupations categories Neuropsychology, 2019, 33, 287-300.	1.0	29
51	Evaluation of a Group Cognitive–Behavioral Dementia Caregiver Intervention in Latin America. American Journal of Alzheimer's Disease and Other Dementias, 2014, 29, 548-555.	0.9	27
52	Following international trends while subject to past traditions: neuropsychological test use in the Nordic countries. Clinical Neuropsychologist, 2016, 30, 1479-1500.	1.5	27
53	Examining the Influence of Family Dynamics on Quality of Care by Informal Caregivers of Patients With Alzheimer's Dementia in Argentina. American Journal of Alzheimer's Disease and Other Dementias, 2015, 30, 613-621.	0.9	26
54	Race, Ethnicity, and Employment Outcomes 1, 5, and 10 Years After Spinal Cord Injury: A Longitudinal Analysis. PM and R, 2010, 2, 901-910.	0.9	25

#	Article	IF	CITATIONS
55	Beyond Strain. Journal of Transcultural Nursing, 2016, 27, 376-384.	0.6	25
56	Verbal fluency tests: Developing a new model of administration and scoring for Spanish language. NeuroRehabilitation, 2017, 41, 539-565.	0.5	25
57	A cross-cultural analysis of the Test of Memory Malingering among Latin American Spanish-speaking adults Law and Human Behavior, 2017, 41, 422-428.	0.6	25
58	Toward Improved Rehabilitation Services for Ethnically Diverse Survivors of Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2007, 22, 75-84.	1.0	24
59	Ethnicity/racial differences in employment outcomes following Spinal Cord Injury. NeuroRehabilitation, 2009, 24, 37-46.	0.5	24
60	Health-Related Quality of Life in Caregivers of Individuals With Dementia From Colombia. American Journal of Alzheimer's Disease and Other Dementias, 2010, 25, 556-561.	0.9	24
61	Differences in employment outcomes 10 years after traumatic brain injury among racial and ethnic minority groups. Journal of Vocational Rehabilitation, 2010, 33, 65-75.	0.5	24
62	A Disproportionate Burden of Care: Gender Differences in Mental Health, Health-Related Quality of Life, and Social Support in Mexican Multiple Sclerosis Caregivers. Behavioural Neurology, 2015, 2015, 1-9.	1.1	24
63	Caregiving in Dementia and its Impact on Psychological Functioning and Health-Related Quality of Life: Findings from a Colombian Sample. Journal of Cross-Cultural Gerontology, 2015, 30, 393-408.	0.5	23
64	The influence of TBI impairments on family caregiver mental health in Mexico. Brain Injury, 2013, 27, 1287-1293.	0.6	22
65	Connecting family needs and TBI caregiver mental health in Mexico City, Mexico. Brain Injury, 2013, 27, 1441-1449.	0.6	22
66	People with Disabilities and Other Forms of Vulnerability to the COVID-19 Pandemic: Study Protocol for a Scoping Review and Thematic Analysis. Archives of Rehabilitation Research and Clinical Translation, 2020, 2, 100079.	0.5	22
67	Influence of Race/Ethnicity on Divorce/Separation 1, 2, and 5 Years Post Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1371-1378.	0.5	21
68	The Association Between the Number of Neuropsychological Measures and the Base Rate of Low Scores. Assessment, 2021, 28, 955-963.	1.9	21
69	Past, present, and future of neuropsychology in Argentina. Clinical Neuropsychologist, 2016, 30, 1154-1178.	1.5	20
70	Cortical and subcortical diseases: Do true neuropsychological differences exist?â~†. Archives of Clinical Neuropsychology, 2006, 21, 29-40.	0.3	19
71	Health-related quality of life in individuals with spinal cord injury in Colombia, South America. NeuroRehabilitation, 2010, 27, 313-319.	0.5	19
72	Distress associated with patients' symptoms and depression in a sample of Mexican caregivers of individuals with MS Rehabilitation Psychology, 2012, 57, 301-307.	0.7	19

#	Article	IF	CITATIONS
73	Traumatic brain injury in Spanish-speaking individuals: Research findings and clinical implications. Brain Injury, 2012, 26, 801-804.	0.6	19
74	Commonly used Neuropsychological Tests for Spanish Speakers: Normative Data from Latin America. NeuroRehabilitation, 2015, 37, 489-491.	0.5	19
75	Trail Making Test: Normative data for the Latin American Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 627-637.	0.5	19
76	Factors associated with depression and burden in Spanish speaking caregivers of individuals with traumatic brain injury. NeuroRehabilitation, 2012, 31, 443-452.	0.5	18
77	Health-related quality of life and mental health outcomes in Mexican TBI caregivers Families, Systems and Health, 2014, 32, 53-66.	0.4	18
78	The Multidimensional Influence of Acculturation on Digit Symbol-Coding and Wisconsin Card Sorting Test in Hispanics. Clinical Neuropsychologist, 2015, 29, 624-638.	1.5	18
79	Longitudinal Analyses of the Reciprocity of Depression and Anxiety after Traumatic Brain Injury and Its Clinical Implications. Journal of Clinical Medicine, 2021, 10, 5597.	1.0	18
80	Item analysis of three Spanish naming tests: A cross-cultural investigation. NeuroRehabilitation, 2009, 24, 75-85.	0.5	17
81	Exploring the Connections Between Traumatic Brain Injury Caregiver Mental Health and Family Dynamics in Mexico City, Mexico. PM and R, 2013, 5, 839-849.	0.9	16
82	Provider perceptions of the assessment and rehabilitation of sexual functioning after Traumatic Brain Injury. Brain Injury, 2017, 31, 1605-1611.	0.6	16
83	Recommendations for the National Institute for Neurologic Disorders and Stroke spinal cord injury common data elements for children and youth with SCI. Spinal Cord, 2017, 55, 331-340.	0.9	16
84	Cultural Issues in the Rehabilitation of TBI Survivors. Journal of Head Trauma Rehabilitation, 2007, 22, 73-74.	1.0	15
85	Sexual Functioning, Desire, and Satisfaction in Women with TBI and Healthy Controls. Behavioural Neurology, 2015, 2015, 1-7.	1.1	15
86	Concentration Endurance Test (d2): Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 661-671.	0.5	15
87	The effect of literacy and culture on cognitive effort test performance: An examination of the Test of Memory Malingering in Colombia. Journal of Clinical and Experimental Neuropsychology, 2019, 41, 1015-1023.	0.8	15
88	Moderated Mediation Path Analysis of Mexican Traumatic Brain Injury Patient Social Functioning, Family Functioning, and Caregiver Mental Health. Archives of Physical Medicine and Rehabilitation, 2013, 94, 362-368.	0.5	14
89	Verbal fluency tests: Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 673-686.	0.5	14
90	Stroop Color-Word Interference Test: Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 605-616.	0.5	14

#	Article	IF	CITATIONS
91	Health-Related Quality of Life and Mental Health of Adolescents Involved in School Bullying and Homophobic Verbal Content Bullying. International Journal of Environmental Research and Public Health, 2019, 16, 2622.	1.2	14
92	Pilot Study of a Newly Developed Intervention for Families Facing Serious Injury. Topics in Spinal Cord Injury Rehabilitation, 2016, 22, 49-59.	0.8	14
93	Characteristics associated with satisfaction with life 1 year post traumatic brain injury in a population of Hispanic individuals. NeuroRehabilitation, 2012, 30, 23-33.	0.5	13
94	Examining the Influence of Three Types of Social Support on the Mental Health of Mexican Caregivers of Individuals with Traumatic Brain Injury. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 959-967.	0.7	13
95	Family needs and TBI caregiver mental health in Guadalajara, Mexico. NeuroRehabilitation, 2014, 34, 167-175.	0.5	13
96	Multivariate Base Rates of Low Scores on Tests of Learning and Memory Among Latino Adult Populations. Journal of the International Neuropsychological Society, 2019, 25, 834-844.	1.2	13
97	Early Predictors of Employment Status One Year Post Injury in Individuals with Traumatic Brain Injury in Europe. Journal of Clinical Medicine, 2020, 9, 2007.	1.0	13
98	PREparedness, REsponse and SySTemic transformation (PRE-RE-SyST): a model for disability-inclusive pandemic responses and systemic disparities reduction derived from a scoping review and thematic analysis. International Journal for Equity in Health, 2021, 20, 204.	1.5	13
99	Balancing act: The influence of adaptability and cohesion on satisfaction and communication in families facing TBI in Mexico. NeuroRehabilitation, 2012, 30, 75-86.	0.5	12
100	The Community Integration Questionnaire. Journal of Head Trauma Rehabilitation, 2013, 28, E14-E22.	1.0	12
101	Perception of Ethical Misconduct by Neuropsychology Professionals in Latin America. Archives of Clinical Neuropsychology, 2015, 30, 413-423.	0.3	12
102	Family Dynamics and Personal Strengths among Dementia Caregivers in Argentina. International Journal of Alzheimer's Disease, 2016, 2016, 1-10.	1.1	12
103	Education, training, and practice among nordic neuropsychologists. Results from a professional practices survey. Clinical Neuropsychologist, 2017, 31, 20-41.	1.5	12
104	Structural equation model linking dementia cognitive functioning, caregiver mental health, burden, and quality of informal care in Argentina. Dementia, 2017, 16, 766-779.	1.0	11
105	Reciprocal Causation Between Functional Independence and Mental Health 1 and 2 Years After Traumatic Brain Injury. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 374-380.	0.7	11
106	Rey–Osterrieth Complex Figure – copy and immediate recall (3 minutes): Normative data for Spanish-speaking pediatric populations. NeuroRehabilitation, 2017, 41, 593-603.	0.5	11
107	Family needs at one and two years after severe traumatic brain injury: a prospective study of changes and predictors. Brain Injury, 2020, 34, 89-97.	0.6	11
108	Just how bad is it? Comparison of the mental health of Mexican traumatic brain injury caregivers to age-matched healthy controls. NeuroRehabilitation, 2013, 32, 679-686.	0.5	10

#	Article	IF	CITATIONS
109	Peabody Picture Vocabulary Test-III: Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 687-694.	0.5	10
110	Modified Wisconsin Card Sorting Test (M-WCST): Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 617-626.	0.5	10
111	Perceived stress, resilience, and healthâ€related quality of life among Parkinson's disease caregivers in Mexico. Health and Social Care in the Community, 2019, 27, 1303-1310.	0.7	10
112	Health-Related Quality of Life Trajectories across 10 Years after Moderate to Severe Traumatic Brain Injury in Norway. Journal of Clinical Medicine, 2021, 10, 157.	1.0	10
113	Mental Health and Family Functioning in Patients and Their Family Members after Traumatic Brain Injury: A Cross-Sectional Study. Brain Sciences, 2020, 10, 670.	1.1	10
114	Comparison of FIMâ"¢ communication ratings for English versus non-English speakers in the traumatic brain injury model systems (TBIMS) national database. Brain Injury, 2015, 29, 1445-1451.	0.6	9
115	The Relationship Between Physical and Mental Health Variables in Individuals With Spinal Cord Injury From Latin America. PM and R, 2015, 7, 9-16.	0.9	9
116	Family dynamics and psychosocial functioning in children with SCI/D from Colombia, South America. Journal of Spinal Cord Medicine, 2016, 39, 58-66.	0.7	9
117	A manual-based family intervention for families living with the consequences of traumatic injury to the brain or spinal cord: a study protocol of a randomized controlled trial. Trials, 2019, 20, 646.	0.7	9
118	Family cohesion, burden, and health-related quality of life among Parkinson's disease caregivers in Mexico. International Psychogeriatrics, 2019, 31, 1039-1045.	0.6	9
119	Mediating role of caregiver burden among family caregivers of patients with Parkinson's disease in Mexico. International Journal of Psychiatry in Medicine, 2019, 54, 203-216.	0.8	9
120	Neuropsychology in France. Applied Neuropsychology Adult, 2021, 28, 328-339.	0.7	9
121	Regression-Based Normative Data for Children From Latin America: Phonological Verbal Fluency Letters M, R, and P. Assessment, 2021, 28, 264-276.	1.9	9
122	SITUACIÓN ACTUAL DE LA PRÀTICA PROFESIONAL DE LA NEUROPSICOLOGÃA EN MÉXICO. PsicologÃa Desd El Caribe, 2015, 32, 1-24.	² 0.1	9
123	Longitudinal Trajectories of Health Related Quality of Life in Danish Family Members of Individuals with Severe Brain Injury. Australian Journal of Rehabilitation Counselling, 2013, 19, 71-83.	0.5	8
124	Mind and body: Mental health and health related quality of life in SCI caregivers fromÂNeiva, Colombia. NeuroRehabilitation, 2015, 36, 223-232.	0.5	8
125	Shortened Version of the Token Test: Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 649-659.	0.5	8
126	Symbol Digit Modalities Test: Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 639-647.	0.5	8

#	Article	IF	CITATIONS
127	Prevalence of low scores on language tests as a potential factor in misdiagnosis of cognitive impairment in a Spanish-speaking adult population. Applied Neuropsychology Adult, 2019, , 1-12.	0.7	8
128	Predicting caregiver burden over the first 4 months after acute traumatic brain injury in Latin America: a multi-country study. Brain Injury, 2021, 35, 769-777.	0.6	8
129	Normative data for Verbal Fluency and Object Naming Tests in a sample of European Portuguese adult population. Applied Neuropsychology Adult, 2022, 29, 1268-1279.	0.7	8
130	Questionnaire use among Nordic neuropsychologists: Shift from assessing personality to checking ecological validity of neuropsychological assessments?. Professional Psychology: Research and Practice, 2017, 48, 227-235.	0.6	8
131	Multivariate Base Rates of Low Scores on Tests of Executive Functions in a Multi-Country Latin American Sample. Developmental Neuropsychology, 2021, 46, 1-15.	1.0	8
132	Newly developed Learning and Verbal Memory Test (TAMV-I): Normative data for Spanish-speaking pediatric population. NeuroRehabilitation, 2017, 41, 695-706.	0.5	7
133	Mediational Model of Multiple Sclerosis Impairments, Family Needs, and Caregiver Mental Health in Guadalajara, Mexico. Behavioural Neurology, 2018, 2018, 1-11.	1.1	7
134	Brain connectivity and cognitive functioning in individuals six months after multiorgan failure. NeuroImage: Clinical, 2020, 25, 102137.	1.4	7
135	Normative Data for Test of Verbal Fluency and Naming on Ecuadorian Adult Population. Frontiers in Psychology, 2020, 11, 830.	1.1	7
136	Using multiple views of family dynamics to predict the mental health of individuals with TBI and their caregivers in Mexico. NeuroRehabilitation, 2013, 33, 273-283.	0.5	6
137	Connecting Health-Related Quality of Life and Mental Health in Dementia Caregivers from Colombia, South America. Journal of Alzheimer's Disease, 2014, 39, 499-509.	1.2	6
138	Pediatric SCI/D caregiver mental health and family dynamics in Colombia, South America. Disability and Rehabilitation, 2016, 38, 819-827.	0.9	6
139	Neuropsychology and Rehabilitation Services in the United States: Brief Report from a Survey of Clinical Neuropsychologists. Archives of Clinical Neuropsychology, 2017, 32, 369-374.	0.3	6
140	A Multi-Site Study of Traumatic Brain Injury in Mexico and Colombia: Longitudinal Mediational and Cross-Lagged Models of Family Dynamics, Coping, and Health-Related Quality of Life. International Journal of Environmental Research and Public Health, 2020, 17, 6045.	1.2	6
141	Normative data for tests of attention and executive functions in a sample of European Portuguese adult population. Aging, Neuropsychology, and Cognition, 2021, 28, 418-437.	0.7	6
142	Regression-Based Norms for the Hopkins Verbal Learning Test-Revised and the Rey–Osterrieth Complex Figure in a Portuguese Adult Population. Archives of Clinical Neuropsychology, 2021, 36, 587-596.	0.3	6
143	Cross-validation of the Utility of Test of Memory Malingering (TOMM) Cut-offs in a Large Colombian Sample. Psychological Injury and Law, 2021, 14, 114-126.	1.0	6
144	Growing physical rehabilitation needs in resource-poor world regions: secondary, cross-regional analysis with data from the global burden of disease 2017. Disability and Rehabilitation, 2021, , 1-11.	0.9	6

#	Article	IF	CITATIONS
145	The Influence of Health Related Quality of Life on Sexual Desire in Individuals with Spinal Cord Injury from Colombia, South America. Sexuality and Disability, 2013, 31, 325-335.	0.4	5
146	The Relationship Between Postconcussion Symptoms and Sexual Quality of Life in Individuals with Traumatic Brain Injury. Sexuality and Disability, 2015, 33, 483-498.	0.4	5
147	Psychological Functioning in Youth With Spina Bifida Living in Colombia, South America. Journal of Pediatric Psychology, 2015, 40, 602-608.	1.1	5
148	Perception of ethical misconduct by neuropsychology professionals in Spain. NeuroRehabilitation, 2017, 41, 527-538.	0.5	5
149	An Actor-Partner Interdependence Model of Acquired Brain Injury Patient Impairments and Caregiver Psychosocial Functioning: A Dyadic-Report, Multinational Study. Journal of Clinical Psychology, 2017, 73, 279-293.	1.0	5
150	Neuropsychology in South Africa. Applied Neuropsychology Adult, 2018, 25, 344-355.	0.7	5
151	Neuropsychology as a profession in Italy. Applied Neuropsychology Adult, 2019, 26, 543-557.	0.7	5
152	Normative data for test of learning and memory in an ecuadorian adult population. Clinical Neuropsychologist, 2020, 34, 54-69.	1.5	5
153	Letter Verbal Fluency in Spanish-, Basque-, and Catalan-Speaking Individuals: Does the Selection of the Letters Influence the Outcome?. Journal of Speech, Language, and Hearing Research, 2019, 62, 2400-2410.	0.7	5
154	Comparability of (Post-Concussion) Symptoms across Time in Individuals after Traumatic Brain Injury: Results from the CENTER-TBI Study. Journal of Clinical Medicine, 2022, 11, 4090.	1.0	5
155	The Generation Effect in Patients With Mild Cognitive Impairment. American Journal of Alzheimer's Disease and Other Dementias, 2010, 25, 576-584.	0.9	4
156	The usefulness of self-generation to improve learning and memory in Spanish-speaking individuals with traumatic brain injury from Colombia. Brain Injury, 2012, 26, 875-881.	0.6	4
157	Long-Term Functional and Psychosocial Consequences and Health Care Provision after Traumatic Brain Injury. Behavioural Neurology, 2016, 2016, 1-3.	1.1	4
158	Health-Related Quality of Life Trajectories over the First Year after Stroke in Colombia, South America. Topics in Stroke Rehabilitation, 2016, 23, 341-347.	1.0	4
159	Normative data for Spanish-language neuropsychological tests: A step forward in the assessment of pediatric populations. NeuroRehabilitation, 2017, 41, 577-580.	0.5	4
160	A manual-based vocational rehabilitation program for patients with an acquired brain injury: study protocol of a pragmatic randomized controlled trial (RCT). Trials, 2017, 18, 371.	0.7	4
161	Needs and Psychosocial Outcomes of Caregivers of Individuals with Multiple Sclerosis in Guadalajara, Mexico. International Journal of MS Care, 2010, 12, 71-82.	0.4	4
162	Suicidal ideation after acute traumatic brain injury: A longitudinal actor-partner interdependence model of patients and caregivers in Latin America Rehabilitation Psychology, 2021, 66, 433-441.	0.7	4

#	Article	IF	CITATIONS
163	The profession of neuropsychologist in Canada: Findings of a national survey. Clinical Neuropsychologist, 2021, , 1-33.	1.5	4
164	Validation of the Norma Latina neuropsychological assessment battery in individuals with multiple sclerosis in Mexico. Multiple Sclerosis and Related Disorders, 2022, 59, 103685.	0.9	4
165	Caregiver Characteristics of Adults with Acute Traumatic Brain Injury in the United States and Latin America. International Journal of Environmental Research and Public Health, 2022, 19, 5717.	1.2	4
166	Dyadic Consensus and Well-Being in Individuals With Traumatic Brain Injury and Their Caregivers in Colombia. Family Journal, 2012, 20, 179-186.	0.7	3
167	The effect of cognitive impairment on self-generation in Hispanics with TBI. NeuroRehabilitation, 2012, 30, 55-64.	0.5	3
168	Allegation of ethnic minorities from 1993–2008: An equal employment opportunity commission (EEOC) study. Work, 2014, 47, 267-279.	0.6	3
169	Sexual Function in Men with Traumatic Brain Injury. Sexuality and Disability, 2017, 35, 461-470.	0.4	3
170	Comparing the Course of Mental Health Over the First Year After Stroke With Healthy Controls in Colombia, South America. PM and R, 2017, 9, 8-14.	0.9	3
171	Factor structure models for the Post-Concussion Syndrome Scale with monolingual Spanish-speaking adults from Colombia. Brain Injury, 2019, 33, 1436-1441.	0.6	3
172	Prevalence of Low Scores on Executive Functions Tests in a Spanish-Speaking Pediatric Population from 10 Latin American Countries and Spain. Developmental Neuropsychology, 2020, 45, 200-210.	1.0	3
173	Multivariate Base Rates of Low Scores on Tests of Learning and Memory among Spanish-Speaking Children. Developmental Neuropsychology, 2020, 45, 189-199.	1.0	3
174	Longitudinal Growth Curve Trajectories of Family Dynamics after Pediatric Traumatic Brain Injury in Mexico. International Journal of Environmental Research and Public Health, 2020, 17, 8508.	1.2	3
175	The Family Needs Questionnaire-Revised: a Rasch analysis of measurement properties in the chronic phase after traumatic brain injury. Brain Injury, 2020, 34, 1375-1383.	0.6	3
176	Factor analysis of the Neurobehavioral Symptom Inventory among a sample of Spanish-speakers. Neuropsychological Rehabilitation, 2022, 32, 165-178.	1.0	3
177	Brain Circuit Alterations and Cognitive Disability in Late-Onset Cobalamin D Disorder. Journal of Clinical Medicine, 2020, 9, 990.	1.0	3
178	Neuropsychological functioning of individuals with coca paste use disorder. Addiction Research and Theory, 2021, 29, 298-305.	1.2	3
179	Influence of TBI Impairments and Related Caregiver Stress on Family Needs in Guadalajara, Mexico. Australian Journal of Rehabilitation Counselling, 2013, 19, 100-118.	0.5	2
180	Traumatic brain injury in Scandinavian countries: Recent research and new frontiers. Journal of Rehabilitation Medicine, 2013, 45, 707-842.	0.8	2

#	Article	IF	CITATIONS
181	La relación entre la percepción del cuidador sobre los sÃntomas derivados del daño cerebral en personas con traumatismos craneoencefálicos y su propia Salud Mental. Enfermeria Global, 2015, 14, 181.	0.1	2
182	Building Bridges through Science. Neuron, 2017, 96, 730-735.	3.8	2
183	Item analysis of the Spanish version of the Boston Naming Test with a Spanish speaking adult population from Colombia. Clinical Neuropsychologist, 2018, 32, 29-45.	1.5	2
184	The family as a resource for improving patient and family functioning after traumatic brain injury: A descriptive nonrandomized feasibility study of a family-centered intervention. Cogent Medicine, 2019, 6, 1607433.	0.7	2
185	Spanish-Speaking Pediatric Neuropsychology: Recent Research and New Frontiers. Developmental Neuropsychology, 2020, 45, 167-168.	1.0	2
186	Spontaneous Recovery of Executive Function, Attention, and Processing Speed in Stroke Patients in Colombia. PM and R, 2021, 13, 674-682.	0.9	2
187	Predictors of longitudinal depression trajectories after traumatic brain injury in Latin America: A multi-site study. NeuroRehabilitation, 2020, 46, 205-212.	0.5	2
188	Normative data of neuropsychological tests of attention and executive functions in Ecuadorian adult population. Aging, Neuropsychology, and Cognition, 2021, 28, 508-527.	0.7	2
189	Trajectories of memory, language, and visuoperceptual problems in people with stroke during the first year and controls in Colombia. Disability and Rehabilitation, 2021, 43, 324-330.	0.9	2
190	Assessing lifetime exposure to traumatic brain injury among an international sample of Spanish speakers. NeuroRehabilitation, 2021, 48, 109-117.	0.5	2
191	Racial/ethnic disparities in outcomes after central nervous system injury. NeuroRehabilitation, 2009, 24, 1-3.	0.5	1
192	Multicultural Challenges in Employment of People with Disabilities. Journal of Vocational Rehabilitation, 2010, 33, 1-2.	0.5	1
193	Spanish Speakers with Neurological and Psychiatric Disabilities: Relevant Factors Related to Rehabilitation. NeuroRehabilitation, 2012, 30, 9-11.	0.5	1
194	Is Helping Really Helping? Health-Related Quality of Life after TBI Predicting Caregiver Depression Symptom Trajectories in Latin America. International Journal of Environmental Research and Public Health, 2021, 18, 1247.	1.2	1
195	Neuropsychology in Greece: Results from a survey of practicing professionals. Applied Neuropsychology Adult, 2021, , 1-12.	0.7	1
196	The Practice of Child Neuropsychology in Spanish-speaking Countries: What We've Learned and Where to Go from Here. Developmental Neuropsychology, 2020, 45, 169-188.	1.0	1
197	Relationship Satisfaction and Depression After Traumatic Brain Injury. American Journal of Physical Medicine and Rehabilitation, 2020, 99, 1032-1038.	0.7	1
198	Trauma-Related Distress During the COVID-19 Pandemic In 59 Countries. Counseling Psychologist, 0, , 001100002110681.	0.8	1

#	Article	IF	CITATIONS
199	A Survey of Latin American Rehabilitation Professionals on Addressing Sexuality-Related Concerns After Spinal Cord Injury. Sexuality and Disability, 0, , .	0.4	1
200	Pediatric health and life domain priorities: A national survey of people with spinal cord injury and their parents and caregivers. Journal of Spinal Cord Medicine, 2024, 47, 155-167.	0.7	1
201	Multiple mediation path model of pain's cascading influence on physical disability inÂindividuals with SCI from Colombia, South America. NeuroRehabilitation, 2017, 40, 553-560.	0.5	0
202	Return to Work for Individuals with Moderate to Severe Brain Injury. Handbooks in Health, Work, and Disability, 2016, , 593-616.	0.0	0
203	Hispanic/Latino Neuropsychology. , 2018, , 1-8.		0
204	Hispanic/Latino Neuropsychology. , 2018, , 1713-1720.		0
205	Preliminary construct validity of a memory concerns scale derived from a PROMIS® item bank in a spanish-speaking sample. Neuropsychological Rehabilitation, 2023, 33, 1061-1073.	1.0	0