

Hiroshi Ikeda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5835222/hiroshi-ikeda-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

593
citations

12
h-index

22
g-index

61
ext. papers

722
ext. citations

3.7
avg, IF

4.04
L-index

#	Paper	IF	Citations
53	A SiO ₂ /pHEMA-Based Polymer-Infiltrated Ceramic Network Composite for Dental Restorative Materials. <i>Journal of Composites Science</i> , 2022 , 6, 17	3	0
52	Effects of alumina airborne-particle abrasion on the surface properties of CAD/CAM composites and bond strength to resin cement. <i>Dental Materials Journal</i> , 2021 , 40, 431-438	2.5	2
51	Printable PICN Composite Mechanically Compatible with Human Teeth. <i>Journal of Dental Research</i> , 2021 , 100, 1475-1481	8.1	2
50	Microbicidal effect and storage stability of neutral HOCl-containing aqueous gels with different thickening/gelling agents. <i>Dental Materials Journal</i> , 2021 , 40, 1309-1319	2.5	
49	PICN Nanocomposite as Dental CAD/CAM Block Comparable to Human Tooth in Terms of Hardness and Flexural Modulus. <i>Materials</i> , 2021 , 14,	3.5	3
48	Influence of Alumina Air-Abrasion on Flexural and Shear Bond Strengths of CAD/CAM Composite. <i>Crystals</i> , 2020 , 10, 927	2.3	
47	Surface modification of feldspar porcelain by corona discharge and its effect on bonding to resin cement with silane coupling agent. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 105, 103708	4.1	5
46	Adhesive bonding of alumina air-abraded Ag-Pd-Cu-Au alloy with 10-methacryloyloxydecyl dihydrogen phosphate. <i>Dental Materials Journal</i> , 2020 , 39, 262-271	2.5	3
45	Data on bond strength of methyl methacrylate-based resin cement to dental restorative materials. <i>Data in Brief</i> , 2020 , 33, 106426	1.2	1
44	Correlation between microstructure of CAD/CAM composites and the silanization effect on adhesive bonding. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020 , 101, 103441	4.1	8
43	Chemical alteration of Ag-Pd-Cu-Au alloy surface by alumina air-abrasion and its effect on bonding to resin cement. <i>Dental Materials Journal</i> , 2019 , 38, 630-637	2.5	8
42	Data on changes in flexural strength and elastic modulus of dental CAD/CAM composites after deterioration tests. <i>Data in Brief</i> , 2019 , 24, 103889	1.2	6
41	Preparation of silica-poly(methyl methacrylate) composite with a nanoscale dual-network structure and hardness comparable to human enamel. <i>Dental Materials</i> , 2019 , 35, 893-899	5.7	5
40	Selective NO ₂ detection using YSZ-based amperometric sensor attached with NiFe ₂ O ₄ (+ Fe ₂ O ₃) sensing electrode. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 30-35	8.5	6
39	Impedancemetric YSZ-based oxygen sensor using BaFeO ₃ sensing-electrode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 279-282	8.5	15
38	YSZ-based sensor using Cr-Fe-based spinel-oxide electrodes for selective detection of CO. <i>Analytica Chimica Acta</i> , 2017 , 982, 176-184	6.6	15
37	Fabrication and Characterization of Porous Silica Monolith by Sintering Silica Nanoparticles. <i>Journal of Minerals and Materials Characterization and Engineering</i> , 2017 , 05, 107-117	0.4	2

36	Luminescent sintered silica glass prepared by adsorbing Pr ions into mesoporous SiO ₂ /PVA nanocomposite. <i>Journal of Composite Materials</i> , 2016 , 50, 2541-2547	2.7	2
35	Effect of mold stiffness on surface flatness of mold-pressed glass. <i>Microsystem Technologies</i> , 2016 , 22, 2087-2091	1.7	
34	Selective CO Detection Using YSZ-based Sensor with a Combination of CuCrFeO ₄ and CoCrFeO ₄ Electrodes. <i>Procedia Chemistry</i> , 2016 , 20, 118-120		2
33	SrCo _x Fe _{1-x} O ₃ Oxygen Sorbent Usable for High-Temperature Pressure-Swing Adsorption Process Operating at Approximately 300 °C. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 6501-6505	3.9	20
32	Sensing characteristics of YSZ-based oxygen sensors attached with Ba _x Sr _{1-x} FeO ₃ sensing-electrode. <i>Solid State Ionics</i> , 2016 , 285, 234-238	3.3	5
31	Acceleration of the aging process of YSZ-based H ₂ sensor using ZnO sensing-electrode. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 738-742	8.5	1
30	Selective Deposition of SiO ₂ on Ion Conductive Area of Soda-lime Glass Surface. <i>Scientific Reports</i> , 2016 , 6, 27767	4.9	5
29	Sr _{1-x} Ca _x FeO ₃ as a New Oxygen Sorbent for the High-Temperature Pressure-Swing Adsorption Process. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 3091-3096	3.9	28
28	Oxygen sorption/desorption behavior and crystal structural change for SrFeO ₃ . <i>Chemical Engineering Science</i> , 2016 , 147, 166-172	4.4	34
27	Improvement in Response/Recovery Characteristics of Mixed-Potential-Type Zirconia-Based CO Sensor Using ZnCr ₂ O ₄ Added with Au Particles-Sensing Electrode. <i>ECS Transactions</i> , 2016 , 75, 59-64	1	2
26	Development of quasi-two-dimensional Nb ₂ O ₅ nanoflakes with thickness-depended electro-chemical properties. <i>Functional Materials Letters</i> , 2015 , 08, 1550007	1.2	5
25	Alkali ion migration between stacked glass plates by corona discharge treatment. <i>Applied Surface Science</i> , 2015 , 338, 120-125	6.7	3
24	Tuning H ₂ Sensing Performance of Zirconia-based Sensor using ZrSiO ₄ (+Au) Sensing-electrode. <i>Electrochimica Acta</i> , 2015 , 171, 7-12	6.7	9
23	Photoluminescence characteristics of sintered silica glass doped with Cu ions using mesoporous SiO ₂ -PVA nanocomposite. <i>Materials Chemistry and Physics</i> , 2015 , 162, 431-435	4.4	8
22	Fabrication and photoluminescence of monolithic silica glass doped with alumina nanoparticles using SiO ₂ -PVA nanocomposite. <i>Journal of the Ceramic Society of Japan</i> , 2015 , 123, 550-553	1	2
21	Room Temperature Imprint Using Crack-Free Monolithic SiO ₂ -PVA Nanocomposite for Fabricating Microhole Array on Silica Glass. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-7	3.2	2
20	1.?????????????????????????????????????. <i>Electrochemistry</i> , 2015 , 83, 269-275	1.2	
19	Cobalt-based solid reference-electrode usable in zirconia-based sensors for detection of oxygen or volatile organic compounds. <i>Sensors and Actuators B: Chemical</i> , 2014 , 203, 899-903	8.5	6

18	A review of mixed-potential type zirconia-based gas sensors. <i>Ionics</i> , 2014 , 20, 901-925	2.7	204
17	Potentiometric YSZ-based oxygen sensor using BaFeO ₃ sensing-electrode. <i>Electrochemistry Communications</i> , 2014 , 48, 134-137	5.1	18
16	Evaluation of demolding force for glass-imprint process. <i>Journal of Non-Crystalline Solids</i> , 2014 , 383, 66-70	3.9	3
15	Composition and pH dependence on aggregation of SiO ₂ /PVA suspension for the synthesis of porous SiO ₂ /PVA nanocomposite. <i>Journal of Porous Materials</i> , 2014 , 21, 1143-1149	2.4	8
14	Mixed-Potential Type Zirconia-Based NH ₃ Sensor Using SnO ₂ -Disk Sensing-Electrode Attached with Sputtered Au. <i>ECS Electrochemistry Letters</i> , 2014 , 3, B13-B15		18
13	Novel zirconia-based NO ₂ sensor attached with carbon sensing-electrode. <i>Electrochemistry Communications</i> , 2014 , 46, 60-62	5.1	4
12	Preparation and photoluminescence of monolithic silica glass doped with Tb ³⁺ ions using SiO ₂ /PVA nanocomposite. <i>Optical Materials</i> , 2014 , 36, 1119-1122	3.3	10
11	Accelerated formation of sodium depletion layer on soda lime glass surface by corona discharge treatment in hydrogen atmosphere. <i>Applied Surface Science</i> , 2014 , 300, 149-153	6.7	10
10	Generation of alkali-free and high-proton concentration layer in a soda lime glass using non-contact corona discharge. <i>Journal of Applied Physics</i> , 2013 , 114, 063303	2.5	12
9	Low-temperature fabrication of fine structures on glass using electrical nanoimprint and chemical etching. <i>Journal of Applied Physics</i> , 2013 , 114, 083514	2.5	21
8	Optimization of Metal Quality for Grating Coupled Surface Plasmon Resonance. <i>Physics Procedia</i> , 2013 , 48, 179-183		5
7	Proton Implantation into Tungsten Phosphate Glass Using Corona Discharging. <i>Physics Procedia</i> , 2013 , 48, 81-84		
6	Evaluation of Demolding Force by Parallel Mold Press for Glass Imprint. <i>Physics Procedia</i> , 2013 , 48, 109-112		
5	Insight into the aging effect on enhancement of hydrogen-sensing characteristics of a zirconia-based sensor utilizing a Zn-Ta-O-based sensing electrode. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 12099-106	9.5	18
4	Fabrication of Au nanoparticles doped bulk silica glass by use of SiO ₂ /PVA nanocomposite. <i>Journal of the Ceramic Society of Japan</i> , 2012 , 120, 238-242	1	9
3	Preparation of SiO ₂ -PVA nanocomposite and monolithic transparent silica glass by sintering. <i>Journal of the Ceramic Society of Japan</i> , 2011 , 119, 65-69	1	19
2	Fabrication of Micropatterns on Silica Glass by a Room-Temperature Imprinting Method. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2319-2322	3.8	10
1	Preparation and Characterization of BaO _{1-x} TeO ₂ Thin Films Obtained from Tellurium(VI) Alkoxide by a Sol-Gel Method. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 2619-2622	3.8	6

