

Lucy C Chappell

List of Publications by Citations

Source: <https://exaly.com/author-pdf/583540/lucy-c-chappell-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

215
papers

11,977
citations

40
h-index

107
g-index

243
ext. papers

16,693
ext. citations

6.7
avg, IF

6.71
L-index

#	Paper	IF	Citations
215	Dexamethasone in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 384, 693-704	59.2	4434
214	Effect of Hydroxychloroquine in Hospitalized Patients with Covid-19. <i>New England Journal of Medicine</i> , 2020 , 383, 2030-2040	59.2	628
213	Effect of antioxidants on the occurrence of pre-eclampsia in women at increased risk: a randomised trial. <i>Lancet, The</i> , 1999 , 354, 810-6	40	521
212	Lopinavir-ritonavir in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial. <i>Lancet, The</i> , 2020 , 396, 1345-1352	40	340
211	Chronic hypertension and pregnancy outcomes: systematic review and meta-analysis. <i>BMJ, The</i> , 2014 , 348, g2301	5.9	318
210	Effect of Dexamethasone in Hospitalized Patients with COVID-19 [Preliminary Report]		313
209	Diagnostic accuracy of placental growth factor in women with suspected preeclampsia: a prospective multicenter study. <i>Circulation</i> , 2013 , 128, 2121-31	16.7	289
208	A longitudinal study of biochemical variables in women at risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 127-36	6.4	273
207	Association of severe intrahepatic cholestasis of pregnancy with adverse pregnancy outcomes: a prospective population-based case-control study. <i>Hepatology</i> , 2014 , 59, 1482-91	11.2	258
206	Adverse perinatal outcomes and risk factors for preeclampsia in women with chronic hypertension: a prospective study. <i>Hypertension</i> , 2008 , 51, 1002-9	8.5	247
205	Association of adverse perinatal outcomes of intrahepatic cholestasis of pregnancy with biochemical markers: results of aggregate and individual patient data meta-analyses. <i>Lancet, The</i> , 2019 , 393, 899-909	40	166
204	Vitamin C and E supplementation in women at risk of preeclampsia is associated with changes in indices of oxidative stress and placental function. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 777-84	6.4	156
203	Association Between Administration of IL-6 Antagonists and Mortality Among Patients Hospitalized for COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 499-518	27.4	154
202	Placental growth factor as a marker of fetal growth restriction caused by placental dysfunction. <i>Placenta</i> , 2016 , 42, 1-8	3.4	123
201	Adverse maternal and perinatal outcomes in pregnant women with sickle cell disease: systematic review and meta-analysis. <i>Blood</i> , 2015 , 125, 3316-25	2.2	116
200	Urinary proteomics for prediction of preeclampsia. <i>Hypertension</i> , 2011 , 57, 561-9	8.5	114
199	High risk of unexpected late fetal death in monochorionic twins despite intensive ultrasound surveillance: a cohort study. <i>PLoS Medicine</i> , 2005 , 2, e172	11.6	111

198	Placental growth factor testing to assess women with suspected pre-eclampsia: a multicentre, pragmatic, stepped-wedge cluster-randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 1807-1818	40	107
197	Ursodeoxycholic acid versus placebo in women with intrahepatic cholestasis of pregnancy (PITCHES): a randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 849-860	40	105
196	Ursodeoxycholic acid versus placebo, and early term delivery versus expectant management, in women with intrahepatic cholestasis of pregnancy: semifactorial randomised clinical trial. <i>BMJ, The</i> , 2012 , 344, e3799	5.9	103
195	Risk factors for small-for-gestational-age infants by customised birthweight centiles: data from an international prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1599-607	3.7	100
194	Preeclampsia and Cardiovascular Disease in a Large UK Pregnancy Cohort of Linked Electronic Health Records: A CALIBER Study. <i>Circulation</i> , 2019 , 140, 1050-1060	16.7	92
193	Diagnostic and predictive biomarkers for pre-eclampsia in patients with established hypertension and chronic kidney disease. <i>Kidney International</i> , 2016 , 89, 874-85	9.9	91
192	Oxidative stress in pregnancy and reproduction. <i>Obstetric Medicine</i> , 2016 , 9, 113-6	1.5	86
191	Effect of Hydroxychloroquine in Hospitalized Patients with COVID-19: Preliminary results from a multi-centre, randomized, controlled trial		82
190	Associations between intimate partner violence and termination of pregnancy: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001581	11.6	81
189	Recurrence of hypertensive disorders of pregnancy: an individual patient data metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 624.e1-17	6.4	78
188	Diagnosis and management of hypertension in pregnancy: summary of updated NICE guidance. <i>BMJ, The</i> , 2019 , 366, l5119	5.9	72
187	Planned early delivery or expectant management for late preterm pre-eclampsia (PHOENIX): a randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 1181-1190	40	69
186	Tocilizumab in patients admitted to hospital with COVID-19 (RECOVERY): preliminary results of a randomised, controlled, open-label, platform trial		65
185	An accurate semiautomated oscillometric blood pressure device for use in pregnancy (including pre-eclampsia) in a low-income and middle-income country population: the Microlife 3AS1-2. <i>Blood Pressure Monitoring</i> , 2015 , 20, 52-5	1.3	58
184	The reversed feto-maternal bile acid gradient in intrahepatic cholestasis of pregnancy is corrected by ursodeoxycholic acid. <i>PLoS ONE</i> , 2014 , 9, e83828	3.7	58
183	Evidence and Recommendations on the Use of Telemedicine for the Management of Arterial Hypertension: An International Expert Position Paper. <i>Hypertension</i> , 2020 , 76, 1368-1383	8.5	56
182	Prognostic and mechanistic potential of progesterone sulfates in intrahepatic cholestasis of pregnancy and pruritus gravidarum. <i>Hepatology</i> , 2016 , 63, 1287-98	11.2	56
181	Pre-eclampsia. <i>Lancet, The</i> , 2021 , 398, 341-354	40	54

180	Impact of Antihypertensive Treatment on Maternal and Perinatal Outcomes in Pregnancy Complicated by Chronic Hypertension: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	45
179	Pregnancy outcomes in myeloproliferative neoplasms: UK prospective cohort study. <i>British Journal of Haematology</i> , 2016 , 175, 31-6	4.5	45
178	Clinical practice guideline on pregnancy and renal disease. <i>BMC Nephrology</i> , 2019 , 20, 401	2.7	44
177	Pravastatin for early-onset pre-eclampsia: a randomised, blinded, placebo-controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 478-488	3.7	44
176	Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy: A Randomized Controlled Trial. <i>Hypertension</i> , 2017 , 70, 915-922	8.5	41
175	Combined diffusion-relaxometry MRI to identify dysfunction in the human placenta. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 95-106	4.4	39
174	Prediction of pre-eclampsia: review of reviews. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 16-27	5.8	39
173	Postpartum management of hypertension. <i>BMJ, The</i> , 2013 , 346, f894	5.9	38
172	Multi-modal functional MRI to explore placental function over gestation. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1191-1204	4.4	38
171	Casirivimab and imdevimab in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial		37
170	Serum Creatinine in Pregnancy: A Systematic Review. <i>Kidney International Reports</i> , 2019 , 4, 408-419	4.1	37
169	Association between maternal micronutrient status, oxidative stress, and common genetic variants in antioxidant enzymes at 15 weeks? gestation in nulliparous women who subsequently develop preeclampsia. <i>Free Radical Biology and Medicine</i> , 2015 , 78, 147-55	7.8	36
168	Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 632-642	7.8	34
167	Abnormal liver function tests in pregnancy. <i>BMJ, The</i> , 2013 , 347, f6055	5.9	32
166	Pregnancy outcome in women with chronic kidney disease: a prospective cohort study. <i>Reproductive Sciences</i> , 2011 , 18, 623-30	3	32
165	Corticosteroids in the Management of Pregnant Patients With Coronavirus Disease (COVID-19). <i>Obstetrics and Gynaecology</i> , 2020 , 136, 823-826	4.9	31
164	Pre-eclamptic toxæmia: the role of uterine artery Doppler. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998 , 105, 379-82	3.7	30
163	Prospective biomarkers in preterm preeclampsia: A review. <i>Pregnancy Hypertension</i> , 2018 , 14, 72-78	2.6	29

162	Diagnostic accuracy of placental growth factor and ultrasound parameters to predict the small-for-gestational-age infant in women presenting with reduced symphysis-fundus height. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 182-90	5.8	29
161	Accuracy validation of the Microlife 3AS1-2 blood pressure device in a pregnant population with low blood pressure. <i>Blood Pressure Monitoring</i> , 2015 , 20, 299-302	1.3	29
160	Gestation-Specific Vital Sign Reference Ranges in Pregnancy. <i>Obstetrics and Gynecology</i> , 2020 , 135, 653-664	6.4	28
159	Determination of Normal Ranges of Shock Index and Other Haemodynamic Variables in the Immediate Postpartum Period: A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0168535	3.7	28
158	Incidence of eclampsia and related complications across 10 low- and middle-resource geographical regions: Secondary analysis of a cluster randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002775	11.6	27
157	Urinary congophilia in women with hypertensive disorders of pregnancy and preexisting proteinuria or hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 464.e1-7	6.4	25
156	A core outcome set for pre-eclampsia research: an international consensus development study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1516-1526	3.7	24
155	Is oxidative stress involved in the aetiology of pre-eclampsia?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001 , 90, 3-5	3.1	24
154	Association of raised titres of antibodies to Chlamydia pneumoniae with a history of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 299-305	3.7	24
153	Comparison of three commercially available placental growth factor-based tests in women with suspected preterm pre-eclampsia: the COMPARE study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 62-67	5.8	24
152	Association of proteinuria threshold in pre-eclampsia with maternal and perinatal outcomes: a nested case control cohort of high risk women. <i>PLoS ONE</i> , 2013 , 8, e76083	3.7	23
151	Lack of consistency in research papers over the definition of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 983-5	3.7	23
150	Maternal deaths in the UK: pre-eclampsia deaths are avoidable. <i>Lancet, The</i> , 2017 , 389, 582-584	4.0	22
149	The CRADLE vital signs alert: qualitative evaluation of a novel device designed for use in pregnancy by healthcare workers in low-resource settings. <i>Reproductive Health</i> , 2018 , 15, 5	3.5	22
148	T2* Placental Magnetic Resonance Imaging in Preterm Preeclampsia: An Observational Cohort Study. <i>Hypertension</i> , 2020 , 75, 1523-1531	8.5	22
147	Diagnostic Biomarkers in Women With Suspected Preeclampsia in a Prospective Multicenter Study. <i>Obstetrics and Gynecology</i> , 2016 , 128, 245-252	4.9	22
146	Effect of a novel vital sign device on maternal mortality and morbidity in low-resource settings: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019 , 7, e347-e356	13.6	21
145	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a systematic review and individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 547-558	18.8	21

144	Predicting delivery of a small-for-gestational-age infant and adverse perinatal outcome in women with suspected pre-eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 387-395	5.8	19
143	Learning about maternal death and grief in the profession: a pilot qualitative study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 1346-53	3.8	19
142	The non-invasive biopsy--will urinary proteomics make the renal tissue biopsy redundant?. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2009 , 102, 523-38	2.7	19
141	Blood pressure monitoring in high-risk pregnancy to improve the detection and monitoring of hypertension (the BUMP 1 and 2 trials): protocol for two linked randomised controlled trials. <i>BMJ Open</i> , 2020 , 10, e034593	3	19
140	Pregnancy-Related Acute Kidney Injury in Preeclampsia: Risk Factors and Renal Outcomes. <i>Hypertension</i> , 2019 , 74, 1144-1151	8.5	18
139	Placental growth factor testing for suspected pre-eclampsia: a cost-effectiveness analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1390-1398	3.7	18
138	Enzymatic quantification of total serum bile acids as a monitoring strategy for women with intrahepatic cholestasis of pregnancy receiving ursodeoxycholic acid treatment: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 1633-1640	3.7	18
137	Third trimester amniocentesis for diagnosis of inherited bleeding disorders prior to delivery. <i>Haemophilia</i> , 2013 , 19, 904-7	3.3	18
136	Placental Growth Factor (PlGF) in Women with Suspected Pre-Eclampsia Prior to 35 WeeksS Gestation: A Budget Impact Analysis. <i>PLoS ONE</i> , 2016 , 11, e0164276	3.7	18
135	Blood pressure measurement in pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2015 , 17, 91-98	0.9	17
134	Management of pregnant and postnatal women with pre-existing diabetes or cardiac disease using multi-disciplinary team models of care: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 428	3.2	17
133	Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. <i>Journal of Global Health</i> , 2018 , 8,	4.3	17
132	Early warning system hypertension thresholds to predict adverse outcomes in pre-eclampsia: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2018 , 12, 183-188	2.6	17
131	Shock index thresholds to predict adverse outcomes in maternal hemorrhage and sepsis: A prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 1178-1186	3.8	15
130	Diagnostic Indicators of Superimposed Preeclampsia in Women With CKD. <i>Kidney International Reports</i> , 2019 , 4, 842-853	4.1	15
129	Intrahepatic cholestasis of pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2016 , 18, 273-281	0.9	15
128	A randomised controlled trial of blood pressure self-monitoring in the management of hypertensive pregnancy. OPTIMUM-BP: A feasibility trial. <i>Pregnancy Hypertension</i> , 2019 , 18, 141-149	2.6	15
127	Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2019 , 15, 42-50	2.6	15

126	Updates in Diagnosis and Management of Preeclampsia in Women with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1371-1380	6.9	15
125	Placental Growth Factor informed management of suspected pre-eclampsia or fetal growth restriction: The MAPPLE cohort study. <i>Pregnancy Hypertension</i> , 2018 , 14, 228-233	2.6	14
124	Evaluation of a novel device for the management of high blood pressure and shock in pregnancy in low-resource settings: study protocol for a stepped-wedge cluster-randomised controlled trial (CRADLE-3 trial). <i>Trials</i> , 2018 , 19, 206	2.8	14
123	Prediction of preeclampsia and delivery of small for gestational age babies based on a combination of clinical risk factors in high-risk women. <i>Hypertension in Pregnancy</i> , 2011 , 30, 58-73	2	14
122	Improving the Pipeline for Developing and Testing Pharmacological Treatments in Pregnancy. <i>PLoS Medicine</i> , 2016 , 13, e1002161	11.6	14
121	Perfusion and apparent oxygenation in the human placenta (PERFOX). <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 549-560	4.4	14
120	Temporal Changes in Hypertensive Disorders of Pregnancy and Impact on Cardiovascular and Obstetric Outcomes. <i>American Journal of Cardiology</i> , 2020 , 125, 1508-1516	3	13
119	Maternal and perinatal adverse outcomes in women with pre-eclampsia cared for at facility-level in South Africa: a prospective cohort study. <i>Journal of Global Health</i> , 2018 , 8, 020401	4.3	13
118	Pharmacological interventions for treating intrahepatic cholestasis of pregnancy. <i>The Cochrane Library</i> , 2020 , 7, CD000493	5.2	13
117	Development and evaluation of a novel Vital Signs Alert device for use in pregnancy in low-resource settings. <i>BMJ Innovations</i> , 2018 , 4, 192-198	1.8	13
116	Temporal Trends in Pregnancy-Associated Stroke and Its Outcomes Among Women With Hypertensive Disorders of Pregnancy. <i>Journal of the American Heart Association</i> , 2020 , 9, e016182	6	12
115	Implementation of guidelines for multidisciplinary team management of pregnancy in women with pre-existing diabetes or cardiac conditions: results from a UK national survey. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 434	3.2	11
114	Does ursodeoxycholic acid improve perinatal outcomes in women with intrahepatic cholestasis of pregnancy?. <i>BMJ, The</i> , 2018 , 360, k104	5.9	11
113	Convalescent plasma in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial		11
112	Colchicine in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial		11
111	Ursodeoxycholic acid versus placebo in the treatment of women with intrahepatic cholestasis of pregnancy (ICP) to improve perinatal outcomes: protocol for a randomised controlled trial (PITCHES). <i>Trials</i> , 2018 , 19, 657	2.8	11
110	The impact of chronic kidney disease Stages 3-5 on pregnancy outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 2008-2017	4.3	10
109	Preterm pre-eclampsia: What every neonatologist should know. <i>Early Human Development</i> , 2017 , 114, 26-30	2.2	10

108	Placental growth factor in suspected preterm pre-eclampsia: a review of the evidence and practicalities of implementation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1590-1597	3.7	10
107	Is early induction or expectant management more beneficial in women with late preterm pre-eclampsia?. <i>BMJ, The</i> , 2015 , 350, h191	5.9	9
106	Fetal cardiac dysfunction in intrahepatic cholestasis of pregnancy is associated with elevated serum bile acid concentrations. <i>Journal of Hepatology</i> , 2021 , 74, 1087-1096	13.4	9
105	Postpartum evaluation of cardiovascular disease risk for women with pregnancies complicated by hypertension. <i>Pregnancy Hypertension</i> , 2018 , 13, 218-224	2.6	9
104	Reducing maternal deaths from hypertensive disorders: learning from confidential inquiries. <i>BMJ, The</i> , 2019 , 364, l230	5.9	8
103	Chronic hypertension in pregnancy: impact of ethnicity and superimposed preeclampsia on placental, endothelial, and renal biomarkers. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 315, R36-R47	3.2	8
102	Evaluation of a novel vital sign device to reduce maternal mortality and morbidity in low-resource settings: a mixed method feasibility study for the CRADLE-3 trial. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 115	3.2	8
101	OS100. Plasma placental growth factor (PLGF) measurement in women presenting with suspected pre-eclampsia: the pelican study. <i>Pregnancy Hypertension</i> , 2012 , 2, 233-4	2.6	8
100	Clinical and geographical variation in prophylactic and therapeutic treatments for pre-eclampsia in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 695-700	3.7	8
99	Impact of ethnicity on adverse perinatal outcome in women with chronic hypertension: a cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 54, 72-78	5.8	8
98	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a secondary analysis of the PITCHES trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1066-1075	3.7	8
97	APPLAUSE: Automatic Prediction of PLAcental health via U-net Segmentation and statistical Evaluation. <i>Medical Image Analysis</i> , 2021 , 72, 102145	15.4	8
96	Planned delivery or expectant management for late preterm pre-eclampsia: study protocol for a randomised controlled trial (PHOENIX trial). <i>Trials</i> , 2019 , 20, 85	2.8	7
95	Are blood pressure level and variability related to pregnancy outcome? Analysis of control of hypertension in pregnancy study data. <i>Pregnancy Hypertension</i> , 2020 , 19, 87-93	2.6	7
94	External validation, update and development of prediction models for pre-eclampsia using an Individual Participant Data (IPD) meta-analysis: the International Prediction of Pregnancy Complication Network (IPPIC pre-eclampsia) protocol. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 16	5.5	7
93	Current prevalence of self-monitoring of blood pressure during pregnancy: the BUMP Survey. <i>Journal of Hypertension</i> , 2021 , 39, 994-1001	1.9	7
92	Creating biobanks in low and middle-income countries to improve knowledge - The PREPARE initiative. <i>Pregnancy Hypertension</i> , 2018 , 13, 62-64	2.6	7
91	Operative delivery rates following induction of labour for obstetric cholestasis. <i>Obstetric Medicine</i> , 2011 , 4, 66-9	1.5	6

90	T2* relaxometry to characterize normal placental development over gestation in-vivo at 3T. <i>Wellcome Open Research</i> ,4, 166	4.8	6
89	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020 , 24, 1-252	4.4	6
88	Intervention planning and modification of the BUMP intervention: a digital intervention for the early detection of raised blood pressure in pregnancy. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 153	1.9	6
87	A multi-centre, open label, randomised, parallel-group, superiority Trial to compare the efficacy of URsodeoxycholic acid with RIFampicin in the management of women with severe early onset Intrahepatic Cholestasis of pregnancy: the TURRIFIC randomised trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 51	3.2	6
86	The feasibility and acceptability of self-testing for proteinuria during pregnancy: A mixed methods approach. <i>Pregnancy Hypertension</i> , 2018 , 12, 161-168	2.6	6
85	Data-Driven multi-Contrast spectral microstructure imaging with InSpect: INtegrated SPECTral component estimation and mapping. <i>Medical Image Analysis</i> , 2021 , 71, 102045	15.4	6
84	Diagnostic accuracy of repeat placental growth factor measurements in women with suspected preeclampsia: A case series study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 994-1002	3.8	5
83	Vitamin supplementation in pregnancy. <i>The Obstetrician and Gynaecologist</i> , 2012 , 14, 175-178	0.9	5
82	Commentary: Controversies in management of diabetes from preconception to the postnatal period. <i>BMJ, The</i> , 2008 , 336, 717-8	5.9	5
81	Research priorities for pregnancy hypertension: a UK priority setting partnership with the James Lind Alliance. <i>BMJ Open</i> , 2020 , 10, e036347	3	5
80	Aspirin in patients admitted to hospital with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial		5
79	Placental and endothelial biomarkers for the prediction of superimposed pre-eclampsia in chronic kidney disease. <i>Pregnancy Hypertension</i> , 2021 , 24, 58-64	2.6	5
78	Uncertainties in Screening and Prevention of Group B Streptococcus Disease. <i>Clinical Infectious Diseases</i> , 2019 , 69, 720-725	11.6	5
77	InSpect: INtegrated SPECTral Component Estimation and Mapping for Multi-contrast Microstructural MRI. <i>Lecture Notes in Computer Science</i> , 2019 , 755-766	0.9	4
76	Exploring the effect of implementation and context on a stepped-wedge randomised controlled trial of a vital sign triage device in routine maternity care in low-resource settings. <i>Implementation Science</i> , 2019 , 14, 38	8.4	4
75	Placental growth factor for the prognosis of women with preeclampsia (fullPIERS model extension): context matters. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 668	3.2	4
74	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. <i>BMC Medicine</i> , 2020 , 18, 302	11.4	4
73	Predisposition to superimposed preeclampsia in women with chronic hypertension: endothelial, renal, cardiac, and placental factors in a prospective longitudinal cohort. <i>Hypertension in Pregnancy</i> , 2020 , 39, 326-335	2	4

72	Reduced fetal movements. <i>BMJ, The</i> , 2018 , 360, k570	5.9	4
71	Chronic Hypertension and Pregnancy Outcomes. <i>Obstetric Anesthesia Digest</i> , 2015 , 35, 6-7	0.2	4
70	Exploring the potential for introducing home monitoring of blood pressure during pregnancy into maternity care: current views and experiences of staff-a qualitative study. <i>BMJ Open</i> , 2020 , 10, e037874 ³		4
69	Is oxidative stress involved in the aetiology of pre-eclampsia?90, 3		4
68	Azithromycin in Hospitalised Patients with COVID-19 (RECOVERY): a randomised, controlled, open-label, platform trial		4
67	Standardising definitions for the pre-eclampsia core outcome set: A consensus development study. <i>Pregnancy Hypertension</i> , 2020 , 21, 208-217	2.6	4
66	Planned early delivery versus expectant management to reduce adverse pregnancy outcomes in pre-eclampsia in a low- and middle-income setting: study protocol for a randomised controlled trial (CRADLE-4 Trial). <i>Trials</i> , 2020 , 21, 960	2.8	4
65	Anti-Müllerian hormone concentrations in women with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021 , 14, 537-542	4.5	4
64	Markers of maternal cardiac dysfunction in pre-eclampsia and superimposed pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 237, 151-156	2.4	3
63	Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1082-1089	3.7	3
62	Implementation of national antenatal hypertension guidelines: a multicentre multiple methods study. <i>BMJ Open</i> , 2020 , 10, e035762	3	3
61	Setting and techniques for monitoring blood pressure during pregnancy. <i>The Cochrane Library</i> , 2020 , 8, CD012739	5.2	3
60	Prognostic indicators of severe disease in late preterm pre-eclampsia to guide decision making on timing of delivery: The PEACOCK study. <i>Pregnancy Hypertension</i> , 2021 , 24, 90-95	2.6	3
59	The assessment of blood pressure in pregnant women: pitfalls and novel approaches. <i>American Journal of Obstetrics and Gynecology</i> , 2020 ,	6.4	3
58	Multicenter Cohort Study, With a Nested Randomized Comparison, to Examine the Cardiovascular Impact of Preterm Preeclampsia. <i>Hypertension</i> , 2021 , 78, 1382-1394	8.5	3
57	Postpartum-Specific Vital Sign Reference Ranges. <i>Obstetrics and Gynecology</i> , 2021 , 137, 295-304	4.9	3
56	Quantifying adherence to antihypertensive medication for chronic hypertension during pregnancy. <i>Pregnancy Hypertension</i> , 2019 , 17, 12-14	2.6	2
55	Rule-in thresholds for DELFIA Xpress PlGF 1-2-3 test for suspected pre-eclampsia. <i>Pregnancy Hypertension</i> , 2020 , 21, 35-37	2.6	2

54	The ability of late pregnancy maternal tests to predict adverse pregnancy outcomes associated with placental dysfunction (specifically fetal growth restriction and pre-eclampsia): a protocol for a systematic review and meta-analysis of prognostic accuracy studies. <i>Systematic Reviews</i> , 2020 , 9, 78	3	2
53	PREPARE: protocol for a stepped wedge trial to evaluate whether a risk stratification model can reduce preterm deliveries among women with suspected or confirmed preterm pre-eclampsia. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 343	3.2	2
52	A prognostic model to guide decision-making on timing of delivery in late preterm pre-eclampsia: the PEACOCK prospective cohort study. <i>Health Technology Assessment</i> , 2021 , 25, 1-32	4.4	2
51	Longitudinal changes in vascular function parameters in pregnant women with chronic hypertension and association with adverse outcome: a cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019 , 53, 638-648	5.8	2
50	Placental magnetic resonance imaging in chronic hypertension: A case-control study. <i>Placenta</i> , 2021 , 104, 138-145	3.4	2
49	Placental growth factor measurements in the assessment of women with suspected Preeclampsia: A stratified analysis of the PARROT trial. <i>Pregnancy Hypertension</i> , 2021 , 23, 41-47	2.6	2
48	What is the evidence for using labetalol as a first-line treatment option for hypertension in pregnancy?. <i>Drug and Therapeutics Bulletin</i> , 2018 , 56, 107-111	0.9	2
47	Effect of Self-monitoring of Blood Pressure on Blood Pressure Control in Pregnant Individuals With Chronic or Gestational Hypertension: The BUMP 2 Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1666-1678	27.4	2
46	Caring for women with chronic hypertension. <i>British Journal of Midwifery</i> , 2019 , 27, 343-351	0.3	1
45	Intrahepatic cholestasis: suggested future investigations - AuthorsSreply. <i>Lancet, The</i> , 2019 , 394, e18	4.0	1
44	Current Literature: Effect of Antioxidants on the Occurrence of Pre-eclampsia in Women at Increased Risk: A Randomised Trial. <i>Nutrition in Clinical Practice</i> , 2000 , 15, 112-113	3.6	1
43	Visual assessment of the placenta in antenatal magnetic resonance imaging across gestation in normal and compromised pregnancies: Observations from a large cohort study. <i>Placenta</i> , 2021 , 117, 29-38	3.4	1
42	Factors influencing perinatal outcomes in women with preterm preeclampsia: A secondary analysis of the PHOENIX trial. <i>Pregnancy Hypertension</i> , 2021 , 26, 91-93	2.6	1
41	Data-Driven Multi-contrast Spectral Microstructure Imaging with InSpect. <i>Lecture Notes in Computer Science</i> , 2020 , 375-385	0.9	1
40	APPLAUSE: Automatic Prediction of PLAcental health via U-net Segmentation and statistical Evaluation		1
39	Managing late preterm pre-eclampsia - AuthorsSreply. <i>Lancet, The</i> , 2020 , 396, 308-309	4.0	1
38	Effect of the CRADLE vital signs alert device intervention on referrals for obstetric haemorrhage in low-middle income countries: a secondary analysis of a stepped- wedge cluster-randomised control trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 317	3.2	1
37	Improving Knowledge on Safety is Key to Enabling Drug Access for Pregnant and Breastfeeding Women. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 110, 866-868	6.1	1

36	Validation of the BPro radial pulse waveform acquisition device in pregnancy and gestational hypertensive disorders. <i>Blood Pressure Monitoring</i> , 2021 , 26, 380-384	1.3	1
35	Renal biopsy findings during and after pregnancy. <i>Obstetric Medicine</i> , 2020 , 13, 174-178	1.5	1
34	Detection of additional abnormalities or co-morbidities in women with suspected intrahepatic cholestasis of pregnancy. <i>Obstetric Medicine</i> , 2020 , 13, 185-191	1.5	1
33	In-Hospital Complications in Pregnant Women With Current or Historical Cancer Diagnoses. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 2779-2792	6.4	1
32	Protein-creatinine ratio and albumin-creatinine ratio for the diagnosis of significant proteinuria in pregnant women with hypertension: Systematic review and meta-analysis of diagnostic test accuracy. <i>Pregnancy Hypertension</i> , 2021 , 25, 196-203	2.6	1
31	Planned delivery to improve postpartum cardiac function in women with preterm pre-eclampsia: the PHOEBE mechanisms of action study within the PHOENIX RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-28	1.7	1
30	The role of antenatal corticosteroids in improving neonatal outcomes. <i>The Obstetrician and Gynaecologist</i> , 2021 , 23, 246	0.9	1
29	Changes to management of hypertension in pregnancy, and attitudes to self-management: An online survey of obstetricians, before and following the first wave of the COVID-19 pandemic. <i>Pregnancy Hypertension</i> , 2021 , 26, 54-61	2.6	1
28	In-Hospital Complications in Pregnancies Conceived by Assisted Reproductive Technology.. <i>Journal of the American Heart Association</i> , 2022 , e022658	6	1
27	Effect of Self-monitoring of Blood Pressure on Diagnosis of Hypertension During Higher-Risk Pregnancy: The BUMP 1 Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1656-1665	27.4	1
26	CKD and Pregnancy Outcomes in Africa: A Narrative Review. <i>Kidney International Reports</i> , 2020 , 5, 1342-1349	1.4	0
25	Which antihypertensive treatment is better for mild to moderate hypertension in pregnancy?. <i>BMJ, The</i> , 2022 , 376, e066333	5.9	0
24	Monitoring the safety of COVID-19 vaccination in pregnancy in the UK: A national study using the UK Obstetric Surveillance System (UKOSS), UK Teratology Information Service (UKTIS) and Vaccination in Pregnancy (VIP) safety monitoring systems. <i>Obstetric Medicine</i> , 1753495X2210767	1.5	0
23	Rule-in and rule-out of pre-eclampsia using DELFIA Xpress PlGF 1-2-3 and sFlt-1: PlGF ratio.. <i>Pregnancy Hypertension</i> , 2021 , 27, 96-102	2.6	0
22	Ursodeoxycholic acid to reduce adverse perinatal outcomes for intrahepatic cholestasis of pregnancy: the PITCHES RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020 , 7, 1-42	1.7	0
21	Adherence with blood pressure self-monitoring in women with pregnancy hypertension, and comparisons to clinic readings: A secondary analysis of OPTIMUM-BP. <i>Pregnancy Hypertension</i> , 2021 , 25, 68-74	2.6	0
20	Women's attitudes, beliefs and values about tests, and management for hypertensive disorders of pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 665	3.2	0
19	Anisotropy in the Human Placenta in Pregnancies Complicated by Fetal Growth Restriction. <i>Mathematics and Visualization</i> , 2021 , 263-276	0.6	0

18	Postpartum blood pressure self-management following hypertensive pregnancy: protocol of the Physician Optimised Post-partum Hypertension Treatment (POP-HT) trial.. <i>BMJ Open</i> , 2022 , 12, e051180 ³		o
17	Role of Antihypertensive Treatment and Blood Pressure Control in the Occurrence of Adverse Pregnancy Outcomes: a Population-Based Study of Linked Electronic Health Records.. <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12218920	8.5	o
16	Ursodeoxycholic acid for adverse perinatal outcomes - AuthorsSreply. <i>Lancet, The</i> , 2020 , 395, 780-781	4.0	
15	Placental growth factor testing in suspected pre-eclampsia - AuthorsSreply. <i>Lancet, The</i> , 2020 , 395, 336-337	4.0	
14	Exploration and Confirmation of Factors Associated With Uncomplicated Pregnancy in Nulliparous Women. <i>Obstetric Anesthesia Digest</i> , 2014 , 34, 205-206	0.2	
13	PP.53 Domestic Violence and Termination of Pregnancy: A Systematic Review of the Literature. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013 , 98, A96.2-A96	4.7	
12	Commentary: Complex medical conditions in pregnancy need appropriate multidisciplinary input. <i>BMJ, The</i> , 2009 , 339, b5179	5.9	
11	OP05.14: Interstitial intrafetal laser for selective and non-selective reduction in complicated monochorionic multiple pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 452-453	5.8	
10	Pregnancy Outcomes in Patients with Myeloproliferative Neoplasms in the United Kingdom. <i>Blood</i> , 2015 , 126, 1601-1601	2.2	
9	AuthorsSreply re: Incidence and characteristics of pregnancy-related death across ten low- and middle-income geographical regions: secondary analysis of a cluster randomised controlled trial: The underestimated incidence of eclampsia in low-income countries: variation between regions. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1302-1303	3.7	
8	Planned early delivery for late preterm pre-eclampsia in a low- and middle-income setting: a feasibility study. <i>Reproductive Health</i> , 2021 , 18, 110	3.5	
7	Ursodeoxycholic acid in intrahepatic cholestasis of pregnancy: a summary of the PITCHES study and its clinical implications. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2021 , 31, 30-31	0.5	
6	In Reply. <i>Obstetrics and Gynecology</i> , 2021 , 137, 380-381	4.9	
5	An efficient and combined placental -ADC acquisition in pregnancies with and without pre-eclampsia. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2684-2691	4.4	
4	Intrahepatic Cholestasis of Pregnancy: Toward Improving Perinatal Outcome. <i>Reproductive Sciences</i> , 2021 , 1	3	
3	Commentary on Preconception health care and congenital disorders: mathematical modelling of the impact of a preconception care programme on congenital disordersS <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 566-7	3.7	
2	Cardiac and placental imaging (CARP) in pregnancy to assess aetiology of preeclampsia.. <i>Placenta</i> , 2022 , 122, 46-55	3.4	
1	Postnatal health and care following hypertensive disorders in pregnancy: a prospective cohort study (BPIPP study).. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 286	3.2	

