

Vladimir A Kashkin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5842300/vladimir-a-kashkin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26

papers

489

citations

10

h-index

22

g-index

29

ext. papers

533

ext. citations

2.1

avg, IF

2.62

L-index

#	Paper	IF	Citations
26	Endogenous Bufadienolide, Blood Pressure and Alcohol Withdrawal. <i>Current Hypertension Reviews</i> , 2021 , 17, 170-173	2.3	
25	Approbation of the model of intervertebral disk degeneration in rabbits. <i>Laboratornye Zhivotnye Dlya Nauchnykh Issledovaniy (Laboratory Animals for Science)</i> , 2021 , 18-29	0.3	
24	Analgesic effect of cardiotoxic steroids in rats with alcoholic neuropathy. <i>Integrativna Fiziologija</i> 2020 , 1, 133-139	0.2	
23	Differences in the behavior of two line C57BL /6 and BALB/C mice in the "open field" test in the background of pregabalin. <i>Laboratornye Zhivotnye Dlya Nauchnykh Issledovaniy (Laboratory Animals for Science)</i> , 2020 , 86-91	0.3	
22	Therapeutic efficacy of arginine-rich exenatide on diabetic neuropathy in rats. <i>European Journal of Pharmacology</i> , 2020 , 866, 172835	5.3	4
21	Endogenous Bufadienolides, Fibrosis and Preeclampsia. <i>Cardiology Research and Practice</i> , 2019 , 2019, 5019287	1.9	2
20	A new tridecapeptide with an octaarginine vector has analgesic therapeutic potential and prevents morphine-induced tolerance. <i>Peptides</i> , 2018 , 99, 61-69	3.8	4
19	Marinobufagenin in Urine: A Potential Marker of Predisposition to Ethanol and a Target for Spironolactone. <i>Current Hypertension Reviews</i> , 2018 , 14, 35-38	2.3	1
18	Age-associated increase in salt sensitivity is accompanied by a shift in the atrial natriuretic peptide modulation of the effect of marinobufagenin on renal and vascular sodium pump. <i>Journal of Hypertension</i> , 2012 , 30, 1817-26	1.9	11
17	P.1.005 Effect of estradiol on pain behaviour in two models of chronic pain in rats. <i>European Neuropsychopharmacology</i> , 2011 , 21, S119	1.2	
16	Interaction of Digibind with endogenous cardiotoxic steroids from preeclamptic placentae. <i>Journal of Hypertension</i> , 2010 , 28, 361-6	1.9	23
15	Endogenous cardiotoxic steroids and differential patterns of sodium pump inhibition in NaCl-loaded salt-sensitive and normotensive rats. <i>American Journal of Hypertension</i> , 2009 , 22, 559-63	2.3	24
14	221 EFFECT OF SEX HORMONES ON MECHANICAL AND COLD ALLODYNIA FOLLOWING SCIATIC NERVE LIGATION IN RATS. <i>European Journal of Pain</i> , 2009 , 13, S71c	3.7	
13	Endogenous bufadienolide mediates pressor response to ethanol withdrawal in rats. <i>European Neuropsychopharmacology</i> , 2008 , 18, 74-7	1.2	6
12	Monoclonal antibody to an endogenous bufadienolide, marinobufagenin, reverses preeclampsia-induced Na/K-ATPase inhibition and lowers blood pressure in NaCl-sensitive hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 2414-25	1.9	61
11	Endogenous sodium pump inhibitors and age-associated increases in salt sensitivity of blood pressure in normotensives. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R1248-54	3.2	47
10	Endogenous sodium pump inhibitors, diabetes mellitus and preeclampsia Preliminary observations and a hypothesis. <i>Pathophysiology</i> , 2007 , 14, 147-51	1.8	8

9	Marinobufagenin stimulates fibroblast collagen production and causes fibrosis in experimental uremic cardiomyopathy. <i>Hypertension</i> , 2007 , 49, 215-24	8.5	122
8	Effects of NAAG peptidase inhibitor 2-PMPA in model chronic pain - relation to brain concentration. <i>Neuropharmacology</i> , 2006 , 51, 1163-71	5.5	43
7	Effects of nicotinic and NMDA receptor channel blockers on intravenous cocaine and nicotine self-administration in mice. <i>European Neuropsychopharmacology</i> , 2005 , 15, 219-25	1.2	65
6	Nicotine increases microdialysate brain amino acid concentrations and induces conditioned place preference. <i>European Neuropsychopharmacology</i> , 2005 , 15, 625-32	1.2	19
5	Ethanol but not acetaldehyde induced changes in brain taurine: a microdialysis study. <i>Amino Acids</i> , 2004 , 26, 117-24	3.5	7
4	The NMDA receptor channel blocker memantine and opioid receptor antagonist naltrexone inhibit the saccharin deprivation effect in rats. <i>Behavioural Pharmacology</i> , 2004 , 15, 273-8	2.4	9
3	Endogenous digitalis-like ligands of the sodium pump: possible involvement in mood control and ethanol addiction. <i>European Neuropsychopharmacology</i> , 2002 , 12, 1-12	1.2	20
2	Marinobufagenin (MBG) suppression of ethanol-seeking behavior is associated with inhibition of brain cortex Na/K-ATPase in mice. <i>European Neuropsychopharmacology</i> , 2002 , 12, 217-23	1.2	10
1	Analgesic effect of olipiphate on mouse model of chemical stimulation of peritoneum. <i>Bulletin of Experimental Biology and Medicine</i> , 2001 , 131, 254-6	0.8	1