

Ossi Rahkonen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5842459/ossi-rahkonen-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

258
papers

6,789
citations

47
h-index

68
g-index

322
ext. papers

7,701
ext. citations

3.6
avg, IF

5.81
L-index

#	Paper	IF	Citations
258	Food insecurity among Finnish private service sector workers: validity, prevalence, and determinants.. <i>Public Health Nutrition</i> , 2022 , 1-29	3.3	1
257	Development of office-hours use of primary health centers in the early years of the 21 century: a 13-year longitudinal follow-up study.. <i>International Journal of Circumpolar Health</i> , 2022 , 81, 2033405	1.7	0
256	Pairwise association of key lifestyle factors and risk of colorectal cancer: a prospective pooled multicohort study.. <i>Cancer Reports</i> , 2022 , e1612	1.5	0
255	The emergence of international comparisons of health inequalities as reflected in the during its five decades.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221079061	3	
254	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000-2017).. <i>Journal of Aging and Health</i> , 2022 , 8982643221078740	2.6	0
253	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees.. <i>Scandinavian Journal of Public Health</i> , 2022 , 14034948221087996	3	
252	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022 , 19, 100417		0
251	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 136-144	4.3	
250	Intervention targeted at physicians treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , 2021 , 11, e047018	3	1
249	A longitudinal study of changes in interactional justice and subsequent short-term sickness absence among municipal employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 136-144	4.3	0
248	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 1	3.2	
247	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 141-148	3	2
246	Ageing shift workers sleep and working-hour characteristics after implementing ergonomic shift-scheduling rules. <i>Journal of Sleep Research</i> , 2021 , 30, e13227	5.8	2
245	Association between educational level and smoking cessation in an 11-year follow-up study of a national health survey. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 951-960	3	0
244	Intergenerational social mobility and body mass index trajectories - A follow-up study from Finland. <i>SSM - Population Health</i> , 2021 , 13, 100723	3.8	1
243	The influence of electronic reminders on recording diagnoses in a primary health care emergency department: a register-based study in a Finnish town. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 39, 113-122	2.7	0
242	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 1549-1558	3.2	0

241	Predictors of working days lost due to sickness absence and disability pension. <i>International Archives of Occupational and Environmental Health</i> , 2021 , 94, 843-854	3.2	4
240	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2021 , 1403494820981509	3	1
239	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ, The</i> , 2021 , 374, n1804	5.9	5
238	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. <i>Preventive Medicine</i> , 2021 , 149, 106611	4.3	
237	Incidence trends and risk factors of lung cancer in never smokers: Pooled analyses of seven cohorts. <i>International Journal of Cancer</i> , 2021 , 149, 2010-2019	7.5	1
236	Multiple Socioeconomic Circumstances and Initiation of Cardiovascular Medication among Ageing Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
235	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021 , 305, 114213	9.9	0
234	Do electronic reminders alter recorded diagnoses in primary care office-hours practices of health centers: A register-based study in a Finnish city. <i>SAGE Open Medicine</i> , 2021 , 9, 20503121211036117	2.4	1
233	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering.. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211062314	3	
232	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
231	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e013538	6	5
230	Excess Body Mass and Leisure Time Physical Activity in the Incidence and Persistence of Chronic Pain. <i>Pain Medicine</i> , 2020 , 21, 3094-3101	2.8	0
229	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 478-487	2.1	3
228	Body Mass Index Trajectory-Specific Changes in Economic Circumstances: A Person-Oriented Approach Among Midlife and Ageing Finns. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
227	Grocery purchase data in the study of alcohol use - A validity study. <i>Drug and Alcohol Dependence</i> , 2020 , 214, 108145	4.9	2
226	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020 , 123, 1390-1395	3.6	8
225	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020 , 20, 184	4.1	18
224	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020 , 180, 760-768	11.5	59

223	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
222	Food insecurity among Finnish private sector service workers and food pantry clients. <i>European Journal of Public Health</i> , 2020 , 30,	2.1	1
221	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020 , 30, 253-259	2.1	2
220	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020 , 24, 364-373	3.7	4
219	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1021-1029	4.5	7
218	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 421-432	3.2	6
217	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
216	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 155-163	3	4
215	Associations of changes in diet and leisure-time physical activity with employer's direct cost of short-term sickness absence. <i>European Journal of Sport Science</i> , 2020 , 20, 240-248	3.9	2
214	Associations between Childhood Disadvantage and Adult Body Mass Index Trajectories: A Follow-Up Study among Midlife Finnish Municipal Employees. <i>Obesity Facts</i> , 2019 , 12, 564-574	5.1	6
213	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019 , 29, 1079-1084	2.1	1
212	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up-introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019 , 92, 337-345	3.2	24
211	Alcohol expenditure in grocery stores and their associations with tobacco and food expenditures. <i>BMC Public Health</i> , 2019 , 19, 787	4.1	2
210	Intergenerational social mobility, smoking and smokeless tobacco (snus) use among adolescents during 2008-2017. <i>Addictive Behaviors</i> , 2019 , 98, 106022	4.2	5
209	Thirty-eight-year trends of educational differences in smoking in Finland. <i>International Journal of Public Health</i> , 2019 , 64, 853-860	4	9
208	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019 , 9, e026994	3	4
207	Childhood adversities, parental education and disability retirement among Finnish municipal employees. <i>PLoS ONE</i> , 2019 , 14, e0219421	3.7	2
206	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019 , 19, 1418	4.1	4

205	Variations in older people's use of general practitioner consultations and the relationship with mortality rate in Vantaa, Finland in 2003-2014. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 452-458	2.7	0
204	36-year trends in educational inequalities in self-rated health among Finnish adults. <i>SSM - Population Health</i> , 2019 , 9, 100504	3.8	7
203	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 230-235	2.1	5
202	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e032119	3	1
201	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019 , 9, e028742	3	2
200	Monitoring inequalities in self-rated health over 36 years among Finnish women and men. <i>European Journal of Public Health</i> , 2019 , 29,	2.1	1
199	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019 , 19, 1525	4.1	6
198	Common mental disorders and trajectories of work disability among midlife public sector employees - A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019 , 247, 66-72	6.6	8
197	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 440-449	4.6	0
196	Lifestyle and cancer-a joint pairwise association of lifestyle habits with subsequent cancer diagnosis. <i>European Journal of Public Health</i> , 2019 , 29, 340-345	2.1	2
195	Common Mental Disorders and Sickness Absence: A Register-Linkage Follow-Up Study Among Finnish Municipal Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 569-575	2	11
194	Sickness absence due to different musculoskeletal diagnoses by occupational class: a register-based study among 1.2 million Finnish employees. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 296-302	2.1	17
193	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018 , 28, 805-809	2.1	11
192	Occupational class inequalities in disability retirement after hospitalisation. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 331-339	3	4
191	Unhealthy lifestyle and sleep problems as risk factors for increased direct employers' cost of short-term sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 192-201	4.3	10
190	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 239-250	4.3	67
189	Joint Association of Overweight and Common Mental Disorders With Diagnosis-Specific Disability Retirement: A Follow-Up Study Among Female and Male Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2018 , 60, 979-984	2	2
188	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , 2018 , 3, e490-e497	22.4	138

187	Leisure-time physical activity and direct cost of short-term sickness absence among Finnish municipal employees. <i>Archives of Environmental and Occupational Health</i> , 2017 , 72, 93-98	2	9
186	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017 , 230, 222-227	3.2	18
185	Socioeconomic differences in health check-ups and medically certified sickness absence: a 10-year follow-up among middle-aged municipal employees in Finland. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 390-395	5.1	4
184	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. <i>Psychiatry Research</i> , 2017 , 247, 208-213	9.9	8
183	Short sickness absence and subsequent sickness absence due to mental disorders - a follow-up study among municipal employees. <i>BMC Public Health</i> , 2017 , 17, 15	4.1	12
182	Occupational class differences in diagnostic-specific sickness absence: a register-based study in the Finnish population, 2005-2014. <i>BMC Public Health</i> , 2017 , 17, 670	4.1	24
181	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017 , 17, 744	4.1	4
180	The joint associations of smoking and obesity with subsequent short and long sickness absence: a five year follow-up study with register-linkage. <i>BMC Public Health</i> , 2017 , 17, 978	4.1	5
179	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017 , 7, e015573	3	10
178	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017 , 17, 114	4.1	8
177	Statutory retirement and changes in self-reported leisure-time physical activity: a follow-up study with three time-points. <i>BMC Public Health</i> , 2017 , 17, 528	4.1	10
176	Changes in leisure-time physical activity and subsequent common mental disorders among ageing employees. <i>European Journal of Public Health</i> , 2017 , 27, 765-767	2.1	1
175	Changes in leisure-time physical activity and physical and mental health functioning: a follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 1785-1792	4.6	13
174	Pathways from poor family relationships in adolescence to economic adversity in mid-adulthood. <i>Advances in Life Course Research</i> , 2017 , 32, 65-78	3.1	12
173	10-year trends of educational differences in long sickness absence due to mental disorders. <i>Journal of Occupational Health</i> , 2017 , 59, 352-355	2.3	5
172	Occupational class differences in long sickness absence: a register-based study of 2.1 million Finnish women and men in 1996-2013. <i>BMJ Open</i> , 2017 , 7, e014325	3	17
171	The association between alcohol drinking and self-reported mental and physical functioning: a prospective cohort study among City of Helsinki employees. <i>BMJ Open</i> , 2017 , 7, e014368	3	10
170	The Magnitude of Occupational Class Differences in Sickness Absence: 15-Year Trends among Young and Middle-Aged Municipal Employees. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	7

169	Occupational Class Differences in Trajectories of Working Conditions in Women. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14, 790	4.6	4
168	Pathways from problems in adolescent family relationships to midlife mental health via early adulthood disadvantages - a 26-year longitudinal study. <i>PLoS ONE</i> , 2017 , 12, e0178136	3.7	15
167	Changes in working conditions and major weight gain among normal- and overweight midlife employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017 , 43, 587-594	4.3	3
166	Lifestyle Risk Factors Increase the Risk of Hospitalization for Sciatica: Findings of Four Prospective Cohort Studies. <i>American Journal of Medicine</i> , 2017 , 130, 1408-1414.e6	2.4	9
165	Joint associations between smoking and obesity as determinants of premature mortality among midlife employees. <i>European Journal of Public Health</i> , 2017 , 27, 135-139	2.1	5
164	Socio-demographic and behavioral variation in barriers to leisure-time physical activity. <i>Scandinavian Journal of Public Health</i> , 2016 , 44, 62-9	3	42
163	Changes in Leisure-Time Physical Activity and Subsequent Sickness Absence Due to Any Cause, Musculoskeletal, and Mental Causes. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 867-73	2.5	7
162	Educational differences in sickness absence trends among young employees from 2002 to 2013 in Helsinki, Finland. <i>BMJ Open</i> , 2016 , 6, e008550	3	13
161	Changes in leisure time physical activity and subsequent disability retirement: A register-linked cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 99	8.4	9
160	Mental symptoms and cause-specific mortality among midlife employees. <i>BMC Public Health</i> , 2016 , 16, 1142	4.1	3
159	Educational differences in disability retirement among young employees in Helsinki, Finland. <i>European Journal of Public Health</i> , 2016 , 26, 318-22	2.1	8
158	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1697-704	4.9	19
157	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016 , 26, 458-463	2.1	12
156	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016 , 42, 405-12	4.3	7
155	Obesity and psychotropic medication: a prospective register linkage study among midlife women and men. <i>BMC Psychiatry</i> , 2016 , 16, 185	4.2	2
154	Separate and combined associations of pain and emotional exhaustion with sickness absence. <i>Pain</i> , 2016 , 157, 186-193	8	6
153	The contribution of smoking to mortality during working age at different levels of leisure-time physical activity. <i>European Journal of Public Health</i> , 2016 , 26, 826-830	2.1	5
152	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016 , 25, 96-103	5.8	29

151	Changes in alcohol drinking and subsequent sickness absence. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 364-72	3	11
150	Economic difficulties and subsequent disability retirement. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 169-75	3	5
149	Secular trends and educational differences in the incidence of type 2 diabetes in Finland, 1972-2007. <i>European Journal of Epidemiology</i> , 2015 , 30, 649-59	12.1	13
148	Sickness absence among young employees: trends from 2002 to 2013. <i>Journal of Occupational Health</i> , 2015 , 57, 474-81	2.3	15
147	Interrelationships between education, occupational class and income as determinants of sickness absence among young employees in 2002-2007 and 2008-2013. <i>BMC Public Health</i> , 2015 , 15, 332	4.1	19
146	Weight change and sickness absence--a prospective study among middle-aged employees. <i>European Journal of Public Health</i> , 2015 , 25, 263-7	2.1	18
145	Joint associations of smoking and physical activity with disability retirement: a register-linked cohort study. <i>BMJ Open</i> , 2015 , 5, e006988	3	22
144	School performance, school segregation, and stress-related symptoms: comparing Helsinki and Stockholm. <i>School Effectiveness and School Improvement</i> , 2015 , 26, 467-486	2	12
143	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: a follow up study. <i>Health and Place</i> , 2015 , 31, 173-9	4.6	10
142	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015 , 72, 181-7	2.1	28
141	Explaining educational differences in sickness absence: a population-based follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 338-46	4.3	17
140	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 511-8	4.3	17
139	Sleep and sickness absence: a nationally representative register-based follow-up study. <i>Sleep</i> , 2014 , 37, 1413-25	1.1	49
138	Insomnia symptoms and subsequent psychotropic medication: a register-linked study with 5-year follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1993-2002	4.5	7
137	Household income and health problems during a period of labour-market change and widening income inequalities - a study among the Finnish population between 1987 and 2007. <i>Social Science and Medicine</i> , 2014 , 100, 84-92	5.1	6
136	Leisure-time physical activity and all-cause mortality. <i>PLoS ONE</i> , 2014 , 9, e101548	3.7	36
135	Conflicts between work and family life and subsequent sleep problems among employees from Finland, Britain, and Japan. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 310-8	2.6	17
134	Changes in working conditions and subsequent sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 82-8	4.3	23

133	Multiple socioeconomic determinants of weight gain: the Helsinki Health Study. <i>BMC Public Health</i> , 2013 , 13, 259	4.1	17
132	Working conditions and major weight gain-a prospective cohort study. <i>Archives of Environmental and Occupational Health</i> , 2013 , 68, 166-72	2	25
131	Bidirectional associations between insomnia symptoms and unhealthy behaviours. <i>Journal of Sleep Research</i> , 2013 , 22, 89-95	5.8	81
130	Leisure-time physical activity and psychotropic medication: a prospective cohort study. <i>Preventive Medicine</i> , 2013 , 57, 173-7	4.3	21
129	Changes in economic difficulties and subsequent sickness absence: a prospective register-linkage study. <i>BMJ Open</i> , 2013 , 3,	3	8
128	A 26-year follow-up study of heavy drinking trajectories from adolescence to mid-adulthood and adult disadvantage. <i>Alcohol and Alcoholism</i> , 2013 , 48, 452-7	3.5	34
127	Joint associations of sleep duration and insomnia symptoms with subsequent sickness absence: the Helsinki Health Study. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 516-23	3	25
126	Cohort profile: the Helsinki Health Study. <i>International Journal of Epidemiology</i> , 2013 , 42, 722-30	7.8	110
125	Different measures of body weight as predictors of sickness absence. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 25-31	3	25
124	Occupational class differences in body mass index and weight gain in Japan and Finland. <i>Journal of Epidemiology</i> , 2013 , 23, 443-50	3.4	13
123	Leisure-time physical activity and disability retirement: a prospective cohort study. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 669-75	2.5	18
122	Relative weight and disability retirement: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2013 , 39, 259-67	4.3	31
121	Pain and disability retirement: a prospective cohort study. <i>Pain</i> , 2012 , 153, 526-531	8	44
120	Drinking habits and disability retirement. <i>Addiction</i> , 2012 , 107, 2128-36	4.6	31
119	Changes in leisure-time physical activity and subsequent sickness absence: a prospective cohort study among middle-aged employees. <i>Preventive Medicine</i> , 2012 , 55, 618-22	4.3	23
118	Associations of relative weight with subsequent changes over time in insomnia symptoms: a follow-up study among middle-aged women and men. <i>Sleep Medicine</i> , 2012 , 13, 1271-9	4.6	21
117	Value orientations among late modern youth in a cross-cultural study. <i>Journal of Youth Studies</i> , 2012 , 15, 33-52	1.5	4
116	Economic difficulties and subsequent sleep problems: evidence from British and Finnish occupational cohorts. <i>Sleep Medicine</i> , 2012 , 13, 680-5	4.6	24

115	Household economic resources, labour-market advantage and health problems - a study on causal relationships using prospective register data. <i>Social Science and Medicine</i> , 2012 , 75, 1303-10	5.1	35
114	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012 , 12, 309	4.1	88
113	Sociodemographic and socioeconomic differences in sleep duration and insomnia-related symptoms in Finnish adults. <i>BMC Public Health</i> , 2012 , 12, 565	4.1	76
112	Risk factors of chronic neck pain: a prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2012 , 16, 911-20	3.7	53
111	Explaining educational differences in leisure-time physical activity in Europe: the contribution of work-related factors. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012 , 22, 439-47	4.6	30
110	Workplace bullying and common mental disorders: a follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, e3	5.1	47
109	Sex differences in child and adolescent mortality by parental education in the Nordic countries. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 57-63	5.1	6
108	Changes of occupational class differences in physical functioning: a panel study among employees (2000-2007). <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 265-70	5.1	10
107	Past and present socioeconomic circumstances and psychotropic medication: a register-linkage study. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 1143-51	5.1	15
106	Changes in healthy food habits after transition to old age retirement. <i>European Journal of Public Health</i> , 2012 , 22, 582-6	2.1	27
105	Sleep problems and sickness absence among middle-aged employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 47-55	4.3	30
104	The joint association of sleep duration and insomnia symptoms with disability retirement--a longitudinal, register-linked study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012 , 38, 427-33	4.3	25
103	Changes in occupational class differences in leisure-time physical activity: a follow-up study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 14	8.4	32
102	Self-rated health as a predictor of disability retirement--the contribution of ill-health and working conditions. <i>PLoS ONE</i> , 2011 , 6, e25004	3.7	54
101	The association between social determinants and drunken driving: a 15-year register-based study of 81,125 suspects. <i>Alcohol and Alcoholism</i> , 2011 , 46, 721-8	3.5	15
100	Subjective social status and health in young people. <i>Sociology of Health and Illness</i> , 2011 , 33, 372-83	3	52
99	Socio-economic determinants of drugged driving--a register-based study. <i>Addiction</i> , 2011 , 106, 1448-59	4.6	14
98	Association of sleep duration with weight and weight gain: a prospective follow-up study. <i>Journal of Sleep Research</i> , 2011 , 20, 298-302	5.8	51

97	Sleep problems and major weight gain: a follow-up study. <i>International Journal of Obesity</i> , 2011 , 35, 109-14	3.4	43
96	Sex inequalities in physical and mental functioning of British, Finnish, and Japanese civil servants: role of job demand, control and work hours. <i>Social Science and Medicine</i> , 2011 , 73, 595-603	5.1	19
95	Risk factors of sciatic pain: a prospective study among middle-aged employees. <i>European Journal of Pain</i> , 2011 , 15, 584-90	3.7	19
94	Sleep problems and disability retirement: a register-based follow-up study. <i>American Journal of Epidemiology</i> , 2011 , 173, 871-81	3.8	40
93	Changes in socio-economic differences in food habits over time. <i>Public Health Nutrition</i> , 2011 , 14, 1919-26	3.3	15
92	Workplace bullying and subsequent sleep problems--the Helsinki Health Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 204-12	4.3	63
91	Occupational social class and disability retirement among municipal employees--the contribution of health behaviors and working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 464-72	4.3	69
90	Sleep complaints in middle-aged women and men: the contribution of working conditions and work-family conflicts. <i>Journal of Sleep Research</i> , 2010 , 19, 466-77	5.8	81
89	The association of income with fresh fruit and vegetable consumption at different levels of education. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 324-7	5.2	41
88	Explaining occupational class differences in sickness absence: results from middle-aged municipal employees. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 802-7	5.1	37
87	Interrelationships between education, occupational class, income and sickness absence. <i>European Journal of Public Health</i> , 2010 , 20, 276-80	2.1	61
86	High mortality among people suspected of drunk-driving. An 18-year register-based follow-up. <i>Drug and Alcohol Dependence</i> , 2010 , 110, 80-4	4.9	19
85	Complaints of insomnia among midlife employed people: the contribution of childhood and present socioeconomic circumstances. <i>Sleep Medicine</i> , 2010 , 11, 828-36	4.6	22
84	The impact of physical activity on physical health functioning--a prospective study among middle-aged employees. <i>Preventive Medicine</i> , 2010 , 50, 246-50	4.3	35
83	Work arrangements, physical working conditions, and psychosocial working conditions as risk factors for sickness absence: Bayesian analysis of prospective data. <i>Annals of Epidemiology</i> , 2010 , 20, 332-8	6.4	76
82	Mortality and causes of death among drugged drivers. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 506-12	5.1	17
81	The impact of physical activity on sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 191-9	4.6	50
80	The associations of household wealth and income with self-rated health--a study on economic advantage in middle-aged Finnish men and women. <i>Social Science and Medicine</i> , 2010 , 71, 1018-26	5.1	36

79	Social class differences in health behaviours among employees from Britain, Finland and Japan: the influence of psychosocial factors. <i>Health and Place</i> , 2010 , 16, 61-70	4.6	30
78	Gender differences in sickness absence--the contribution of occupation and workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010 , 36, 394-403	4.3	77
77	Drinking habits and sickness absence: the contribution of working conditions. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 846-54	3	40
76	Physical and psychosocial working conditions as explanations for occupational class inequalities in self-rated health. <i>European Journal of Public Health</i> , 2009 , 19, 458-63	2.1	55
75	Health-related behaviours and sickness absence from work. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 840-7	2.1	57
74	Ten year trends in health inequalities among older people, 1993-2003. <i>Age and Ageing</i> , 2009 , 38, 613-7	3	8
73	Intentions to retire, life dissatisfaction and the subsequent risk of disability retirement. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 252-9	3	22
72	Trends in socioeconomic differences in Finnish perinatal health 1991-2006. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 420-5	5.1	52
71	Job strain and symptoms of angina pectoris among British and Finnish middle-aged employees. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 980-5	5.1	4
70	The effect of trust and change in trust on self-rated health: a longitudinal study among aging people. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, 339-42	4	18
69	Economic difficulties and common mental disorders among Finnish and British white-collar employees: the contribution of social and behavioural factors. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 439-46	5.1	32
68	Associations of multiple socio-economic circumstances with physical functioning among Finnish and British employees. <i>European Journal of Public Health</i> , 2009 , 19, 38-45	2.1	17
67	Trends of socioeconomic differences in daily vegetable consumption, 1979-2002. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 823-33	5.2	46
66	Smoking in context - a multilevel approach to smoking among females in Helsinki. <i>BMC Public Health</i> , 2008 , 8, 134	4.1	15
65	Social participation, trust and self-rated health: a study among ageing people in urban, semi-urban and rural settings. <i>Health and Place</i> , 2008 , 14, 243-53	4.6	69
64	Associations of job strain and working overtime with adverse health behaviors and obesity: evidence from the Whitehall II Study, Helsinki Health Study, and the Japanese Civil Servants Study. <i>Social Science and Medicine</i> , 2008 , 66, 1681-98	5.1	125
63	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 900-6	5.7	121
62	Home ownership and mortality: a register-based follow-up study of 300,000 Finns. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 293-7	5.1	33

61	Explanations for gender differences in sickness absence: evidence from middle-aged municipal employees from Finland. <i>Occupational and Environmental Medicine</i> , 2008 , 65, 325-30	2.1	61
60	Health behaviours as explanations for educational level differences in cardiovascular and all-cause mortality: a follow-up of 60 000 men and women over 23 years. <i>European Journal of Public Health</i> , 2008 , 18, 38-43	2.1	206
59	Job decision latitude as a potential modifier of the contribution of physical workload to poor functioning in middle-aged employees. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 81, 975-82	3.2	2
58	Socioeconomic circumstances and common mental disorders among Finnish and British public sector employees: evidence from the Helsinki Health Study and the Whitehall II Study. <i>International Journal of Epidemiology</i> , 2007 , 36, 776-86	7.8	86
57	Association of smoking status with obesity and diabetes among elderly people. <i>Archives of Gerontology and Geriatrics</i> , 2007 , 45, 159-67	4	7
56	Multiple socio-economic circumstances and healthy food habits. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 701-10	5.2	137
55	Does social support affect the relationship between socioeconomic status and depression? A longitudinal study from adolescence to adulthood. <i>Journal of Affective Disorders</i> , 2007 , 100, 55-64	6.6	71
54	The contribution of musculoskeletal disorders and physical workload to socioeconomic inequalities in health. <i>European Journal of Public Health</i> , 2007 , 17, 145-50	2.1	32
53	Trends in socioeconomic differences in sickness absence among Finnish municipal employees 1990-99. <i>Scandinavian Journal of Public Health</i> , 2007 , 35, 348-55	3	22
52	All in the Family? The Structure and Meaning of Family Life among Young People. <i>Journal of Youth Studies</i> , 2007 , 10, 477-493	1.5	29
51	The effects of childhood circumstances, adult socioeconomic status, and material circumstances on physical and mental functioning: a structural equation modelling approach. <i>Annals of Epidemiology</i> , 2007 , 17, 431-9	6.4	25
50	Associations of childhood circumstances with physical and mental functioning in adulthood. <i>Social Science and Medicine</i> , 2006 , 62, 1831-9	5.1	40
49	Multiple measures of socioeconomic circumstances and common mental disorders. <i>Social Science and Medicine</i> , 2006 , 63, 1383-99	5.1	88
48	Influence of parental education, childhood adversities, and current living conditions on daily smoking in early adulthood. <i>European Journal of Public Health</i> , 2006 , 16, 617-26	2.1	66
47	Trends and educational disparities in functional capacity among people aged 65-84 years. <i>International Journal of Epidemiology</i> , 2006 , 35, 1255-61	7.8	50
46	Associations of SF-36 mental health functioning and work and family related factors with intentions to retire early among employees. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 558-63	2.1	34
45	Health, lifestyle, family and school factors in adolescence: predicting adult educational level. <i>Educational Research</i> , 2006 , 48, 41-53	1.9	45
44	Job control, job demands, or social class? The impact of working conditions on the relation between social class and health. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 50-4	5.1	60

43	Determinants of health in early adulthood: what is the role of parental education, childhood adversities and own education?. <i>European Journal of Public Health</i> , 2006 , 16, 306-15	2.1	52
42	Work-family conflicts and drinking behaviours among employed women and men. <i>Drug and Alcohol Dependence</i> , 2006 , 83, 49-56	4.9	46
41	Smoking and SF-36 health functioning. <i>Preventive Medicine</i> , 2006 , 42, 206-9	4.3	53
40	Work-family conflicts and self-rated health among middle-aged municipal employees in Finland. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 276-85	2.6	41
39	Associations of psychosocial working conditions with self-rated general health and mental health among municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2006 , 79, 205-12	3.2	55
38	Occupational class inequalities across key domains of health: results from the Helsinki Health Study. <i>European Journal of Public Health</i> , 2005 , 15, 504-10	2.1	114
37	Socioeconomic position and self-rated health: the contribution of childhood socioeconomic circumstances, adult socioeconomic status, and material resources. <i>American Journal of Public Health</i> , 2005 , 95, 1403-9	5.1	126
36	Associations of functional ability with health-related behavior and body mass index among the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2005 , 40, 185-99	4	37
35	The contribution of lone parenthood and economic difficulties to smoking. <i>Social Science and Medicine</i> , 2005 , 61, 211-6	5.1	32
34	Socioeconomic status as a cause and consequence of psychosomatic symptoms from adolescence to adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 580-7	4.5	51
33	Influence of material and behavioural factors on occupational class differences in health. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 163-9	5.1	36
32	Socioeconomic status and smoking: analysing inequalities with multiple indicators. <i>European Journal of Public Health</i> , 2005 , 15, 262-9	2.1	220
31	Eighteen-year trends in obesity among the elderly. <i>Age and Ageing</i> , 2004 , 33, 632-5	3	9
30	Implications of integrated nature conservation for human reproductive health: a case study from Ranomafana National Park, Madagascar. <i>Development Southern Africa</i> , 2004 , 21, 603-621	1.4	5
29	Lifestyles, social background and eating patterns of 15-year-old boys and girls in Finland. <i>Journal of Youth Studies</i> , 2004 , 7, 331-349	1.5	12
28	Working conditions and health behaviours among employed women and men: the Helsinki Health Study. <i>Preventive Medicine</i> , 2004 , 38, 48-56	4.3	97
27	Smoking and alcohol consumption among the elderly: trends and associations, 1985-2001. <i>Preventive Medicine</i> , 2004 , 39, 413-8	4.3	32
26	Well-being and health behaviour by parental socioeconomic status: a follow-up study of adolescents aged 16 until age 32 years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 249-55	4.5	104

25	Changes and associations in healthy diet among the Finnish elderly, 1985-2001. <i>Age and Ageing</i> , 2003 , 32, 394-400	3	10
24	Determinants of health inequalities by income from the 1980s to the 1990s in Finland. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 442-3	5.1	12
23	The Myth of Gender Differences in Health: Social Structural Determinants across Adult Ages in Britain and Finland. <i>Current Sociology</i> , 2001 , 49, 31-54	1.7	15
22	Lifestyle, Social Class and Health-Related Behaviour: A Cross-Cultural Comparison of 15 Year Olds in Glasgow and Helsinki. <i>Journal of Youth Studies</i> , 2001 , 4, 393-413	1.5	18
21	Widening or narrowing inequalities in health? Comparing Britain and Finland from the 1980s to the 1990s. <i>Sociology of Health and Illness</i> , 2000 , 22, 110-136	3	24
20	Understanding income inequalities in health among men and women in Britain and Finland. <i>International Journal of Health Services</i> , 2000 , 30, 27-47	2	65
19	Can children's health be predicted by perinatal health?. <i>International Journal of Epidemiology</i> , 1999 , 28, 276-80	7.8	17
18	Social background, adult body-height and health. <i>International Journal of Epidemiology</i> , 1999 , 28, 911-8	7.8	106
17	Smoking status and relative weight by educational level in Finland, 1978-1995. <i>Preventive Medicine</i> , 1998 , 27, 431-7	4.3	33
16	Social class differences in health and functional disability among older men and women. <i>International Journal of Health Services</i> , 1998 , 28, 511-24	2	23
15	Body mass and social class: a comparison of Finland and Sweden in the 1990s. <i>Journal of Public Health Policy</i> , 1998 , 19, 88-105	2.9	3
14	Health-related social mobility: a comparison of currently employed men and women in Britain and Finland. <i>Scandinavian Journal of Public Health</i> , 1997 , 25, 83-92		23
13	Past or present? Childhood living conditions and current socioeconomic status as determinants of adult health. <i>Social Science and Medicine</i> , 1997 , 44, 327-36	5.1	129
12	Health inequalities in modern societies and beyond. Introduction. <i>Social Science and Medicine</i> , 1997 , 44, 721-2	5.1	17
11	Relationship between educational status, gender and smoking in Finland, 1978-1992. <i>Health Promotion International</i> , 1995 , 10, 115-120	3	15
10	Drinking, Self-Reported Health and Strenuous Life-Style among Young People in Finland. <i>Addiction Research</i> , 1993 , 1, 169-176		3
9	Persisting health inequalities: social class differentials in illness in the Scandinavian countries. <i>Journal of Public Health Policy</i> , 1993 , 14, 66-81	2.9	2
8	Mother's education and perinatal problems in Finland. <i>International Journal of Epidemiology</i> , 1992 , 21, 720-4	7.8	28

7	Mother's social class and perinatal problems in a low-problem area. <i>International Journal of Epidemiology</i> , 1990 , 19, 983-90	7.8	21
6	Trends in drinking habits among Finnish youth from 1973 to 1987. <i>Addiction</i> , 1989 , 84, 1075-83	4.6	21
5	Consumption patterns of some sugar-containing foods among Finnish adolescents in 1981-1985. <i>Nutrition Research</i> , 1988 , 8, 3-11	4	3
4	Selection to coffee drinking by health--who becomes an adolescent coffee drinker?. <i>American Journal of Epidemiology</i> , 1988 , 127, 1088-90	3.8	1
3	The place of medical sociology. <i>Scandinavian Journal of Public Health</i> , 1988 , 16, 283-5		2
2	Consumption patterns of critical fat sources among adolescents in 1977-1985. <i>Nutrition Research</i> , 1986 , 6, 485-498	4	17
1	Changes in alcohol purchases from grocery stores after authorising the sale of stronger beverages: The case of the Finnish alcohol legislation reform in 2018. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 145507252210823		