Boris K Pliyev

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5842497/publications.pdf

Version: 2024-02-01

		1039880	996849	
15	615	9	15	
papers	citations	h-index	g-index	
15	15	15	1233	
all docs	docs citations	times ranked	citing authors	

#	Article	IF	CITATIONS
1	Cytokine-mediated induction of MHC class II in human neutrophils is dependent on NADPH oxidase activity. European Journal of Cell Biology, 2015, 94, 67-70.	1.6	14
2	Neutrophil microparticles modulate cytokine production by natural killer cells. Cytokine, 2014, 65, 126-129.	1.4	43
3	Extracellular NAD+ inhibits human neutrophil apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2014, 19, 581-593.	2.2	17
4	Diadenosine diphosphate (Ap2A) delays neutrophil apoptosis via the adenosine A2A receptor and cAMP/PKA pathway. Biochemistry and Cell Biology, 2014, 92, 420-424.	0.9	8
5	Role of the adhesion molecule <scp>CD</scp> 99 in platelet–neutrophil interactions. European Journal of Haematology, 2013, 91, 456-461.	1.1	4
6	Anti-adhesive proteins and resolution of neutrophil-mediated inflammation. Immunobiology, 2013, 218, 1085-1092.	0.8	4
7	Differential effects of the autophagy inhibitors 3-methyladenine and chloroquine on spontaneous and TNF-α-induced neutrophil apoptosis. Apoptosis: an International Journal on Programmed Cell Death, 2012, 17, 1050-1065.	2.2	56
8	Circulating CD35â^'/CD49d+ neutrophils in influenza virus infection patients. Human Immunology, 2012, 73, 1087-1090.	1,2	9
9	Comparative evaluation of the role of the adhesion molecule <scp>CD</scp> 177 in neutrophil interactions with platelets and endothelium. European Journal of Haematology, 2012, 89, 236-244.	1.1	27
10	Participation of the urokinase-type plasminogen activator receptor (uPAR) in neutrophil transendothelial migration. Molecular Immunology, 2011, 48, 1168-1177.	1.0	26
11	Extracellular acidosis promotes neutrophil transdifferentiation to MHC class II-expressing cells. Cellular Immunology, 2011, 271, 214-218.	1.4	21
12	Release of the Soluble Urokinase-Type Plasminogen Activator Receptor (suPAR) by Activated Neutrophils in Rheumatoid Arthritis. Inflammation, 2010, 33, 1-9.	1.7	46
13	Urokinase receptor (uPAR) regulates complement receptor 3 (CR3)-mediated neutrophil phagocytosis. Biochemical and Biophysical Research Communications, 2010, 397, 277-282.	1.0	9
14	Activated human neutrophils rapidly release the chemotactically active D2D3 form of the urokinase-type plasminogen activator receptor (uPAR/CD87). Molecular and Cellular Biochemistry, 2009, 321, 111-122.	1.4	322
15	Chemotactically active proteins of neutrophils. Biochemistry (Moscow), 2008, 73, 970-984.	0.7	9