
## Pavla Binarova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5842913/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	γ-Tubulin Complexes and Fibrillar Arrays: Two Conserved High Molecular Forms with Many Cellular Functions. Cells, 2021, 10, 776.	4.1	3
2	γ-Tubulin interacts with E2FA, E2FB and E2FC transcription factors, regulates proliferation and endocycle in Arabidopsis. Journal of Experimental Botany, 2020, 71, 1265-1277.	4.8	16
3	Tubulin: Structure, Functions and Roles in Disease. Cells, 2019, 8, 1294.	4.1	68
4	Microtubular and Nuclear Functions of $\hat{1}^3$ -Tubulin: Are They LINCed?. Cells, 2019, 8, 259.	4.1	14
5	γ-Tubulin has a conserved intrinsic property of self-polymerization into double stranded filaments and fibrillar networks. Biochimica Et Biophysica Acta - Molecular Cell Research, 2018, 1865, 734-748.	4.1	19
6	<i>Arabidopsis</i> RETINOBLASTOMA RELATED directly regulates DNA damage responses through functions beyond cell cycle control. EMBO Journal, 2017, 36, 1261-1278.	7.8	83
7	The Arabidopsis mitogenâ€activated protein kinase 6 is associated with γâ€ŧubulin on microtubules, phosphorylates <scp>EB</scp> 1c and maintains spindle orientation under nitrosative stress. New Phytologist, 2015, 207, 1061-1074.	7.3	24
8	TPX2 Protein of Arabidopsis Activates Aurora Kinase 1, But Not Aurora Kinase 3 In Vitro. Plant Molecular Biology Reporter, 2015, 33, 1988-1995.	1.8	16
9	Cell Cycle Modules in Plants for Entry into Proliferation and for Mitosis. , 2013, , 77-97.		2
10	Overexpressed TPX2 causes ectopic formation of microtubular arrays in the nuclei of acentrosomal plant cells. Journal of Experimental Botany, 2013, 64, 4575-4587.	4.8	31
11	<scp>NITRILASE</scp> 1 regulates the exit from proliferation, genome stability and plant development. New Phytologist, 2013, 198, 685-698.	7.3	23
12	Interactions of an Arabidopsis RanBPM homologue with LisH-CTLH domain proteins revealed high conservation of CTLH complexes in eukaryotes. BMC Plant Biology, 2012, 12, 83.	3.6	29
13	Plant Aurora kinases play a role in maintenance of primary meristems and control of endoreduplication. New Phytologist, 2012, 193, 590-604.	7.3	56
14	A nodulin/glutamine synthetase-like fusion protein is implicated in the regulation of root morphogenesis and in signalling triggered by flagellin. Planta, 2011, 234, 459-476.	3.2	34
15	Polyamine metabolism during the cell cycle of synchronized tobacco BY-2 cell line. Plant Physiology and Biochemistry, 2009, 47, 584-591.	5.8	5
16	Gamma-Tubulins And Their Functions In Plant Cells. NATO Science for Peace and Security Series C: Environmental Security, 2008, , 23-43.	0.2	0
17	Classical Anticytokinins Do Not Interact with Cytokinin Receptors but Inhibit Cyclin-dependent Kinases. Journal of Biological Chemistry, 2007, 282, 14356-14363.	3.4	20
18	Î <sup>3</sup> -Tubulin Is Essential for Acentrosomal Microtubule Nucleation and Coordination of Late Mitotic Events in Arabidopsis. Plant Cell, 2006, 18, 1199-1212.	6.6	94

Pavla Binarova

#	Article	IF	CITATIONS
19	Expression of a Nondegradable Cyclin B1 Affects Plant Development and Leads to Endomitosis by Inhibiting the Formation of a Phragmoplast. Plant Cell, 2004, 16, 643-657.	6.6	121
20	Actin Distribution in Mitotic Apparatus of Somatic Embryo Cells of Norway Spruce. Biologia Plantarum, 2003, 46, 167-174.	1.9	0
21	Distribution of \$gamma;-tubulin in cellular compartments of higher plant cells. Cell Biology International, 2003, 27, 167-169.	3.0	4
22	Effect of 2-aminoindan-2-phosphonic acid on cell cycle progression in synchronous meristematic cells of Vicia faba roots. Plant Science, 2003, 164, 823-832.	3.6	7
23	A plant cyclin B2 is degraded early in mitosis and its ectopic expression shortens G2-phase and alleviates the DNA-damage checkpoint. Journal of Cell Science, 2003, 116, 487-498.	2.0	71
24	Plant γ-Tubulin Interacts with αβ-Tubulin Dimers and Forms Membrane-Associated Complexes. Plant Cell, 2003, 15, 465-480.	6.6	109
25	A Topoisomerase II-Dependent Checkpoint in G2-Phase Plant Cells Can Be Bypassed by Ectopic Expression of Mitotic Cyclin B2. Cell Cycle, 2002, 1, 186-191.	2.6	15
26	Dynamic Recruitment of Cdc2 to Specific Microtubule Structures during Mitosis. Plant Cell, 2001, 13, 1929.	6.6	0
27	Dynamic Recruitment of Cdc2 to Specific Microtubule Structures during Mitosis. Plant Cell, 2001, 13, 1929-1943.	6.6	62
28	Dynamic Recruitment of Cdc2 to Specific Microtubule Structures during Mitosis. Plant Cell, 2001, 13, 1929-1943.	6.6	61
29	Nuclear g-Tubulin during Acentriolar Plant Mitosis. Plant Cell, 2000, 12, 433.	6.6	0
30	Nuclear Î <sup>3</sup> -Tubulin during Acentriolar Plant Mitosis. Plant Cell, 2000, 12, 433-442.	6.6	62
31	Regulation of Cell Division and the Cytoskeleton by Mitogen-Activated Protein Kinases in Higher Plants. Results and Problems in Cell Differentiation, 2000, 27, 95-117.	0.7	13
32	A MAP Kinase Is Activated Late in Plant Mitosis and Becomes Localized to the Plane of Cell Division. Plant Cell, 1999, 11, 101.	6.6	1
33	Vicia faba germination: Synchronized cell growth and localization of nucleolin and α-tubulin Seed Science Research, 1999, 9, 297-304.	1.7	8
34	Effect of inhibition of phenylalanine ammonia-lyase activity on growth of alfalfa cell suspension culture: Alterations in mitotic index, ethylene production, and contents of phenolics, cytokinins and polyamines. Physiologia Plantarum, 1999, 107, 329-337.	5.2	37
35	Reinitiation of cell division and polyamine and aromatic monoamine levels in alfalfa explants during the induction of somatic embryogenesis. Physiologia Plantarum, 1999, 105, 330-336.	5.2	31
36	A MAP Kinase Is Activated Late in Plant Mitosis and Becomes Localized to the Plane of Cell Division. Plant Cell, 1999, 11, 101-113.	6.6	175

Pavla Binarova

#	Article	IF	CITATIONS
37	Association of γâ€ŧubulin with kinetochore/centromeric region of plant chromosomes. Plant Journal, 1998, 14, 751-757.	5.7	61
38	Treatment ofVicia fabaroot tip cells with specific inhibitors to cyclin-dependent kinases leads to abnormal spindle formation. Plant Journal, 1998, 16, 697-707.	5.7	69
39	The cdc2Ms Kinase Is Differently Regulated in the Cytoplasm and in the Nucleus. Plant Physiology, 1997, 113, 841-852.	4.8	61
40	A short severe heat shock is required to induce embryogenesis in late bicellular pollen of Brassica napus L Sexual Plant Reproduction, 1997, 10, 200-208.	2.2	79
41	Actin distribution in somatic embryos and embryogenic protoplasts of white spruce (Picea glauca). In Vitro Cellular and Developmental Biology - Plant, 1996, 32, 59-65.	2.1	11
42	Cell cycle dependent distribution of phosphorylated proteins in microspores and pollen ofBrassica napus L., detected by the monoclonal antibody MPM-2. Protoplasma, 1995, 187, 117-126.	2.1	5
43	Changes of shikimate pathway in glyphosate tolerant alfalfa cell lines with reduced embryogenic ability. Biologia Plantarum, 1994, 36, 65.	1.9	14
44	Probing microtubule organizing centres with MPM-2 in dividing cells of higher plants using immunofluorescence and immunogold techniques. Protoplasma, 1994, 180, 106-117.	2.1	14
45	Localization of MPM-2 recognized phosphoproteins and tubulin during cell cycle progression in synchronized Vicia faba root meristem cells Cell Biology International, 1993, 17, 847-856.	3.0	29
46	Nuclear DNA synthesis during the induction of embryogenesis in cultured microspores and pollen of Brassica napus L. Theoretical and Applied Genetics, 1993, 87, 9-16.	3.6	59
47	Effect of anti-microtubular drug amiprophos-methyl on somatic embryogenesis and DNA ploidy levels in alfalfa and carrot cell suspension cultures. Biologia Plantarum, 1993, 35, 329-339.	1.9	3
48	Accumulation of phenolic acids in filtrate-treated alfalfa cell cultures derived from genotypes with different susceptibility to Fusarium oxysporum. Journal of Plant Physiology, 1992, 140, 21-27.	3.5	16
49	Phenolic accumulation and peroxidase activity inin vitro selected alfalfa callus cultures resistant to filtrate ofFusarium spp Biologia Plantarum, 1992, 34, 203.	1.9	7
50	Selection for resistance to filtrates of Fusarium spp. in embryogenic cell suspension culture of Medicago sativa L Plant Cell, Tissue and Organ Culture, 1990, 22, 191-196.	2.3	35
51	Analysis of Nuclear DNA content in plant cells by Flow cytometry. Biologia Plantarum, 1989, 31, 113-120.	1.9	592
52	The effects of colchicine on ploidy level, morphology and embryogenic capacity of alfalfa suspension cultures. Plant Science, 1989, 64, 213-219.	3.6	16
53	Alfalfa Embryogenic Cell Suspension Culture: Growth and Ploidy Level Stability. Journal of Plant Physiology, 1988, 133, 561-566.	3.5	32