

Roberto Luksch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5843018/publications.pdf>

Version: 2024-02-01

160
papers

6,156
citations

61857

43
h-index

85405

71
g-index

163
all docs

163
docs citations

163
times ranked

7139
citing authors

#	ARTICLE	IF	CITATIONS
1	Ewing Sarcoma: Current Management and Future Approaches Through Collaboration. <i>Journal of Clinical Oncology</i> , 2015, 33, 3036-3046.	0.8	516
2	Busulfan and melphalan versus carboplatin, etoposide, and melphalan as high-dose chemotherapy for high-risk neuroblastoma (HR-NBL1/SIOPEN): an international, randomised, multi-arm, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 500-514.	5.1	256
3	Interleukin 2 with anti-GD2 antibody ch14.18/CHO (dinutuximab beta) in patients with high-risk neuroblastoma (HR-NBL1/SIOPEN): a multicentre, randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 1617-1629.	5.1	252
4	High Response Rate to Cisplatin/Etoposide Regimen in Childhood Low-Grade Glioma. <i>Journal of Clinical Oncology</i> , 2002, 20, 4209-4216.	0.8	171
5	Mutation-Independent Anaplastic Lymphoma Kinase Overexpression in Poor Prognosis Neuroblastoma Patients. <i>Cancer Research</i> , 2009, 69, 7338-7346.	0.4	157
6	Phase I trial and pharmacokinetics of fenretinide in children with neuroblastoma. <i>Clinical Cancer Research</i> , 2003, 9, 2032-9.	3.2	151
7	Hyperfractionated Accelerated Radiotherapy in the Milan Strategy for Metastatic Medulloblastoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 566-571.	0.8	140
8	Myelodysplastic syndrome with increased marrow fibrosis: a distinct clinico-pathological entity. <i>British Journal of Haematology</i> , 1991, 78, 161-166.	1.2	132
9	Adult-Type Soft Tissue Sarcomas in Pediatric-Age Patients: Experience at the Istituto Nazionale Tumori in Milan. <i>Journal of Clinical Oncology</i> , 2005, 23, 4021-4030.	0.8	130
10	Retrospective Study of Childhood Ganglioneuroma. <i>Journal of Clinical Oncology</i> , 2008, 26, 1710-1716.	0.8	128
11	Nonmetastatic Ewing family tumors: high-dose chemotherapy with stem cell rescue in poor responder patients. Results of the Italian Sarcoma Group/Scandinavian Sarcoma Group III protocol. <i>Annals of Oncology</i> , 2011, 22, 1221-1227.	0.6	107
12	Expression of integrins in human bone marrow. <i>British Journal of Haematology</i> , 1990, 76, 323-332.	1.2	104
13	Improved Survival of Children With Neuroblastoma Between 1979 and 2005: A Report of the Italian Neuroblastoma Registry. <i>Journal of Clinical Oncology</i> , 2010, 28, 2331-2338.	0.8	104
14	Outcome of children with neuroblastoma after progression or relapse. A retrospective study of the Italian neuroblastoma registry. <i>European Journal of Cancer</i> , 2009, 45, 2835-2842.	1.3	101
15	Neuroblastoma (Peripheral neuroblastic tumours). <i>Critical Reviews in Oncology/Hematology</i> , 2016, 107, 163-181.	2.0	101
16	Neuroblastoma mRNAs Predict Outcome in Children With Stage 4 Neuroblastoma: A European HR-NBL1/SIOPEN Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 1074-1083.	0.8	97
17	Late effects of chemotherapy and radiotherapy in osteosarcoma and Ewing sarcoma patients. <i>Cancer</i> , 2012, 118, 5050-5059.	2.0	93
18	Investigation of the Role of Dinutuximab Beta-Based Immunotherapy in the SIOPEN High-Risk Neuroblastoma 1 Trial (HR-NBL1). <i>Cancers</i> , 2020, 12, 309.	1.7	84

#	ARTICLE	IF	CITATIONS
19	Children with cancer in the time of COVID-19: An 8-week report from the six pediatric oncology centers in Lombardia, Italy. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28410.	0.8	82
20	How young patients with cancer perceive the COVID-19 (coronavirus) epidemic in Milan, Italy: Is there room for other fears?. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28318.	0.8	81
21	Primary metastatic Ewing's family tumors: results of the Italian Sarcoma Group and Scandinavian Sarcoma Group ISG/SSG IV Study including myeloablative chemotherapy and total-lung irradiation. <i>Annals of Oncology</i> , 2012, 23, 2970-2976.	0.6	80
22	Adult Wilms' tumor: A monoinstitutional experience and a review of the literature. <i>Cancer</i> , 2004, 101, 289-293.	2.0	77
23	A phase II study of topotecan with vincristine and doxorubicin in children with recurrent/refractory neuroblastoma. <i>Cancer</i> , 2003, 98, 2488-2494.	2.0	74
24	Vinorelbine in previously treated advanced childhood sarcomas. <i>Cancer</i> , 2002, 94, 3263-3268.	2.0	73
25	The symptom interval in children and adolescents with soft tissue sarcomas. <i>Cancer</i> , 2010, 116, 177-183.	2.0	66
26	Neuroblastoma in adolescents. <i>Cancer</i> , 2006, 106, 1409-1417.	2.0	65
27	Influence of Surgical Excision on the Survival of Patients With Stage 4 High-Risk Neuroblastoma: A Report From the HR-NBL1/SIOPEN Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 2902-2915.	0.8	60
28	Cytokeratin Immunoreactivity in 41 Cases of ES/PNET Confirmed by Molecular Diagnostic Studies. <i>American Journal of Surgical Pathology</i> , 2001, 25, 273-274.	2.1	60
29	Mono- and bi-allelic expression of insulin-like growth factor II gene in human muscle tumors. <i>Human Molecular Genetics</i> , 1994, 3, 1117-1121.	1.4	59
30	Diffuse pontine gliomas in children: changing strategies, changing results? A mono-institutional 20-year experience. <i>Journal of Neuro-Oncology</i> , 2008, 87, 355-361.	1.4	59
31	Comparison of the Prognostic Value of Assessing Tumor Diameter Versus Tumor Volume at Diagnosis or in Response to Initial Chemotherapy in Rhabdomyosarcoma. <i>Journal of Clinical Oncology</i> , 2010, 28, 1322-1328.	0.8	58
32	The Youth Project at the Istituto Nazionale Tumori in Milan. <i>Tumori</i> , 2012, 98, 399-407.	0.6	58
33	Expression and parental imprinting of the H19 gene in human rhabdomyosarcoma. <i>Oncogene</i> , 1997, 14, 1503-1510.	2.6	56
34	Sequential chemotherapy, high-dose thiotepa, circulating progenitor cell rescue, and radiotherapy for childhood high-grade glioma. <i>Neuro-Oncology</i> , 2005, 7, 41-48.	0.6	56
35	Soft Tissue Sarcomas of Childhood and Adolescence: The Prognostic Role of Tumor Size in Relation to Patient Body Size. <i>Journal of Clinical Oncology</i> , 2009, 27, 371-376.	0.8	55
36	Antigen-specific immunity in neuroblastoma patients: antibody and T-cell recognition of NY-ESO-1 tumor antigen. <i>Cancer Research</i> , 2003, 63, 6948-55.	0.4	55

#	ARTICLE	IF	CITATIONS
37	Synovial sarcoma: Report of a series of 25 consecutive children from a single institution. , 1999, 32, 32-37.		54
38	Risk stratification of high-risk metastatic neuroblastoma: A report from the HR-NBL1/SIOPEN study. Pediatric Blood and Cancer, 2018, 65, e27363.	0.8	53
39	Medulloblastoma in young children. Pediatric Blood and Cancer, 2010, 54, 635-637.	0.8	52
40	Intensive, Very Short-Term Chemotherapy for Advanced Burkitt's Lymphoma in Children. Journal of Clinical Oncology, 2002, 20, 2783-2788.	0.8	47
41	Supratentorial primitive neuroectodermal tumors (S-PNET) in children: A prospective experience with adjuvant intensive chemotherapy and hyperfractionated accelerated radiotherapy. International Journal of Radiation Oncology Biology Physics, 2006, 64, 1031-1037.	0.4	47
42	Clouds of Oxygen: Adolescents With Cancer Tell Their Story in Music. Journal of Clinical Oncology, 2015, 33, 218-221.	0.8	47
43	Topotecan-Vincristine-Doxorubicin in Stage 4 High-Risk Neuroblastoma Patients Failing to Achieve a Complete Metastatic Response to Rapid COJEC: A SIOPEN Study. Cancer Research and Treatment, 2018, 50, 148-155.	1.3	46
44	Mapping of a Putative Tumor Suppressor Locus to Proximal 7p in Wilms Tumors. Genomics, 1996, 37, 310-315.	1.3	45
45	The Sooner the Better? How Symptom Interval Correlates With Outcome in Children and Adolescents With Solid Tumors: Regression Tree Analysis of the Findings of a Prospective Study. Pediatric Blood and Cancer, 2016, 63, 479-485.	0.8	45
46	No Salvage Using High-Dose Chemotherapy Plus/Minus Reirradiation for Relapsing Previously Irradiated Medulloblastoma. International Journal of Radiation Oncology Biology Physics, 2009, 73, 1358-1363.	0.4	44
47	Post-relapse survival in patients with Ewing sarcoma. Pediatric Blood and Cancer, 2015, 62, 994-999.	0.8	44
48	A collateral effect of the COVID-19 pandemic: Delayed diagnosis in pediatric solid tumors. Pediatric Blood and Cancer, 2020, 67, e28640.	0.8	43
49	Randomized Trial of Two Induction Therapy Regimens for High-Risk Neuroblastoma: HR-NBL1.5 International Society of Pediatric Oncology European Neuroblastoma Group Study. Journal of Clinical Oncology, 2021, 39, 2552-2563.	0.8	42
50	THE MANAGEMENT OF PARATESTICULAR RHABDOMYOSARCOMA: A SINGLE INSTITUTIONAL EXPERIENCE WITH 44 CONSECUTIVE CHILDREN. Journal of Urology, 1998, 159, 1031-1034.	0.2	39
51	Inhibition of N-linked glycosylation impairs ALK phosphorylation and disrupts pro-survival signaling in neuroblastoma cell lines. BMC Cancer, 2011, 11, 525.	1.1	39
52	Treatment of high-risk relapsed Wilms tumor with dose-intensive chemotherapy, marrow-ablative chemotherapy, and autologous hematopoietic stem cell support: Experience by the Italian association of pediatric hematology and oncology. Pediatric Blood and Cancer, 2008, 51, 23-28.	0.8	38
53	Brain Magnetic Resonance Imaging After High-Dose Chemotherapy and Radiotherapy for Childhood Brain Tumors. International Journal of Radiation Oncology Biology Physics, 2008, 70, 1011-1019.	0.4	38
54	Incidence and histological features of bone marrow involvement in malignant lymphomas. Annals of Hematology, 1992, 65, 61-65.	0.8	35

#	ARTICLE	IF	CITATIONS
55	Sinusoidal Obstruction Syndrome/Veno-Occlusive Disease after Autologous or Allogeneic Hematopoietic Stem Cell Transplantation in Children: a retrospective study of the Italian Hematology-Oncology Association's Hematopoietic Stem Cell Transplantation Group. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 313-320.	2.0	35
56	Results of the second interim assessment of rEECur, an international randomized controlled trial of chemotherapy for the treatment of recurrent and primary refractory Ewing sarcoma (RR-ES).. <i>Journal of Clinical Oncology</i> , 2020, 38, 11502-11502.	0.8	34
57	Neuron-Specific Enolase Evaluation in Patients with Neuroblastoma. <i>Tumor Biology</i> , 1998, 19, 261-268.	0.8	33
58	Primary metastatic osteosarcoma: results of a prospective study in children given chemotherapy and interleukin-2. <i>Medical Oncology</i> , 2017, 34, 191.	1.2	33
59	Evidence for activation of KIT, PDGFR β , and PDGFR α receptors in the Ewing sarcoma family of tumors. <i>Cancer</i> , 2007, 109, 1638-1645.	2.0	32
60	Prolonged 14-day continuous infusion of high-dose ifosfamide with an external portable pump: Feasibility and efficacy in refractory pediatric sarcoma. <i>Pediatric Blood and Cancer</i> , 2010, 55, 617-620.	0.8	32
61	Esthesioneuroblastoma in pediatric and adolescent age. A report from the TREP project in cooperation with the Italian Neuroblastoma and Soft Tissue Sarcoma Committees. <i>BMC Cancer</i> , 2012, 12, 117.	1.1	32
62	Frequency and Prognostic Impact of <i>ALK</i> Amplifications and Mutations in the European Neuroblastoma Study Group (SIOPEN) High-Risk Neuroblastoma Trial (HR-NBL1). <i>Journal of Clinical Oncology</i> , 2021, 39, 3377-3390.	0.8	30
63	Immunomodulation in a Treatment Program Including Pre- and Post-Operative Interleukin-2 and Chemotherapy for Childhood Osteosarcoma. <i>Tumori</i> , 2003, 89, 263-268.	0.6	29
64	Molecular Detection of Dopamine Decarboxylase Expression by Means of Reverse Transcriptase and Polymerase Chain Reaction in Bone Marrow and Peripheral Blood. <i>Diagnostic Molecular Pathology</i> , 2004, 13, 135-143.	2.1	28
65	Pharmacokinetics of oral fenretinide in neuroblastoma patients: indications for optimal dose and dosing schedule also with respect to the active metabolite 4-oxo-fenretinide. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 62, 655-665.	1.1	28
66	Poor prognosis osteosarcoma: new therapeutic approach. <i>Bone Marrow Transplantation</i> , 2008, 41, S131-S134.	1.3	28
67	Measuring the efficacy of a project for adolescents and young adults with cancer: A study from the Milan Youth Project. <i>Pediatric Blood and Cancer</i> , 2016, 63, 2197-2204.	0.8	28
68	Searching for Happiness. <i>Journal of Clinical Oncology</i> , 2017, 35, 2209-2212.	0.8	28
69	The Youth Project at the Istituto Nazionale Tumori in Milan. <i>Tumori</i> , 2012, 98, 399-407.	0.6	28
70	Evidence of Neural Differentiation in a Case of Post-therapy Primitive Neuroectodermal Tumor/Ewing Sarcoma of Bone. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1161-1166.	2.1	27
71	Somatic mutations in specific and connected subpathways are associated with short neuroblastoma patients' survival and indicate proteins targetable at onset of disease. <i>International Journal of Cancer</i> , 2018, 143, 2525-2536.	2.3	27
72	Neuroblastoma with symptomatic epidural compression in the infant: The AIEOP experience. <i>Pediatric Blood and Cancer</i> , 2014, 61, 1369-1375.	0.8	26

#	ARTICLE	IF	CITATIONS
73	CHILDHOOD LIPOSARCOMA: A Single-Institutional Twenty-Year Experience. <i>Pediatric Hematology and Oncology</i> , 1999, 16, 415-421.	0.3	25
74	End of life in children with cancer: Experience at the Pediatric Oncology Department of the Istituto Nazionale Tumori in Milan. <i>Pediatric Blood and Cancer</i> , 2010, 54, 88-91.	0.8	25
75	Genetic abnormalities in adolescents and young adults with neuroblastoma: A report from the Italian Neuroblastoma Group. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1725-1732.	0.8	25
76	Allogeneic stem cell transplantation in therapy-related acute myeloid leukemia and myelodysplastic syndromes: impact of patient characteristics and timing of transplant. <i>Leukemia and Lymphoma</i> , 2012, 53, 96-102.	0.6	24
77	Neuroblastoma in Patients over 12 Years Old: A 20-Year Experience at the Istituto Nazionale Tumori of Milan. <i>Tumori</i> , 2010, 96, 684-689.	0.6	23
78	Measurement of Serum Neuron-Specific Enolase in Neuroblastoma: Is There a Clinical Role?. <i>Clinical Chemistry</i> , 2020, 66, 667-675.	1.5	22
79	Priming of Hematopoietic Progenitor Cells by Plerixafor and Filgrastim in Children With Previous Failure of Mobilization With Chemotherapy and/or Cytokine Treatment. <i>Journal of Pediatric Hematology/Oncology</i> , 2012, 34, 146-150.	0.3	21
80	Allelotyping in Wilms Tumors Identifies a Putative Third Tumor Suppressor Gene on Chromosome 11. <i>Genomics</i> , 1995, 27, 497-501.	1.3	20
81	Long-term results of combined preradiation chemotherapy and age-tailored radiotherapy doses for childhood medulloblastoma. <i>Journal of Neuro-Oncology</i> , 2012, 108, 163-171.	1.4	20
82	Rhabdomyosarcoma of the Head and Neck Region: Experience at the Pediatric Unit of the Istituto Nazionale Tumori, Milan. <i>The Journal of Otolaryngology</i> , 2006, 35, 53.	0.6	19
83	SARS-CoV-2 disease and children under treatment for cancer. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28346.	0.8	19
84	Ewing's Sarcoma: An Analysis of miRNA Expression Profiles and Target Genes in Paraffin-Embedded Primary Tumor Tissue. <i>International Journal of Molecular Sciences</i> , 2016, 17, 656.	1.8	18
85	Multifocal osteosarcoma as second tumor after childhood retinoblastoma. <i>Skeletal Radiology</i> , 1999, 28, 415-421.	1.2	17
86	Axial skeletal osteosarcoma: a 25-year monoinstitutional experience in children and adolescents. <i>Medical Oncology</i> , 2014, 31, 875.	1.2	17
87	Survival from acute non-lymphocytic leukaemia (ANLL) and chronic myeloid leukaemia (CML) in European children since 1978. <i>European Journal of Cancer</i> , 2001, 37, 695-702.	1.3	16
88	Evolving treatment strategies for parameningeal rhabdomyosarcoma: The experience of the istituto nazionale tumori of Milan. <i>Head and Neck</i> , 2005, 27, 49-57.	0.9	16
89	Polycythemia vera terminating in chronic neutrophilic leukemia: Report of a case. <i>American Journal of Hematology</i> , 1990, 35, 139-140.	2.0	15
90	Childhood Malignant Ovarian Germ Cell Tumors: A Monoinstitutional Experience. <i>Gynecologic Oncology</i> , 2001, 81, 436-440.	0.6	15

#	ARTICLE	IF	CITATIONS
91	Unusual sites of Ewing sarcoma (ES): A retrospective multicenter 30-year experience of the Italian Association of Pediatric Hematology and Oncology (AIEOP) and Italian Sarcoma Group (ISG). <i>European Journal of Cancer</i> , 2013, 49, 3658-3665.	1.3	15
92	Anaplastic lymphoma kinase aberrations correlate with metastatic features in pediatric rhabdomyosarcoma. <i>Oncotarget</i> , 2016, 7, 58903-58914.	0.8	15
93	Clinical Stage I Nonseminomatous Germ Cell Tumors of the Testis in Childhood and Adolescence: An Analysis of 31 Cases. <i>Journal of Pediatric Hematology/Oncology</i> , 2002, 24, 454-458.	0.3	14
94	Toxicity and outcome of anti-GD ₂ antibody ch14.18/CHO in front-line, high-risk patients with neuroblastoma: Final results of the phase III immunotherapy randomisation (HR-NBL1/SIOPEN) Tj ETQq0 0 0 rgBT /Overlook 10 Tf 5	0.8	14
95	Immunomodulation in a treatment program including pre- and post-operative interleukin-2 and chemotherapy for childhood osteosarcoma. <i>Tumori</i> , 2003, 89, 263-8.	0.6	14
96	Differentiation in paediatric peripheral primitive neuroectodermal tumours of bone. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1998, 432, 505.	1.4	13
97	Prognostic significance of p80 and visceral involvement in childhood CD30 anaplastic large cell lymphoma (ALCL). <i>Medical and Pediatric Oncology</i> , 2001, 37, 97-102.	1.0	13
98	Peripheral blood stem cell collection in pediatric patients: Feasibility of leukapheresis under anesthesia in uncompliant small children with solid tumors. <i>Journal of Clinical Apheresis</i> , 2006, 21, 85-91.	0.7	13
99	Two-stage phase II study of imatinib mesylate in subjects with refractory or relapsing neuroblastoma. <i>Annals of Oncology</i> , 2013, 24, 1406-1413.	0.6	13
100	Efficacy of topotecan plus vincristine and doxorubicin in children with recurrent/refractory rhabdomyosarcoma. <i>Medical Oncology</i> , 2009, 26, 67-72.	1.2	12
101	A prospective study on the efficacy of mobilization of autologous peripheral stem cells in pediatric oncohematology patients. <i>Transfusion</i> , 2013, 53, 1501-1509.	0.8	12
102	Plerixafor combined with standard regimens for hematopoietic stem cell mobilization in pediatric patients with solid tumors eligible for autologous transplants: two-arm phase I/II study (MOZAIC). <i>Bone Marrow Transplantation</i> , 2020, 55, 1744-1753.	1.3	12
103	Undifferentiated nasopharyngeal carcinoma in children and adolescents: Comparison between staging systems. <i>Annals of Oncology</i> , 2001, 12, 1157-1162.	0.6	11
104	Stage 4 neuroblastoma: sequential hemi-body irradiation or high-dose chemotherapy plus autologous haemopoietic stem cell transplantation to consolidate primary treatment. <i>British Journal of Cancer</i> , 2005, 92, 1984-1988.	2.9	11
105	Relationship among pharmacokinetics and pharmacodynamics of fenretinide and plasma retinol reduction in neuroblastoma patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2010, 66, 993-998.	1.1	11
106	Thyroid carcinoma after treatment for malignancies in childhood and adolescence: from diagnosis through follow-up. <i>Medical Oncology</i> , 2014, 31, 121.	1.2	11
107	Immune landscape and in vivo immunogenicity of NY-ESO-1 tumor antigen in advanced neuroblastoma patients. <i>BMC Cancer</i> , 2018, 18, 983.	1.1	11
108	A Phase II study on the safety and efficacy of a single dose of pegfilgrastim for mobilization and transplantation of autologous hematopoietic stem cells in pediatric oncohematology patients. <i>Transfusion</i> , 2011, 51, 2480-2487.	0.8	10

#	ARTICLE	IF	CITATIONS
109	Ewing Sarcoma of the Bone in Children under 6 Years of Age. PLoS ONE, 2013, 8, e53223.	1.1	10
110	Chemotherapy-related toxicity in patients with non-metastatic Ewing sarcoma: influence of sex and age. Journal of Chemotherapy, 2014, 26, 49-56.	0.7	10
111	Metastatic neuroblastoma in infants: are survival rates excellent only within the stringent framework of clinical trials?. Clinical and Translational Oncology, 2017, 19, 76-83.	1.2	10
112	A synovial sarcoma with t(x;18)(p11;q11) in a patient with turner's syndrome. Genes Chromosomes and Cancer, 1992, 4, 192-193.	1.5	9
113	FIVE QUESTIONS FOR ASSESSING PSYCHOLOGICAL PROBLEMS IN PEDIATRIC PATIENTS CURED OF NEOPLASTIC DISEASE. Pediatric Hematology and Oncology, 2004, 21, 481-487.	0.3	9
114	Surgical Approach to Primary Tumors of the Chest Wall in Children and Adolescents: 30 Years of Mono-Institutional Experience. Tumori, 2016, 102, 89-95.	0.6	9
115	Updated clinical and biological information from the two-stage phase II study of imatinib mesylate in subjects with relapsed/refractory neuroblastoma. Oncoimmunology, 2018, 7, e1468953.	2.1	9
116	Diagnostic and prognostic markers in infants with disseminated neuroblastoma: a retrospective analysis from the Italian Cooperative Group for Neuroblastoma. Medical Science Monitor, 2009, 15, MT11-8.	0.5	9
117	Antineuronal Antibody in a Patient with Neuroblastoma and Opsoclonus-Myoclonus-Ataxia: A Case Report. Tumori, 1997, 83, 709-711.	0.6	8
118	Clinical Experience with Psychological Aspects in Pediatric Patients Amputated for Malignancies. Tumori, 2004, 90, 399-404.	0.6	8
119	Bone marrow monocytes in histiocytosis X acquire some phenotypic features of Langerhans cells in long term bone marrow cultures. Virchows Archiv A, Pathological Anatomy and Histopathology, 1989, 416, 43-49.	1.4	7
120	Retrospective Analysis of Ploidy in Primary Osseous and Extraosseous Ewing Family Tumors in Children. Tumori, 1998, 84, 493-498.	0.6	7
121	Response to melphalan in up-front investigational window therapy for patients with metastatic Ewing's family tumours. European Journal of Cancer, 2007, 43, 885-890.	1.3	7
122	Event-free survival of infants and toddlers enrolled in the HRNBL1/SIOPEN trial is associated with the level of neuroblastoma mRNAs at diagnosis. Pediatric Blood and Cancer, 2018, 65, e27052.	0.8	7
123	Experiencing Social Isolation (Even in the Era of COVID-19 Pandemic Lockdown): Teachings Through Arts from Adolescents with Cancer. Journal of Adolescent and Young Adult Oncology, 2021, 10, 346-350.	0.7	7
124	Homozygous intragenic loss of the WT1 locus in a sporadic intralobar wilms' tumor. International Journal of Cancer, 1993, 55, 174-176.	2.3	6
125	ETOPOSIDE, CISPLATIN, EPIRUBICIN CHEMOTHERAPY IN THE TREATMENT OF PEDIATRIC LIVER TUMORS. Pediatric Hematology and Oncology, 2005, 22, 189-198.	0.3	6
126	Assistance to Parents who have Lost their Child with Cancer. Tumori, 2006, 92, 306-310.	0.6	6

#	ARTICLE	IF	CITATIONS
127	Presacral Cystic Neuroblastoma: Case Report and Review of the Literature. <i>Journal of Pediatric Hematology/Oncology</i> , 2006, 28, 534-536.	0.3	6
128	Psychological Assessment of Women on an Early Breast Screening Program after Radiotherapy to the Chest Wall for Childhood Cancer. <i>Tumori</i> , 2008, 94, 568-573.	0.6	6
129	Oral Etoposide in Relapsed or Refractory Ewing Sarcoma: A Monoinstitutional Experience in Children and Adolescents. <i>Tumori</i> , 2016, 102, 84-88.	0.6	6
130	Immunotherapy with anti-GD2 antibody ch14.18/CHO±IL2 within the HR-NBL1/SIOPEN trial to improve outcome of high-risk neuroblastoma patients compared to historical controls.. <i>Journal of Clinical Oncology</i> , 2018, 36, 10539-10539.	0.8	6
131	Adult-type non-rhabdomyosarcoma soft tissue sarcomas in pediatric age: Salvage rates and prognostic factors after relapse. <i>European Journal of Cancer</i> , 2022, 169, 179-187.	1.3	6
132	How far can we go with surgery in metastatic osteosarcoma patients?. <i>Medical Oncology</i> , 2015, 32, 223.	1.2	5
133	Adolescents with cancer on privacy: Fact-finding survey on the need for confidentiality and space. <i>Tumori</i> , 2021, 107, 452-457.	0.6	5
134	Front-Line Window Therapy with Temozolomide and Irinotecan in Patients with Primary Disseminated Multifocal Ewing Sarcoma: Results of the ISG/AIEOP EW-2 Study. <i>Cancers</i> , 2021, 13, 3046.	1.7	5
135	Lung metastasectomy for osteosarcoma in children, adolescents, and young adults: proof of permanent cure. <i>Tumori</i> , 2021, , 030089162110530.	0.6	5
136	Abnormal Neutrophil Chemotaxis after Successful Bone Marrow Transplantation. <i>Leukemia and Lymphoma</i> , 1991, 4, 335-341.	0.6	4
137	Concomitant chemoradiotherapy for childhood poor-prognosis gliomas. , 2000, 34, 147-150.		4
138	Identification of Novel Prognostic Markers in Relapsing Localized Resectable Neuroblastoma. <i>OMICS A Journal of Integrative Biology</i> , 2011, 15, 113-121.	1.0	4
139	Antineuronal Antibodies in Patients with Neuroblastoma: Relationships with Clinical Features. <i>Tumori</i> , 1997, 83, 953-957.	0.6	3
140	Psychological support in children and adolescents with cancer when amputation is required. <i>Medical and Pediatric Oncology</i> , 2002, 38, 261-265.	1.0	3
141	Dramatic Response to Cisplatin Window Therapy in a Boy With Advanced Metastatic Ewing Sarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2013, 35, 478-481.	0.3	3
142	Peripheral neuroblastic tumor of the kidney: case report and review of literature. <i>Tumori</i> , 2018, 104, NP34-NP37.	0.6	3
143	Cancer treatment in disabled children. <i>European Journal of Pediatrics</i> , 2020, 179, 1353-1360.	1.3	3
144	Immunotherapy (IT) with ch14.18/CHO for high-risk neuroblastoma: First results from the randomised HR-NBL1/SIOPEN trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 10026-10026.	0.8	3

#	ARTICLE	IF	CITATIONS
145	Extraosseous Ewing sarcoma in children and adolescents: A retrospective series from a referral pediatric oncology center. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29512.	0.8	3
146	Incidental ameloblastoma diagnosed after treatment for childhood tumor. <i>Journal of Pediatric Surgery Case Reports</i> , 2017, 23, 50-52.	0.1	2
147	Efficacy of dose intensification in induction therapy for localized Ewing sarcoma: Italian Sarcoma Group (ISC) and Associazione Italiana Ematologia ed Oncologia Pediatrica (AIEOP) ISC/AIEOP EW-1 study.. <i>Journal of Clinical Oncology</i> , 2021, 39, 11501-11501.	0.8	2
148	Skeletal Involvement in Infants with Neuroblastoma a Quality Control Attempt. <i>Tumori</i> , 2007, 93, 82-87.	0.6	1
149	When Curing a Pediatric Tumor is not Enough: The Case of a Psychiatric Disorder in a Woman Surviving Osteosarcoma. <i>Tumori</i> , 2016, 102, S113-S115.	0.6	1
150	Frontâ€line window therapy with cisplatin in patients with primary disseminated Ewing sarcoma: A study by the Associazione Italiana di Ematologia ed Oncologia Pediatrica and Italian Sarcoma Group. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26650.	0.8	1
151	Adolescents with Terminal Cancer: Making Good Use of Illusions. <i>Journal of Adolescent and Young Adult Oncology</i> , 2020, 9, 683-686.	0.7	1
152	Whole Lung Irradiation after High-Dose Busulfan/Melphalan in Ewing Sarcoma with Lung Metastases: An Italian Sarcoma Group and Associazione Italiana Ematologia Oncologia Pediatrica Joint Study. <i>Cancers</i> , 2021, 13, 2789.	1.7	1
153	Prognostic factors in stage 4 neuroblastoma treated with busulphan-melphalan: Report from the European HR-NBL1/Siopen trial.. <i>Journal of Clinical Oncology</i> , 2016, 34, 10527-10527.	0.8	1
154	Paediatric Tumours of Neuroendocrine/Peripheral Neuroectodermal Origin. , 2018, , 235-251.		0
155	Managing axial bone sarcomas in childhood. <i>Expert Review of Anticancer Therapy</i> , 2021, 21, 747-764.	1.1	0
156	Children and adolescent solid tumours and high-intensity end-of-life care: what can be done to reduce acute care admissions?. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003031.	0.8	0
157	Temozolamide and irinotecan in metastatic Ewing sarcoma: An Italian Sarcoma Group and Royal Marsden Hospital join study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 11033-11033.	0.8	0
158	Association of immune contexture, age, and tumor stage in peripheral neuroblastic tumors (PNT).. <i>Journal of Clinical Oncology</i> , 2017, 35, e22006-e22006.	0.8	0
159	Managing Care during the COVID-19 Pandemic: The Point of View and Fears of Pediatric Cancer Patientsâ€™ Families. <i>Children</i> , 2022, 9, 554.	0.6	0
160	How ten-years of reirradiation for paediatric high-grade glioma may shed light on first line treatment. <i>Journal of Neuro-Oncology</i> , 0, , .	1.4	0