

Jan Scott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5843242/publications.pdf>

Version: 2024-02-01

431
papers

23,519
citations

8180

76
h-index

10445

139
g-index

453
all docs

453
docs citations

453
times ranked

16574
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. <i>Journal of Affective Disorders</i> , 2005, 88, 217-233. | 4.1 | 593 |
| 2 | A Randomized Controlled Trial of Cognitive-Behavioral Therapy for Persistent Symptoms in Schizophrenia Resistant to Medication. <i>Archives of General Psychiatry</i> , 2000, 57, 165. | 12.3 | 586 |
| 3 | Cognitive-behavioural therapy for severe and recurrent bipolar disorders. <i>British Journal of Psychiatry</i> , 2006, 188, 313-320. | 2.8 | 541 |
| 4 | Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2005, 19, 567-596. | 4.0 | 537 |
| 5 | Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015, 29, 459-525. | 4.0 | 528 |
| 6 | Treatment non-adherence in affective disorders. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 164-172. | 4.5 | 524 |
| 7 | Evidence-based pharmacological treatment of anxiety disorders, post-traumatic stress disorder and obsessive-compulsive disorder: A revision of the 2005 guidelines from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2014, 28, 403-439. | 4.0 | 511 |
| 8 | Evidence-based guidelines for treating bipolar disorder: revised second edition recommendations from the British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2009, 23, 346-388. | 4.0 | 451 |
| 9 | Prevention of Relapse in Residual Depression by Cognitive Therapy. <i>Archives of General Psychiatry</i> , 1999, 56, 829. | 12.3 | 442 |
| 10 | Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2000 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2008, 22, 343-396. | 4.0 | 437 |
| 11 | Nonadherence with antipsychotic medication in schizophrenia: challenges and management strategies. <i>Patient Related Outcome Measures</i> , 2014, 5, 43. | 1.2 | 396 |
| 12 | Autobiographical Memory in Depression: State or Trait Marker?. <i>British Journal of Psychiatry</i> , 1993, 162, 118-121. | 2.8 | 390 |
| 13 | Neuropsychological function in euthymic patients with bipolar disorder. <i>British Journal of Psychiatry</i> , 1999, 175, 246-251. | 2.8 | 390 |
| 14 | Autobiographical memory in depression. <i>Psychological Medicine</i> , 1988, 18, 689-695. | 4.5 | 378 |
| 15 | Can bipolar disorder be viewed as a multi-system inflammatory disease?. <i>Journal of Affective Disorders</i> , 2012, 141, 1-10. | 4.1 | 369 |
| 16 | A systematic review of manic and depressive prodromes. <i>Journal of Affective Disorders</i> , 2003, 74, 209-217. | 4.1 | 347 |
| 17 | Rumination-focused cognitive-behavioural therapy for residual depression: phase II randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 199, 317-322. | 2.8 | 307 |
| 18 | The California Verbal Learning Test - second edition: Test-retest reliability, practice effects, and reliable change indices for the standard and alternate forms. <i>Archives of Clinical Neuropsychology</i> , 2006, 21, 413-420. | 0.5 | 305 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Neural Responses to Sad Facial Expressions in Major Depression Following Cognitive Behavioral Therapy. <i>Biological Psychiatry</i> , 2008, 64, 505-512. | 1.3 | 297 |
| 20 | Rumination-focused cognitive behaviour therapy for residual depression: A case series. <i>Behaviour Research and Therapy</i> , 2007, 45, 2144-2154. | 3.1 | 265 |
| 21 | Cognitive vulnerability in patients with bipolar disorder. <i>Psychological Medicine</i> , 2000, 30, 467-472. | 4.5 | 262 |
| 22 | Nonadherence With Mood Stabilizers. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 384-390. | 2.2 | 261 |
| 23 | A pilot study of cognitive therapy in bipolar disorders. <i>Psychological Medicine</i> , 2001, 31, 459-467. | 4.5 | 229 |
| 24 | How does cognitive therapy prevent relapse in residual depression? Evidence from a controlled trial.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 347-357. | 2.0 | 212 |
| 25 | Homelessness and Mental Illness. <i>British Journal of Psychiatry</i> , 1993, 162, 314-324. | 2.8 | 208 |
| 26 | Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245. | 2.8 | 204 |
| 27 | Chronic Depression. <i>British Journal of Psychiatry</i> , 1988, 153, 287-297. | 2.8 | 181 |
| 28 | Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: the POPMACT study. <i>Psychological Medicine</i> , 2003, 33, 969-976. | 4.5 | 181 |
| 29 | Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 136-144. | 4.5 | 181 |
| 30 | Self-Reported Adherence to Treatment With Mood Stabilizers, Plasma Levels, and Psychiatric Hospitalization. <i>American Journal of Psychiatry</i> , 2002, 159, 1927-1929. | 7.2 | 180 |
| 31 | A meta-analysis of relapse rates with adjunctive psychological therapies compared to usual psychiatric treatment for bipolar disorders. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 123. | 2.1 | 176 |
| 32 | Staging systems in bipolar disorder: an international society for Bipolar Disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363. | 4.5 | 175 |
| 33 | Bipolar disorder. <i>BMJ, The</i> , 2012, 345, e8508-e8508. | 6.0 | 173 |
| 34 | Predicting medication adherence in severe mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 119-124. | 4.5 | 171 |
| 35 | Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 89-99. | 4.5 | 168 |
| 36 | Identifying and improving non-adherence in bipolar disorders. <i>Bipolar Disorders</i> , 2005, 7, 24-31. | 1.9 | 164 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Seasonality and bipolar disorder: A systematic review, from admission rates to seasonality of symptoms. <i>Journal of Affective Disorders</i> , 2014, 168, 210-223. | 4.1 | 164 |
| 38 | Bipolar Mixed States: An International Society for Bipolar Disorders Task Force Report of Symptom Structure, Course of Illness, and Diagnosis. <i>American Journal of Psychiatry</i> , 2013, 170, 31-42. | 7.2 | 162 |
| 39 | Neural basis of the emotional Stroop interference effect in major depression. <i>Psychological Medicine</i> , 2008, 38, 247-256. | 4.5 | 158 |
| 40 | Psychosocial treatments for bipolar disorder: cost-effectiveness, mediating mechanisms, and future directions. <i>Bipolar Disorders</i> , 2009, 11, 110-122. | 1.9 | 156 |
| 41 | The sleep of remitted bipolar outpatients: a controlled naturalistic study using actigraphy. <i>Journal of Affective Disorders</i> , 2004, 80, 145-153. | 4.1 | 153 |
| 42 | Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242. | 10.4 | 153 |
| 43 | Weight gain in bipolar disorder: pharmacological treatment as a contributing factor. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 4-18. | 4.5 | 151 |
| 44 | Strategies for Addressing Adherence Problems in Patients with Serious and Persistent Mental Illness: Recommendations From the Expert Consensus Guidelines. <i>Journal of Psychiatric Practice</i> , 2010, 16, 306-324. | 0.7 | 147 |
| 45 | Sub-syndromal and syndromal symptoms in the longitudinal course of bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 118-123. | 2.8 | 146 |
| 46 | Activation in Bipolar Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 189. | 11.0 | 138 |
| 47 | Can We Predict the Persistence of Depression?. <i>British Journal of Psychiatry</i> , 1992, 161, 633-637. | 2.8 | 137 |
| 48 | A meta-analysis of neuropsychological functioning in first-episode bipolar disorders. <i>Journal of Psychiatric Research</i> , 2014, 57, 1-11. | 3.1 | 135 |
| 49 | Effects of cognitive therapy on psychological symptoms and social functioning in residual depression. <i>British Journal of Psychiatry</i> , 2000, 177, 440-446. | 2.8 | 133 |
| 50 | A systematic review of cognitive remediation for schizo-affective and affective disorders. <i>Journal of Affective Disorders</i> , 2012, 142, 13-21. | 4.1 | 130 |
| 51 | Effectiveness of brief training in cognitive behaviour therapy techniques for palliative care practitioners. <i>Palliative Medicine</i> , 2006, 20, 579-584. | 3.1 | 129 |
| 52 | Psychotherapy for Bipolar Disorder. <i>British Journal of Psychiatry</i> , 1995, 167, 581-588. | 2.8 | 126 |
| 53 | Acute and one-year outcome of a randomised controlled trial of brief cognitive therapy for major depressive disorder in primary care. <i>British Journal of Psychiatry</i> , 1997, 171, 131-134. | 2.8 | 126 |
| 54 | How is affective instability defined and measured? A systematic review. <i>Psychological Medicine</i> , 2014, 44, 1793-1808. | 4.5 | 125 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Duration of relapse prevention after cognitive therapy in residual depression: follow-up of controlled trial. <i>Psychological Medicine</i> , 2005, 35, 59-68. | 4.5 | 120 |
| 56 | Adjunctive Psychotherapy for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2021, 78, 141. | 11.0 | 115 |
| 57 | Neuropsychological and functional outcomes in recent-onset major depression, bipolar disorder and schizophrenia-spectrum disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2015, 5, e555-e555. | 4.8 | 114 |
| 58 | The chronotherapeutic treatment of bipolar disorders: A systematic review and practice recommendations from the ISBD task force on chronotherapy and chronobiology. <i>Bipolar Disorders</i> , 2019, 21, 741-773. | 1.9 | 113 |
| 59 | Subtle metabolic and liver gene transcriptional changes underlie diet-induced fatty liver susceptibility in insulin-resistant mice. <i>Diabetologia</i> , 2007, 50, 1867-1879. | 6.3 | 108 |
| 60 | Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023. | 2.2 | 108 |
| 61 | CHOice of Outcome In Cbt for psychosEs (CHOICE): The Development of a New Service Userâ€“Led Outcome Measure of CBT for Psychosis. <i>Schizophrenia Bulletin</i> , 2010, 36, 126-135. | 4.3 | 107 |
| 62 | Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 1167. | 11.0 | 105 |
| 63 | Use of cognitive therapy for relapse prevention in chronic depression. <i>British Journal of Psychiatry</i> , 2003, 182, 221-227. | 2.8 | 104 |
| 64 | Assessment of Adherence Problems in Patients with Serious and Persistent Mental Illness: Recommendations from the Expert Consensus Guidelines. <i>Journal of Psychiatric Practice</i> , 2010, 16, 34-45. | 0.7 | 103 |
| 65 | Cognitive styles in individuals with bipolar disorders. <i>Psychological Medicine</i> , 2003, 33, 1081-1088. | 4.5 | 102 |
| 66 | A randomized controlled trial of cognitive-behavior therapy for persistent symptoms in schizophrenia: A five-year follow-up. <i>Schizophrenia Research</i> , 2008, 98, 1-7. | 2.0 | 100 |
| 67 | Association between provision of mental illness beds and rate of involuntary admissions in the NHS in England 1988-2008: ecological study. <i>BMJ: British Medical Journal</i> , 2011, 343, d3736-d3736. | 2.3 | 100 |
| 68 | Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014, 158, 1-7. | 4.1 | 98 |
| 69 | Understanding medication non-adherence in bipolar disorders using a Necessity-Concerns Framework. <i>Journal of Affective Disorders</i> , 2009, 116, 51-55. | 4.1 | 97 |
| 70 | Long-Term Mental Health Resource Utilization and Cost of Care Following Group Psychoeducation or Unstructured Group Support for Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 378-386. | 2.2 | 96 |
| 71 | A first national survey of knowledge, attitudes and behaviours towards schizophrenia, bipolar disorders and autism in France. <i>BMC Psychiatry</i> , 2012, 12, 128. | 2.6 | 95 |
| 72 | Stabilizing the stabilizer: group psychoeducation enhances the stability of serum lithium levels. <i>Bipolar Disorders</i> , 2005, 7, 32-36. | 1.9 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | A systematic review and meta-analysis of prospective transition from major depression to bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 273-284. | 4.5 | 90 |
| 74 | Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 431-437. | 2.8 | 89 |
| 75 | Right care, first time: a highly personalised and measurement-based care model to manage youth mental health. <i>Medical Journal of Australia</i> , 2019, 211, S3-S46. | 1.7 | 88 |
| 76 | Subregional hippocampal deformations in major depressive disorder. <i>Journal of Affective Disorders</i> , 2010, 126, 272-277. | 4.1 | 87 |
| 77 | Exposure to obstetric complications and subsequent development of bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 189, 3-11. | 2.8 | 82 |
| 78 | Circadian rhythm sleep-wake disturbances and depression in young people: implications for prevention and early intervention. <i>Lancet Psychiatry</i> , 2021, 8, 813-823. | 7.4 | 81 |
| 79 | Cognitive therapy of affective disorders: a review. <i>Journal of Affective Disorders</i> , 1996, 37, 1-11. | 4.1 | 80 |
| 80 | A pilot study of concordance therapy for individuals with bipolar disorders who are non-adherent with lithium prophylaxis. <i>Bipolar Disorders</i> , 2002, 4, 386-392. | 1.9 | 80 |
| 81 | Psychoeducation for bipolar II disorder: An exploratory, 5-year outcome subanalysis. <i>Journal of Affective Disorders</i> , 2009, 112, 30-35. | 4.1 | 78 |
| 82 | Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. <i>Journal of Physiology (Paris)</i> , 2013, 107, 278-285. | 2.1 | 77 |
| 83 | How does cognitive therapy prevent relapse in residual depression? Evidence from a controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 347-357. | 2.0 | 76 |
| 84 | Sleep- and circadian rhythm-associated pathways as therapeutic targets in bipolar disorder. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 747-763. | 3.4 | 75 |
| 85 | What factors predict discrepancies between self and observer ratings of depression?. <i>Journal of Affective Disorders</i> , 1994, 31, 253-259. | 4.1 | 74 |
| 86 | Do clinicians understand why individuals stop taking lithium?. <i>Journal of Affective Disorders</i> , 2003, 74, 287-291. | 4.1 | 74 |
| 87 | Determinants of social functioning in bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 38-44. | 1.9 | 74 |
| 88 | The nature and treatment of depression in bipolar disorder: A review and implications for future psychological investigation. <i>Clinical Psychology Review</i> , 2005, 25, 1076-1100. | 11.4 | 73 |
| 89 | Preventing Depression in Final Year Secondary Students: School-Based Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e369. | 4.3 | 72 |
| 90 | Valproate for acute mood episodes in bipolar disorder. <i>The Cochrane Library</i> , 2003, , CD004052. | 2.8 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Variation in compulsory psychiatric inpatient admission in England: a cross-classified, multilevel analysis. <i>Lancet Psychiatry</i> , 2017, 4, 619-626. | 7.4 | 69 |
| 92 | The relationship between premorbid neuroticism, cognitive dysfunction and persistence of depression: a 1-year follow-up. <i>Journal of Affective Disorders</i> , 1995, 33, 167-172. | 4.1 | 68 |
| 93 | Psychosocial Treatments for Bipolar Disorders. <i>Psychiatric Clinics of North America</i> , 2005, 28, 371-384. | 1.3 | 68 |
| 94 | A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. <i>Journal of Affective Disorders</i> , 2011, 131, 358-363. | 4.1 | 68 |
| 95 | Clinical classification in mental health at the cross-roads: which direction next?. <i>BMC Medicine</i> , 2013, 11, 125. | 5.5 | 68 |
| 96 | An evidence map of psychosocial interventions for the earliest stages of bipolar disorder. <i>Lancet Psychiatry</i> , 2015, 2, 548-563. | 7.4 | 68 |
| 97 | Patterns of attentional deficits and emotional bias in bipolar and major depressive disorder. <i>British Journal of Clinical Psychology</i> , 2005, 44, 343-356. | 3.5 | 67 |
| 98 | A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. <i>BMJ Open</i> , 2014, 4, e006378. | 1.9 | 67 |
| 99 | Neurocognitive Dysfunctions in Euthymic Bipolar Patients With and Without Prior History of Alcohol Use. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1120-1127. | 2.2 | 67 |
| 100 | The current status of psychological treatments in bipolar disorders: a systematic review of relapse prevention. <i>Bipolar Disorders</i> , 2004, 6, 498-503. | 1.9 | 66 |
| 101 | Cognitive Biases Questionnaire for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 300-313. | 4.3 | 66 |
| 102 | Sleep disturbances and first onset of major mental disorders in adolescence and early adulthood: A systematic review and meta-analysis. <i>Sleep Medicine Reviews</i> , 2021, 57, 101429. | 8.5 | 64 |
| 103 | Retrospective analysis of hospital episode statistics, involuntary admissions under the Mental Health Act 1983, and number of psychiatric beds in England 1996-2006. <i>BMJ: British Medical Journal</i> , 2008, 337, a1837-a1837. | 2.3 | 63 |
| 104 | Effects of digital cognitive behavioural therapy for insomnia on insomnia severity: a large-scale randomised controlled trial. <i>The Lancet Digital Health</i> , 2020, 2, e397-e406. | 12.3 | 63 |
| 105 | Partial remission in depressive disorders. <i>Acta Psychiatrica Scandinavica</i> , 1997, 95, 265-271. | 4.5 | 62 |
| 106 | Aspirin reduces lipopolysaccharide-induced pulmonary inflammation in human models of ARDS. <i>Thorax</i> , 2017, 72, 971-980. | 5.6 | 60 |
| 107 | Gaps and Limitations of Psychological Interventions for Bipolar Disorders. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 4-11. | 8.8 | 59 |
| 108 | Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 369-376. | 2.6 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Adolescents and young adults who are not in employment, education, or training. <i>BMJ, The</i> , 2013, 347, f5270-f5270. | 6.0 | 57 |
| 110 | The Newcastle Chronic Depression Study. <i>British Journal of Psychiatry</i> , 1988, 152, 28-33. | 2.8 | 56 |
| 111 | A critical update on psychological interventions for bipolar disorders. <i>Current Psychiatry Reports</i> , 2009, 11, 494-502. | 4.5 | 56 |
| 112 | Patterns of treatment resistance in bipolar affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 121-123. | 4.5 | 54 |
| 113 | Cognitive therapy as an adjunct to medication in bipolar disorder. <i>British Journal of Psychiatry</i> , 2001, 178, s164-s168. | 2.8 | 54 |
| 114 | Using homework in therapy for depression. <i>Journal of Clinical Psychology</i> , 2002, 58, 489-498. | 1.9 | 53 |
| 115 | Sleep problems in bipolar disorders: more than just insomnia. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 368-377. | 4.5 | 53 |
| 116 | The symptom structure of bipolar acute episodes: In search for the mixing link. <i>Journal of Affective Disorders</i> , 2013, 149, 56-66. | 4.1 | 52 |
| 117 | Chronic Depression: Can Cognitive Therapy Succeed When Other Treatments Fail?. <i>Behavioural Psychotherapy</i> , 1992, 20, 25-36. | 0.5 | 51 |
| 118 | The influence of cognitive variables on recovery in depressed inpatients. <i>Journal of Affective Disorders</i> , 1997, 43, 207-212. | 4.1 | 51 |
| 119 | Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. <i>Chronobiology International</i> , 2013, 30, 1101-1107. | 2.0 | 51 |
| 120 | The Newcastle Chronic Depression Study: Results of a Treatment Regime. <i>International Clinical Psychopharmacology</i> , 1987, 2, 261-272. | 1.7 | 50 |
| 121 | Global burden of depression: The intersection of culture and medicine. <i>British Journal of Psychiatry</i> , 2003, 183, 92-94. | 2.8 | 50 |
| 122 | Psychotherapy for bipolar disorders - efficacy and effectiveness. <i>Journal of Psychopharmacology</i> , 2006, 20, 46-50. | 4.0 | 50 |
| 123 | Circadian depression: A mood disorder phenotype. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 126, 79-101. | 6.1 | 50 |
| 124 | Cognitive therapy for depression. <i>British Medical Bulletin</i> , 2001, 57, 101-113. | 6.9 | 49 |
| 125 | Therapist competence and clinical outcome in the Prevention of Parasuicide by Manual Assisted Cognitive Behaviour Therapy Trial: the POPMACT study. <i>Psychological Medicine</i> , 2004, 34, 855-863. | 4.5 | 49 |
| 126 | Functional impairment in adolescents and young adults with emerging mood disorders. <i>British Journal of Psychiatry</i> , 2014, 205, 362-368. | 2.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Measuring circadian function in bipolar disorders: Empirical and conceptual review of physiological, actigraphic, and self-report approaches. <i>Bipolar Disorders</i> , 2020, 22, 693-710. | 1.9 | 49 |
| 128 | The prognostic role of perceived criticism, medication adherence and family knowledge in bipolar disorders. <i>Journal of Affective Disorders</i> , 2012, 142, 72-76. | 4.1 | 47 |
| 129 | Clinical staging for mental disorders: a new development in diagnostic practice in mental health. <i>Medical Journal of Australia</i> , 2013, 198, 461-462. | 1.7 | 47 |
| 130 | Measuring health-related quality of life in bipolar disorder: Relationship of the EuroQol (EQ-5D) to condition-specific measures. <i>Quality of Life Research</i> , 2006, 15, 1271-1280. | 3.1 | 46 |
| 131 | Impulsivity, personality and bipolar disorder. <i>European Psychiatry</i> , 2009, 24, 464-469. | 0.2 | 46 |
| 132 | Mood, neuropsychological function and cognitions in premenstrual dysphoric disorder. <i>Psychological Medicine</i> , 1999, 29, 727-733. | 4.5 | 45 |
| 133 | Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 524-530. | 2.3 | 45 |
| 134 | Rates of voluntary and compulsory psychiatric in-patient treatment in England: An ecological study investigating associations with deprivation and demographics. <i>British Journal of Psychiatry</i> , 2016, 209, 157-161. | 2.8 | 44 |
| 135 | Circadian rhythmicity in emerging mood disorders: state or trait marker?. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 3. | 2.2 | 44 |
| 136 | Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 191, 156-163. | 4.1 | 44 |
| 137 | The role of rumination in illness trajectories in youth: linking trans-diagnostic processes with clinical staging models. <i>Psychological Medicine</i> , 2016, 46, 2467-2484. | 4.5 | 43 |
| 138 | Bipolar At-Risk Criteria: An Examination of Which Clinical Features Have Optimal Utility for Identifying Youth at Risk of Early Transition From Depression to Bipolar Disorders. <i>Schizophrenia Bulletin</i> , 2017, 43, 737-744. | 4.3 | 42 |
| 139 | Managing anxiety and depression in alcohol and drug dependence. <i>Addictive Behaviors</i> , 1998, 23, 919-931. | 3.0 | 41 |
| 140 | Cognitive-behavioural therapy for severe mental disorders: Back to the future?. <i>British Journal of Psychiatry</i> , 2008, 192, 401-403. | 2.8 | 41 |
| 141 | Appraisals, psychotic symptoms and affect in daily life. <i>Psychological Medicine</i> , 2012, 42, 1013-1023. | 4.5 | 41 |
| 142 | Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 20. | 2.2 | 41 |
| 143 | Treatment of Chronic Depression. <i>New England Journal of Medicine</i> , 2000, 342, 1518-1520. | 27.0 | 40 |
| 144 | Psychotherapies should be assessed for both benefit and harm. <i>British Journal of Psychiatry</i> , 2016, 208, 208-209. | 2.8 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Predicting medication non-adherence in severe affective disorders. <i>Acta Neuropsychiatrica</i> , 2000, 12, 128-130. | 2.1 | 39 |
| 146 | Using Health Belief Models to Understand the Efficacy-Effectiveness Gap for Mood Stabilizer Treatments. <i>Neuropsychobiology</i> , 2002, 46, 13-15. | 1.9 | 39 |
| 147 | Is processing speed a valid cognitive endophenotype for bipolar disorder?. <i>Journal of Affective Disorders</i> , 2012, 139, 98-101. | 4.1 | 39 |
| 148 | Evaluating differential developmental trajectories to adolescent-onset mood and psychotic disorders. <i>BMC Psychiatry</i> , 2013, 13, 303. | 2.6 | 39 |
| 149 | Predicting early transition from sub-syndromal presentations to major mental disorders. <i>BJPsych Open</i> , 2017, 3, 223-227. | 0.7 | 38 |
| 150 | Psychological Treatments for Depression <i>An Update</i>. <i>British Journal of Psychiatry</i> , 1995, 167, 289-292. | 2.8 | 37 |
| 151 | Depressive and manic symptoms are not opposite poles in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2011, 123, 206-210. | 4.5 | 37 |
| 152 | The evening light environment in hospitals can be designed to produce less disruptive effects on the circadian system and improve sleep. <i>Sleep</i> , 2021, 44, . | 1.1 | 37 |
| 153 | Hostility, hopelessness and deliberate self-harm: a prospective follow-up study. <i>Acta Psychiatrica Scandinavica</i> , 1990, 81, 280-283. | 4.5 | 36 |
| 154 | Polarity Index of Psychological Interventions in Maintenance Treatment of Bipolar Disorder. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 292-298. | 8.8 | 36 |
| 155 | Neurobiological and behavioral mechanisms of circadian rhythm disruption in bipolar disorder: A critical multi-disciplinary literature review and agenda for future research from the ISBD task force on chronobiology. <i>Bipolar Disorders</i> , 2022, 24, 232-263. | 1.9 | 36 |
| 156 | From 'obstetric complications' to a maternal 'foetal origin hypothesis of mood disorder. <i>British Journal of Psychiatry</i> , 2005, 186, 367-368. | 2.8 | 35 |
| 157 | Depression should be managed like a chronic disease. <i>BMJ: British Medical Journal</i> , 2006, 332, 985-986. | 2.3 | 35 |
| 158 | Evidence-based research on the efficacy of psychologic interventions in bipolar disorders: A critical review. <i>Current Psychiatry Reports</i> , 2005, 7, 449-455. | 4.5 | 34 |
| 159 | Clinical parameters of circadian rhythms in affective disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, S671-S675. | 0.7 | 34 |
| 160 | A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 5. | 2.2 | 33 |
| 161 | Biomarkers of bipolar disorder specific or shared with schizophrenia. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 845-863. | 1.8 | 33 |
| 162 | Burden of care, psychological distress and satisfaction with services in the relatives of acutely mentally disordered adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 345-348. | 3.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Cognitive-behavioural therapy for bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 188, 488-489. | 2.8 | 31 |
| 164 | A systematic review of gender-specific rates of unipolar and bipolar disorders in community studies of pre-pubertal children. <i>Bipolar Disorders</i> , 2014, 16, 5-15. | 1.9 | 31 |
| 165 | Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , 2020, 267, 258-263. | 4.1 | 31 |
| 166 | Social adjustment based on reported behaviour in bipolar affective disorder. <i>Bipolar Disorders</i> , 2007, 9, 53-62. | 1.9 | 30 |
| 167 | Cognitive style, personality and vulnerability to postnatal depression. <i>British Journal of Psychiatry</i> , 2010, 196, 200-205. | 2.8 | 30 |
| 168 | Treatment strategies according to clinical features in a naturalistic cohort study of bipolar patients: A principal component analysis of lifetime pharmacological and biophysical treatment options. <i>European Neuropsychopharmacology</i> , 2013, 23, 263-275. | 0.7 | 29 |
| 169 | A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1395-1404. | 3.1 | 29 |
| 170 | Quality improvement report: Effect of a multifaceted approach to detecting and managing depression in primary care. <i>BMJ: British Medical Journal</i> , 2002, 325, 951-954. | 2.3 | 28 |
| 171 | Consequences of delayed diagnosis of bipolar disorders. <i>L'Encephale</i> , 2011, 37, S173-S175. | 0.9 | 27 |
| 172 | A transdiagnostic study of education, employment, and training outcomes in young people with mental illness. <i>Psychological Medicine</i> , 2017, 47, 2061-2070. | 4.5 | 27 |
| 173 | Variability of activity patterns across mood disorders and time of day. <i>BMC Psychiatry</i> , 2017, 17, 404. | 2.6 | 27 |
| 174 | Binge eating behaviours in bipolar disorders. <i>Journal of Affective Disorders</i> , 2018, 225, 482-488. | 4.1 | 27 |
| 175 | Consensus on nomenclature for clinical staging models in bipolar disorder: A narrative review from the International Society for Bipolar Disorders (ISBD) Staging Task Force. <i>Bipolar Disorders</i> , 2021, 23, 659-678. | 1.9 | 27 |
| 176 | Links between sleep and body mass index in bipolar disorders: An exploratory study. <i>European Psychiatry</i> , 2015, 30, 89-93. | 0.2 | 26 |
| 177 | Decoding rumination: A machine learning approach to a transdiagnostic sample of outpatients with anxiety, mood and psychotic disorders. <i>Journal of Psychiatric Research</i> , 2020, 121, 207-213. | 3.1 | 26 |
| 178 | A randomized controlled trial of the use of self-help materials in addition to standard general practice treatment of depression compared to standard treatment alone. <i>Psychological Medicine</i> , 2006, 36, 325-333. | 4.5 | 25 |
| 179 | DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis – A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021, 47, 54-61. | 0.7 | 25 |
| 180 | Psychological treatment for bipolar disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 92-98. | 3.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Sleep-wake cycle phenotypes in young people with familial and non-familial mood disorders. <i>Bipolar Disorders</i> , 2016, 18, 642-649. | 1.9 | 24 |
| 182 | Prodrome or risk syndrome: what's in a name?. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 7. | 2.2 | 24 |
| 183 | An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265. | 1.9 | 24 |
| 184 | Neural effects of cognitive-behavioural therapy on dysfunctional attitudes in depression. <i>Psychological Medicine</i> , 2015, 45, 1425-1433. | 4.5 | 23 |
| 185 | Differential impact of current diagnosis and clinical stage on attendance at a youth mental health service. <i>Microbial Biotechnology</i> , 2017, 11, 255-262. | 1.7 | 23 |
| 186 | Can an Integrated Science Approach to Precision Medicine Research Improve Lithium Treatment in Bipolar Disorders?. <i>Frontiers in Psychiatry</i> , 2018, 9, 360. | 2.6 | 23 |
| 187 | Individual risk factors for early repetition of deliberate self-harm. <i>The British Journal of Medical Psychology</i> , 1997, 70, 387-393. | 0.5 | 22 |
| 188 | Methodological aspects of randomized controlled trials of psychotherapy in primary care. <i>Psychological Medicine</i> , 2003, 33, 191-196. | 4.5 | 22 |
| 189 | Clinical staging models: From general medicine to mental disorders. <i>BJ Psych Advances</i> , 2017, 23, 292-299. | 0.7 | 22 |
| 190 | Psychopathological outcomes of adolescent borderline personality disorder symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 308-317. | 2.3 | 22 |
| 191 | Cohort profile: the Brain and Mind Centre Optimise cohort: tracking multidimensional outcomes in young people presenting for mental healthcare. <i>BMJ Open</i> , 2020, 10, e030985. | 1.9 | 22 |
| 192 | The impact of training in problem-based interviewing on the detection and management of psychological problems presenting in primary care. <i>British Journal of General Practice</i> , 1999, 49, 441-5. | 1.4 | 22 |
| 193 | Cognitive therapy for clients with bipolar disorder. <i>Cognitive and Behavioral Practice</i> , 1996, 3, 29-51. | 1.5 | 21 |
| 194 | Referrals to a psychogeriatric consultation-liaison service. <i>International Journal of Geriatric Psychiatry</i> , 1988, 3, 131-135. | 2.7 | 20 |
| 195 | The pathogenesis of atherosclerosis and new opportunities for treatment and prevention. , 2002, , 1-17. | | 20 |
| 196 | Do patients with bipolar disorder drink alcohol for different reasons when depressed, manic or euthymic?. <i>Journal of Affective Disorders</i> , 2012, 136, 926-932. | 4.1 | 20 |
| 197 | A review of self-rating instruments to identify young people at risk of bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2014, 160, 113-121. | 4.1 | 20 |
| 198 | A systematic review of the frequency and severity of manic symptoms reported in studies that compare phenomenology across children, adolescents and adults with bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 4. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Treatment, Prediction of Relapse and Prognosis of Chronic Primary Major Depression. <i>International Clinical Psychopharmacology</i> , 1991, 6, 3-10. | 1.7 | 19 |
| 200 | Befriending patients with medication-resistant schizophrenia: Can psychotic symptoms predict treatment response?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2007, 80, 97-106. | 2.5 | 19 |
| 201 | Bipolar disorder: from early identification to personalized treatment. <i>Microbial Biotechnology</i> , 2011, 5, 89-90. | 1.7 | 19 |
| 202 | Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 8. | 2.2 | 19 |
| 203 | Nineteen and Up study (19Up): understanding pathways to mental health disorders in young Australian twins. <i>BMJ Open</i> , 2018, 8, e018959. | 1.9 | 19 |
| 204 | A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , 2018, 227, 713-720. | 4.1 | 19 |
| 205 | Clinical, neurocognitive and demographic factors associated with functional impairment in the Australian Brain and Mind Youth Cohort Study (2008â€“2016). <i>BMJ Open</i> , 2018, 8, e022659. | 1.9 | 19 |
| 206 | Twenty-Five and Up (25Up) Study: A New Wave of the Brisbane Longitudinal Twin Study. <i>Twin Research and Human Genetics</i> , 2019, 22, 154-163. | 0.6 | 19 |
| 207 | Mode of delivery of Cognitive Behavioral Therapy for Insomnia: a randomized controlled non-inferiority trial of digital and face-to-face therapy. <i>Sleep</i> , 2021, 44, . | 1.1 | 19 |
| 208 | Cognitive and behavioural approaches to medication adherence. <i>Advances in Psychiatric Treatment</i> , 1999, 5, 338-345. | 0.5 | 18 |
| 209 | Symptom-specific self-referential cognitive processes in bipolar disorder: a longitudinal analysis. <i>Psychological Medicine</i> , 2013, 43, 1895-1907. | 4.5 | 18 |
| 210 | Cross-validation of clinical characteristics and treatment patterns associated with phenotypes for lithium response defined by the Alda scale. <i>Journal of Affective Disorders</i> , 2017, 208, 62-67. | 4.1 | 18 |
| 211 | A. I. F. Scott & C. P. L. Freeman's "Edinburgh Primary Care Depression Study" <i>British Journal of Psychiatry</i> , 1994, 164, 410-415. | 2.8 | 17 |
| 212 | Clinical characteristics of familial and non-familial bipolar disorder. <i>Bipolar Disorders</i> , 2000, 2, 136-139. | 1.9 | 17 |
| 213 | European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2. | 2.2 | 17 |
| 214 | Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020, 36, 121-136. | 0.7 | 17 |
| 215 | Variation in compulsory psychiatric inpatient admission in England: a cross-sectional, multilevel analysis. <i>Health Services and Delivery Research</i> , 2014, 2, 1-90. | 1.4 | 17 |
| 216 | A Preliminary Study of the Relationship Among Personality, Cognitive Vulnerability, Symptom Profile, and Outcome in Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 1996, 184, 503-504. | 1.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Trial for the Prevention of Depression (TriPoD) in final-year secondary students: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2015, 16, 451. | 1.6 | 16 |
| 218 | Overcoming insomnia: protocol for a large-scale randomised controlled trial of online cognitive behaviour therapy for insomnia compared with online patient education about sleep. <i>BMJ Open</i> , 2018, 8, e025152. | 1.9 | 16 |
| 219 | Affective instability in those with and without mental disorders: A case control study. <i>Journal of Affective Disorders</i> , 2018, 241, 492-498. | 4.1 | 16 |
| 220 | Can consumer grade activity devices replace research grade actiwatches in youth mental health settings?. <i>Sleep and Biological Rhythms</i> , 2019, 17, 223-232. | 1.0 | 16 |
| 221 | Transdiagnostic neurocognitive subgroups and functional course in young people with emerging mental disorders: a cohort study. <i>BJPsych Open</i> , 2020, 6, e31. | 0.7 | 16 |
| 222 | Can network analysis of self-reported psychopathology shed light on the core phenomenology of bipolar disorders in adolescents and young adults?. <i>Bipolar Disorders</i> , 2021, 23, 584-594. | 1.9 | 16 |
| 223 | The Role of Cognitive Behaviour Therapy in Bipolar Disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 1996, 24, 195-208. | 1.2 | 15 |
| 224 | Prospects for early intervention in bipolar disorders. <i>Microbial Biotechnology</i> , 2007, 1, 111-113. | 1.7 | 15 |
| 225 | Pre-emptive psychiatric treatments: pipe dream or a realistic outcome of clinical staging models?. <i>Neuropsychiatry</i> , 2012, 2, 263-266. | 0.4 | 15 |
| 226 | Distress and disability in young adults presenting to clinical services with mood disorders. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 23. | 2.2 | 15 |
| 227 | Differential effects of depression and mania symptoms on social adjustment: prospective study in bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 80-91. | 1.9 | 15 |
| 228 | Neurocognitive performance as an endophenotype for bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 89-103. | 1.8 | 15 |
| 229 | The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 202, 32-38. | 4.1 | 15 |
| 230 | A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 479-488. | 4.5 | 15 |
| 231 | An immunological age index in bipolar disorder: A confirmatory factor analysis of putative immunosenescence markers and associations with clinical characteristics. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1614. | 2.1 | 15 |
| 232 | Pathways to depression by age 16 years: Examining trajectories for self-reported psychological and somatic phenotypes across adolescence. <i>Journal of Affective Disorders</i> , 2018, 230, 1-6. | 4.1 | 15 |
| 233 | Predictive validity of objective measures of physical fitness for the new onset of mental disorders in adolescents and young adults. <i>Microbial Biotechnology</i> , 2019, 13, 1310-1318. | 1.7 | 15 |
| 234 | Socio-demographic and clinical predictors of outcome to long-term treatment with lithium in bipolar disorders: a systematic review of the contemporary literature and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 40. | 2.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | A bipolar II cohort (ABC): The association of functional disability with gender and rapid cycling. <i>Journal of Affective Disorders</i> , 2015, 185, 204-208. | 4.1 | 14 |
| 236 | Collective approaches for the control of depression in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 423-428. | 3.1 | 13 |
| 237 | Affect intensity measure in bipolar disorders: A multidimensional approach. <i>Journal of Affective Disorders</i> , 2014, 157, 8-13. | 4.1 | 13 |
| 238 | Feasibility and Acceptability of the "HABIT"™ Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 887-898. | 2.7 | 13 |
| 239 | Physical and mental health burden in cases of bipolar disorder classified as current, former, or non-tobacco smokers. <i>Journal of Affective Disorders</i> , 2017, 208, 406-413. | 4.1 | 13 |
| 240 | Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 269-279. | 4.5 | 13 |
| 241 | Can network analysis shed light on predictors of lithium response in bipolar I disorder?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 522-533. | 4.5 | 13 |
| 242 | An evidence map of actigraphy studies exploring longitudinal associations between rest-activity rhythms and course and outcome of bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 37. | 2.2 | 13 |
| 243 | A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104585. | 6.1 | 13 |
| 244 | Bone marrow irradiation chimeras in the BB rat: evidence suggesting two defects leading to diabetes and lymphopenia. <i>Diabetologia</i> , 1987, 30, 774-81. | 6.3 | 12 |
| 245 | Epidemiology, Demography and Definitions. <i>International Clinical Psychopharmacology</i> , 1991, 6, 1-12. | 1.7 | 12 |
| 246 | A pilot study of the relationship between problem-solving skills and outcome in major depressive disorder. <i>The British Journal of Medical Psychology</i> , 2000, 73, 303-309. | 0.5 | 12 |
| 247 | Does therapists' competence matter in delivering psychological therapy?. <i>Psychiatric Bulletin</i> , 2009, 33, 121-123. | 0.3 | 12 |
| 248 | Modelling associations between neurocognition and functional course in young people with emerging mental disorders: a longitudinal cohort study. <i>Translational Psychiatry</i> , 2020, 10, 22. | 4.8 | 12 |
| 249 | Prevalence of self-reported subthreshold phenotypes of major mental disorders and their association with functional impairment, treatment and full-threshold syndromes in a community-residing cohort of young adults. <i>Microbial Biotechnology</i> , 2021, 15, 306-313. | 1.7 | 12 |
| 250 | What the papers say. <i>Psychiatric Bulletin</i> , 1994, 18, 489-491. | 0.3 | 12 |
| 251 | DEVELOPMENT AND PILOTING OF THE PREGNANCY RELATED BELIEFS QUESTIONNAIRE (PRBQ). <i>Behavioural and Cognitive Psychotherapy</i> , 2003, 31, 207-213. | 1.2 | 11 |
| 252 | Group-based trajectory modeling: A novel approach to examining symptom trajectories in acute bipolar episodes. <i>Journal of Affective Disorders</i> , 2013, 145, 36-41. | 4.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 45-47. | 8.8 | 11 |
| 254 | An ecological study of objective restâ€“activity markers of lithium response in bipolar-I-disorder. <i>Psychological Medicine</i> , 2020, , 1-9. | 4.5 | 11 |
| 255 | Brief psychotherapies for depression: current status. <i>Current Opinion in Psychiatry</i> , 2004, 17, 3-7. | 6.3 | 10 |
| 256 | Sleep Problems in Euthymic Bipolar Disorders: A Review of Clinical Studies. <i>Current Psychiatry Reviews</i> , 2015, 11, 235-243. | 0.9 | 10 |
| 257 | Challenges and developments in research of the early stages of bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 329-337. | 1.7 | 10 |
| 258 | Should we intervene at stage 0? A qualitative study of attitudes of asymptomatic youth at increased risk of developing bipolar disorders and parents with established disease. <i>Microbial Biotechnology</i> , 2018, 12, 1112-1119. | 1.7 | 10 |
| 259 | Chronotypes and circadian restâ€“activity rhythms in bipolar disorders: a metaâ€“analysis of selfâ€“and observer rating scales. <i>Bipolar Disorders</i> , 2022, 24, 286-297. | 1.9 | 10 |
| 260 | PROBLEMS IN MEASURING PROBLEMâ€“SOLVING: THE SUITABILITY OF THE MEANS â€“ ENDS PROBLEM SOLVING (MEPS) PROCEDURE. <i>International Journal of Methods in Psychiatric Research</i> , 1996, 6, 243-251. | 2.1 | 10 |
| 261 | Misperception of sleep in bipolar disorder: an exploratory study using questionnaire versus actigraphy. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 34. | 2.2 | 10 |
| 262 | Abbreviated Cognitive Therapy for Depression: A Pilot Study in Primary Care. <i>Behavioural and Cognitive Psychotherapy</i> , 1994, 22, 57-64. | 1.2 | 9 |
| 263 | Beliefs about Depression in Patients and Their Partners. <i>Behavioural and Cognitive Psychotherapy</i> , 2005, 33, 131-138. | 1.2 | 9 |
| 264 | Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 400-400. | 4.5 | 9 |
| 265 | Which clinical practice guidelines for depression? An overview for busy practitioners. <i>British Journal of General Practice</i> , 2000, 50, 908-11. | 1.4 | 9 |
| 266 | Digital cognitive behaviour therapy for insomnia (dCBTâ€“i): Chronotype moderation on intervention outcomes. <i>Journal of Sleep Research</i> , 2022, 31, e13572. | 3.2 | 9 |
| 267 | Prediction, Treatment and Prognosis of Chronic Primary Major Depression. <i>International Clinical Psychopharmacology</i> , 1991, 6, 41-50. | 1.7 | 8 |
| 268 | What is the role for psychotherapy in bipolar disorders?. <i>Bipolar Disorders</i> , 2002, 4, 105-105. | 1.9 | 8 |
| 269 | Attentional deficits and emotional bias in bipolar disorders: comparison at different stages of the disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 743-745. | 3.2 | 8 |
| 270 | Youth Early-intervention Study (YES) â€“ group interventions targeting social participation and physical well-being as an adjunct to treatment as usual: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 333. | 1.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Using admixture analysis to examine birthâ€cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 205-213. | 4.5 | 8 |
| 272 | Can actigraphy be used to define lithium response dimensions in bipolar disorders?. <i>Journal of Affective Disorders</i> , 2021, 283, 402-409. | 4.1 | 8 |
| 273 | Serial homicide. <i>BMJ: British Medical Journal</i> , 1996, 312, 2-3. | 2.3 | 8 |
| 274 | Associations between circadian misalignment and telomere length in BD: an actigraphy study. <i>International Journal of Bipolar Disorders</i> , 2022, 10, . | 2.2 | 8 |
| 275 | Evaluating the quality of educational materials about schizophrenia. <i>Psychiatric Bulletin</i> , 2002, 26, 96-98. | 0.3 | 7 |
| 276 | Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 382-392. | 2.3 | 7 |
| 277 | Bipolar II disorder: The need for clearer definition and improved management. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 598-599. | 2.3 | 7 |
| 278 | Can youth at high risk of illness progression be identified by measures of rumination and sleepâ€wake disturbance. <i>Microbial Biotechnology</i> , 2019, 13, 1214-1219. | 1.7 | 7 |
| 279 | Managing the infodemic about COVIDâ€19: Strategies for clinicians and researchers. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 377-379. | 4.5 | 7 |
| 280 | Training Implications of the Shift to Community-Orientated Psychiatric Services. Collegiate Trainees' Committee Working Party Report. <i>Bulletin of the Royal College of Psychiatrists</i> , 1988, 12, 151-153. | 0.0 | 7 |
| 281 | Concepts and misconceptions regarding clinical staging models. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, E83-E84. | 2.4 | 7 |
| 282 | A study of the use of log books in the training of psychiatrists. <i>Psychiatric Bulletin</i> , 1991, 15, 214-216. | 0.3 | 6 |
| 283 | Group psychoeducation reduces recurrence and hospital admission in people with bipolar disorder. <i>Evidence-Based Mental Health</i> , 2003, 6, 115-115. | 4.5 | 6 |
| 284 | The Obstacle is the Path: Overcoming Blocks to Homework Assignments in a Complex Presentation of Depression. <i>Cognitive and Behavioral Practice</i> , 2007, 14, 278-288. | 1.5 | 6 |
| 285 | Anticonvulsants and suicide attempts in bipolar I disorders. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 470-478. | 4.5 | 6 |
| 286 | Does stage of illness influence recovery-focused outcomes after psychological treatment in bipolar disorder? A systematic review protocol. <i>Systematic Reviews</i> , 2019, 8, 125. | 5.3 | 6 |
| 287 | Predicting the emergence of full-threshold bipolar I, bipolar II and psychotic disorders in young people presenting to early intervention mental health services. <i>Psychological Medicine</i> , 2022, 52, 1990-2000. | 4.5 | 6 |
| 288 | Let there be blue-depleted light: in-patient dark therapy, circadian rhythms and length of stay. <i>BJ Psych Advances</i> , 2021, 27, 73-84. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Intraindividual variability in sleep among people with insomnia and its relationship with sleep, health and lifestyle factors: an exploratory study. <i>Sleep Medicine</i> , 2022, 89, 132-140. | 1.6 | 6 |
| 290 | Cognitive Behavioural Therapy for Mood Disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 685-693. | 1.2 | 5 |
| 291 | Medication adherence in crisis?. <i>Journal of Mental Health</i> , 2010, 19, 470-474. | 1.9 | 5 |
| 292 | A rising tide: the increasing age and psychiatric length of stay for individuals with mild intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 2013, 57, 783-790. | 2.0 | 5 |
| 293 | Hospital Stay and Engagement in Outpatient Follow-up After Alcohol Emergency Detox: A 1-Year Comparison Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 418-421. | 2.4 | 5 |
| 294 | Secular trends in the age at onset of bipolar I disorder – Support for birth cohort effects from interational, multi-centre clinical observational studies. <i>European Psychiatry</i> , 2018, 52, 61-67. | 0.2 | 5 |
| 295 | The effect of sleep-wake intraindividual variability in digital cognitive behavioral therapy for insomnia: a mediation analysis of a large-scale RCT. <i>Sleep</i> , 2021, 44, . | 1.1 | 5 |
| 296 | Digital cognitive-behavioural therapy for insomnia compared with digital patient education about insomnia in individuals referred to secondary mental health services in Norway: protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e050661. | 1.9 | 5 |
| 297 | Early expressions of psychopathology and risk associated with trans-diagnostic transition to mood and psychotic disorders in adolescents and young adults. <i>PLoS ONE</i> , 2021, 16, e0252550. | 2.5 | 5 |
| 298 | Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2022, 54, 90-99. | 0.7 | 5 |
| 299 | A comparative study of strategies for identifying credible sources of mental health information online: Can clinical services deliver a youth-specific internet prescription?. <i>Microbial Biotechnology</i> , 2022, 16, 643-650. | 1.7 | 5 |
| 300 | Event-Related Potentials and Cognitive Processing of Affectively Toned Words in Depression. <i>Journal of Psychophysiology</i> , 2002, 16, 56-66. | 0.7 | 5 |
| 301 | Methylomic Biomarkers of Lithium Response in Bipolar Disorder: A Proof of Transferability Study. <i>Pharmaceuticals</i> , 2022, 15, 133. | 3.8 | 5 |
| 302 | Using network intervention analysis to explore associations between participant expectations of and difficulties with cognitive behavioural therapy for insomnia and clinical outcome: A proof of principle study. <i>Journal of Psychiatric Research</i> , 2022, 148, 73-83. | 3.1 | 5 |
| 303 | Dealing with persisting abnormalities of mood. <i>International Review of Psychiatry</i> , 1991, 3, 19-33. | 2.8 | 4 |
| 304 | Cognitive therapy of depressive disorders. <i>Current Opinion in Psychiatry</i> , 1994, 7, 233-236. | 6.3 | 4 |
| 305 | Evaluation of an emergency response service. <i>Psychiatric Bulletin</i> , 2003, 27, 130-133. | 0.3 | 4 |
| 306 | The need for specialist services for serious and recurrent mood disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 815-818. | 2.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | What can we learn from offspring studies in bipolar disorder?. <i>BJ Psych Advances</i> , 2016, 22, 176-185. | 0.7 | 4 |
| 308 | Anxiety disorders are associated with early onset of heroin use and rapid transition to dependence in methadone maintained patients. <i>Psychiatry Research</i> , 2016, 245, 423-426. | 3.3 | 4 |
| 309 | Experiences of Mental Healthcare Reported by Individuals Diagnosed with Bipolar Disorder: An Italian Qualitative Study. <i>Community Mental Health Journal</i> , 2019, 55, 129-136. | 2.0 | 4 |
| 310 | A pragmatic effectiveness randomized controlled trial of the duration of psychiatric hospitalization in a trans-diagnostic sample of patients with acute mental illness admitted to a ward with either blue-depleted evening lighting or normal lighting conditions. <i>Trials</i> , 2019, 20, 472. | 1.6 | 4 |
| 311 | Is there an association between cardiorespiratory fitness and stage of illness in psychotic disorders? A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 190-205. | 4.5 | 4 |
| 312 | Early intervention, prevention, and prediction in mood disorders: Tracking multidimensional outcomes in young people presenting for mental health care. , 2020, , 39-62. | | 4 |
| 313 | The influence of stage of illness on functional outcomes after psychological treatment in bipolar disorder: A systematic review. <i>Bipolar Disorders</i> , 2020, 22, 666-692. | 1.9 | 4 |
| 314 | Using density of antecedent events and trajectory path analysis to investigate family-correlated patterns of onset of bipolar I disorder: a comparison of cohorts from Europe and USA. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 29. | 2.2 | 4 |
| 315 | Cognitive therapy as an adjunct to medication in bipolar disorder. <i>British Journal of Psychiatry</i> , 2001, 178, S164-8. | 2.8 | 4 |
| 316 | The effects of digital CBT-I on work productivity and activity levels and the mediational role of insomnia symptoms: Data from a randomized controlled trial with 6-month follow-up. <i>Behaviour Research and Therapy</i> , 2022, 153, 104083. | 3.1 | 4 |
| 317 | Cognitive therapy in bipolar disorder. <i>Expert Review of Neurotherapeutics</i> , 2002, 2, 573-581. | 2.8 | 3 |
| 318 | A survey of opinions on the management of individuals who express suicidal ideation while intoxicated with alcohol. <i>Psychiatric Bulletin</i> , 2002, 26, 332-334. | 0.3 | 3 |
| 319 | A 16-Year Longitudinal Study of Hearing in Very Old Australians. <i>Audiology Research</i> , 2011, 1, e2. | 1.8 | 3 |
| 320 | No effects of eye movements on the encoding of the visuospatial sketchpad and the phonological loop in healthy participants: Possible implications for eye movement desensitization and reprocessing therapy. <i>Personality and Individual Differences</i> , 2013, 55, 983-988. | 2.9 | 3 |
| 321 | The science and practice of psychotherapy: the critical need for quality assurance and vigilance to monitor the ratio of benefits to risks of therapies. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 233-235. | 4.5 | 3 |
| 322 | Using School-Based Interventions for Depression Education and Prevention. , 2019, , 1-32. | | 3 |
| 323 | Short communication: Self-reported sleep-wake disturbances preceding onset of full-threshold mood and/or psychotic syndromes in community residing adolescents and young adults. <i>Journal of Affective Disorders</i> , 2020, 277, 592-595. | 4.1 | 3 |
| 324 | Chronobiologically informed inpatient milieu in psychiatric institutions. <i>Lancet Psychiatry</i> , the, 2020, 7, 1013-1014. | 7.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Brief Research Report: A Pilot Study of Cognitive Behavioral Regulation Therapy (CBT-REG) for Young People at High Risk of Early Transition to Bipolar Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 616829. | 2.6 | 3 |
| 326 | Advances in cognitive therapy. <i>Current Opinion in Psychiatry</i> , 1997, 10, 256-260. | 6.3 | 3 |
| 327 | Cognitive therapy training for psychiatrists. <i>Advances in Psychiatric Treatment</i> , 1998, 4, 3-9. | 0.5 | 3 |
| 328 | Three months in the life of a community mental health team. <i>Psychiatric Bulletin</i> , 1994, 18, 615-617. | 0.3 | 3 |
| 329 | Cognitive Therapy for Depression in Women. <i>Psychiatric Annals</i> , 2002, 32, 465-476. | 0.1 | 3 |
| 330 | Do self-ratings of the Pittsburgh Sleep Quality Index reflect actigraphy recordings of sleep quality or variability? An exploratory study of bipolar disorders versus healthy controls. <i>Journal of Sleep Research</i> , 2022, 31, e13507. | 3.2 | 3 |
| 331 | Reducing Risks for Mental Disorders: Frontiers for Preventive Intervention Research. Edited By P. J. Mrazek and R. J. Haggerty. Washington DC: National Academy Press. 1994. 605 pp. \$40.05.. <i>British Journal of Psychiatry</i> , 1995, 167, 275-276. | 2.8 | 3 |
| 332 | Research to Clinical Practice—Youth seeking mental health information online and its impact on the first steps in the patient journey. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 301-314. | 4.5 | 3 |
| 333 | Evaluation of a partial hospitalisation programme: good news and bad. <i>Psychiatric Bulletin</i> , 2004, 28, 244-247. | 0.3 | 2 |
| 334 | A brief adherence therapy: training issues and patients' satisfaction. <i>Irish Journal of Psychological Medicine</i> , 2004, 21, 91-94. | 1.0 | 2 |
| 335 | Cognitive behavioural therapy. , 0, , 636-651. | | 2 |
| 336 | Are rating scales for bipolar disorders fit for purpose?. <i>British Journal of Psychiatry</i> , 2018, 213, 627-629. | 2.8 | 2 |
| 337 | Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019, 36, 1124-1130. | 2.0 | 2 |
| 338 | Modelling change in neurocognition, symptoms and functioning in young people with emerging mental disorders. <i>Journal of Psychiatric Research</i> , 2020, 131, 22-30. | 3.1 | 2 |
| 339 | A taxonomy of clinical response to mood stabilizers. <i>Bipolar Disorders</i> , 2021, 23, 24-32. | 1.9 | 2 |
| 340 | Days out of role and somatic, anxious-depressive, hypo-manic, and psychotic-like symptom dimensions in a community sample of young adults. <i>Translational Psychiatry</i> , 2021, 11, 285. | 4.8 | 2 |
| 341 | An epidemiological study of externally determined and self-identified mental and physical disability across the spectrum of bipolar disorders. <i>Journal of Affective Disorders</i> , 2021, 294, 597-604. | 4.1 | 2 |
| 342 | A Comparison of Different Approaches to Clinical Phenotyping of Lithium Response: A Proof of Principle Study Employing Genetic Variants of Three Candidate Circadian Genes. <i>Pharmaceuticals</i> , 2021, 14, 1072. | 3.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Which Actigraphy Dimensions Predict Longitudinal Outcomes in Bipolar Disorders?. Journal of Clinical Medicine, 2022, 11, 2204. | 2.4 | 2 |
| 344 | Dynamic networks of psychological symptoms, impairment, substance use, and social support: The evolution of psychopathology among emerging adults. European Psychiatry, 2022, 65, . | 0.2 | 2 |
| 345 | Cognitive Therapy. British Journal of Psychiatry, 1994, 165, 126-130. | 2.8 | 1 |
| 346 | Characteristics of homeless women living in London hostels. Psychiatric Services, 1996, 47, 196-198. | 2.0 | 1 |
| 347 | Cognitive therapy for major depression in partial remission: Preliminary findings. European Psychiatry, 1998, 13, 166s-166s. | 0.2 | 1 |
| 348 | FACTORS ASSOCIATED WITH PARTIAL REMISSION IN DEPRESSION. Behavioural and Cognitive Psychotherapy, 1999, 27, 215-222. | 1.2 | 1 |
| 349 | ThÃ©rapie cognitive des troubles mentaux graves et persistants. Sante Mentale Au Quebec, 1999, 24, 89-100. | 0.1 | 1 |
| 350 | Chapter 21 Homelessness and mental health. Principles of Medical Biology, 2000, 14, 487-498. | 0.1 | 1 |
| 351 | Cognitive theory and therapy of bipolar disorders. , 2003, , 40-59. | | 1 |
| 352 | Effects of Cognitive Therapy on Psychological Symptoms and Social Functioning in Residual Depression. Focus (American Psychiatric Publishing), 2005, 3, 122-130. | 0.8 | 1 |
| 353 | Early detection of new episodes. , 0, , 156-162. | | 1 |
| 354 | Which psychosocial interventions in bipolar depression ?. L'Encephale, 2011, 37, S214-S217. | 0.9 | 1 |
| 355 | Improving the understanding of medication non-adherence among mental health professionals: Findings from a series of UK training workshops. Journal of Mental Health, 2012, 21, 600-607. | 1.9 | 1 |
| 356 | Beyond psychosis: The challenge of early intervention in bipolar disorders. Revista De PsiquiatrÃ­a Y Salud Mental (English Edition), 2012, 5, 1-4. | 0.3 | 1 |
| 357 | Depression course, functional disability, and NEET status in young adults with mental health problems. European Psychiatry, 2016, 33, S176-S177. | 0.2 | 1 |
| 358 | T5Ã©...Complement protein c5a induces prolonged neutrophil dysfunction in a clinically relevant model of human bacteraemia. , 2017, , . | | 1 |
| 359 | Make lithium great again â€œ Precisely!. Bipolar Disorders, 2021, 23, 209-210. | 1.9 | 1 |
| 360 | Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. BMJ Open, 2021, 11, e044731. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Integrated Mental Health Care: A Comprehensive Community-Based Approach. By Ian R. Falloon & Grainne Fadden. Cambridge: Cambridge University Press. 1993. Pp. 335. £45.00 (hb).. Psychiatric Bulletin, 1993, 17, 510-510. | 0.3 | 1 |
| 362 | Is specialist registrar training in cognitive therapy effective?. Psychiatric Bulletin, 1999, 23, 603-607. | 0.3 | 1 |
| 363 | All you need is cognitive behaviour therapy? Critical appraisal of evidence base must be understood and respected. BMJ, The, 2002, 324, 1522. | 6.0 | 1 |
| 364 | Time to put a spotlight on out-patient chronotherapy for depression. BJPsych Open, 2021, 7, e219. | 0.7 | 1 |
| 365 | Cognitive therapy as an adjunct to medication in bipolar disorder. The British Journal of Psychiatry Supplement, 2001, 41, s164-8. | 0.1 | 1 |
| 366 | Is cognitive behaviour therapy applicable to individuals diagnosed with bipolar depression or suboptimal mood stabilizer treatment: a secondary analysis of a large pragmatic effectiveness trial. International Journal of Bipolar Disorders, 2022, 10, 13. | 2.2 | 1 |
| 367 | Sleep and work functioning in nurses undertaking inpatient shifts in a blue-depleted light environment. BMC Nursing, 2022, 21, . | 2.5 | 1 |
| 368 | Bipolar disorders through history. , 0, , 4-5. | | 0 |
| 369 | Awareness of the disorder. , 0, , 53-56. | | 0 |
| 370 | Presentation and rules of the group. , 0, , 57-63. | | 0 |
| 371 | Risks associated with treatment withdrawal. , 0, , 140-146. | | 0 |
| 372 | Bodily Communication: 2nd Edition. By Michael Argyle. Madison: International Universities Press Inc. 1990.363 pp. \$45.00.. British Journal of Psychiatry, 1991, 159, 461-461. | 2.8 | 0 |
| 373 | Psychosocial Processes in Health: a Reader. Edited by Andrew Steptoe & Jane Wardle. 1994. Pp 525. Cambridge: Cambridge University Press. Hb (ISBN 0521416108) £60.00. Pb (ISBN 0521426189) £24.95. Psychiatric Bulletin, 1995, 19, 587-587. | 0.3 | 0 |
| 374 | L-16 Predictors of course and treatment response in bipolar affective disorder. European Neuropsychopharmacology, 1996, 6, S9. | 0.7 | 0 |
| 375 | Tertiary prevention in depression: cognitive therapy and other psychological treatments. , 1996, , 294-310. | | 0 |
| 376 | Cognitive Therapy for Bipolar Disorder: A Therapist's Guide to Concepts, Methods and Practice By Dominic H. Lam, Steven H. Jones, Peter Hayward & Jenifer A. Bright. Chichester: John Wiley & Sons. 1999. 306 pp. £19.95 (pb). ISBN 0-471-97945-7. British Journal of Psychiatry, 2000, 176, 601-601. | 2.8 | 0 |
| 377 | Cognitive therapy and psychosocial interventions in chronic and treatmentresistant mood disorders. , 2001, , 252-270. | | 0 |
| 378 | Systemic Couples Therapy and Depression Elsa Jones & Eia Asen. London: Karnac. 2000. 132 pp. \$14.95 (pb). ISBN 1 85575221 2. British Journal of Psychiatry, 2002, 180, 384-385. | 2.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|----|-----------|
| 379 | Mood Disorders-Bipolar Disorder. , 2005, , 250-253. | | 0 |
| 380 | Psychological therapies and schizoaffective disorders. , 2006, , 264-276. | | 0 |
| 381 | Diagnosis and classification. , 0, , 6-13. | | 0 |
| 382 | Psychological interventions in bipolar disorders. , 0, , 14-22. | | 0 |
| 383 | Psychological treatment and bipolar disorders: why psychoeducate?. , 0, , 25-29. | | 0 |
| 384 | Mechanisms of action of psychoeducation. , 0, , 30-33. | | 0 |
| 385 | Integrating psychoeducation in clinical practice. , 0, , 34-39. | | 0 |
| 386 | When to introduce psychoeducation?. , 0, , 40-44. | | 0 |
| 387 | Formal aspects of the psychoeducation program. , 0, , 45-50. | | 0 |
| 388 | What is bipolar disorder?. , 0, , 64-72. | | 0 |
| 389 | Etiological and triggering factors. , 0, , 73-77. | | 0 |
| 390 | Symptoms I:Mania and hypomania. , 0, , 78-84. | | 0 |
| 391 | Symptoms II: Depression and mixed episodes. , 0, , 85-92. | | 0 |
| 392 | Evolution and prognosis. , 0, , 93-103. | | 0 |
| 393 | Drug adherence. , 0, , 104-110. | | 0 |
| 394 | Treatment I: Mood stabilizers. , 0, , 111-116. | | 0 |
| 395 | Treatment II: Antimanic drugs. , 0, , 117-121. | | 0 |
| 396 | Treatment III: Antidepressants. , 0, , 122-125. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Plasma levels of mood stabilizers. , 0, , 126-129. | | 0 |
| 398 | Pregnancy and genetic counseling. , 0, , 130-134. | | 0 |
| 399 | Psycho-pharmacology vs. alternative therapies. , 0, , 135-139. | | 0 |
| 400 | Avoiding substance abuse. , 0, , 147-148. | | 0 |
| 401 | Psychoactive substances: risks in bipolar disorders. , 0, , 149-155. | | 0 |
| 402 | Early detection of mania and hypomanic episodes. , 0, , 163-168. | | 0 |
| 403 | Early detection of depressive and mixed episodes. , 0, , 169-172. | | 0 |
| 404 | What to do when a new phase is detected?. , 0, , 173-179. | | 0 |
| 405 | Regular habits and stress management. , 0, , 180-181. | | 0 |
| 406 | Regularity of habits. , 0, , 182-187. | | 0 |
| 407 | Stress-control techniques. , 0, , 188-191. | | 0 |
| 408 | Problem-solving strategies. , 0, , 192-196. | | 0 |
| 409 | Final note: Is psychoeducation efficacious?. , 0, , 201-204. | | 0 |
| 410 | Psychological management of mood disorders. Psychiatry (Abingdon, England), 2006, 5, 185-188. | 0.2 | 0 |
| 411 | Managing the aftermath of mania - Newcastle, 2 September 2005: Consensus Meeting Statement. Journal of Psychopharmacology, 2006, 20, 51-54. | 4.0 | 0 |
| 412 | Strategies for promoting engagement and treatment adherence. , 0, , 165-176. | | 0 |
| 413 | Psychological management of mood disorders. Psychiatry (Abingdon, England), 2009, 8, 108-112. | 0.2 | 0 |
| 414 | S.01.05 Is psychological treatment effective in bipolar disorders?. European Neuropsychopharmacology, 2009, 19, S176. | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Does prescribing depot medication really improve medication adherence?. <i>European Psychiatry</i> , 2011, 26, 1269-1269. | 0.2 | 0 |
| 416 | Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 209, 528-529. | 2.8 | 0 |
| 417 | Don't throw the baby out with the bathwater: A case for bipolar II. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1095-1096. | 2.3 | 0 |
| 418 | Size and clustering of ethnic groups and rates of psychiatric admission in England. <i>BJPsych Bulletin</i> , 2018, 42, 141-145. | 1.1 | 0 |
| 419 | S.15.01 Barriers to optimising benefits of lithium treatment reliability and utility of response scales, and clinical strategies to close the efficacy-effectiveness gap. <i>European Neuropsychopharmacology</i> , 2019, 29, S22-S23. | 0.7 | 0 |
| 420 | Effects of ethnic density on the risk of compulsory psychiatric admission for individuals attending secondary care mental health services: evidence from a large-scale study in England. <i>Psychological Medicine</i> , 2021, , 1-10. | 4.5 | 0 |
| 421 | Mood Disorders in Women Edited By Meir Steiner, Kimberly Yonkers & Elias Eriksson. London: Martin Dunitz. 2000. 368 pp. £65.00 (hb). ISBN 1 85307 545 5. <i>British Journal of Psychiatry</i> , 2001, 179, 280-280. | 2.8 | 0 |
| 422 | Evaluation of an emergency response service. <i>Psychiatric Bulletin</i> , 2003, 27, 130-133. | 0.3 | 0 |
| 423 | Preventing Mental Illness: Mental Health Promotion in Primary Care. Edited by R. Jenkins & T. Bedirhan Ustun. 1998. Chichester: John Wiley & Son. 504 pp. £60. 00. ISBN 0-471-97562-1. <i>British Journal of Psychiatry</i> , 1998, 173, 544-544. | 2.8 | 0 |
| 424 | Lithium in Acute and Maintenance Treatment of Bipolar Disorders. , 2017, , 211-222. | | 0 |
| 425 | S87...Bronchiectasis relevant molecules promote NETosis and citrullination in human peripheral blood neutrophils. , 2018, , . | | 0 |
| 426 | S89...Interleukin 8 secretion but not superoxide anion production is different between healthy and bronchiectasis patients neutrophils. , 2018, , . | | 0 |
| 427 | A pilot study of new approaches to exploring illness trajectories and patterns of comorbidity in major mental disorders. <i>Microbial Biotechnology</i> , 2021, , . | 1.7 | 0 |
| 428 | Short communication: Do clinical guidelines for bipolar disorders adequately address sleep, circadian rhythm, activity and lifestyle problems?. <i>Journal of Affective Disorders</i> , 2022, 301, 433-436. | 4.1 | 0 |
| 429 | A network analysis of rest-activity rhythms in young people with emerging bipolar disorders. <i>Journal of Affective Disorders</i> , 2022, 305, 220-226. | 4.1 | 0 |
| 430 | Secretion and Retention of Z AAT in Response to SARS-CoV-2 Infection and Similar Stimuli. , 2022, , . | | 0 |
| 431 | Aaron Temkin Beck "an appreciation" Reflection. <i>British Journal of Psychiatry</i> , 2022, 221, 373-373. | 2.8 | 0 |