

Katharina Schallmoser

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5843320/katharina-schallmoser-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

7,369
citations

30
h-index

85
g-index

100
ext. papers

9,028
ext. citations

6
avg, IF

5.34
L-index

#	Paper	IF	Citations
98	Synergy of Human Platelet-Derived Extracellular Vesicles with Secretome Proteins Promotes Regenerative Functions.. <i>Biomedicines</i> , 2022 , 10,	4.8	5
97	A functional corona around extracellular vesicles enhances angiogenesis, skin regeneration and immunomodulation.. <i>Journal of Extracellular Vesicles</i> , 2022 , 11, e12207	16.4	11
96	Heparin and Derivatives for Advanced Cell Therapies. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
95	Scalable Enrichment of Immunomodulatory Human Acute Myeloid Leukemia Cell Line-Derived Extracellular Vesicles.. <i>Cells</i> , 2021 , 10,	7.9	2
94	Bone marrow stromal cells from MDS and AML patients show increased adipogenic potential with reduced Delta-like-1 expression. <i>Scientific Reports</i> , 2021 , 11, 5944	4.9	7
93	Hypoxic Conditions Promote the Angiogenic Potential of Human Induced Pluripotent Stem Cell-Derived Extracellular Vesicles. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
92	Human Platelet Lysate for Good Manufacturing Practice-Compliant Cell Production. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	12
91	Acoustophoresis Enables the Label-Free Separation of Functionally Different Subsets of Cultured Bone Marrow Stromal Cells. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021 , 99, 476-487	4.6	9
90	Self-assembly of differentiated progenitor cells facilitates spheroid human skin organoid formation and planar skin regeneration. <i>Theranostics</i> , 2021 , 11, 8430-8447	12.1	8
89	Platelet-derived factors impair placental chorionic gonadotropin beta-subunit synthesis. <i>Journal of Molecular Medicine</i> , 2020 , 98, 193-207	5.5	5
88	Production and Quality Requirements of Human Platelet Lysate: A Position Statement from the Working Party on Cellular Therapies of the International Society of Blood Transfusion. <i>Trends in Biotechnology</i> , 2020 , 38, 13-23	15.1	42
87	Extracellular vesicles from human multipotent stromal cells protect against hearing loss after noise trauma in vivo. <i>Clinical and Translational Medicine</i> , 2020 , 10, e262	5.7	13
86	Heparin Differentially Impacts Gene Expression of Stromal Cells from Various Tissues. <i>Scientific Reports</i> , 2019 , 9, 7258	4.9	10
85	Human platelet lysate current standards and future developments. <i>Transfusion</i> , 2019 , 59, 1407-1413	2.9	38
84	Upregulation of mitotic bookmarking factors during enhanced proliferation of human stromal cells in human platelet lysate. <i>Journal of Translational Medicine</i> , 2019 , 17, 432	8.5	7
83	International Forum on GMP-grade human platelet lysate for cell propagation: summary. <i>Vox Sanguinis</i> , 2018 , 113, 80-87	3.1	30
82	International Forum on GMP-grade human platelet lysate for cell propagation. <i>Vox Sanguinis</i> , 2018 , 113, e1-e25	3.1	8

81	Selection of Tissue Factor-Deficient Cell Transplants as a Novel Strategy for Improving Hemocompatibility of Human Bone Marrow Stromal Cells. <i>Theranostics</i> , 2018 , 8, 1421-1434	12.1	26
80	Identification of the Human Skeletal Stem Cell. <i>Cell</i> , 2018 , 175, 43-56.e21	56.2	257
79	An alternative mini buffy coat preparation method for adult patients with extracorporeal photopheresis contraindications. <i>Journal of Clinical Apheresis</i> , 2017 , 32, 12-15	3.2	3
78	Stromal Cells Act as Guardians for Endothelial Progenitors by Reducing Their Immunogenicity After Co-Transplantation. <i>Stem Cells</i> , 2017 , 35, 1233-1245	5.8	21
77	DNA methylation heterogeneity defines a disease spectrum in Ewing sarcoma. <i>Nature Medicine</i> , 2017 , 23, 386-395	50.5	128
76	A Good Manufacturing Practice-grade standard protocol for exclusively human mesenchymal stromal cell-derived extracellular vesicles. <i>Cytotherapy</i> , 2017 , 19, 458-472	4.8	99
75	Generation and use of a humanized bone-marrow-ossicle niche for hematopoietic xenotransplantation into mice. <i>Nature Protocols</i> , 2017 , 12, 2169-2188	18.8	45
74	Manufacturing of Human Extracellular Vesicle-Based Therapeutics for Clinical Use. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	142
73	Human platelet lysate: Replacing fetal bovine serum as a gold standard for human cell propagation?. <i>Biomaterials</i> , 2016 , 76, 371-87	15.6	279
72	A humanized bone marrow ossicle xenotransplantation model enables improved engraftment of healthy and leukemic human hematopoietic cells. <i>Nature Medicine</i> , 2016 , 22, 812-21	50.5	148
71	Epigenetic and in vivo comparison of diverse MSC sources reveals an endochondral signature for human hematopoietic niche formation. <i>Blood</i> , 2015 , 125, 249-60	2.2	167
70	Lesion-induced accumulation of platelets promotes survival of adult neural stem / progenitor cells. <i>Experimental Neurology</i> , 2015 , 269, 75-89	5.7	24
69	T-cell death, phosphatidylserine exposure and reduced proliferation rate to validate extracorporeal photochemotherapy. <i>Vox Sanguinis</i> , 2015 , 108, 82-8	3.1	12
68	Platelet antibody analysis by three different tests. <i>Journal of Clinical Laboratory Analysis</i> , 2015 , 29, 198-202		1
67	Biological properties of extracellular vesicles and their physiological functions. <i>Journal of Extracellular Vesicles</i> , 2015 , 4, 27066	16.4	2611
66	Applying extracellular vesicles based therapeutics in clinical trials - an ISEV position paper. <i>Journal of Extracellular Vesicles</i> , 2015 , 4, 30087	16.4	722
65	Mechanical fibrinogen-depletion supports heparin-free mesenchymal stem cell propagation in human platelet lysate. <i>Journal of Translational Medicine</i> , 2015 , 13, 354	8.5	30
64	A robust potency assay highlights significant donor variation of human mesenchymal stem/progenitor cell immune modulatory capacity and extended radio-resistance. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 236	8.3	60

63	Iron depletion with a novel apheresis system in patients with hemochromatosis. <i>Transfusion</i> , 2015 , 55, 996-1000	2.9	5
62	Reciprocal leukemia-stroma VCAM-1/VLA-4-dependent activation of NF- κ B mediates chemoresistance. <i>Blood</i> , 2014 , 123, 2691-702	2.2	178
61	Therapeutic red blood cell exchange in a child with sickle cell anaemia using the Spectra Optia \square apheresis system. <i>Transfusion Medicine</i> , 2014 , 24, 184-6	1.3	3
60	Tri-lineage potential of intraoral tissue-derived mesenchymal stromal cells. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013 , 41, 110-8	3.6	9
59	Donor selection and release criteria of cellular therapy products. <i>Vox Sanguinis</i> , 2013 , 104, 67-91	3.1	8
58	Generation of a pool of human platelet lysate and efficient use in cell culture. <i>Methods in Molecular Biology</i> , 2013 , 946, 349-62	1.4	61
57	A clinically-feasible protocol for using human platelet lysate and mesenchymal stem cells in regenerative therapies. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2013 , 41, 153-61	3.6	37
56	Identification of an effective early signaling signature during neo-vasculogenesis in vivo by ex vivo proteomic profiling. <i>PLoS ONE</i> , 2013 , 8, e66909	3.7	14
55	Third-party mesenchymal stromal cell infusion is associated with a decrease in thrombotic microangiopathy symptoms observed post-hematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2012 , 16, 131-6	1.8	3
54	Influence of multicomponent apheresis on donorsThaematological and coagulation parameters, iron storage and platelet function. <i>Vox Sanguinis</i> , 2012 , 103, 194-200	3.1	6
53	Reticulocyte hemoglobin content allows early and reliable detection of functional iron deficiency in blood donors. <i>Clinica Chimica Acta</i> , 2012 , 413, 678-82	6.2	28
52	Oxygen sensing mesenchymal progenitors promote neo-vasculogenesis in a humanized mouse model in vivo. <i>PLoS ONE</i> , 2012 , 7, e44468	3.7	37
51	Animal ProteinFree Expansion of Human Mesenchymal Stem/Progenitor Cells 2012 , 53-69		1
50	Collagen Receptor-Mediated Mechanochemical Signaling Contributes to Human Pro-Angiogenic Mesenchymal Stem/Progenitor Cell-Induced Neo-Vasculogenesis. <i>Blood</i> , 2012 , 120, 5196-5196	2.2	
49	Single Center Experience with the Nanoparticle-Based Flow Immunoassay for Diagnosis of Heparin-Induced Thrombocytopenia (HIT).. <i>Blood</i> , 2012 , 120, 2189-2189	2.2	
48	Organotypic Epigenetic Signature Predicts Bone and Marrow Niche Forming Capacity of Stromal Progenitors in a Novel Mouse Model in Vivo.. <i>Blood</i> , 2012 , 120, 2987-2987	2.2	
47	A Novel Role for Mesenchymal Stem/Progenitor Cells As Hypoxia Sensors During Initiation of Neo-Vasculogenesis in Vivo. <i>Blood</i> , 2012 , 120, 613-613	2.2	0
46	Therapeutic Red Blood Cell Exchange in Sickle Cell Anaemia Using the Spectra Optia \square Apheresis System. <i>Blood</i> , 2012 , 120, 4383-4383	2.2	

45	Maintenance of Osteogenic Differentiation Capacity of MSPC Despite Amplified Proliferation Under Elevated Oxygen Conditions. <i>Blood</i> , 2012 , 120, 1916-1916	2.2	
44	Pro-angiogenic induction of myeloid cells for therapeutic angiogenesis can induce mitogen-activated protein kinase p38-dependent foam cell formation. <i>Cytotherapy</i> , 2011 , 13, 503-12	4.8	9
43	Immunomodulative efficacy of bone marrow-derived mesenchymal stem cells cultured in human platelet lysate. <i>Journal of Clinical Immunology</i> , 2011 , 31, 1143-56	5.7	56
42	Dissociation of In Vivo and in Vitro Differentiation Capacity of Human Mesenchymal Stem Cells Is Reflected by a Tissue Specific Epigenetic Memory. <i>Blood</i> , 2011 , 118, 2386-2386	2.2	
41	Platelet-Derived Factors Allow Human Mesenchymal Stem Cells to Spontaneously Undergo Endochondral Bone Differentiation and Provide Bone Marrow Support in a Xenogenic In Vivo Model. <i>Blood</i> , 2011 , 118, 1322-1322	2.2	
40	Neo-Vasculogenesis In Vivo Is Facilitated by Oxygen Sensing Mesenchymal Stem and Progenitor Cells. <i>Blood</i> , 2011 , 118, 699-699	2.2	
39	Function and activation state of platelets in vitro depend on apheresis modality. <i>Vox Sanguinis</i> , 2010 , 99, 332-40	3.1	25
38	Replicative senescence-associated gene expression changes in mesenchymal stromal cells are similar under different culture conditions. <i>Haematologica</i> , 2010 , 95, 867-74	6.6	103
37	Pro-angiogenic Induction of Myeloid Cells for Therapeutic Angiogenesis Can Favor MAPK p38-dependent Foam Cell Formation. <i>Blood</i> , 2010 , 116, 4442-4442	2.2	
36	Human Vascular Progenitor Cells Can Guide Mesodermal Lineage Choice of Mesenchymal Stem and Progenitor Cells After Co-Transplantation In Vivo.. <i>Blood</i> , 2010 , 116, 939-939	2.2	
35	Replicative Senescence-Associated Gene Expression Changes In Human MSPCs Independent of Genomic Variations. <i>Blood</i> , 2010 , 116, 4775-4775	2.2	
34	Oxygen Sensing of Mesenchymal Stem and Progenitor Cells Facilitates Neo-Vasculogenesis In Vivo. <i>Blood</i> , 2010 , 116, 4313-4313	2.2	
33	Platelet-derived growth factors for GMP-compliant propagation of mesenchymal stromal cells. <i>Bio-Medical Materials and Engineering</i> , 2009 , 19, 271-6	1	21
32	The particle gel immunoassay as a rapid test to rule out heparin-induced thrombocytopenia?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 137, 781-3	1.5	12
31	Human alternatives to fetal bovine serum for the expansion of mesenchymal stromal cells from bone marrow. <i>Stem Cells</i> , 2009 , 27, 2331-41	5.8	362
30	Preparation of pooled human platelet lysate (pHPL) as an efficient supplement for animal serum-free human stem cell cultures. <i>Journal of Visualized Experiments</i> , 2009 ,	1.6	79
29	Humanized large-scale expanded endothelial colony-forming cells function in vitro and in vivo. <i>Blood</i> , 2009 , 113, 6716-25	2.2	179
28	Thrombin generation before and after multicomponent blood collection. <i>Transfusion</i> , 2008 , 48, 1584-90	2.9	5

27	Clinical Protocols for the Isolation and Expansion of Mesenchymal Stromal Cells. <i>Transfusion Medicine and Hemotherapy</i> , 2008 , 35, 286-294	4.2	61
26	Rapid large-scale expansion of functional mesenchymal stem cells from unmanipulated bone marrow without animal serum. <i>Tissue Engineering - Part C: Methods</i> , 2008 , 14, 185-96	2.9	153
25	Excluding HIT Diagnosis by a Particle Gel Immunoassay.. <i>Blood</i> , 2008 , 112, 3405-3405	2.2	
24	Combined Action of Endothelial and Mesenchymal Niche Cells to Amplify Hematopoietic Progenitor Expansion in a Humanized System. <i>Blood</i> , 2008 , 112, 2410-2410	2.2	
23	Making Functional Endothelial Progenitors: Humanized Large-Scale Animal Serum-Free Propagated Adult Blood-Derived Endothelial Colony-Forming Cells Assemble Stable Perfused Vessels in Vivo.. <i>Blood</i> , 2008 , 112, 1882-1882	2.2	
22	Genomic Stability and Safety of MSCs after Animal Serum-Free Humanized Clinical Scale Propagation.. <i>Blood</i> , 2008 , 112, 2307-2307	2.2	
21	Immune cells mimic the morphology of endothelial progenitor colonies in vitro. <i>Stem Cells</i> , 2007 , 25, 1746-52	5.8	132
20	Two steps to functional mesenchymal stromal cells for clinical application. <i>Transfusion</i> , 2007 , 47, 1426-35.9	35.9	103
19	Human platelet lysate can replace fetal bovine serum for clinical-scale expansion of functional mesenchymal stromal cells. <i>Transfusion</i> , 2007 , 47, 1436-46	2.9	383
18	Humanized system to propagate cord blood-derived multipotent mesenchymal stromal cells for clinical application. <i>Regenerative Medicine</i> , 2007 , 2, 371-82	2.5	133
17	Delayed detectability of anti-HPA-3a by the MAIPA assay in a severe neonatal alloimmune thrombocytopenia, but successful transfusion of incompatible donor platelets: a case report. <i>Vox Sanguinis</i> , 2006 , 91, 181-3	3.1	14
16	Specificities of platelet autoantibodies and platelet activation in lupus anticoagulant patients: a relation to their history of thromboembolic disease. <i>Lupus</i> , 2006 , 15, 507-14	2.6	10
15	Immune Cells Mimic Endothelial Progenitor Colonies.. <i>Blood</i> , 2006 , 108, 1811-1811	2.2	
14	Human Mesenchymal Stem Cell Therapy: Platelet Lysate Supports Efficient Preclinical Expansion.. <i>Blood</i> , 2006 , 108, 3649-3649	2.2	
13	Human Platelet-Derived Factors Regulate Mesenchymal Stem Cell Gene Expression.. <i>Blood</i> , 2006 , 108, 4255-4255	2.2	
12	Severe thrombocytopenia due to host-derived anti-HPA-1a after non-myeloablative allogeneic haematopoietic stem cell transplantation for multiple myeloma: a case report. <i>Vox Sanguinis</i> , 2005 , 89, 257-60	3.1	6
11	The Fc gammaRIIa polymorphism R/H131, autoantibodies against the platelet receptors GPIb alpha and Fc gammaRIIa and a risk for thromboembolism in lupus anticoagulant patients. <i>Thrombosis and Haemostasis</i> , 2005 , 93, 544-8	7	9
10	Lack of association of the Glu298Asp polymorphism of endothelial nitric oxide synthase with manifest coronary artery disease, carotid atherosclerosis and forearm vascular reactivity in two Austrian populations. <i>European Journal of Clinical Investigation</i> , 2003 , 33, 191-8	4.6	26

9	A novel splice-site mutation in intron 7 causes more severe hypercholesterolemia than a combined FH-FDB defect. <i>Atherosclerosis</i> , 2001 , 157, 524-5	3.1	4
8	Factor II G20210A and Factor V G1691A Gene Mutations and Peripheral Arterial Occlusive Disease. <i>Thrombosis and Haemostasis</i> , 2000 , 83, 20-22	7	25
7	Prothrombin G20210A, factor V Leiden, and factor XIII Val34Leu: common mutations of blood coagulation factors and deep vein thrombosis in Austria. <i>Thrombosis Research</i> , 2000 , 99, 35-9	8.2	47
6	C242T polymorphism of the p22 phox gene is not associated with peripheral arterial occlusive disease. <i>Atherosclerosis</i> , 2000 , 152, 175-9	3.1	20
5	GMP-Compliant Propagation of Human Multipotent Mesenchymal Stromal Cells97-115		3
4	Extra-hematopoietic immunomodulatory role of the SCID-susceptibility gene DOCK-2 identified by stepwise maturation of human iPSCs into clonogenic mesodermal stromal progenitors		1
3	Self-assembly of progenitor cells under the aegis of platelet factors facilitates human skin organoid formation and vascularized wound healing		1
2	A functional corona around extracellular vesicles enhances angiogenesis during skin regeneration and signals in immune cells		4
1	GMP-Compliant Propagation of Human Multipotent Mesenchymal Stromal Cells1		2