

Rennolds S Ostrom

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5843338/rennolds-s-ostrom-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75 papers	3,705 citations	29 h-index	60 g-index
91 ext. papers	4,272 ext. citations	5.1 avg, IF	5.31 L-index

#	Paper	IF	Citations
75	Anti-inflammatory effects of α -nicotinic ACh receptors are exerted through interactions with adenylyl cyclase-6. <i>British Journal of Pharmacology</i> , 2021 , 178, 2324-2338	8.6	4
74	SARS-CoV-2 early infection signature identified potential key infection mechanisms and drug targets. <i>BMC Genomics</i> , 2021 , 22, 125	4.5	9
73	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: Enzymes. <i>British Journal of Pharmacology</i> , 2021 , 178 Suppl 1, S313-S411	8.6	40
72	Phosphodiesterase isoforms and cAMP compartments in the development of new therapies for obstructive pulmonary diseases. <i>Current Opinion in Pharmacology</i> , 2020 , 51, 34-42	5.1	8
71	Glucocorticoids rapidly stimulate cAMP production in a G β -dependent manner. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
70	Non-genomic glucocorticoid signaling via G β contributes to one-third of their canonical genomic effects. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
69	Glucocorticoids rapidly activate cAMP production via G to initiate non-genomic signaling that contributes to one-third of their canonical genomic effects. <i>FASEB Journal</i> , 2020 , 34, 2882-2895	0.9	11
68	Agonist-specific desensitization of PGE-stimulated cAMP signaling due to upregulated phosphodiesterase expression in human lung fibroblasts. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020 , 393, 843-856	3.4	4
67	Budesonide enhances agonist-induced bronchodilation in human small airways by increasing cAMP production in airway smooth muscle. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020 , 318, L345-L355	5.8	13
66	Effect of Adenylyl Cyclase Type 6 on Localized Production of cAMP by α -2 Adrenoceptors in Human Airway Smooth-Muscle Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 370, 104-110	4.7	5
65	Sensory primary cilium is a responsive cAMP microdomain in renal epithelia. <i>Scientific Reports</i> , 2019 , 9, 6523	4.9	17
64	Transforming Growth Factor- β Decreases α -Agonist-induced Relaxation in Human Airway Smooth Muscle. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019 , 61, 209-218	5.7	14
63	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Enzymes. <i>British Journal of Pharmacology</i> , 2019 , 176 Suppl 1, S297-S396	8.6	347
62	Non-genomic Effects of Glucocorticoids: An Updated View. <i>Trends in Pharmacological Sciences</i> , 2019 , 40, 38-49	13.2	83
61	cAMP Signaling Compartmentation: Adenylyl Cyclases as Anchors of Dynamic Signaling Complexes. <i>Molecular Pharmacology</i> , 2018 , 93, 270-276	4.3	54
60	PDE8 Is Expressed in Human Airway Smooth Muscle and Selectively Regulates cAMP Signaling by α -Adrenergic Receptors and Adenylyl Cyclase 6. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018 , 58, 530-541	5.7	28
59	cAMP attenuates TGF- β profibrotic responses in osteoarthritic synoviocytes: involvement of hyaluronan and PRG4. <i>American Journal of Physiology - Cell Physiology</i> , 2018 , 315, C432-C443	5.4	15

58	Inhaled Corticosteroids Stimulate cAMP Production and Enhance β AR Signaling In a Non-Genomic Fashion In Human Airway Smooth Muscle Cells. <i>FASEB Journal</i> , 2018 , 32, 686.15	0.9	
57	PDE8 Activity Regulates cAMP Signaling by β AR But Not Prostanoid EP2 Nor EP4 Receptors In Human Airway Smooth Muscle. <i>FASEB Journal</i> , 2018 , 32, 686.14	0.9	
56	Desensitization of PGE2-stimulated cAMP Signaling Due to Upregulated Phosphodiesterase Activity in Human Lung Fibroblasts. <i>FASEB Journal</i> , 2018 , 32, 686.17	0.9	
55	p53 Expression in Lung Fibroblasts Is Linked to Mitigation of Fibrotic Lung Remodeling. <i>American Journal of Pathology</i> , 2018 , 188, 2207-2222	5.8	11
54	Hsp90 inhibitor induces nuclear translocation of HSF1 predominantly in hippocampal CA1 region. <i>Molecular Psychiatry</i> , 2017 , 22, 935	15.1	
53	Compartmentalized cAMP responses to prostaglandin EP receptor activation in human airway smooth muscle cells. <i>British Journal of Pharmacology</i> , 2017 , 174, 2784-2796	8.6	19
52	International Union of Basic and Clinical Pharmacology. Cl. Structures and Small Molecule Modulators of Mammalian Adenylyl Cyclases. <i>Pharmacological Reviews</i> , 2017 , 69, 93-139	22.5	100
51	Suppression of CHRN endocytosis by carbonic anhydrase CAR3 in the pathogenesis of myasthenia gravis. <i>Autophagy</i> , 2017 , 13, 1981-1994	10.2	9
50	A CNS-permeable Hsp90 inhibitor rescues synaptic dysfunction and memory loss in APP-overexpressing Alzheimer's mouse model via an HSF1-mediated mechanism. <i>Molecular Psychiatry</i> , 2017 , 22, 990-1001	15.1	33
49	Membrane Microdomains and cAMP Compartmentation in Cardiac Myocytes. <i>Cardiac and Vascular Biology</i> , 2017 , 17-35	0.2	
48	Non-raft adenylyl cyclase 2 defines a cAMP signaling compartment that selectively regulates IL-6 expression in airway smooth muscle cells: differential regulation of gene expression by AC isoforms. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2014 , 387, 329-39	3.4	11
47	Adenylyl cyclase 6 activation negatively regulates TLR4 signaling through lipid raft-mediated endocytosis. <i>Journal of Immunology</i> , 2013 , 191, 6093-100	5.3	19
46	Development of a high-throughput screening paradigm for the discovery of small-molecule modulators of adenylyl cyclase: identification of an adenylyl cyclase 2 inhibitor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 347, 276-87	4.7	24
45	Melatonin membrane receptors in peripheral tissues: distribution and functions. <i>Molecular and Cellular Endocrinology</i> , 2012 , 351, 152-66	4.4	427
44	Choreographing the adenylyl cyclase signalosome: sorting out the partners and the steps. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012 , 385, 5-12	3.4	37
43	Adenylyl cyclase 2 selectively couples to E prostanoid type 2 receptors, whereas adenylyl cyclase 3 is not receptor-regulated in airway smooth muscle. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 342, 586-95	4.7	16
42	Adenylyl cyclase 6 defines a distinct cAMP compartment that increases somatostatin expression by airway smooth muscle cells. <i>FASEB Journal</i> , 2012 , 26, 666.5	0.9	
41	Human bronchial smooth muscle cells express adenylyl cyclase isoforms 2, 4, and 6 in distinct membrane microdomains. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 337, 209-17	4.7	35

40	The M2-muscarinic receptor inhibits the development of streptozotocin-induced neuropathy in mouse urinary bladder. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 335, 239-48	4.7	9
39	Fibroblast-specific expression of AC6 enhances beta-adrenergic and prostacyclin signaling and blunts bleomycin-induced pulmonary fibrosis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010 , 298, L819-29	5.8	12
38	Impaired M3 and enhanced M2 muscarinic receptor contractile function in a streptozotocin model of mouse diabetic urinary bladder. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010 , 381, 441-54	3.4	13
37	CD82 endocytosis and cholesterol-dependent reorganization of tetraspanin webs and lipid rafts. <i>FASEB Journal</i> , 2009 , 23, 3273-88	0.9	47
36	The C1 and C2 domains target human type 6 adenylyl cyclase to lipid rafts and caveolae. <i>Cellular Signalling</i> , 2009 , 21, 301-8	4.9	23
35	The guinea pig ileum lacks the direct, high-potency, M(2)-muscarinic, contractile mechanism characteristic of the mouse ileum. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009 , 380, 327-35	3.4	7
34	Localization and coupling of adenylyl cyclase isoforms 2, 3 and 6 with G protein-coupled receptors in mouse bronchial smooth muscle cells. <i>FASEB Journal</i> , 2009 , 23, 582.3	0.9	
33	An orphan GPCR finds a home in the heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 295, H479-81	5.2	1
32	Adenylyl cyclase type 6 overexpression selectively enhances beta-adrenergic and prostacyclin receptor-mediated inhibition of cardiac fibroblast function because of colocalization in lipid rafts. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008 , 377, 359-69	3.4	21
31	Proteomic analysis detects cytoskeletal-related proteins that interact with the intracellular C1 domain of adenylyl cyclase 6. <i>FASEB Journal</i> , 2008 , 22, 728.1	0.9	
30	Expression and localization of adenylyl cyclase isoforms in primary mouse airway smooth muscle cells. <i>FASEB Journal</i> , 2008 , 22, 916.4	0.9	
29	Fibroblast-specific expression of adenylyl cyclase 6 reduces myofibroblast differentiation and protects against bleomycin-induced pulmonary fibrosis. <i>FASEB Journal</i> , 2008 , 22, 928.5	0.9	
28	Role of the M2 muscarinic receptor in contraction of mouse urinary bladder. <i>FASEB Journal</i> , 2007 , 21, A1162	0.9	
27	Expression and localization of adenylyl cyclases and G protein-coupled receptors in guinea pig ileum caveolae and lipid rafts. <i>FASEB Journal</i> , 2007 , 21, A792	0.9	
26	The proximal segments of the cytosolic C1 domain of adenylyl cyclase 6 localize to plasma membrane lipid rafts and caveolae. <i>FASEB Journal</i> , 2007 , 21, A795	0.9	
25	Detergent and detergent-free methods to define lipid rafts and caveolae. <i>Methods in Molecular Biology</i> , 2007 , 400, 459-68	1.4	34
24	Methods for the study of signaling molecules in membrane lipid rafts and caveolae. <i>Methods in Molecular Biology</i> , 2006 , 332, 181-91	1.4	21
23	cAMP inhibits transforming growth factor-beta-stimulated collagen synthesis via inhibition of extracellular signal-regulated kinase 1/2 and Smad signaling in cardiac fibroblasts. <i>Molecular Pharmacology</i> , 2006 , 70, 1992-2003	4.3	101

22	TGF β Signaling via ERK1/2 and Smad is Inhibited by cAMP-Elevating Agents in Rat Cardiac Fibroblasts. <i>FASEB Journal</i> , 2006 , 20, A1465	0.9	
21	C1 and C2 Domains of Human Adenylyl Cyclase 6 are Targeted to Lipid Rafts and Caveolae. <i>FASEB Journal</i> , 2006 , 20, A1117	0.9	
20	Palmitoylation at Cys 1145 in the Carboxyl Terminus of Human Type 6 Adenylyl Cyclase is Not Required for Targeting to Lipid Rafts and Caveolae. <i>FASEB Journal</i> , 2006 , 20, A542	0.9	
19	Caveolae and lipid rafts: G protein-coupled receptor signaling microdomains in cardiac myocytes. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1047, 166-72	6.5	106
18	Fibrotic lung fibroblasts show blunted inhibition by cAMP due to deficient cAMP response element-binding protein phosphorylation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 315, 678-87	4.7	32
17	Nitric oxide inhibition of adenylyl cyclase type 6 activity is dependent upon lipid rafts and caveolin signaling complexes. <i>Journal of Biological Chemistry</i> , 2004 , 279, 19846-53	5.4	79
16	cAMP-elevating agents and adenylyl cyclase overexpression promote an antifibrotic phenotype in pulmonary fibroblasts. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 286, C1089-99	5.4	94
15	The evolving role of lipid rafts and caveolae in G protein-coupled receptor signaling: implications for molecular pharmacology. <i>British Journal of Pharmacology</i> , 2004 , 143, 235-45	8.6	304
14	Forskolin as a tool for examining adenylyl cyclase expression, regulation, and G protein signaling. <i>Cellular and Molecular Neurobiology</i> , 2003 , 23, 305-14	4.6	197
13	Hypertonic stress increases T cell interleukin-2 expression through a mechanism that involves ATP release, P2 receptor, and p38 MAPK activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 4590-6	5.4	91
12	Angiotensin II enhances adenylyl cyclase signaling via Ca ²⁺ /calmodulin. Gq-Gs cross-talk regulates collagen production in cardiac fibroblasts. <i>Journal of Biological Chemistry</i> , 2003 , 278, 24461-8	5.4	82
11	Localization of adenylyl cyclase isoforms and G protein-coupled receptors in vascular smooth muscle cells: expression in caveolin-rich and noncaveolin domains. <i>Molecular Pharmacology</i> , 2002 , 62, 983-92	4.3	122
10	New determinants of receptor-effector coupling: trafficking and compartmentation in membrane microdomains. <i>Molecular Pharmacology</i> , 2002 , 61, 473-6	4.3	80
9	β_1 -Adrenergic Receptors of MDCK-D1 Cells Utilize Multiple Signalling Components. <i>Advances in Behavioral Biology</i> , 2002 , 257-260		
8	P2Y receptors of MDCK cells: epithelial cell regulation by extracellular nucleotides. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 351-4	3	55
7	Receptor number and caveolar co-localization determine receptor coupling efficiency to adenylyl cyclase. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42063-9	5.4	203
6	RGS-PX1, a GAP for G α s and sorting nexin in vesicular trafficking. <i>Science</i> , 2001 , 294, 1939-42	33.3	202
5	Key role for constitutive cyclooxygenase-2 of MDCK cells in basal signaling and response to released ATP. <i>American Journal of Physiology - Cell Physiology</i> , 2001 , 281, C524-31	5.4	35

4	Cellular release of and response to ATP as key determinants of the set-point of signal transduction pathways. <i>Journal of Biological Chemistry</i> , 2000 , 275, 11735-9	5.4	152
3	Biochemical methods for detection and measurement of cyclic AMP and adenylyl cyclase activity. <i>Methods in Molecular Biology</i> , 2000 , 126, 363-74	1.4	29
2	Inhibition of phospholipase A2-mediated arachidonic acid release by cyclic AMP defines a negative feedback loop for P2Y receptor activation in Madin-Darby canine kidney D1 cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 10035-8	5.4	34
1	Subtypes of the muscarinic receptor in smooth muscle. <i>Life Sciences</i> , 1997 , 61, 1729-40	6.8	84