

# Martin C Lind

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5843731/publications.pdf>

Version: 2024-02-01

152  
papers

6,574  
citations

53660

45  
h-index

74018

75  
g-index

159  
all docs

159  
docs citations

159  
times ranked

4688  
citing authors

#	ARTICLE	IF	CITATIONS
1	The first results from the Danish ACL reconstruction registry: epidemiologic and 2-year follow-up results from 5,818 knee ligament reconstructions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 117-124.	2.3	288
2	Incidence and Outcome After Revision Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2012, 40, 1551-1557.	1.9	287
3	The Scandinavian ACL registries 2004-2007: baseline epidemiology. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 563-567.	1.2	282
4	Reconstruction of the Medial Patellofemoral Ligament With Gracilis Tendon Autograft in Transverse Patellar Drill Holes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2008, 24, 82-87.	1.3	249
5	Lower Risk of Revision With Patellar Tendon Autografts Compared With Hamstring Autografts. <i>American Journal of Sports Medicine</i> , 2014, 42, 2319-2328.	1.9	249
6	Anatomical Reconstruction of the Medial Collateral Ligament and Posteromedial Corner of the Knee in Patients With Chronic Medial Collateral Ligament Instability. <i>American Journal of Sports Medicine</i> , 2009, 37, 1116-1122.	1.9	243
7	Transforming growth factor- $\beta^2$ enhances fracture healing in rabbit tibiae. <i>Acta Orthopaedica</i> , 1993, 64, 553-556.	1.4	201
8	Comparison of Hamstring Tendon and Patellar Tendon Grafts in Anterior Cruciate Ligament Reconstruction in a Nationwide Population-Based Cohort Study. <i>American Journal of Sports Medicine</i> , 2014, 42, 278-284.	1.9	181
9	Anterolateral Ligament Expert Group consensus paper on the management of internal rotation and instability of the anterior cruciate ligament - deficient knee. <i>Journal of Orthopaedics and Traumatology</i> , 2017, 18, 91-106.	1.0	176
10	Clinical outcome after reconstruction of the medial patellofemoral ligament in patients with recurrent patella instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2458-2464.	2.3	155
11	Is Quadriceps Tendon a Better Graft Choice Than Patellar Tendon? A Prospective Randomized Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 593-598.	1.3	151
12	Growth factors: Possible new clinical tools: A review. <i>Acta Orthopaedica</i> , 1996, 67, 407-417.	1.4	133
13	Resorption of hydroxyapatite and fluorapatite ceramic coatings on weight-bearing implants: A quantitative and morphological study in dogs. , 1998, 39, 141-152.		104
14	Poor osteochondral repair by a biomimetic collagen scaffold: 1- to 3-year clinical and radiological follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 2380-2387.	2.3	102
15	Transforming growth factor- $\beta^1$ enhances bone healing to unloaded tricalcium phosphate coated implants: An experimental study in dogs. <i>Journal of Orthopaedic Research</i> , 1996, 14, 343-350.	1.2	101
16	Validation of suitable house keeping genes for hypoxia-cultured human chondrocytes. <i>BMC Molecular Biology</i> , 2009, 10, 94.	3.0	97
17	Clinical outcome after reconstruction of the medial patellofemoral ligament in paediatric patients with recurrent patella instability. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 666-671.	2.3	94
18	Risk for Revision After Anterior Cruciate Ligament Reconstruction Is Higher Among Adolescents. <i>Orthopaedic Journal of Sports Medicine</i> , 2014, 2, 232596711455240.	0.8	91

#	ARTICLE	IF	CITATIONS
19	Transforming growth factor-6 stimulates bone ongrowth: Hydroxyapatite-coated implants studied in dogs. <i>Acta Orthopaedica</i> , 1996, 67, 611-616.	1.4	87
20	Patient demographic and surgical characteristics in anterior cruciate ligament reconstruction: a description of registries from six countries. <i>British Journal of Sports Medicine</i> , 2018, 52, 716-722.	3.1	85
21	A Prospective Study on Time to Recovery in 254 Injured Novice Runners. <i>PLoS ONE</i> , 2014, 9, e99877.	1.1	80
22	Superficial Medial Collateral Ligament Anatomic Augmented Repair Versus Anatomic Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 2858-2866.	1.9	76
23	Posterolateral corner of the knee: an expert consensus statement on diagnosis, classification, treatment, and rehabilitation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2520-2529.	2.3	76
24	Cartilage repair in the degenerative ageing knee. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 26-38.	1.2	73
25	Combined 3D and hypoxic culture improves cartilage-specific gene expression in human chondrocytes. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 234-240.	1.2	69
26	Factors stimulating bone formation. <i>European Spine Journal</i> , 2001, 10, S102-S109.	1.0	68
27	Predictors of Running-Related Injuries Among 930 Novice Runners. <i>Orthopaedic Journal of Sports Medicine</i> , 2013, 1, 232596711348731.	0.8	67
28	Free Rehabilitation Is Safe After Isolated Meniscus Repair. <i>American Journal of Sports Medicine</i> , 2013, 41, 2753-2758.	1.9	63
29	Gait analysis of walking before and after medial opening wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 74-81.	2.3	62
30	Bone Tunnel Widening After Anterior Cruciate Ligament Reconstruction Using EndoButton or EndoButton Continuous Loop. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2009, 25, 1275-1280.	1.3	61
31	A novel nano-structured porous polycaprolactone scaffold improves hyaline cartilage repair in a rabbit model compared to a collagen type I/III scaffold: in vitro and in vivo studies. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 1192-1204.	2.3	60
32	Muscle strength and functional performance is markedly impaired at the recommended time point for sport return after anterior cruciate ligament reconstruction in recreational athletes. <i>Human Movement Science</i> , 2015, 39, 73-87.	0.6	60
33	The Influence of Graft Fixation Methods on Revision Rates After Primary Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2018, 46, 524-530.	1.9	58
34	Osteogenic protein 1 device stimulates bone healing to hydroxyapaptite-coated and titanium implants. <i>Journal of Arthroplasty</i> , 2000, 15, 339-346.	1.5	57
35	Medium to long-term follow-up after ACL revision. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 166-172.	2.3	57
36	Danish Hip Arthroscopy Registry (DHAR): the outcome of patients with femoroacetabular impingement (FAI). <i>Journal of Hip Preservation Surgery</i> , 2017, 4, 170-177.	0.6	57

#	ARTICLE	IF	CITATIONS
37	Exchange impaction allografting for femoral revision hip arthroplasty. <i>Journal of Arthroplasty</i> , 2002, 17, 158-164.	1.5	56
38	Validation of 14,500 operated knees registered in the Danish Knee Ligament Reconstruction Register: registration completeness and validity of key variables. <i>Clinical Epidemiology</i> , 2013, 5, 219.	1.5	56
39	Autologous Dual-Tissue Transplantation for Osteochondral Repair. <i>Cartilage</i> , 2015, 6, 166-173.	1.4	54
40	Quadriceps tendon autograft for anterior cruciate ligament reconstruction is associated with high revision rates: results from the Danish Knee Ligament Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2163-2169.	2.3	54
41	Transforming growth factor- $\beta$ 1 adsorbed to tricalciumphosphate coated implants increases peri-implant bone remodeling. <i>Biomaterials</i> , 2001, 22, 189-193.	5.7	52
42	Cartilage repair with chondrocytes in fibrin hydrogel and MPEG poly lactide scaffold: an in vivo study in goats. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2008, 16, 690-698.	2.3	52
43	Quadriceps tendon grafts does not cause patients to have inferior subjective outcome after anterior cruciate ligament (ACL) reconstruction than do hamstring grafts: a 2-year prospective randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 183-187.	3.1	52
44	Cell Seeding Densities in Autologous Chondrocyte Implantation Techniques for Cartilage Repair. <i>Cartilage</i> , 2012, 3, 108-117.	1.4	51
45	Anatomic Reconstruction of the Posterolateral Corner of the Knee: A Case Series With Isolated Reconstructions in 27 Patients. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2010, 26, 918-925.	1.3	49
46	A Standardized Method of Applying Toluidine Blue Metachromatic Staining for Assessment of Chondrogenesis. <i>Cartilage</i> , 2019, 10, 370-374.	1.4	49
47	Epidemiology of surgically treated posterior cruciate ligament injuries in Scandinavia. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2384-2391.	2.3	46
48	Reconstruction of the medial patellofemoral ligament for treatment of patellar instability. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 354-360.	1.2	45
49	Equal Cartilage Repair Response Between Autologous Chondrocytes in a Collagen Scaffold and Minced Cartilage Under a Collagen Scaffold: An in Vivo Study in Goats. <i>Connective Tissue Research</i> , 2008, 49, 437-442.	1.1	40
50	Danish Hip Arthroscopy Registry: an epidemiologic and perioperative description of the first 2000 procedures. <i>Journal of Hip Preservation Surgery</i> , 2016, 3, 138-145.	0.6	40
51	Treatment of full-thickness femoral cartilage lesions using condyle resurfacing prosthesis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 746-751.	2.3	40
52	Anteromedial rotatory laxity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 2797-2804.	2.3	39
53	Danish Hip Arthroscopy Registry: predictors of outcome in patients with femoroacetabular impingement (FAI). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3110-3120.	2.3	39
54	Experimental articular cartilage repair in the Göttingen minipig: the influence of multiple defects per knee. <i>Journal of Experimental Orthopaedics</i> , 2015, 2, 13.	0.8	38

#	ARTICLE	IF	CITATIONS
55	Is the Use of Oral Contraceptives Associated With Operatively Treated Anterior Cruciate Ligament Injury?. American Journal of Sports Medicine, 2014, 42, 2897-2905.	1.9	37
56	Effect of osteogenic protein 1/collagen composite combined with impacted allograft around hydroxyapatite-coated titanium alloy implants is moderate. Journal of Biomedical Materials Research Part B, 2001, 55, 89-95.	3.0	35
57	Tibial bone tunnel widening is reduced by polylactate/hydroxyapatite interference screws compared to metal screws after ACL reconstruction with hamstring grafts. Knee, 2009, 16, 447-451.	0.8	35
58	Analgesic Effect of Hamstring Block After Anterior Cruciate Ligament Reconstruction Compared With Placebo: A Prospective Randomized Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 63-68.	1.3	35
59	Low surgical routine increases revision rates after quadriceps tendon autograft for anterior cruciate ligament reconstruction: results from the Danish Knee Ligament Reconstruction Registry. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 1880-1886.	2.3	35
60	Rotational laxity after anatomical ACL reconstruction measured by 3-D motion analysis: a prospective randomized clinical trial comparing anatomic and nonanatomic ACL reconstruction techniques. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3473-3481.	2.3	34
61	Medial collateral ligament (MCL) reconstruction results in improved medial stability: results from the Danish knee ligament reconstruction registry (DKRR). Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 881-887.	2.3	33
62	Particulated Cartilage for Chondral and Osteochondral Repair: A Review. Cartilage, 2021, 13, 1047S-1057S.	1.4	33
63	Cartilage status in FAI patients – results from the Danish Hip Arthroscopy Registry (DHAR). Sicot-j, 2017, 3, 44.	0.8	32
64	Graft fixation influences revision risk after ACL reconstruction with hamstring tendon autografts. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 204-210.	1.2	32
65	Diagnoses and time to recovery among injured recreational runners in the RUN CLEVER trial. PLoS ONE, 2018, 13, e0204742.	1.1	31
66	The posteromedial corner of the knee: an international expert consensus statement on diagnosis, classification, treatment, and rehabilitation. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 2976-2986.	2.3	31
67	The Risk of Transphyseal Drilling in Skeletally Immature Patients With Anterior Cruciate Ligament Injury. Orthopaedic Journal of Sports Medicine, 2016, 4, 232596711666468.	0.8	28
68	Autologous Cartilage Chip Transplantation Improves Repair Tissue Composition Compared With Marrow Stimulation. American Journal of Sports Medicine, 2017, 45, 1490-1496.	1.9	27
69	Tibial tunnel widening after bioresorbable poly-lactide calcium carbonate interference screw usage in ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 79-84.	2.3	26
70	Implantation of Autologous Cartilage Chips Improves Cartilage Repair Tissue Quality in Osteochondral Defects. American Journal of Sports Medicine, 2016, 44, 1597-1604.	1.9	26
71	Anteromedial Portal Drilling Yielded Better Survivorship of Anterior Cruciate Ligament Reconstructions When Comparing Recent Versus Early Surgeries With This Technique. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 182-189.	1.3	26
72	Risk of Revision Was Not Reduced by a Double-bundle ACL Reconstruction Technique: Results From the Scandinavian Registers. Clinical Orthopaedics and Related Research, 2017, 475, 2503-2512.	0.7	25

#	ARTICLE	IF	CITATIONS
73	Effects of Autograft Types on Muscle Strength and Functional Capacity in Patients Having Anterior Cruciate Ligament Reconstruction: A Randomized Controlled Trial. <i>Sports Medicine</i> , 2020, 50, 1393-1403.	3.1	25
74	Both isolated and multi-ligament posterior cruciate ligament reconstruction results in improved subjective outcome: results from the Danish Knee Ligament Reconstruction Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1190-1196.	2.3	24
75	Allograft Use Results in Higher Re-revision Rate for Revision Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711877538.	0.8	24
76	Open-Wedge High Tibial Osteotomy: RCT 2 Years RSA Follow-Up. <i>Journal of Knee Surgery</i> , 2016, 29, 664-672.	0.9	23
77	Patient-specific metal implants for focal chondral and osteochondral lesions in the knee; excellent clinical results at 2Åyears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2899-2910.	2.3	23
78	Machine learning algorithm to predict anterior cruciate ligament revision demonstrates external validity. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 368-375.	2.3	23
79	Why registries analysing cruciate ligament surgery are important. <i>British Journal of Sports Medicine</i> , 2015, 49, 636-638.	3.1	22
80	The Danish Knee Ligament Reconstruction Registry. <i>Clinical Epidemiology</i> , 2016, Volume 8, 531-535.	1.5	22
81	Study protocol for a randomised controlled trial of meniscal surgery compared with exercise and patient education for treatment of meniscal tears in young adults. <i>BMJ Open</i> , 2017, 7, e017436.	0.8	21
82	Clinical outcomes after revision surgery for medial patellofemoral ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 739-745.	2.3	21
83	Orthopaedic applications of gene therapy. <i>International Orthopaedics</i> , 2005, 29, 205-209.	0.9	20
84	A Stereological Method for the Quantitative Evaluation of Cartilage Repair Tissue. <i>Cartilage</i> , 2015, 6, 123-132.	1.4	19
85	Collagen Type IV and Laminin Expressions during Cartilage Repair and in Late Clinically Failed Repair Tissues from Human Subjects. <i>Cartilage</i> , 2016, 7, 52-61.	1.4	19
86	Bone Tunnel Enlargement after ACL Reconstruction with Hamstring Autograft Is Dependent on Original Bone Tunnel Diameter. <i>The Surgery Journal</i> , 2017, 03, e96-e100.	0.3	19
87	Run Clever â€œ No difference in risk of injury when comparing progression in running volume and running intensity in recreational runners: A randomised trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000333.	1.4	19
88	Running more than three kilometers during the first week of a running regimen may be associated with increased risk of injury in obese novice runners. <i>International Journal of Sports Physical Therapy</i> , 2014, 9, 338-45.	0.5	19
89	Outcome of surgical treatment of arthrofibrosis following ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 1704-1708.	2.3	18
90	15 years of the Scandinavian knee ligament registries: lessons, limitations and likely prospects. <i>British Journal of Sports Medicine</i> , 2019, 53, 1259-1260.	3.1	18

#	ARTICLE	IF	CITATIONS
91	Traction-related problems after hip arthroscopy. <i>Journal of Hip Preservation Surgery</i> , 2017, 4, hnw044.	0.6	17
92	Combined Bone Marrow Aspirate and Platelet-Rich Plasma for Cartilage Repair: Two-Year Clinical Results. <i>Cartilage</i> , 2021, 13, 937S-947S.	1.4	17
93	Clinical outcomes after revision hip arthroscopy in patients with femoroacetabular impingement syndrome (FAIS) are inferior compared to primary procedures. Results from the Danish Hip Arthroscopy Registry (DHAR). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1340-1348.	2.3	17
94	KNEES-ACL has superior responsiveness compared to the most commonly used patient-reported outcome measures for anterior cruciate ligament injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2438-2446.	2.3	16
95	Increased chondrocyte seeding density has no positive effect on cartilage repair in an MPEG-PLGA scaffold. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 485-493.	2.3	15
96	Topography-Guided Proliferation: Distinct Surface Microtopography Increases Proliferation of Chondrocytes <i>In Vitro</i> . <i>Tissue Engineering - Part A</i> , 2015, 21, 2757-2765.	1.6	14
97	Posterior cruciate ligament reconstruction in skeletal immature children. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3901-3905.	2.3	14
98	No Difference in Outcome Between Femoral Soft-Tissue and Screw Graft Fixation for Reconstruction of the Medial Patellofemoral Ligament: A Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1130-1137.	1.3	14
99	Comparative Outcomes Occur After Superficial Medial Collateral Ligament Augmented Repair vs Reconstruction: A Prospective Multicenter Randomized Controlled Equivalence Trial. <i>American Journal of Sports Medicine</i> , 2022, 50, 968-976.	1.9	14
100	Multicentre study on capsular closure versus non-capsular closure during hip arthroscopy in Danish patients with femoroacetabular impingement (FAI): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e019176.	0.8	13
101	“Is it fun and does it enhance my performance?” Key implementation considerations for injury prevention programs in youth handball. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 1136-1142.	0.6	13
102	Comorbidities in Patients With Anterior Cruciate Ligament Reconstruction Compared With Matched Controls Without Anterior Cruciate Ligament Injury From Danish Registries. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 1741-1747.e4.	1.3	12
103	Three-dimensional kinematic and kinetic analysis of knee rotational stability in ACL-deficient patients during walking, running and pivoting. <i>Journal of Experimental Orthopaedics</i> , 2016, 3, 27.	0.8	12
104	The design of the run Clever randomized trial: running volume, intensity and running-related injuries. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 177.	0.8	12
105	Acetabular revision for recurrent dislocations. <i>Acta Orthopaedica</i> , 2002, 73, 291-294.	1.4	11
106	Full thickness quadriceps tendon grafts with bone had similar material properties to bone-patellar tendon-bone and a four-strand semitendinosus grafts: a biomechanical study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1786-1794.	2.3	11
107	Cyst formation 4 years after ACL reconstruction caused by biodegradable femoral transfixation: a case report. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2010, 18, 1573-1575.	2.3	10
108	Dermatan sulphate in methoxy polyethylene glycol-poly(lactide-co-glycolic acid) scaffolds upregulates fibronectin gene expression but has no effect on <i>in vivo</i> osteochondral repair. <i>International Orthopaedics</i> , 2012, 36, 1507-1513.	0.9	10

#	ARTICLE	IF	CITATIONS
109	No Effect of Platelet-Rich Plasma Injections as an Adjuvant to Autologous Cartilage Chips Implantation for the Treatment of Chondral Defects. <i>Cartilage</i> , 2021, 13, 277S-284S.	1.4	9
110	The influence of human intervertebral disc tissue on the metabolism of osteoblast-like cells. <i>Acta Orthopaedica</i> , 2000, 71, 503-507.	1.4	8
111	Surgical competence, research and evidence-based medicine (EBM) in orthopaedic surgery: what the ESSKA is doing to bring it all together. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 335-338.	2.3	8
112	Qualitative and Quantitative Anatomy of the Human Quadriceps Tendon in Young Cadaveric Specimens. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110373.	0.8	8
113	Xenograft for anterior cruciate ligament reconstruction was associated with high graft processing infection. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 79.	0.8	7
114	High-volume image-guided injection in the chronic recalcitrant non-insertional patellar tendinopathy: a retrospective case series. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 80.	0.8	7
115	A high level of knee laxity after anterior cruciate ligament reconstruction results in high revision rates. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3414-3421.	2.3	7
116	A comparison of multi-ligament reconstruction and isolated anterior cruciate ligament reconstruction at one year follow-up: results from the Danish Knee Ligament Reconstruction Registry. <i>Journal of Experimental Orthopaedics</i> , 2022, 9, 30.	0.8	7
117	No effect of platelet-rich plasma as adjuvant to bone marrow stimulation for the treatment of chondral defects in a large animal model. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 77-84.	1.3	6
118	Objective Outcome Measures Continue to Improve from 6 to 12 Months after Conservatively Treated Distal Radius Fractures in the Elderly—A Prospective Evaluation of 50 Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 1831.	1.0	6
119	The Knee Injury and Osteoarthritis Outcome Score: shortcomings in evaluating knee function in persons undergoing ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3594-3598.	2.3	6
120	Outcome after arthroscopic labral surgery in patients previously treated with periacetabular osteotomy: a follow-up study of 43 patients. <i>Journal of Hip Preservation Surgery</i> , 2017, 4, 67-73.	0.6	5
121	Surface chemistry, substrate, and topography guide the behavior of human articular chondrocytes cultured <i>in vitro</i> . <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 2805-2816.	2.1	5
122	Mesenchymal Stem Cell Extracellular Vesicles as Adjuvant to Bone Marrow Stimulation in Chondral Defect Repair in a Minipig Model. <i>Cartilage</i> , 2021, 13, 254S-266S.	1.4	5
123	Bone ingrowth into open architecture PEEK interference screw after ACL reconstruction. <i>Journal of Experimental Orthopaedics</i> , 2020, 7, 68.	0.8	5
124	Pediatric ACL Injuries: Treatment and Challenges. , 2018, , 241-259.		4
125	Creation of a specialist core curriculum for the European Society for Sports traumatology, Knee surgery and Arthroscopy (ESSKA). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3066-3079.	2.3	4
126	Response letter to “Higher re-rupture rate in quadriceps tendon ACL reconstruction surgeries performed in Denmark: let’s return to the mean” by Matthieu Ollivier ( <i>Knee Surg Sports Traumatol</i> ) Tj ETQq0 0.0 rgBT /Qverlock 10 3657-3658.	2.3	3

#	ARTICLE	IF	CITATIONS
127	A longterm prospective follow-up study of resurfacing miniprosthesis suitable for patients above sixtyfive years with localized cartilage lesions or early osteoarthritis in the knee. Journal of Experimental Orthopaedics, 2020, 7, 96.	0.8	3
128	Precipitant induced porosity augmentation of polystyrene preserves the chondrogenicity of human chondrocytes. Journal of Biomedical Materials Research - Part A, 2016, 104, 3073-3081.	2.1	2
129	Magnetic resonance imaging can increase the diagnostic accuracy in symptomatic meniscal repair patients. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 855-861.	2.3	2
130	A simple rehabilitation regime improves functional outcome in patients with patellafemoral pain after 12 months. Journal of Experimental Orthopaedics, 2020, 7, 5.	0.8	2
131	Translation, reproducibility, and responsiveness of a Danish version of the International Knee Documentation Committee Subjective Knee Form. Translational Sports Medicine, 2021, 4, 297-307.	0.5	2
132	Eighty Percent Survival of Resurfacing Implants in the Knee After 10 Years: A Nationwide Cohort Study on 379 Procedures from the Danish Knee Arthroplasty Registry. Cartilage, 2021, 13, 900S-906S.	1.4	2
133	The effect of high-volume image-guided injection in the chronic non-insertional Achilles tendinopathy: a retrospective case series. Journal of Experimental Orthopaedics, 2020, 7, 45.	0.8	2
134	Capsular closure in patients with femoroacetabular impingement syndrome (FAIS): results of a matched-cohort study from the Danish hip arthroscopy registry. Journal of Hip Preservation Surgery, 2021, 7, 474-482.	0.6	2
135	Defining Core competencies of the European Society for Sports Traumatology, knee surgery and arthroscopy. Journal of Experimental Orthopaedics, 2020, 7, 58.	0.8	2
136	Development and Test of a Decision Aid for Shared Decision Making in Patients with Anterior Cruciate Ligament Injury. MDM Policy and Practice, 2022, 7, 238146832210814.	0.5	2
137	Gradient Fractionated Separation of Chondrogenically Committed Cells Derived from Human Embryonic Stem Cells. BioResearch Open Access, 2015, 4, 109-114.	2.6	1
138	A LARGE WEEKLY INCREASE IN HANDBALL PARTICIPATION INCREASES THE SHOULDER INJURY RATE IN DANISH YOUTH HANDBALL. British Journal of Sports Medicine, 2017, 51, 365.1-365.	3.1	1
139	The use of knee injury prevention exercises programmes in danish youth handball: an investigation of key implementation components. , 2018, , .		1
140	One-Stage Revision: Danish Approach. , 2014, , 387-403.		1
141	Repair and Reconstruction of the Medial Patellofemoral Ligament for Treatment of Lateral Patellar Dislocations. , 2012, , 677-687.		1
142	Shoulder rotation strength changes from preseason to midseason: a cohort study of 292 youth elite handball players without shoulder problems. , 2021, , .		1
143	The Effect of Bone Marrow Stimulation for Cartilage Repair on the Subchondral Bone Plate. Cartilage, 2022, 13, 194760352210740.	1.4	1
144	Comment to Pecina et al.. International Orthopaedics, 2006, 30, 217-217.	0.9	0

#	ARTICLE	IF	CITATIONS
145	Evidence-based education for the future in the European Society for Sports traumatology, Knee surgery and Arthroscopy (ESSKA). Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3061-3063.	2.3	0
146	Translation, cross-cultural adaptation, and measurement properties of a Danish version of the Tegner Activity Scale. Translational Sports Medicine, 2021, 4, 627-636.	0.5	0
147	Interactions between running volume and running pace on injury occurrence in recreational runners: A secondary analysis.. Journal of Athletic Training, 2021, , .	0.9	0
148	Repair and Reconstruction of the Superficial Medial Collateral Ligament and the Posteromedial Corner. , 2022, , 103-111.		0
149	The Danish Anterior Cruciate Ligament Reconstruction Registry: What We Are Doing, How We Do It, and Which Would Be the Best Way to Do It. , 2013, , 11-22.		0
150	Repair and Reconstruction of the Medial Collateral Ligament. , 2021, , 213-220.		0
151	Patient-Specific Graft Choice in Primary ACL Reconstruction. , 2022, , 11-20.		0
152	Adjustable-loop implants are non-inferior to fixed-loop implants for femoral fixation in anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 1723-1732.	2.3	0