
## Slaheddine Selmi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5843775/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Does time of season influence bird species number determined from point-count data? A capture-recapture approach. Journal of Field Ornithology, 2003, 74, 349-356.	0.5	40
2	Breeding bird communities in southern Tunisian oases: the importance of traditional agricultural practices for bird diversity in a semi-natural system. Biological Conservation, 2003, 110, 285-294.	4.1	39
3	Bird communities in suburban patches near Paris: Determinants of local richness in a highly fragmented landscape. Ecoscience, 2006, 13, 249-257.	1.4	38
4	Factors affecting bird richness in a fragmented cork oak forest in Morocco. Acta Oecologica, 2009, 35, 197-205.	1.1	37
5	Circulation of a Meaban-Like Virus in Yellow-Legged Gulls and Seabird Ticks in the Western Mediterranean Basin. PLoS ONE, 2014, 9, e89601.	2.5	33
6	Vigilance in Greater Flamingos Wintering in Southern Tunisia: Age-Dependent Flock Size Effect. Ethology, 2007, 113, 377-385.	1.1	22
7	Breeding performance of passerines in a polluted oasis habitat in southern Tunisia. Ecotoxicology and Environmental Safety, 2012, 79, 170-175.	6.0	22
8	Species richness patterns of waterbirds wintering in the gulf of Gabès in relation to habitat and anthropogenic features. Estuarine, Coastal and Shelf Science, 2015, 165, 254-260.	2.1	22
9	Richness and Composition of Oasis Bird Communities: Spatial Issues and Species–Area Relationships. Auk, 2002, 119, 533-539.	1.4	20
10	Passerine abundance and diversity in a polluted oasis habitat in south-eastern Tunisia. European Journal of Wildlife Research, 2014, 60, 535-541.	1.4	20
11	Heavy metal accumulation in lizards living near a phosphate treatment plant: possible transfer of contaminants from aquatic to terrestrial food webs. Environmental Science and Pollution Research, 2017, 24, 12009-12014.	5.3	20
12	Density dependence of reproductive success in grey partridge <i>Perdix perdix</i> populations in France: management implications. Wildlife Biology, 2003, 9, 93-102.	1.4	18
13	Distribution-abundance relationship for passerines breeding in Tunisian oases: test of the sampling hypothesis. Oecologia, 2004, 139, 440-445.	2.0	17
14	Phylogenetic relationships of Isospora, Lankesterella, and Caryospora species (Apicomplexa:) Tj ETQq0 0 0 rgBT	/Overlock 1.6	10 Tf 50 222
15	Ecological factors affecting wetland occupancy by breeding Anatidae in the southwestern mediterranean. Ecological Research, 2017, 32, 259-269.	1.5	17
16	Maternal Antibody Transmission in Relation to Mother Fluctuating Asymmetry in a Long-Lived Colonial Seabird: The Yellow-Legged Gull Larus michahellis. PLoS ONE, 2012, 7, e34966.	2.5	17

17	Distribution and abundance patterns of a newly colonizing species in Tunisian oases: the Common Blackbird Turdus merula. Ibis, 2003, 145, 681-688.	1.9	16	
	Prevalence of Influenza A Antibodies in Yellow-Legged Gull ( <i>Larus michahellis</i> ) Eggs and Adults			

18Frevalence of Influenza A Antibodies in Yellow-Legged Gull (<1>Larus michahellis</i>) Eggs and Adults1.51518in Southern Tunisia. Vector-Borne and Zoonotic Diseases, 2011, 11, 1583-1590.1.515

SLAHEDDINE SELMI

#	Article	IF	CITATIONS
19	Risk-taking by incubating rufous bush robins Cercotrichas galactotes: season-dependent incubation stage effect. Journal of Ethology, 2010, 28, 331-337.	0.8	13
20	Exposure of resident sparrows to West Nile virus evidenced in South Tunisia. Epidemiology and Infection, 2015, 143, 3546-3549.	2.1	13
21	Exposure of yellow-legged gulls to Toxoplasma gondii along the Western Mediterranean coasts: Tales from a sentinel. International Journal for Parasitology: Parasites and Wildlife, 2019, 8, 221-228.	1.5	12
22	Bird nest predation in a southern Tunisian oasis habitat: No evidence of "edge effect― Acta Oecologica, 2009, 35, 174-181.	1.1	11
23	Diversity, prevalence and host specificity of avian parasites in southern Tunisian oases. Parasitology, 2018, 145, 971-978.	1.5	11
24	Habitat features and human presence as predictors of the abundance of shorebirds and wading birds wintering in the Gulf of GabÃ''s, Tunisia. Marine Ecology - Progress Series, 2015, 540, 251-258.	1.9	11
25	Factors affecting the distribution of dorcas gazelle. Journal of Zoology, 2008, 275, 146-152.	1.7	10
26	Reproductive effects in hybrid sparrow from a polluted area in Tunisia: Oxidative damage and altered testicular histomorphology. Ecotoxicology and Environmental Safety, 2016, 129, 164-170.	6.0	10
27	Evidence of exposure of laughing doves ( <i>Spilopelia senegalensis</i> ) to West Nile and Usutu viruses in southern Tunisian oases. Epidemiology and Infection, 2017, 145, 2808-2816.	2.1	10
28	Diversity of waterbirds wintering in Douz wetlands (south Tunisia): factors affecting wetland occupancy and species richness. Ecological Research, 2018, 33, 917-925.	1.5	10
29	Breeding ecology of Collared Pratincoles <i>Glareola pratincola</i> in two coastal habitats in northwest Morocco. Bird Study, 2010, 57, 236-243.	1.0	9
30	Morphometric sexing of Mediterranean Yellow-legged Gulls <i>Larus michahellis michahelli</i> s breeding in the Gulf of Gabès, southern Tunisia. Ostrich, 2013, 84, 119-122.	1.1	7
31	Condition and Health of Rufous Bush Robin (Cercotrichas galactotes) Nestlings in a Polluted Oasis Habitat in Southern Tunisia. Bulletin of Environmental Contamination and Toxicology, 2015, 94, 732-737.	2.7	7
32	Drivers of nest survival rate in a southern Tunisian population of Laughing Doves (Spilopelia) Tj ETQq0 0 0 rgE	3T /Overlock 1.2	10 Jf 50 222
33	Prioritizing the provision of urban ecosystem services in deprived areas, a question of environmental justice. Ambio, 2021, 50, 1035-1046.	5.5	7
34	Determinants of distribution, abundance and reproductive success of the Common Blackbird ( <i>Turdus merula</i> ) in southern Tunisian oases. Ostrich, 2007, 78, 309-313.	1.1	6
35	Time allocation and vigilance behaviour of Greater Flamingos ( <i>Phoenicopterus roseus</i> ) wintering in the Gulf of GabÔs, Tunisia. Ostrich, 2007, 78, 459-461.	1.1	6
36	Nesting ecology of Pied Avocet <i>Recurvirostra avosetta</i> in Sfax salina, Tunisia. Ostrich, 2011, 82, 11-16.	1.1	6

SLAHEDDINE SELMI

#	Article	IF	CITATIONS
37	Factors Affecting Colony Size and Reproductive Success of Little Egret <i>Egretta garzetta</i> in the Sfax Salina, Tunisia. Waterbirds, 2011, 34, 234-238.	0.3	6
38	Predation of Pied Avocet <i>Recurvirostra avosetta</i> nests in a salina habitat: evidence for an edge effect. Bird Study, 2011, 58, 171-177.	1.0	6
39	Nesting phenology and breeding performance of the Slender-billed Gull <i>Chroicocephalus genei</i> in Sfax salina, Tunisia. Ostrich, 2012, 83, 13-18.	1.1	6
40	Effects of temporal factors, nesting microhabitat and nest position on the survival of passerine nests in a Tunisian oasis habitat. Ostrich, 2018, 89, 321-328.	1.1	6
41	Egg sampling as a possible alternative to blood sampling when monitoring the exposure of yellow-legged gulls ( <i>Larus michahellis</i> ) to avian influenza viruses. Avian Pathology, 2014, 43, 547-551.	2.0	5
42	Sexual size dimorphism in a Tunisian population of Bosk's fringe-toed lizards <i>Acanthodactylus boskianus asper</i> . African Journal of Herpetology, 2015, 64, 103-115.	0.9	5
43	Flaviviruses in migratory passerines during spring stopover in a desert oasis. Zoonoses and Public Health, 2019, 66, 495-503.	2.2	5
44	Body condition of Little Egret Egretta garzetta nestlings in relation to hatching order in a southern Tunisian breeding colony. Ostrich, 2019, 90, 391-396.	1.1	5
45	Patterns of vertebrate road-kills in a pre-Saharan Tunisian area. Journal of Arid Environments, 2021, 193, 104595.	2.4	5
46	Wintering waterbird assemblages in the central part of the Gulf of Gabès in southern Tunisia. Ostrich, 2016, 87, 217-223.	1.1	4
47	Tail conspicuousness and antipredatory behaviour in Bosk's fringe-toed lizard ( <i>Acanthodactylus) Tj ETQq1</i>	. 1 <sub>.0,</sub> 7843	14 <sub>4</sub> rgBT /Ove
48	Decreased Cell-Mediated Immune Response in Bosk's Fringe-Toed Lizards (Acanthodactylus boskianus) Inhabiting an Industrialized Area in Southern Tunisia. Bulletin of Environmental Contamination and Toxicology, 2020, 105, 393-396.	2.7	3
49	Patterns of within-clutch variation in yolk lutein in the Yellow-legged Gull Larus michahellis: the effects of egg laying order and laying date. Journal of Ornithology, 2014, 155, 1009-1015.	1.1	2
50	Nesting Parameters of the Little Egret (Egretta garzetta) in Boughrara Lagoon, Southeastern Tunisia. Waterbirds, 2019, 42, 328.	0.3	2
51	Assortative mating for carotenoid colouration but not size in the Yellow-legged Gull Larus michahellis. Bird Study, 2016, 63, 289-292.	1.0	1
52	Co-occurrence and commensal feeding between Little Egrets Egretta garzetta and Eurasian Spoonbills Platalea leucorodia. Bird Study, 2016, 63, 509-515.	1.0	1
53	Sexual size dimorphism and morphometric sexing in a North African population of Laughing DovesSpilopelia senegalensis. Ostrich, 2016, 87, 173-177.	1.1	1
54	Relationship between clutch size, egg volume and hatching success in a Yellow-legged Gull <i>Larus michahellis</i> colony in south-eastern Tunisia. Ostrich, 2016, 87, 139-144.	1.1	1

#	Article	IF	CITATIONS
55	Sibling competition in the broods of Little Egrets <i>Egretta garzetta</i> in a southern Tunisian breeding colony. Ostrich, 2020, 91, 299-304.	1.1	0
56	Pollution-Related Decrease in the T-Cell Immune Response in a Wild Bird Species. Environmental Science and Engineering, 2021, , 599-603.	0.2	0
57	Behavioral fever in Bosk's fringe-toed lizards (Acanthodactylus boskianus) living in an industrial area in south-eastern Tunisia. Environmental Monitoring and Assessment, 2022, 194, 186.	2.7	0