

Slaheddine Selmi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5843775/publications.pdf>

Version: 2024-02-01

57
papers

664
citations

567281

15
h-index

677142

22
g-index

58
all docs

58
docs citations

58
times ranked

829
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Behavioral fever in Boskâ€™s fringe-toed lizards (<i>Acanthodactylus boskianus</i>) living in an industrial area in south-eastern Tunisia. <i>Environmental Monitoring and Assessment</i> , 2022, 194, 186. | 2.7 | 0 |
| 2 | Prioritizing the provision of urban ecosystem services in deprived areas, a question of environmental justice. <i>Ambio</i> , 2021, 50, 1035-1046. | 5.5 | 7 |
| 3 | Pollution-Related Decrease in the T-Cell Immune Response in a Wild Bird Species. <i>Environmental Science and Engineering</i> , 2021, , 599-603. | 0.2 | 0 |
| 4 | Patterns of vertebrate road-kills in a pre-Saharan Tunisian area. <i>Journal of Arid Environments</i> , 2021, 193, 104595. | 2.4 | 5 |
| 5 | Sibling competition in the broods of Little Egrets <i>Egretta garzetta</i> in a southern Tunisian breeding colony. <i>Ostrich</i> , 2020, 91, 299-304. | 1.1 | 0 |
| 6 | Decreased Cell-Mediated Immune Response in Boskâ€™s Fringe-Toed Lizards (<i>Acanthodactylus boskianus</i>) Inhabiting an Industrialized Area in Southern Tunisia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020, 105, 393-396. | 2.7 | 3 |
| 7 | Flaviviruses in migratory passerines during spring stopover in a desert oasis. <i>Zoonoses and Public Health</i> , 2019, 66, 495-503. | 2.2 | 5 |
| 8 | Body condition of Little Egret <i>Egretta garzetta</i> nestlings in relation to hatching order in a southern Tunisian breeding colony. <i>Ostrich</i> , 2019, 90, 391-396. | 1.1 | 5 |
| 9 | Drivers of nest survival rate in a southern Tunisian population of Laughing Doves (<i>Spilopelia</i>) Tj ETQq1 1 0.784314 1.12 /Overlock 10 | 1.1 | 7 |
| 10 | Exposure of yellow-legged gulls to <i>Toxoplasma gondii</i> along the Western Mediterranean coasts: Tales from a sentinel. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 8, 221-228. | 1.5 | 12 |
| 11 | Nesting Parameters of the Little Egret (<i>Egretta garzetta</i>) in Boughrara Lagoon, Southeastern Tunisia. <i>Waterbirds</i> , 2019, 42, 328. | 0.3 | 2 |
| 12 | Diversity of waterbirds wintering in Douz wetlands (south Tunisia): factors affecting wetland occupancy and species richness. <i>Ecological Research</i> , 2018, 33, 917-925. | 1.5 | 10 |
| 13 | Diversity, prevalence and host specificity of avian parasites in southern Tunisian oases. <i>Parasitology</i> , 2018, 145, 971-978. | 1.5 | 11 |
| 14 | Tail conspicuousness and antipredatory behaviour in Boskâ€™s fringe-toed lizard (<i>Acanthodactylus</i>) Tj ETQq0 0.0 rgBT /Overlock 10 | 1.4 | 4 |
| 15 | Effects of temporal factors, nesting microhabitat and nest position on the survival of passerine nests in a Tunisian oasis habitat. <i>Ostrich</i> , 2018, 89, 321-328. | 1.1 | 6 |
| 16 | Heavy metal accumulation in lizards living near a phosphate treatment plant: possible transfer of contaminants from aquatic to terrestrial food webs. <i>Environmental Science and Pollution Research</i> , 2017, 24, 12009-12014. | 5.3 | 20 |
| 17 | Ecological factors affecting wetland occupancy by breeding Anatidae in the southwestern mediterranean. <i>Ecological Research</i> , 2017, 32, 259-269. | 1.5 | 17 |
| 18 | Evidence of exposure of laughing doves (<i>Spilopelia senegalensis</i>) to West Nile and Usutu viruses in southern Tunisian oases. <i>Epidemiology and Infection</i> , 2017, 145, 2808-2816. | 2.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Reproductive effects in hybrid sparrow from a polluted area in Tunisia: Oxidative damage and altered testicular histomorphology. <i>Ecotoxicology and Environmental Safety</i> , 2016, 129, 164-170. | 6.0 | 10 |
| 20 | Assortative mating for carotenoid colouration but not size in the Yellow-legged Gull <i>Larus michahellis</i> . <i>Bird Study</i> , 2016, 63, 289-292. | 1.0 | 1 |
| 21 | Co-occurrence and commensal feeding between Little Egrets <i>Egretta garzetta</i> and Eurasian Spoonbills <i>Platalea leucorodia</i> . <i>Bird Study</i> , 2016, 63, 509-515. | 1.0 | 1 |
| 22 | Wintering waterbird assemblages in the central part of the Gulf of Gabès in southern Tunisia. <i>Ostrich</i> , 2016, 87, 217-223. | 1.1 | 4 |
| 23 | Sexual size dimorphism and morphometric sexing in a North African population of Laughing Doves <i>Spilopelia senegalensis</i> . <i>Ostrich</i> , 2016, 87, 173-177. | 1.1 | 1 |
| 24 | Phylogenetic relationships of <i>Isospora</i> , <i>Lankesterella</i> , and <i>Caryospora</i> species (Apicomplexa: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 17 | 1.6 | 17 |
| 25 | Relationship between clutch size, egg volume and hatching success in a Yellow-legged Gull (<i>Larus michahellis</i>) colony in south-eastern Tunisia. <i>Ostrich</i> , 2016, 87, 139-144. | 1.1 | 1 |
| 26 | Exposure of resident sparrows to West Nile virus evidenced in South Tunisia. <i>Epidemiology and Infection</i> , 2015, 143, 3546-3549. | 2.1 | 13 |
| 27 | Species richness patterns of waterbirds wintering in the gulf of Gabès in relation to habitat and anthropogenic features. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 165, 254-260. | 2.1 | 22 |
| 28 | Condition and Health of Rufous Bush Robin (<i>Cercotrichas galactotes</i>) Nestlings in a Polluted Oasis Habitat in Southern Tunisia. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 94, 732-737. | 2.7 | 7 |
| 29 | Sexual size dimorphism in a Tunisian population of Bosk's fringe-toed lizards (<i>Acanthodactylus boskianus asper</i>). <i>African Journal of Herpetology</i> , 2015, 64, 103-115. | 0.9 | 5 |
| 30 | Habitat features and human presence as predictors of the abundance of shorebirds and wading birds wintering in the Gulf of Gabès, Tunisia. <i>Marine Ecology - Progress Series</i> , 2015, 540, 251-258. | 1.9 | 11 |
| 31 | Egg sampling as a possible alternative to blood sampling when monitoring the exposure of yellow-legged gulls (<i>Larus michahellis</i>) to avian influenza viruses. <i>Avian Pathology</i> , 2014, 43, 547-551. | 2.0 | 5 |
| 32 | Patterns of within-clutch variation in yolk lutein in the Yellow-legged Gull <i>Larus michahellis</i> : the effects of egg laying order and laying date. <i>Journal of Ornithology</i> , 2014, 155, 1009-1015. | 1.1 | 2 |
| 33 | Passerine abundance and diversity in a polluted oasis habitat in south-eastern Tunisia. <i>European Journal of Wildlife Research</i> , 2014, 60, 535-541. | 1.4 | 20 |
| 34 | Circulation of a Meaban-Like Virus in Yellow-Legged Gulls and Seabird Ticks in the Western Mediterranean Basin. <i>PLoS ONE</i> , 2014, 9, e89601. | 2.5 | 33 |
| 35 | Morphometric sexing of Mediterranean Yellow-legged Gulls (<i>Larus michahellis michahelli</i>)s breeding in the Gulf of Gabès, southern Tunisia. <i>Ostrich</i> , 2013, 84, 119-122. | 1.1 | 7 |
| 36 | Nesting phenology and breeding performance of the Slender-billed Gull (<i>Chroicocephalus genei</i>) in Sfax salina, Tunisia. <i>Ostrich</i> , 2012, 83, 13-18. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Breeding performance of passerines in a polluted oasis habitat in southern Tunisia. <i>Ecotoxicology and Environmental Safety</i> , 2012, 79, 170-175. | 6.0 | 22 |
| 38 | Maternal Antibody Transmission in Relation to Mother Fluctuating Asymmetry in a Long-Lived Colonial Seabird: The Yellow-Legged Gull <i>Larus michahellis</i> . <i>PLoS ONE</i> , 2012, 7, e34966. | 2.5 | 17 |
| 39 | Nesting ecology of Pied Avocet <i>Recurvirostra avoetia</i> in Sfax salina, Tunisia. <i>Ostrich</i> , 2011, 82, 11-16. | 1.1 | 6 |
| 40 | Factors Affecting Colony Size and Reproductive Success of Little Egret <i>Egretta garzetta</i> in the Sfax Salina, Tunisia. <i>Waterbirds</i> , 2011, 34, 234-238. | 0.3 | 6 |
| 41 | Predation of Pied Avocet <i>Recurvirostra avoetia</i> nests in a salina habitat: evidence for an edge effect. <i>Bird Study</i> , 2011, 58, 171-177. | 1.0 | 6 |
| 42 | Prevalence of Influenza A Antibodies in Yellow-Legged Gull (<i>Larus michahellis</i>) Eggs and Adults in Southern Tunisia. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 1583-1590. | 1.5 | 15 |
| 43 | Risk-taking by incubating rufous bush robins <i>Cercotrichas galactotes</i> : season-dependent incubation stage effect. <i>Journal of Ethology</i> , 2010, 28, 331-337. | 0.8 | 13 |
| 44 | Breeding ecology of Collared Pratincoles <i>Glareola pratincola</i> in two coastal habitats in northwest Morocco. <i>Bird Study</i> , 2010, 57, 236-243. | 1.0 | 9 |
| 45 | Bird nest predation in a southern Tunisian oasis habitat: No evidence of "edge effect". <i>Acta Oecologica</i> , 2009, 35, 174-181. | 1.1 | 11 |
| 46 | Factors affecting bird richness in a fragmented cork oak forest in Morocco. <i>Acta Oecologica</i> , 2009, 35, 197-205. | 1.1 | 37 |
| 47 | Factors affecting the distribution of dorcas gazelle. <i>Journal of Zoology</i> , 2008, 275, 146-152. | 1.7 | 10 |
| 48 | Determinants of distribution, abundance and reproductive success of the Common Blackbird (<i>Turdus merula</i>) in southern Tunisian oases. <i>Ostrich</i> , 2007, 78, 309-313. | 1.1 | 6 |
| 49 | Time allocation and vigilance behaviour of Greater Flamingos (<i>Phoenicopterus roseus</i>) wintering in the Gulf of Gabès, Tunisia. <i>Ostrich</i> , 2007, 78, 459-461. | 1.1 | 6 |
| 50 | Vigilance in Greater Flamingos Wintering in Southern Tunisia: Age-Dependent Flock Size Effect. <i>Ethology</i> , 2007, 113, 377-385. | 1.1 | 22 |
| 51 | Bird communities in suburban patches near Paris: Determinants of local richness in a highly fragmented landscape. <i>Ecoscience</i> , 2006, 13, 249-257. | 1.4 | 38 |
| 52 | Distribution-abundance relationship for passerines breeding in Tunisian oases: test of the sampling hypothesis. <i>Oecologia</i> , 2004, 139, 440-445. | 2.0 | 17 |
| 53 | Distribution and abundance patterns of a newly colonizing species in Tunisian oases: the Common Blackbird <i>Turdus merula</i> . <i>Ibis</i> , 2003, 145, 681-688. | 1.9 | 16 |
| 54 | Breeding bird communities in southern Tunisian oases: the importance of traditional agricultural practices for bird diversity in a semi-natural system. <i>Biological Conservation</i> , 2003, 110, 285-294. | 4.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Does time of season influence bird species number determined from point-count data? A capture-recapture approach. <i>Journal of Field Ornithology</i> , 2003, 74, 349-356. | 0.5 | 40 |
| 56 | Density dependence of reproductive success in grey partridge <i>Perdix perdix</i> populations in France: management implications. <i>Wildlife Biology</i> , 2003, 9, 93-102. | 1.4 | 18 |
| 57 | Richness and Composition of Oasis Bird Communities: Spatial Issues and Species–Area Relationships. <i>Auk</i> , 2002, 119, 533-539. | 1.4 | 20 |