Francisco J Amaro-Gahete

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5845234/francisco-j-amaro-gahete-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers705
citations14
h-index19
g-index110
ext. papers1,108
ext. citations4.4
avg, IF4.6
L-index

#	Paper	IF	Citations
103	Response to Comment on "Resting Oxygen Uptake Value of 1 Metabolic Equivalent of Task in Older Adults: A Systematic Review and Descriptive Analysis" <i>Sports Medicine</i> , 2022 , 1	10.6	
102	Caffeine ingestion attenuates diurnal variation of lower-body ballistic performance in resistance-trained women <i>European Journal of Sport Science</i> , 2022 , 1-23	3.9	0
101	Effects of post-tetanic potentiation induced by whole-body electrostimulation and post-activation potentiation on maximum isometric strength <i>Biology of Sport</i> , 2022 , 39, 451-461	4.3	O
100	Effect of Different Exercise Training Modalities on Fasting Levels of Oxylipins and Endocannabinoids in Middle-Aged Sedentary Adults: A Randomized Controlled Trial <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2022 , 1-10	4.4	0
99	Association of Energy and Macronutrients Intake with S-Klotho Plasma Levels in Middle-Aged Sedentary Adults: A Cross-Sectional Study <i>Journal of Nutrition, Health and Aging</i> , 2022 , 26, 360-366	5.2	
98	Biomarkers and genetic polymorphisms associated with maximal fat oxidation during physical exercise: implications for metabolic health and sports performance <i>European Journal of Applied Physiology</i> , 2022 , 1	3.4	0
97	No diurnal variation is present in maximal fat oxidation during exercise in young healthy women: a cross-over study <i>European Journal of Sport Science</i> , 2022 , 1-12	3.9	О
96	Effect of an Interdisciplinary Weight Loss and Lifestyle Intervention on Obstructive Sleep Apnea Severity: The INTERAPNEA Randomized Clinical Trial <i>JAMA Network Open</i> , 2022 , 5, e228212	10.4	3
95	Caffeine increases exercise intensity and energy expenditure but does not modify substrate oxidation during 1 h of self-paced cycling <i>European Journal of Nutrition</i> , 2022 , 1	5.2	O
94	Different exercise training modalities similarly improve heart rate variability in sedentary middle-aged adults: the FIT-AGEING randomized controlled trial <i>European Journal of Applied Physiology</i> , 2022 , 1	3.4	
93	A Systematic Review and Meta-Analysis on the Association and Differences between Aerobic Threshold and Point of Optimal Fat Oxidation. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6479	4.6	O
92	Maximal fat oxidation capacity is associated with cardiometabolic risk factors in healthy young adults. <i>European Journal of Sport Science</i> , 2021 , 21, 907-917	3.9	3
91	1,25-dihydroxyvitamin D and cardiometabolic risk in healthy sedentary adults: The FIT-AGEING study. <i>International Journal of Cardiology</i> , 2021 , 344, 192-198	3.2	
90	Effect of Exercise Training on 1,25(OH)D Levels: The FIT-AGEING Randomized Controlled Trial. <i>Sports Health</i> , 2021 , 19417381211050033	4.7	
89	Uncertain association between maximal fat oxidation during exercise and cardiometabolic risk factors in healthy sedentary adults. <i>European Journal of Sport Science</i> , 2021 , 1-11	3.9	2
88	Relationship between dietary factors and S-Klotho plasma levels in young sedentary healthy adults. <i>Mechanisms of Ageing and Development</i> , 2021 , 194, 111435	5.6	2
87	The effects of three types of exercise training on steroid hormones in physically inactive middle-aged adults: a randomized controlled trial. <i>European Journal of Applied Physiology</i> , 2021 , 121, 2193-2206	3.4	2

(2020-2021)

86	The influence of age, sex and cardiorespiratory fitness on maximal fat oxidation rate. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021 , 46, 1241-1247	3	2
85	Relationships between diet and basal fat oxidation and maximal fat oxidation during exercise in sedentary adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1087-1101	4.5	1
84	Deciphering the constrained total energy expenditure model in humans by associating accelerometer-measured physical activity from wrist and hip. <i>Scientific Reports</i> , 2021 , 11, 12302	4.9	2
83	Acute effect of HIIT on testosterone and cortisol levels in healthy individuals: A systematic review and meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021 , 31, 1722-1744	4.6	1
82	Caffeine increases whole-body fat oxidation during 1 h of cycling at Fatmax. <i>European Journal of Nutrition</i> , 2021 , 60, 2077-2085	5.2	7
81	Association between dietary factors and brown adipose tissue volume/F-FDG uptake in young adults. <i>Clinical Nutrition</i> , 2021 , 40, 1997-2008	5.9	2
80	Effect of a 12-Week Concurrent Training Intervention on Cardiometabolic Health in Obese Men: A Pilot Study. <i>Frontiers in Physiology</i> , 2021 , 12, 630831	4.6	1
79	Heart rate rather than heart rate variability is better associated with cardiorespiratory fitness in adults. <i>European Journal of Sport Science</i> , 2021 , 1-10	3.9	O
78	1,25-Dihydroxyvitamin D and S-Klotho Plasma Levels: The Relationship Between Two Renal Antiaging Biomarkers Mediated by Bone Mineral Density in Middle-Aged Sedentary Adults. <i>Rejuvenation Research</i> , 2021 , 24, 227-233	2.6	О
77	Resting Oxygen Uptake Value of 1 Metabolic Equivalent of Task in Older Adults: A Systematic Review and Descriptive Analysis. <i>Sports Medicine</i> , 2021 , 1	10.6	4
76	Accelerometer-measured physical activity and sedentary time are associated with maximal fat oxidation in young adults. <i>European Journal of Sport Science</i> , 2021 , 1-10	3.9	О
75	Relationship of sedentary time, physical activity and fitness with 1,25-dihydroxyvitamin D in middle-aged sedentary adults: The FIT-AGEING study. <i>Experimental Gerontology</i> , 2021 , 152, 111458	4.5	
74	Caffeine increases maximal fat oxidation during a graded exercise test: is there a diurnal variation?. <i>Journal of the International Society of Sports Nutrition</i> , 2021 , 18, 5	4.5	5
73	Role of physical activity and fitness on sleep in sedentary middle-aged adults: the FIT-AGEING study. <i>Scientific Reports</i> , 2021 , 11, 539	4.9	5
72	Effectiveness of Fixed-Dose Combination Therapy (Polypill) Versus Exercise to Improve the Blood-Lipid Profile: A Network Meta-analysis. <i>Sports Medicine</i> , 2021 , 52, 1161	10.6	O
71	Influence of daily beer or ethanol consumption on physical fitness in response to a high-intensity interval training program. The BEER-HIIT study. <i>Journal of the International Society of Sports Nutrition</i> , 2020 , 17, 29	4.5	4
70	Body Composition Impact on Sleep in Young Adults: The Mediating Role of Sedentariness, Physical Activity, and Diet. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
69	Predictors of Sexual Desire and Sexual Function in Sedentary Middle-Aged Adults: The Role of Lean Mass Index and S-Klotho Plasma Levels. The FIT-AGEING Study. <i>Journal of Sexual Medicine</i> , 2020 , 17, 665	 5-677	3

68	Association between sleep quality and time with energy metabolism in sedentary adults. <i>Scientific Reports</i> , 2020 , 10, 4598	4.9	4
67	Menstrual cycle phase does not affect whole body peak fat oxidation rate during a graded exercise test. <i>Journal of Applied Physiology</i> , 2020 , 128, 681-687	3.7	15
66	Impact of the Method Used to Select Gas Exchange Data for Estimating the Resting Metabolic Rate, as Supplied by Breath-by-Breath Metabolic Carts. <i>Nutrients</i> , 2020 , 12,	6.7	4
65	Selecting studies (not reports) as the unit of interest of systematic reviews and meta-analyses: an essential practice. <i>International Journal of Obesity</i> , 2020 , 44, 1536-1538	5.5	2
64	Metabolic rate in sedentary adults, following different exercise training interventions: The FIT-AGEING randomized controlled trial. <i>Clinical Nutrition</i> , 2020 , 39, 3230-3240	5.9	9
63	Impact of Using Different Levels of Threshold-Based Artefact Correction on the Quantification of Heart Rate Variability in Three Independent Human Cohorts. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	13
62	Exercise training improves sleep quality: A randomized controlled trial. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13202	4.6	16
61	Exercise training increases levels of the anti-ageing Klotho protein: health-related cardiometabolic implications. The FIT-AGEING randomised controlled trial (PhD Academy Award). <i>British Journal of Sports Medicine</i> , 2020 , 54, 1233-1234	10.3	1
60	Association of sedentary and physical activity time with maximal fat oxidation during exercise in sedentary adults. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 1605-1614	4.6	8
59	Relationship between plasma S-Klotho and cardiometabolic risk in sedentary adults. <i>Aging</i> , 2020 , 12, 2698-2710	5.6	7
58	Dietary Inflammatory Index and S-Klotho Plasma Levels in Middle-Aged Adults. <i>Nutrients</i> , 2020 , 12,	6.7	5
57	Assessment of autonomous nerve system through non-linear heart rate variability outcomes in sedentary healthy adults. <i>PeerJ</i> , 2020 , 8, e10178	3.1	3
56	Honey intake for preventing cancer: Angel or demon: Comment on: Honey and cancer: A mechanistic review. <i>Clinical Nutrition</i> , 2020 , 39, 1623-1624	5.9	1
55	Energy Expenditure and Macronutrient Oxidation in Response to an Individualized Nonshivering Cooling Protocol. <i>Obesity</i> , 2020 , 28, 2175-2183	8	
54	Methodological Issues Related to Exercise Interventions during Fasted or Fed State. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 2053	1.2	1
53	Inter- and intra-researcher reproducibility of heart rate variability parameters in three human cohorts. <i>Scientific Reports</i> , 2020 , 10, 11399	4.9	10
52	Reply to Dutheil et al. <i>Journal of Applied Physiology</i> , 2020 , 129, 2	3.7	
51	Is Sleep Associated with the S-Klotho Anti-Aging Protein in Sedentary Middle-Aged Adults? The FIT-AGEING Study. <i>Antioxidants</i> , 2020 , 9,	7.1	4

(2019-2020)

50	Impact of different exercise training modalities on energy and nutrient intake and food consumption in sedentary middle-aged adults: a randomised controlled trial. <i>Journal of Human Nutrition and Dietetics</i> , 2020 , 33, 86-97	3.1	1
49	Cardiovascular Risk Factors and Heart Rate Variability: Impact of the Level of the Threshold-Based Artefact Correction Used to Process the Heart Rate Variability Signal. <i>Journal of Medical Systems</i> , 2020 , 45, 2	5.1	4
48	Sleep duration and quality are not associated with brown adipose tissue volume or activity-as determined by 18F-FDG uptake, in young, sedentary adults. <i>Sleep</i> , 2019 , 42,	1.1	7
47	Dietary differences between metabolically healthy overweight-obese and metabolically unhealthy overweight-obese adults. <i>British Journal of Nutrition</i> , 2019 , 122, 1113-1119	3.6	1
46	Interdisciplinary Weight Loss and Lifestyle Intervention for Obstructive Sleep Apnoea in Adults: Rationale, Design and Methodology of the INTERAPNEA Study. <i>Nutrients</i> , 2019 , 11,	6.7	7
45	Diurnal Variation of Maximal Fat-Oxidation Rate in Trained Male Athletes. <i>International Journal of Sports Physiology and Performance</i> , 2019 , 14, 1140-1146	3.5	16
44	Body Composition and S-Klotho Plasma Levels in Middle-Aged Adults: A Cross-Sectional Study. <i>Rejuvenation Research</i> , 2019 , 22, 478-483	2.6	13
43	Congruent Validity of Resting Energy Expenditure Predictive Equations in Young Adults. <i>Nutrients</i> , 2019 , 11,	6.7	13
42	Adherence to the Mediterranean diet, dietary factors, and S-Klotho plasma levels in sedentary middle-aged adults. <i>Experimental Gerontology</i> , 2019 , 119, 25-32	4.5	8
41	Exercise training increases the S-Klotho plasma levels in sedentary middle-aged adults: A randomised controlled trial. The FIT-AGEING study. <i>Journal of Sports Sciences</i> , 2019 , 37, 2175-2183	3.6	16
40	Energy expenditure differences across lying, sitting, and standing positions in young healthy adults. <i>PLoS ONE</i> , 2019 , 14, e0217029	3.7	11
39	Supraclavicular skin temperature measured by iButtons and F-fluorodeoxyglucose uptake by brown adipose tissue in adults. <i>Journal of Thermal Biology</i> , 2019 , 82, 178-185	2.9	2
38	Concurrent validity of supraclavicular skin temperature measured with iButtons and infrared thermography as a surrogate marker of brown adipose tissue. <i>Journal of Thermal Biology</i> , 2019 , 82, 186	-796	8
37	Beer or Ethanol Effects on the Body Composition Response to High-Intensity Interval Training. The BEER-HIIT Study. <i>Nutrients</i> , 2019 , 11,	6.7	5
36	Effects of different exercise training programs on body composition: A randomized control trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 968-979	4.6	12
35	Changes in Physical Fitness After 12 Weeks of Structured Concurrent Exercise Training, High Intensity Interval Training, or Whole-Body Electromyostimulation Training in Sedentary Middle-Aged Adults: A Randomized Controlled Trial. <i>Frontiers in Physiology</i> , 2019 , 10, 451	4.6	21
34	Impact of data analysis methods for maximal fat oxidation estimation during exercise in sedentary adults. <i>European Journal of Sport Science</i> , 2019 , 19, 1230-1239	3.9	15
33	Assessment of maximal fat oxidation during exercise: A systematic review. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019 , 29, 910-921	4.6	21

32	Study of the association of DHEAS, testosterone and cortisol with S-Klotho plasma levels in healthy sedentary middle-aged adults. <i>Experimental Gerontology</i> , 2019 , 121, 55-61	4.5	7
31	Association of physical activity and fitness with S-Klotho plasma levels in middle-aged sedentary adults: The FIT-AGEING study. <i>Maturitas</i> , 2019 , 123, 25-31	5	8
30	Diet as moderator in the association of adiposity with inflammatory biomarkers among adolescents in the HELENA study. <i>European Journal of Nutrition</i> , 2019 , 58, 1947-1960	5.2	12
29	Relationships between cardiorespiratory fitness/muscular strength and F-fluorodeoxyglucose uptake in brown adipose tissue after exposure to cold in young, sedentary adults. <i>Scientific Reports</i> , 2019 , 9, 11314	4.9	6
28	Optimizing Maximal Fat Oxidation Assessment by a Treadmill-Based Graded Exercise Protocol: When Should the Test End?. <i>Frontiers in Physiology</i> , 2019 , 10, 909	4.6	4
27	Cardiorespiratory Fitness May Influence Metabolic Inflexibility During Exercise in Obese Persons. Journal of Clinical Endocrinology and Metabolism, 2019 , 104, 5780-5790	5.6	9
26	Relationship between 1,25-Dihydroxyvitamin D and Body Composition in Middle-Aged Sedentary Adults: The FIT-AGEING Study. <i>Nutrients</i> , 2019 , 11,	6.7	3
25	Association of basal metabolic rate and fuel oxidation in basal conditions and during exercise, with plasma S-klotho: the FIT-AGEING study. <i>Aging</i> , 2019 , 11, 5319-5333	5.6	7
24	Exercise Training as a Treatment for Cardiometabolic Risk in Sedentary Adults: Are Physical Activity Guidelines the Best Way to Improve Cardiometabolic Health? The FIT-AGEING Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
23	Anxiety and Depression in Patients with Obstructive Sleep Apnoea before and after Continuous Positive Airway Pressure: The ADIPOSA Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
22	Evidence of high F-fluorodeoxyglucose uptake in the subcutaneous adipose tissue of the dorsocervical area in young adults. <i>Experimental Physiology</i> , 2019 , 104, 168-173	2.4	6
21	Alcohol consumption and S-Klotho plasma levels in sedentary healthy middle-aged adults: A cross sectional study. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 107-111	4.9	9
20	Association between brown adipose tissue and bone mineral density in humans. <i>International Journal of Obesity</i> , 2019 , 43, 1516-1525	5.5	3
19	Estimation of non-shivering thermogenesis and cold-induced nutrient oxidation rates: Impact of method for data selection and analysis. <i>Clinical Nutrition</i> , 2019 , 38, 2168-2174	5.9	7
18	Association of Objectively Measured Physical Activity With Brown Adipose Tissue Volume and Activity in Young Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 223-233	5.6	13
17	Role of Exercise on S-Klotho Protein Regulation: A Systematic Review. <i>Current Aging Science</i> , 2018 , 11, 100-107	2.2	7
16	Inflammation in metabolically healthy and metabolically abnormal adolescents: The HELENA study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 77-83	4.5	15
15	Functional Exercise Training and Undulating Periodization Enhances the Effect of Whole-Body Electromyostimulation Training on Running Performance. <i>Frontiers in Physiology</i> , 2018 , 9, 720	4.6	14

LIST OF PUBLICATIONS

14	sobre la composici corporal en corredores recreacionales durante periodos de desentrenamiento deportivo. [Impact of two whole-body electromyostimulation training modalities on body	1.5	5
13	composition in recreational runners during endurance training cessation] RICYDE Revista Commentary: Contextualising Maximal Fat Oxidation During Exercise: Determinants and Normative Values. Frontiers in Physiology, 2018, 9, 1460	4.6	16
12	Association between Sleep Quality and Body Composition in Sedentary Middle-Aged Adults. <i>Medicina (Lithuania)</i> , 2018 , 54,	3.1	10
11	Brown Adipose Tissue and Skeletal Muscle F-FDG Activity After a Personalized Cold Exposure Is Not Associated With Cold-Induced Thermogenesis and Nutrient Oxidation Rates in Young Healthy Adults. <i>Frontiers in Physiology</i> , 2018 , 9, 1577	4.6	4
10	Accuracy and Validity of Resting Energy Expenditure Predictive Equations in Middle-Aged Adults. <i>Nutrients</i> , 2018 , 10,	6.7	22
9	Whole-Body Electromyostimulation Improves Performance-Related Parameters in Runners. <i>Frontiers in Physiology</i> , 2018 , 9, 1576	4.6	18
8	Exercise training as S-Klotho protein stimulator in sedentary healthy adults: Rationale, design, and methodology. <i>Contemporary Clinical Trials Communications</i> , 2018 , 11, 10-19	1.8	50
7	Methodological issues related to maximal fat oxidation rate during exercise: Comment on: Change in maximal fat oxidation in response to different regimes of periodized high-intensity interval training (HIIT). European Journal of Applied Physiology, 2018, 118, 2029-2031	3.4	10
6	Could superimposed electromyostimulation be an effective training to improve aerobic and anaerobic capacity? Methodological considerations for its development. <i>European Journal of Applied Physiology</i> , 2017 , 117, 1513-1515	3.4	5
5	Inflammation and insulin resistance according to body composition in European adolescents: the HELENA study. <i>Nutricion Hospitalaria</i> , 2017 , 34, 1033-1043	1	6
4	Activating brown adipose tissue through exercise (ACTIBATE) in young adults: Rationale, design and methodology. <i>Contemporary Clinical Trials</i> , 2015 , 45, 416-425	2.3	65
3	An analysis of two styles of arm action in the vertical countermovement jump. <i>Sports Biomechanics</i> , 2014 , 13, 135-43	2.2	7
2	Contribuci segmentaria de los saltos con contramovimiento en vertical y en horizontal. [Segmental contribution on countermovement vertical and horizontal jumps] RICYDE Revista Internacional De Ciencias Del Deporte, 2014 , 10, 289-304	1.5	2
1	Is there a relationship between the overhead press and split jerk maximum performance? Influence of sex. International Journal of Sports Science and Coaching, 174795412110204	1.8	O