Stephan Ehrmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/584533/publications.pdf

Version: 2024-02-01

99 3,744 32 58
papers citations h-index g-index

102 102 102 5067 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Virtual reality during work breaks to reduce fatigue of intensive unit caregivers: A crossover, pilot, randomised trial. Australian Critical Care, 2023, 36, 345-349.	0.6	6
2	Relying on pulse oximetry to avoid hypoxaemia and hyperoxia: A multicentre prospective cohort study in patients with circulatory failure. Australian Critical Care, 2023, 36, 307-312.	0.6	3
3	Prognosis of Very Elderly Patients after Intensive Care. Journal of Clinical Medicine, 2022, 11, 897.	1.0	1
4	High-Flow Nasal Cannula Failure Odds Is Largely Independent of Duration of Use in COVID-19. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 1240-1243.	2.5	8
5	Factors for success of awake prone positioning in patients with COVID-19-induced acute hypoxemic respiratory failure: analysis of a randomized controlled trial. Critical Care, 2022, 26, 84.	2.5	40
6	Inhaled antibiotics in critical care: State of the art and future perspectives. Infectious Diseases Now, 2022, 52, 327-333.	0.7	3
7	Eye tracking communication with intubated critically ill patients: a proof-of-concept multicenter pilot study. Minerva Anestesiologica, 2022, 88, .	0.6	3
8	Inased (inhaled sedation in ICU) trial protocol: a multicentre randomised open-label trial. BMJ Open, 2021, 11, e042284.	0.8	7
9	Kinetic Glomerular Filtration Rate Equations in Patients With Shock: Comparison With the lohexol-Based Gold-Standard Method. Critical Care Medicine, 2021, 49, e761-e770.	0.4	4
10	Worldwide Clinical Practice of High-Flow Nasal Cannula and Concomitant Aerosol Therapy in the Adult ICU Setting. Respiratory Care, 2021, 66, 1416-1424.	0.8	14
11	Inhaled antibiotics during mechanical ventilation—why it will work. Annals of Translational Medicine, 2021, 9, 598-598.	0.7	3
12	Noninvasive ventilation vs. high-flow nasal cannula oxygen for preoxygenation before intubation in patients with obesity: a post hoc analysis of a randomized controlled trial. Annals of Intensive Care, 2021, 11, 114.	2.2	7
13	How to Safely Reopen Cardiopulmonary Rehabilitation Facilities. Chest, 2021, 160, 405-406.	0.4	O
14	Awake prone positioning for COVID-19 acute hypoxaemic respiratory failure: a randomised, controlled, multinational, open-label meta-trial. Lancet Respiratory Medicine, the, 2021, 9, 1387-1395.	5.2	259
15	Pressurized Metered Dose Inhaler Aerosol Delivery Within Nasal High-Flow Circuits: A Bench Study. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2021, 34, 303-310.	0.7	5
16	Inhaled amikacin versus placebo to prevent ventilator-associated pneumonia: the AMIKINHAL double-blind multicentre randomised controlled trial protocol. BMJ Open, 2021, 11, e048591.	0.8	4
17	Early ve $<$ b $>$ r $<$ /b $>$ sus differed arterial catheterisation in critically ill patients with acute circulatory failure: a multicentre, open-label, pragmatic, randomised, non-inferiority controlled trial: the EVERDAC protocol. BMJ Open, 2021, 11, e044719.	0.8	3
18	Bronchodilator Delivery via High-Flow Nasal Cannula: A Randomized Controlled Trial to Compare the Effects of Gas Flows. Pharmaceutics, 2021, 13, 1655.	2.0	5

#	Article	IF	CITATIONS
19	Clinical phenotype and outcomes of pneumococcal versus meningococcal purpura fulminans: a multicenter retrospective cohort study. Critical Care, 2021, 25, 386.	2.5	4
20	A single Bayesian estimator for iohexol clearance estimation in ICU, liver failure and renal transplant patients. British Journal of Clinical Pharmacology, 2021, , .	1.1	3
21	T-piece versus pressure-support ventilation for spontaneous breathing trials before extubation in patients at high risk of reintubation: protocol for a multicentre, randomised controlled trial (TIP-EX). BMJ Open, 2020, 10, e042619.	0.8	7
22	Awake prone positioning of hypoxaemic patients with COVID-19: protocol for a randomised controlled open-label superiority meta-trial. BMJ Open, 2020, 10, e041520.	0.8	14
23	Meta-trial of awake prone positioning with nasal high flow therapy: Invitation to join a pandemic collaborative research effort. Journal of Critical Care, 2020, 60, 140-142.	1.0	11
24	Phenotypical and functional alteration of unconventional T cells in severe COVID-19 patients. Journal of Experimental Medicine, 2020, 217, .	4.2	150
25	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1298.	3.8	388
26	High-Flow Aerosol-Dispersing versus Aerosol-Generating Procedures. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1069-1071.	2.5	17
27	Iodinated contrast medium: Is there a re(n)al problem? A clinical vignette-based review. Critical Care, 2020, 24, 641.	2.5	13
28	Optimizing aerosol delivery of antibiotics in ventilated patients. Current Opinion in Infectious Diseases, 2020, 33, 1.	1.3	12
29	Innovative preclinical models for pulmonary drug delivery research. Expert Opinion on Drug Delivery, 2020, 17, 463-478.	2.4	45
30	Reply to the reply to Scientific rationale for inhaled caspofungin to treat Pneumocystis pneumonia: A therapeutic innovation likely relevant to investigate in a near future $\hat{a} \in \{$. International Journal of Infectious Diseases, 2020, 95, 469-470.	1.5	0
31	In the Name of Contrast-Induced Acute Kidney Injury…. Chest, 2020, 157, 751-752.	0.4	9
32	High-flow nasal cannula for COVID-19 patients: low risk of bio-aerosol dispersion. European Respiratory Journal, 2020, 55, 2000892.	3.1	219
33	Promises and challenges of eye-tracking technology to evaluate the care process in the ICU. Minerva Anestesiologica, 2020, 86, 1123-1125.	0.6	3
34	Pazopanib-induced posterior reversible encephalopathy syndrome with possible syndrome of inappropriate secretion of antidiuretic hormone: an incidental or pathophysiological association?. Neural Regeneration Research, 2020, 15, 1166.	1.6	8
35	Effect of Postextubation High-Flow Nasal Oxygen With Noninvasive Ventilation vs High-Flow Nasal Oxygen Alone on Reintubation Among Patients at High Risk of Extubation Failure. JAMA - Journal of the American Medical Association, 2019, 322, 1465.	3.8	188
36	Nasal high-flow preoxygenation for endotracheal intubation in the critically ill patient: a randomized clinical trial. Intensive Care Medicine, 2019, 45, 447-458.	3.9	86

#	Article	IF	CITATIONS
37	Intra-tracheal amikacin spray delivery in healthy mechanically ventilated piglets. Pulmonary Pharmacology and Therapeutics, 2019, 57, 101807.	1.1	6
38	Nasal High-Flow Nebulization for Lung Drug Delivery: Theoretical, Experimental, and Clinical Application. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2019, 32, 341-351.	0.7	18
39	Non-invasive ventilation versus high-flow nasal cannula oxygen therapy with apnoeic oxygenation for preoxygenation before intubation of patients with acute hypoxaemic respiratory failure: a randomised, multicentre, open-label trial. Lancet Respiratory Medicine,the, 2019, 7, 303-312.	5.2	113
40	Arginine Vasopressin and Posterior Reversible Encephalopathy Syndrome Pathophysiology: the Missing Link?. Molecular Neurobiology, 2019, 56, 6792-6806.	1.9	34
41	Management of severe asthma exacerbation: guidelines from the Société Française de Médecine d'Urgence, the Société de Réanimation de Langue Française and the French Group for Pediatric Intensive Care and Emergencies. Annals of Intensive Care, 2019, 9, 115.	2.2	23
42	Glomerular Hyper- and Hypofiltration During Acute Circulatory Failure. Critical Care Medicine, 2019, 47, e623-e629.	0.4	9
43	Salbutamol Nebulization During Noninvasive Ventilation in Exacerbated Chronic Obstructive Pulmonary Disease Patients: A Randomized Controlled Trial. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2019, 32, 149-155.	0.7	6
44	Long-term Quality of Life in Adult Patients Surviving Purpura Fulminans: An Exposed-Unexposed Multicenter Cohort Study. Clinical Infectious Diseases, 2019, 69, 332-340.	2.9	19
45	Posterior Reversible Encephalopathy Syndrome in Clinical Toxicology: A Systematic Review of Published Case Reports. Frontiers in Neurology, 2019, 10, 1420.	1.1	18
46	Nephrotoxic drug burden among 1001 critically ill patients: impact on acute kidney injury. Annals of Intensive Care, 2019, 9, 106.	2.2	27
47	Eye-tracking and speech-generating technology to improve communication with intubated intensive care unit patients: initial experience. Intensive Care Medicine, 2018, 44, 676-677.	3.9	6
48	Nebulization of antimicrobial agents in mechanically ventilated adults in 2017: an international cross-sectional survey. European Journal of Clinical Microbiology and Infectious Diseases, 2018, 37, 785-794.	1.3	25
49	Non-invasive blood pressure monitoring with an oscillometric brachial cuff: impact of arrhythmia. Journal of Clinical Monitoring and Computing, 2018, 32, 707-715.	0.7	14
50	Contrast-associated acute kidney injury is a myth: Yes. Intensive Care Medicine, 2018, 44, 104-106.	3.9	35
51	Noninvasive BP Monitoring in the CriticallyÂlll. Chest, 2018, 153, 1023-1039.	0.4	50
52	High-flow nasal cannula oxygen therapy alone or with non-invasive ventilation during the weaning period after extubation in ICU: the prospective randomised controlled HIGH-WEAN protocol. BMJ Open, 2018, 8, e023772.	0.8	13
53	Nasal high-flow bronchodilator nebulization: a randomized cross-over study. Annals of Intensive Care, 2018, 8, 128.	2.2	30
54	Lack of impact of iodinated contrast media on kidney cell-cycle arrest biomarkers in critically ill patients. BMC Nephrology, 2018, 19, 308.	0.8	9

#	Article	IF	Citations
55	Clinical spectrum and short-term outcome of adult patients with purpura fulminans: a French multicenter retrospective cohort study. Intensive Care Medicine, 2018, 44, 1502-1511.	3.9	30
56	Vibrating Mesh Nebulisers – Can Greater Drug Delivery to the Airways and Lungs Improve Respiratory Outcomes?. European Respiratory & Pulmonary Diseases, 2018, 4, 33.	0.2	12
57	Contrast-associated acute kidney injury in the critically ill: systematic review and Bayesian meta-analysis. Intensive Care Medicine, 2017, 43, 785-794.	3.9	55
58	Dynamic Indices Derived from Heart–Lung Interactions:Incende Quod Adorasti. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 1073-1074.	2.5	1
59	Aerosol Delivery with Two Nebulizers Through High-Flow Nasal Cannula: A Randomized Cross-Over Single-Photon Emission Computed Tomography-Computed Tomography Study. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2017, 30, 349-358.	0.7	44
60	Iodinated Contrast Medium Renal Toxicity. Critical Care Medicine, 2017, 45, e745-e746.	0.4	5
61	Aerosolized Antibiotics. Clinical Pulmonary Medicine, 2017, 24, 183-190.	0.3	1
62	Aerosol delivery during invasive mechanical ventilation: a systematic review. Critical Care, 2017, 21, 264.	2.5	47
63	Nasal high flow nebulization in infants and toddlers: An in vitro and in vivo scintigraphic study. Pediatric Pulmonology, 2017, 52, 337-344.	1.0	69
64	Nebulized antibiotics in mechanically ventilated patients: a challenge for translational research from technology to clinical care. Annals of Intensive Care, 2017, 7, 78.	2.2	36
65	The CNAPâ,,¢ Finger Cuff for Noninvasive Beat-To-Beat Monitoring of Arterial Blood Pressure: An Evaluation in Intensive Care Unit Patients and a Comparison with 2 Intermittent Devices. Anesthesia and Analgesia, 2016, 123, 1126-1135.	1.1	26
66	Assessing the Effects of Passive Leg Raising: Fast, Not Furious. Critical Care Medicine, 2016, 44, e764-e765.	0.4	1
67	Iohexol clearance in unstable critically ill patients: a tool to assess glomerular filtration rate. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1777-1786.	1.4	15
68	Preanalytical conditions of point-of-care testing in the intensive care unit are decisive for analysis reliability. Annals of Intensive Care, 2016, 6, 57.	2.2	21
69	Pulse Pressure Variation. Critical Care Medicine, 2016, 44, e305.	0.4	1
70	Î ² -Blockade and Septic Shock Phenotype. Critical Care Medicine, 2016, 44, e310-e311.	0.4	3
71	Changes in cardiac arrest patients' temperature management after the 2013 "TTM―trial: results from an international survey. Annals of Intensive Care, 2016, 6, 4.	2.2	71
72	Aerosol therapy in intensive and intermediate care units: prospective observation of 2808 critically ill patients. Intensive Care Medicine, 2016, 42, 192-201.	3.9	63

#	Article	IF	CITATIONS
73	Aerosol Therapy in Adults Receiving High Flow Nasal Cannula Oxygen Therapy. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2016, 29, 134-141.	0.7	80
74	Noninvasive monitors of blood pressure in the critically ill. European Journal of Anaesthesiology, 2015, 32, 367-368.	0.7	8
75	Outcomes of patients admitted to intensive care units for acute manifestation of small-vessel vasculitis: a multicenter, retrospective study. Critical Care, 2015, 20, 27.	2.5	28
76	Volume expansion in the first 4Âdays of shock: a prospective multicentre study in 19 French intensive care units. Intensive Care Medicine, 2015, 41, 248-256.	3.9	52
77	Clinical relevance of pulse pressure variations for predicting fluid responsiveness in mechanically ventilated intensive care unit patients: the grey zone approach. Critical Care, 2014, 18, 587.	2.5	100
78	Heterogeneity in the Definition of Mechanical Ventilation Duration and Ventilator-Free Days. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 998-1002.	2.5	58
79	Ventilator-Integrated Jet Nebulization Systems: Tidal Volume Control and Efficiency of Synchronization. Respiratory Care, 2014, 59, 1508-1516.	0.8	30
80	Aerosol therapy during mechanical ventilation: an international survey. Intensive Care Medicine, 2013, 39, 1048-1056.	3.9	95
81	Bioequivalence of inhaled drugs: fundamentals, challenges and perspectives. Therapeutic Delivery, 2013, 4, 343-367.	1.2	39
82	Fluid challenge: tracking changes in cardiac output with blood pressure monitoring (invasive or) Tj ETQq0 0 0 rg	BT /Overlo	ck 10 Tf 50 3
83	Acute Kidney Injury in the Critically Ill. Critical Care Medicine, 2013, 41, 1017-1026.	0.4	54
84	The authors reply. Critical Care Medicine, 2013, 41, e388.	0.4	0
85	Pulse pressure variation. Critical Care Medicine, 2012, 40, 1691.	0.4	4
86	Noninvasive monitoring of blood pressure in the critically ill. Critical Care Medicine, 2012, 40, 1207-1213.	0.4	68
87	Néphropathie induite par les produits de contraste iodés en réanimation. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2012, 21, 463-473.	0.1	2
88	Aerosolized drug delivery during mechanical ventilation. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2012, 21, 42-54.	0.1	6
89	Relation between mean arterial pressure and renal function in the early phase of shock: a prospective, explorative cohort study. Critical Care, 2011, 15, R135.	2.5	119

#	Article	IF	CITATIONS
91	Population pharmacokinetics of ceftriaxone in critically ill septic patients: a reappraisal. British Journal of Clinical Pharmacology, 2011, 72, 758-767.	1.1	67
92	Acute Kidney Injury Network definition of contrast-induced nephropathy in the critically ill: Incidence and outcome. Journal of Critical Care, 2011, 26, 593-599.	1.0	91
93	Central venous pressure measurements improve the accuracy of leg raising-induced change in pulse pressure to predict fluid responsiveness. Intensive Care Medicine, 2010, 36, 940-948.	3.9	74
94	Passive leg raising: easy at last!. Intensive Care Medicine, 2010, 36, 1446-1446.	3.9	0
95	Influence of Jet Nebulization and Oxygen Delivery on the Fraction of Inspired Oxygen: An Experimental Model. Journal of Aerosol Medicine and Pulmonary Drug Delivery, 2009, 22, 255-261.	0.7	14
96	Tracking Hypotension and Dynamic Changes in Arterial Blood Pressure with Brachial Cuff Measurements. Anesthesia and Analgesia, 2009, 109, 494-501.	1.1	36
97	Pharmacokinetics of high-dose nebulized amikacin in mechanically ventilated healthy subjects. Intensive Care Medicine, 2008, 34, 755-762.	3.9	48
98	The logistic organ dysfunction score as a tool for making ethical decisions. Canadian Journal of Anaesthesia, 2006, 53, 518-523.	0.7	5
99	Cerebral aspergillosis in the critically ill: two cases of successful medical treatment. Intensive Care Medicine, 2005, 31, 738-742.	3.9	27