

# Ivan Izquierdo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5845333/publications.pdf>

Version: 2024-02-01

286  
papers

19,292  
citations

12597

71  
h-index

17891

125  
g-index

288  
all docs

288  
docs citations

288  
times ranked

15299  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modulation of Carbonic Anhydrases Activity in the Hippocampus or Prefrontal Cortex Differentially Affects Social Recognition Memory in Rats. <i>Neuroscience</i> , 2022, 497, 184-195.	1.1	12
2	Involvement of medial prefrontal cortex canonical Wnt/ $\beta$ -catenin and non-canonical Wnt/Ca <sup>2+</sup> signaling pathways in contextual fear memory in male rats. <i>Behavioural Brain Research</i> , 2022, 430, 113948.	1.2	5
3	Participation of Hippocampal 5-HT <sub>5A</sub> , 5-HT <sub>6</sub> and 5-HT <sub>7</sub> Serotonin Receptors on the Consolidation of Social Recognition Memory. <i>Neuroscience</i> , 2022, 497, 171-183.	1.1	3
4	Strength training or green tea prevent memory deficits in a $\beta$ -amyloid peptide-mediated Alzheimer's disease model. <i>Experimental Gerontology</i> , 2021, 143, 111186.	1.2	9
5	Inhibition of PACAP/PAC1/VPAC2 signaling impairs the consolidation of social recognition memory and nitric oxide prevents this deficit. <i>Neurobiology of Learning and Memory</i> , 2021, 180, 107423.	1.0	4
6	PKM $\zeta$ Maintains Remote Contextual Fear Memory by Inhibiting GluA2-Dependent AMPA Receptor Endocytosis in the Prelimbic Cortex. <i>Neuroscience</i> , 2021, , .	1.1	3
7	Neuronal histamine and the memory of emotionally salient events. <i>British Journal of Pharmacology</i> , 2020, 177, 557-569.	2.7	22
8	Brain histamine modulates recognition memory: possible implications in major cognitive disorders. <i>British Journal of Pharmacology</i> , 2020, 177, 539-556.	2.7	36
9	Catecholaminergic hippocampal activation is necessary for object recognition memory persistence induced by one-single physical exercise session. <i>Behavioural Brain Research</i> , 2020, 379, 112356.	1.2	10
10	Involvement of medial prefrontal cortex NMDA and AMPA/kainate glutamate receptors in social recognition memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2020, 168, 107153.	1.0	24
11	The role of carbonic anhydrases in extinction of contextual fear memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 16000-16008.	3.3	33
12	Molecular Mechanisms in Hippocampus Involved on Object Recognition Memory Consolidation and Reconsolidation. <i>Neuroscience</i> , 2020, 435, 112-123.	1.1	19
13	The effect of intentionality on verbal memory assessment over days. <i>Dementia E Neuropsychologia</i> , 2020, 14, 366-371.	0.3	0
14	Social support favors extinction and impairs acquisition of both short- and long-term contextual fear conditioning memory. <i>Neuroscience Letters</i> , 2019, 712, 134505.	1.0	11
15	The blockade of the serotonergic receptors 5-HT <sub>5A</sub> , 5-HT <sub>6</sub> and 5-HT <sub>7</sub> in the basolateral amygdala, but not in the hippocampus facilitate the extinction of fear memory. <i>Behavioural Brain Research</i> , 2019, 372, 112055.	1.2	14
16	Noradrenergic and dopaminergic involvement in novelty modulation of aversive memory generalization of adult rats. <i>Behavioural Brain Research</i> , 2019, 371, 111991.	1.2	8
17	Preventing adolescent stress-induced cognitive and microbiome changes by diet. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9644-9651.	3.3	79
18	Strength training and running elicit different neuroprotective outcomes in a $\beta$ -amyloid peptide-mediated Alzheimer's disease model. <i>Physiology and Behavior</i> , 2019, 206, 206-212.	1.0	17

#	ARTICLE	IF	CITATIONS
19	Extinction learning with social support depends on protein synthesis in prefrontal cortex but not hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1765-1769.	3.3	9
20	Novelty exposure hinders aversive memory generalization and depends on hippocampal protein synthesis. <i>Behavioural Brain Research</i> , 2019, 359, 89-94.	1.2	3
21	Environmental enrichment and exercise are better than social enrichment to reduce memory deficits in amyloid beta neurotoxicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E2403-E2409.	3.3	72
22	Methylphenidate induces state-dependency of social recognition learning: Central components. <i>Neurobiology of Learning and Memory</i> , 2018, 149, 77-83.	1.0	6
23	Can an aversive, extinction-resistant memory trigger impairments in walking adaptability? An experimental study using adult rats. <i>Neuroscience Letters</i> , 2018, 665, 224-228.	1.0	5
24	One-single physical exercise session after object recognition learning promotes memory persistence through hippocampal noradrenergic mechanisms. <i>Behavioural Brain Research</i> , 2017, 329, 120-126.	1.2	26
25	Methylprednisolone as a memory enhancer in rats: Effects on aversive memory, long-term potentiation and calcium influx. <i>Brain Research</i> , 2017, 1670, 44-51.	1.1	5
26	Extinction memory is facilitated by methylphenidate and regulated by dopamine and noradrenaline receptors. <i>Behavioural Brain Research</i> , 2017, 326, 303-306.	1.2	26
27	Histamine regulates memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2017, 145, 1-6.	1.0	18
28	Modulation of the storage of social recognition memory by neurotransmitter systems in the insular cortex. <i>Behavioural Brain Research</i> , 2017, 334, 129-134.	1.2	33
29	Behaviorally Induced Synaptic Tagging. , 2017, , 611-619.		0
30	Memory retrieval of inhibitory avoidance requires histamine H <sub>1</sub> receptor activation in the hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2714-20.	3.3	34
31	Major neurotransmitter systems in dorsal hippocampus and basolateral amygdala control social recognition memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4914-9.	3.3	67
32	Lithium activates brain phospholipase A2 and improves memory in rats: implications for Alzheimer's disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 607-618.	1.8	8
33	Hippocampal noradrenergic activation is necessary for object recognition memory consolidation and can promote BDNF increase and memory persistence. <i>Neurobiology of Learning and Memory</i> , 2016, 127, 84-92.	1.0	56
34	Fear Memory. <i>Physiological Reviews</i> , 2016, 96, 695-750.	18.1	331
35	Modulation of Memory Consolidation, Retrieval and Extinction by Brain Histamine. <i>Receptors</i> , 2016, , 327-340.	0.2	0
36	Extinction learning, which consists of the inhibition of retrieval, can be learned without retrieval. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E230-3.	3.3	38

#	ARTICLE	IF	CITATIONS
37	The relationship between protein synthesis and protein degradation in object recognition memory. <i>Behavioural Brain Research</i> , 2015, 294, 17-24.	1.2	28
38	Histamine in the basolateral amygdala promotes inhibitory avoidance learning independently of hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2536-42.	3.3	41
39	The Art of Forgetting. , 2015, , 7-60.		2
40	Facilitation of fear extinction by novelty depends on dopamine acting on D1-subtype dopamine receptors in hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1652-8.	3.3	63
41	Histamine acting on the basolateral amygdala reverts the impairment of aversive memory of rats submitted to neonatal maternal deprivation. <i>Behavioural Brain Research</i> , 2015, 278, 83-89.	1.2	9
42	Fear extinction can be made state-dependent on peripheral epinephrine: Role of norepinephrine in the nucleus tractus solitarius. <i>Neurobiology of Learning and Memory</i> , 2014, 113, 55-61.	1.0	29
43	Modulation of the extinction of fear learning. <i>Brain Research Bulletin</i> , 2014, 105, 61-69.	1.4	37
44	Hippocampal molecular mechanisms involved in the enhancement of fear extinction caused by exposure to novelty. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 4572-4577.	3.3	88
45	The learning of fear extinction. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 47, 670-683.	2.9	105
46	Effects of green tea and physical exercise on memory impairments associated with aging. <i>Neurochemistry International</i> , 2014, 78, 53-60.	1.9	30
47	Memory deficits and oxidative stress in cerebral ischemiaâ€“reperfusion: Neuroprotective role of physical exercise and green tea supplementation. <i>Neurobiology of Learning and Memory</i> , 2014, 114, 242-250.	1.0	53
48	Chronic exposure to low mercury chloride concentration induces object recognition and aversive memories deficits in rats. <i>International Journal of Developmental Neuroscience</i> , 2013, 31, 468-472.	0.7	20
49	The Nucleus of the Solitary Tractâ†“Nucleus Paragigantocellularisâ†“Locus Coeruleusâ†“CA1 region of dorsal hippocampus pathway is important for consolidation of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2013, 100, 56-63.	1.0	109
50	Behavioral tagging of extinction learning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1071-1076.	3.3	97
51	The role of histamine receptors in the consolidation of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2013, 103, 64-71.	1.0	47
52	Decreased acetylcholine release delays the consolidation of object recognition memory. <i>Behavioural Brain Research</i> , 2013, 238, 62-68.	1.2	26
53	Histamine infused into basolateral amygdala enhances memory consolidation of inhibitory avoidance. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1539-1545.	1.0	28
54	TREM2, Frontotemporal Dementiaâ€“Like Disease, Nasu-Hakola Disease, and Alzheimer Dementia: A Chicken and Egg Problem?. <i>JAMA Neurology</i> , 2013, 70, 805.	4.5	7

#	ARTICLE	IF	CITATIONS
55	Memory reconsolidation and its maintenance depend on L-voltage-dependent calcium channels and CaMKII functions regulating protein turnover in the hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6566-6570.	3.3	48
56	New frontiers in the study of memory mechanisms. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 173-177.	0.9	10
57	Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. , 2013, , 239-247.		0
58	Protein Synthesis and Memory. , 2013, , 1-4.		0
59	Elimination of the vesicular acetylcholine transporter in the forebrain causes hyperactivity and deficits in spatial memory and long-term potentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 17651-17656.	3.3	57
60	Posterior parietal cortex and long-term memory: some data from laboratory animals. <i>Frontiers in Integrative Neuroscience</i> , 2012, 6, 8.	1.0	20
61	Histamine reverses a memory deficit induced in rats by early postnatal maternal deprivation. <i>Neurobiology of Learning and Memory</i> , 2012, 97, 54-58.	1.0	21
62	Both the dorsal hippocampus and the dorsolateral striatum are needed for rat navigation in the Morris water maze. <i>Behavioural Brain Research</i> , 2012, 226, 171-178.	1.2	54
63	Modulation of the extinction of two different fear-motivated tasks in three distinct brain areas. <i>Behavioural Brain Research</i> , 2012, 232, 210-216.	1.2	111
64	Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. , 2012, , 205-213.		0
65	Memory Persistence. , 2012, , 2172-2173.		0
66	Histamine facilitates consolidation of fear extinction. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 1209-1217.	1.0	41
67	Treatment of fear memories: interactions between extinction and reconsolidation. <i>Anais Da Academia Brasileira De Ciencias</i> , 2011, 83, 1363-1372.	0.3	13
68	The effect of cannabidiol on maximal electroshock seizures in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 25, 916-917.	1.2	48
69	Brain interactions between processes triggered by memory retrieval and their use in the treatment of fear memories. <i>Future Neurology</i> , 2011, 6, 307-309.	0.9	2
70	Brain Interactions between Extinction and Reconsolidation in the Treatment of Fear Memories. <i>Neuroscience and Medicine</i> , 2011, 02, 232-238.	0.2	1
71	Topiramate diminishes fear memory consolidation and extinguishes conditioned fear in rats. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, 250-255.	1.4	5
72	Adrenergic receptors link NO/sGC/PKG signaling to BDNF expression during the consolidation of object recognition long-term memory. <i>Hippocampus</i> , 2010, 20, 672-683.	0.9	59

#	ARTICLE	IF	CITATIONS
73	Long-term memory persistence. <i>Future Neurology</i> , 2010, 5, 911-917.	0.9	0
74	Persistence of Long-Term Memory Storage: New Insights into its Molecular Signatures in the Hippocampus and Related Structures. <i>Neurotoxicity Research</i> , 2010, 18, 377-385.	1.3	76
75	Effects of intrahippocampal administration of the phosphatase inhibitor okadaic acid: Dual effects on memory formation. <i>Dementia E Neuropsychologia</i> , 2010, 4, 23-27.	0.3	2
76	Plastic modifications induced by object recognition memory processing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 2652-2657.	3.3	220
77	Retrieval induces reconsolidation of fear extinction memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21801-21805.	3.3	36
78	Molecular mechanisms in hippocampus and basolateral amygdala but not in parietal or cingulate cortex are involved in extinction of one-trial avoidance learning. <i>Neurobiology of Learning and Memory</i> , 2010, 94, 285-291.	1.0	19
79	The Vesicular Acetylcholine Transporter Is Required for Neuromuscular Development and Function. <i>Molecular and Cellular Biology</i> , 2009, 29, 5238-5250.	1.1	105
80	On the requirement of nitric oxide signaling in the amygdala for consolidation of inhibitory avoidance memory. <i>Neurobiology of Learning and Memory</i> , 2009, 91, 266-272.	1.0	18
81	Infusion of protein synthesis inhibitors in the entorhinal cortex blocks consolidation but not reconsolidation of object recognition memory. <i>Neurobiology of Learning and Memory</i> , 2009, 91, 466-472.	1.0	39
82	Physical exercise can reverse the deficit in fear memory induced by maternal deprivation. <i>Neurobiology of Learning and Memory</i> , 2009, 92, 364-369.	1.0	64
83	Early postnatal maternal deprivation in rats induces memory deficits in adult life that can be reversed by donepezil and galantamine. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 59-64.	0.7	71
84	Dopamine Controls Persistence of Long-Term Memory Storage. <i>Science</i> , 2009, 325, 1017-1020.	6.0	384
85	BDNF Activates mTOR to Regulate GluR1 Expression Required for Memory Formation. <i>PLoS ONE</i> , 2009, 4, e6007.	1.1	230
86	Different Effect of High Fat Diet and Physical Exercise in the Hippocampal Signaling. <i>Neurochemical Research</i> , 2008, 33, 880-885.	1.6	22
87	The molecular cascades of long-term potentiation underlie memory consolidation of one-trial avoidance in the CA1 region of the dorsal hippocampus, but not in the basolateral amygdala or the neocortex. <i>Neurotoxicity Research</i> , 2008, 14, 273-294.	1.3	34
88	Reconsolidation and the fate of consolidated memories. <i>Neurotoxicity Research</i> , 2008, 14, 353-358.	1.3	13
89	Time-dependent behavioral recovery after sepsis in rats. <i>Intensive Care Medicine</i> , 2008, 34, 1724-1731.	3.9	93
90	Inhibition of mRNA synthesis in the hippocampus impairs consolidation and reconsolidation of spatial memory. <i>Hippocampus</i> , 2008, 18, 29-39.	0.9	50

#	ARTICLE	IF	CITATIONS
91	On the participation of mTOR in recognition memory. <i>Neurobiology of Learning and Memory</i> , 2008, 89, 338-351.	1.0	103
92	Posttraining activation of CB1 cannabinoid receptors in the CA1 region of the dorsal hippocampus impairs object recognition long-term memory. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 374-381.	1.0	81
93	Duration of environmental enrichment influences the magnitude and persistence of its behavioral effects on mice. <i>Physiology and Behavior</i> , 2008, 93, 388-394.	1.0	52
94	Reviews: BDNF and Memory Formation and Storage. <i>Neuroscientist</i> , 2008, 14, 147-156.	2.6	260
95	ERK1/2 and CaMKII-mediated events in memory formation: Is 5HT regulation involved?. <i>Behavioural Brain Research</i> , 2008, 195, 120-128.	1.2	35
96	Do memories consolidate to persist or do they persist to consolidate?. <i>Behavioural Brain Research</i> , 2008, 192, 61-69.	1.2	58
97	Physiology of the Prion Protein. <i>Physiological Reviews</i> , 2008, 88, 673-728.	13.1	523
98	Memory-enhancing treatments reverse the impairment of inhibitory avoidance retention in sepsis-surviving rats. <i>Critical Care</i> , 2008, 12, R133.	2.5	17
99	Age-dependent and age-independent human memory persistence is enhanced by delayed posttraining methylphenidate administration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 19504-19507.	3.3	30
100	Parallel memory processing by the CA1 region of the dorsal hippocampus and the basolateral amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 10279-10284.	3.3	47
101	BDNF is essential to promote persistence of long-term memory storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 2711-2716.	3.3	559
102	Extinction learning: neurological features, therapeutic applications and the effect of aging. <i>Future Neurology</i> , 2008, 3, 133-140.	0.9	4
103	Emotional memory in bipolar disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 458-463.	1.7	26
104	Effects of acute and chronic physical exercise and stress on different types of memory in rats. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 301-309.	0.3	56
105	The evidence for hippocampal long-term potentiation as a basis of memory for simple tasks. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 115-127.	0.3	33
106	The Role of the Entorhinal Cortex in Extinction: Influences of Aging. <i>Neural Plasticity</i> , 2008, 2008, 1-8.	1.0	16
107	Clozapine and Olanzapine but not Risperidone Impair the Pre-Frontal Striatal System in relation to Egocentric Spatial Orientation in a Y-Maze. <i>Current Neurovascular Research</i> , 2007, 4, 235-239.	0.4	6
108	Effects of an Acute Treatment with L-Thyroxine on Memory, Habituation, Danger Avoidance, and on Na <sup>+</sup> , K <sup>+</sup> -ATPase activity in Rat Brain. <i>Current Neurovascular Research</i> , 2007, 4, 259-267.	0.4	6

#	ARTICLE	IF	CITATIONS
109	Effects of Thyroid Hormones on Memory and on Na <sup>+</sup> , K <sup>+</sup> -ATPase Activity in Rat Brain. <i>Current Neurovascular Research</i> , 2007, 4, 184-193.	0.4	16
110	Inhibition of c-Jun N-terminal kinase in the CA1 region of the dorsal hippocampus blocks extinction of inhibitory avoidance memory. <i>Behavioural Pharmacology</i> , 2007, 18, 483-489.	0.8	15
111	Persistence of Long-Term Memory Storage Requires a Late Protein Synthesis- and BDNF- Dependent Phase in the Hippocampus. <i>Neuron</i> , 2007, 53, 261-277.	3.8	550
112	mTOR signaling in the hippocampus is necessary for memory formation. <i>Neurobiology of Learning and Memory</i> , 2007, 87, 303-307.	1.0	163
113	A link between role of two prefrontal areas in immediate memory and in long-term memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 160-166.	1.0	46
114	Temporary inactivation of the dorsal hippocampus induces a transient impairment in retrieval of aversive memory. <i>Behavioural Brain Research</i> , 2007, 180, 113-118.	1.2	39
115	Habituation to an open field alters ecto-nucleotidase activities in rat hippocampal synaptosomes. <i>Neuroscience Letters</i> , 2007, 413, 21-24.	1.0	17
116	On the role of hippocampal protein synthesis in the consolidation and reconsolidation of object recognition memory. <i>Learning and Memory</i> , 2007, 14, 36-46.	0.5	235
117	Short-term memory formation and long-term memory consolidation are enhanced by cellular prion association to stress-inducible protein 1. <i>Neurobiology of Disease</i> , 2007, 26, 282-290.	2.1	77
118	Imipramine reverses the depressive symptoms in sepsis survivor rats. <i>Intensive Care Medicine</i> , 2007, 33, 2165-2167.	3.9	23
119	Effect of Radicol Infusion on the Src Tyrosine Kinase Activity of Rat Hippocampus before and after Training in an Inhibitory Avoidance Task. <i>Neurochemical Research</i> , 2007, 32, 1150-1155.	1.6	1
120	The extinction of conditioned fear: structural and molecular basis and therapeutic use. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 80-85.	0.9	29
121	A new spatial orientation memory test: Evaluation in patients with mild Alzheimer's disease and in patients with operated and unoperated mesial temporal lobe epilepsy. <i>European Journal of Psychiatry</i> , 2007, 21, .	0.7	2
122	Retrieval induces hippocampal-dependent reconsolidation of spatial memory. <i>Learning and Memory</i> , 2006, 13, 431-440.	0.5	98
123	Angiotensin II disrupts inhibitory avoidance memory retrieval. <i>Hormones and Behavior</i> , 2006, 50, 308-313.	1.0	73
124	Mice Deficient for the Vesicular Acetylcholine Transporter Are Myasthenic and Have Deficits in Object and Social Recognition. <i>Neuron</i> , 2006, 51, 601-612.	3.8	208
125	The entorhinal cortex plays a role in extinction. <i>Neurobiology of Learning and Memory</i> , 2006, 85, 192-197.	1.0	43
126	Histamine enhances inhibitory avoidance memory consolidation through a H2 receptor-dependent mechanism. <i>Neurobiology of Learning and Memory</i> , 2006, 86, 100-106.	1.0	61



#	ARTICLE	IF	CITATIONS
127	Different molecular cascades in different sites of the brain control memory consolidation. Trends in Neurosciences, 2006, 29, 496-505.	4.2	404
128	A link between the hippocampal and the striatal memory systems of the brain. Anais Da Academia Brasileira De Ciencias, 2006, 78, 515-523.	0.3	29
129	A role for hippocampal gastrin-releasing peptide receptors in extinction of aversive memory. NeuroReport, 2006, 17, 935-939.	0.6	23
130	The interaction between prion protein and laminin modulates memory consolidation. European Journal of Neuroscience, 2006, 24, 3255-3264.	1.2	66
131	Early Activation of Extracellular Signal-Regulated Kinase Signaling Pathway in the Hippocampus is Required for Short-Term Memory Formation of a Fear-Motivated Learning. Cellular and Molecular Neurobiology, 2006, 26, 81-6.	1.7	59
132	Early Activation of Extracellular Signal-Regulated Kinase Signaling Pathway in the Hippocampus is Required for Short-Term Memory Formation of a Fear-Motivated Learning. Cellular and Molecular Neurobiology, 2006, 26, 987-1000.	1.7	28
133	Acute treatment with the antidepressants bupropion and sertraline do not influence memory retrieval in man. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 320-325.	1.8	13
134	The connection between the hippocampal and the striatal memory systems of the brain: A review of recent findings. Neurotoxicity Research, 2006, 10, 113-121.	1.3	60
135	Retinol induces the ERK1/2-dependent phosphorylation of CREB through a pathway involving the generation of reactive oxygen species in cultured Sertoli cells. Cellular Signalling, 2006, 18, 1685-1694.	1.7	42
136	Role of cellular prion protein on LTP expression in aged mice. Brain Research, 2006, 1097, 11-18.	1.1	36
137	Behavioral and genoprotective effects of Vaccinium berries intake in mice. Pharmacology Biochemistry and Behavior, 2006, 84, 229-234.	1.3	131
138	Anxiolytic-, antidepressant- and anticonvulsant-like effects of the alkaloid montanine isolated from Hippeastrum vittatum. Pharmacology Biochemistry and Behavior, 2006, 85, 148-154.	1.3	74
139	Freud e a neurobiologia da memÃ³ria. Revista De Psiquiatria Do Rio Grande Do Sul, 2006, 28, 243-244.	0.3	2
140	A arte de esquecer. Estudos Avancados, 2006, 20, 289-296.	0.2	11
141	Inhibition of PKC in basolateral amygdala and posterior parietal cortex impairs consolidation of inhibitory avoidance memory. Pharmacology Biochemistry and Behavior, 2005, 80, 63-67.	1.3	24
142	Extinction and reacquisition of a fear-motivated memory require activity of the Src family of tyrosine kinases in the CA1 region of the hippocampus. Pharmacology Biochemistry and Behavior, 2005, 81, 139-145.	1.3	34
143	Effects of chronic administered guanosine on behavioral parameters and brain glutamate uptake in rats. Journal of Neuroscience Research, 2005, 79, 248-253.	1.3	52
144	Angiotensin II blocks memory consolidation through an AT2 receptor-dependent mechanism. Psychopharmacology, 2005, 179, 529-535.	1.5	79

#	ARTICLE	IF	CITATIONS
145	Short- and Long-term Memory are Differentially Modulated by Hippocampal Nerve Growth Factor and Fibroblast Growth Factor. <i>Neurochemical Research</i> , 2005, 30, 185-190.	1.6	9
146	Pretraining but not Preexposure to the Task Apparatus Prevents the Memory Impairment Induced by Blockade of Protein Synthesis, PKA or MAP Kinase in Rats. <i>Neurochemical Research</i> , 2005, 30, 61-67.	1.6	14
147	Retrieval and the Extinction of Memory. <i>Cellular and Molecular Neurobiology</i> , 2005, 25, 465-474.	1.7	53
148	Endogenous BDNF is required for long-term memory formation in the rat parietal cortex. <i>Learning and Memory</i> , 2005, 12, 504-510.	0.5	112
149	Altered behavioural response to acute stress in mice lacking cellular prion protein. <i>Behavioural Brain Research</i> , 2005, 162, 173-181.	1.2	43
150	Learning twice is different from learning once and from learning more. <i>Neuroscience</i> , 2005, 132, 273-279.	1.1	30
151	Modulation of working, short- and long-term memory by nicotinic receptors in the basolateral amygdala in rats. <i>Neurobiology of Learning and Memory</i> , 2005, 83, 113-118.	1.0	49
152	Activation of adenosine receptors in the posterior cingulate cortex impairs memory retrieval in the rat. <i>Neurobiology of Learning and Memory</i> , 2005, 83, 217-223.	1.0	58
153	Relationship between short- and long-term memory and short- and long-term extinction. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 25-32.	1.0	41
154	Effect of lyophilised berries on memory, anxiety and locomotion in adult rats. <i>Pharmacological Research</i> , 2005, 52, 457-462.	3.1	112
155	Differential effects of acute diazepam on emotional and neutral memory tasks in acutely hospitalized depressed patients. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 269-75.	1.0	3
156	Desenvolvimento da versão em português da Escala de Avaliação de Mania de Bech-Rafaelsen (EAM-BR). <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2004, 26, 30-38.	0.3	0
157	The transition from memory retrieval to extinction. <i>Anais Da Academia Brasileira De Ciencias</i> , 2004, 76, 573-582.	0.3	17
158	Pharmacological Findings on the Biochemical Bases of Memory Processes: A General View. <i>Neural Plasticity</i> , 2004, 11, 159-189.	1.0	42
159	Role of the Hippocampus and Amygdala in the Extinction of Fear- Motivated Learning. <i>Current Neurovascular Research</i> , 2004, 1, 55-60.	0.4	54
160	Bombesin/gastrin-releasing peptide receptors in the basolateral amygdala regulate memory consolidation. <i>European Journal of Neuroscience</i> , 2004, 19, 1041-1045.	1.2	59
161	No evidence for oxidative damage in the hippocampus after acute and chronic electroshock in rats. <i>Brain Research</i> , 2004, 1014, 177-183.	1.1	33
162	Interactions between anandamide-induced anterograde amnesia and post-training memory modulatory systems. <i>Brain Research</i> , 2004, 1016, 66-71.	1.1	26

#	ARTICLE	IF	CITATIONS
163	The inhibition of acquired fear. <i>Neurotoxicity Research</i> , 2004, 6, 175-188.	1.3	34
164	Gene expression during memory formation. <i>Neurotoxicity Research</i> , 2004, 6, 189-203.	1.3	34
165	Inhibitory Avoidance Task Reveals Differences in Ectonucleotidase Activities between Male and Female Rats. <i>Neurochemical Research</i> , 2004, 29, 2231-2237.	1.6	14
166	NEUROSCIENCE: Zif and the Survival of Memory. <i>Science</i> , 2004, 304, 829-830.	6.0	47
167	Retrieval Does Not Induce Reconsolidation of Inhibitory Avoidance Memory. <i>Learning and Memory</i> , 2004, 11, 572-578.	0.5	104
168	Protein synthesis, PKA, and MAP kinase are differentially involved in short- and long-term memory in rats. <i>Behavioural Brain Research</i> , 2004, 154, 339-343.	1.2	69
169	Oral administration of guanosine impairs inhibitory avoidance performance in rats and mice. <i>Neurobiology of Learning and Memory</i> , 2004, 81, 137-143.	1.0	34
170	Different time course for the memory facilitating effect of bicuculline in hippocampus, entorhinal cortex, and posterior parietal cortex of rats. <i>Neurobiology of Learning and Memory</i> , 2004, 82, 52-56.	1.0	46
171	One-trial aversive learning induces late changes in hippocampal CaMKII $\beta$ , Homer 1a, Syntaxin 1a and ERK2 protein levels. <i>Molecular Brain Research</i> , 2004, 132, 1-12.	2.5	51
172	Retrograde Amnesia Induced by Drugs Acting on Different Molecular Systems.. <i>Behavioral Neuroscience</i> , 2004, 118, 563-568.	0.6	61
173	Chronically administered guanosine is anticonvulsant, amnesic and anxiolytic in mice. <i>Brain Research</i> , 2003, 977, 97-102.	1.1	93
174	The role of NMDA glutamate receptors, PKA, MAPK, and CAMKII in the hippocampus in extinction of conditioned fear. <i>Hippocampus</i> , 2003, 13, 53-58.	0.9	206
175	Participation of CaMKII in Neuronal Plasticity and Memory Formation. <i>ChemInform</i> , 2003, 34, no.	0.1	0
176	Inhibition of hippocampal Jun N-terminal kinase enhances short-term memory but blocks long-term memory formation and retrieval of an inhibitory avoidance task. <i>European Journal of Neuroscience</i> , 2003, 17, 897-902.	1.2	98
177	Exposure to novelty enhances retrieval of very remote memory in rats. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 51-56.	1.0	32
178	Differential effects of emotional arousal in short- and long-term memory in healthy adults. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 132-135.	1.0	76
179	Memory extinction requires gene expression in rat hippocampus. <i>Neurobiology of Learning and Memory</i> , 2003, 79, 199-203.	1.0	78
180	Effects of Gabapentin on Anxiety Induced by Simulated Public Speaking. <i>Journal of Psychopharmacology</i> , 2003, 17, 184-188.	2.0	40

#	ARTICLE	IF	CITATIONS
181	Cellular prion protein ablation impairs behavior as a function of age. <i>NeuroReport</i> , 2003, 14, 1375-1379.	0.6	38
182	Cellular prion protein ablation impairs behavior as a function of age. <i>NeuroReport</i> , 2003, 14, 1375-1379.	0.6	64
183	Memory formation requires p38MAPK activity in the rat hippocampus. <i>NeuroReport</i> , 2003, 14, 1989-1992.	0.6	30
184	Inhibition of mRNA and Protein Synthesis in the CA1 Region of the Dorsal Hippocampus Blocks Reinstatement of an Extinguished Conditioned Fear Response. <i>Journal of Neuroscience</i> , 2003, 23, 737-741.	1.7	80
185	Development and application of the mania rating guide (MRC). <i>Revista Brasileira De Psiquiatria</i> , 2003, 25, 91-95.	0.9	5
186	Pharmacological Findings Contribute to the Understanding of the Main Physiological Mechanisms of Memory Retrieval. <i>CNS and Neurological Disorders</i> , 2003, 2, 81-94.	4.3	35
187	Pharmacological Studies of the Molecular Basis of Memory Extinction. <i>Current Neuropharmacology</i> , 2003, 1, 89-98.	1.4	5
188	Behavioural effects of acute phenylalanine and tyrosine depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2002, 16, 51-55.	2.0	27
189	Aversive Experiences Are Associated with a Rapid and Transient Activation of ERKs in the Rat Hippocampus.. <i>Neurobiology of Learning and Memory</i> , 2002, 77, 119-124.	1.0	62
190	Cellular prion protein: on the road for functions. <i>FEBS Letters</i> , 2002, 512, 25-28.	1.3	123
191	Decreased hyperlocomotion induced by MK-801, but not amphetamine and caffeine in mice lacking cellular prion protein (PrPC). <i>Molecular Brain Research</i> , 2002, 107, 190-194.	2.5	16
192	Repetition of memories lost or never acquired. <i>Trends in Neurosciences</i> , 2002, 25, 77-78.	4.2	3
193	Effects of inhibitory avoidance training and/or isolated foot-shock on ectonucleotidase activities in synaptosomes of the anterior and posterior cingulate cortex and the medial precentral area of adult rats. <i>Behavioural Brain Research</i> , 2002, 128, 121-127.	1.2	23
194	Two Time Periods of Hippocampal mRNA Synthesis Are Required for Memory Consolidation of Fear-Motivated Learning. <i>Journal of Neuroscience</i> , 2002, 22, 6781-6789.	1.7	292
195	Blockade of adenosine A1 receptors in the posterior cingulate cortex facilitates memory in rats. <i>European Journal of Pharmacology</i> , 2002, 437, 151-154.	1.7	40
196	Differential neurobehavioral deficits induced by apomorphine and its oxidation product, 8-oxo-apomorphine-semiquinone, in rats. <i>European Journal of Pharmacology</i> , 2002, 443, 105-111.	1.7	29
197	Intrahippocampal infusion of ebselen impairs retention of an inhibitory avoidance task in rats. <i>European Journal of Pharmacology</i> , 2002, 451, 165-169.	1.7	10
198	BDNF-triggered events in the rat hippocampus are required for both short- and long-term memory formation. <i>Hippocampus</i> , 2002, 12, 551-560.	0.9	298

#	ARTICLE	IF	CITATIONS
199	Molecular pharmacological dissection of short- and long-term memory. <i>Cellular and Molecular Neurobiology</i> , 2002, 22, 269-287.	1.7	176
200	Participation of CaMKII in neuronal plasticity and memory formation. <i>Cellular and Molecular Neurobiology</i> , 2002, 22, 259-267.	1.7	56
201	Molecular mechanisms of memory retrieval. <i>Neurochemical Research</i> , 2002, 27, 1491-1498.	1.6	59
202	Signaling mechanisms mediating BDNF modulation of memory formation in vivo in the hippocampus. <i>Cellular and Molecular Neurobiology</i> , 2002, 22, 663-674.	1.7	98
203	Memory retrieval and its lasting consequences. <i>Neurotoxicity Research</i> , 2002, 4, 573-593.	1.3	20
204	Changes in cortical and hippocampal ectonucleotidase activities in mice lacking cellular prion protein. <i>Neuroscience Letters</i> , 2001, 301, 72-74.	1.0	18
205	Simultaneous modulation of retrieval by dopaminergic D1, $\hat{1}^2$ -noradrenergic, serotonergic-1A and cholinergic muscarinic receptors in cortical structures of the rat. <i>Behavioural Brain Research</i> , 2001, 124, 1-7.	1.2	115
206	Facilitation and inhibition of retrieval in two aversive tasks in rats by intrahippocampal infusion of agonists of specific glutamate metabotropic receptor subtypes. <i>Psychopharmacology</i> , 2001, 156, 397-401.	1.5	20
207	The ubiquitin-proteasome cascade is required for mammalian long-term memory formation. <i>European Journal of Neuroscience</i> , 2001, 14, 1820-1826.	1.2	203
208	Neonatal iron exposure induces oxidative stress in adult Wistar rat. <i>Developmental Brain Research</i> , 2001, 130, 109-114.	2.1	57
209	Guanosine impairs inhibitory avoidance performance in rats. <i>NeuroReport</i> , 2000, 11, 2537-2540.	0.6	36
210	Time-dependent enhancement of inhibitory avoidance retention and MAPK activation by post-training infusion of nerve growth factor into CA1 region of hippocampus of adult rats. <i>European Journal of Neuroscience</i> , 2000, 12, 2185-2189.	1.2	23
211	Learning-specific decrease in synaptosomal ATP diphosphohydrolase activity from hippocampus and entorhinal cortex of adult rats. <i>Brain Research</i> , 2000, 854, 253-256.	1.1	31
212	Involvement of hippocampal PKC $\hat{2}^1$ isoform in the early phase of memory formation of an inhibitory avoidance learning. <i>Brain Research</i> , 2000, 855, 199-205.	1.1	49
213	Differential role of hippocampal cAMP-dependent protein kinase in short- and long-term memory. <i>Neurochemical Research</i> , 2000, 25, 621-626.	1.6	46
214	Rapid and transient learning-associated increase in NMDA NR1 subunit in the rat hippocampus. <i>Neurochemical Research</i> , 2000, 25, 567-572.	1.6	52
215	Phosphorylated cAMP Response Element-Binding Protein as a Molecular Marker of Memory Processing in Rat Hippocampus: Effect of Novelty. <i>Journal of Neuroscience</i> , 2000, 20, RC112-RC112.	1.7	106
216	Short- and long-term memory: differential involvement of neurotransmitter systems and signal transduction cascades. <i>Anais Da Academia Brasileira De Ciencias</i> , 2000, 72, 353-364.	0.3	33

#	ARTICLE	IF	CITATIONS
217	Role of Hippocampal Signaling Pathways in Long-Term Memory Formation of a Nonassociative Learning Task in the Rat. <i>Learning and Memory</i> , 2000, 7, 333-340.	0.5	242
218	Behavioural effects of acute tryptophan depletion in healthy male volunteers. <i>Journal of Psychopharmacology</i> , 2000, 14, 157-163.	2.0	32
219	Time-Dependent Impairment of Inhibitory Avoidance Retention in Rats by Posttraining Infusion of a Mitogen-Activated Protein Kinase Kinase Inhibitor into Cortical and Limbic Structures. <i>Neurobiology of Learning and Memory</i> , 2000, 73, 11-20.	1.0	93
220	Short- and Long-Term Memory Are Differentially Affected by Metabolic Inhibitors Given into Hippocampus and Entorhinal Cortex. <i>Neurobiology of Learning and Memory</i> , 2000, 73, 141-149.	1.0	64
221	The contribution of pharmacology to research on the mechanisms of memory formation. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 208-210.	4.0	138
222	Different hippocampal molecular requirements for short- and long-term retrieval of one-trial avoidance learning. <i>Behavioural Brain Research</i> , 2000, 111, 93-98.	1.2	132
223	Molecular signalling pathways in the cerebral cortex are required for retrieval of one-trial avoidance learning in rats. <i>Behavioural Brain Research</i> , 2000, 114, 183-192.	1.2	124
224	Novelty enhances retrieval of one-trial avoidance learning in rats 1 or 31 days after training unless the hippocampus is inactivated by different receptor antagonists and enzyme inhibitors. <i>Behavioural Brain Research</i> , 2000, 117, 215-220.	1.2	33
225	Experience-dependent decrease in synaptically localized Fra-1. <i>Molecular Brain Research</i> , 2000, 78, 120-130.	2.5	11
226	Learning-associated activation of nuclear MAPK, CREB and Elk-1, along with Fos production, in the rat hippocampus after a one-trial avoidance learning: abolition by NMDA receptor blockade. <i>Molecular Brain Research</i> , 2000, 76, 36-46.	2.5	265
227	Cellular prion protein binds laminin and mediates neuritogenesis. <i>Molecular Brain Research</i> , 2000, 76, 85-92.	2.5	279
228	Two Time Windows of Anisomycin-Induced Amnesia for Inhibitory Avoidance Training in Rats: Protection from Amnesia by Pretraining but not Pre-exposure to the Task Apparatus. <i>Learning and Memory</i> , 1999, 6, 600-607.	0.5	162
229	Experience-dependent increase in cAMP-responsive element binding protein in synaptic and nonsynaptic mitochondria of the rat hippocampus. <i>European Journal of Neuroscience</i> , 1999, 11, 3753-3756.	1.2	31
230	Increased Sensitivity to Seizures in Mice Lacking Cellular Prion Protein. <i>Epilepsia</i> , 1999, 40, 1679-1682.	2.6	170
231	Separate mechanisms for short- and long-term memory. <i>Behavioural Brain Research</i> , 1999, 103, 1-11.	1.2	220
232	Two different properties of short- and long-term memory. <i>Behavioural Brain Research</i> , 1999, 103, 119-121.	1.2	26
233	Dose-dependent impairment of inhibitory avoidance retention in rats by immediate post-training infusion of a mitogen-activated protein kinase kinase inhibitor into cortical structures. <i>Behavioural Brain Research</i> , 1999, 105, 219-223.	1.2	52
234	Normal inhibitory avoidance learning and anxiety, but increased locomotor activity in mice devoid of PrPC. <i>Molecular Brain Research</i> , 1999, 71, 349-353.	2.5	85

#	ARTICLE	IF	CITATIONS
235	Stimulators of the cAMP Cascade Reverse Amnesia Induced by Intra-amygdala but Not Intrahippocampal KN-62 Administration. <i>Neurobiology of Learning and Memory</i> , 1999, 71, 94-103.	1.0	35
236	The Amygdala Is Involved in the Modulation of Long-Term Memory, but Not in Working or Short-Term Memory. <i>Neurobiology of Learning and Memory</i> , 1999, 71, 127-131.	1.0	95
237	Mechanisms for memory types differ. <i>Nature</i> , 1998, 393, 635-636.	13.7	243
238	Learning-specific, time-dependent increases in hippocampal Ca <sup>2+</sup> /calmodulin-dependent protein kinase II activity and AMPA GluR1 subunit immunoreactivity. <i>European Journal of Neuroscience</i> , 1998, 10, 2669-2676.	1.2	121
239	On brain lesions, the milkman and Sigmunda. <i>Trends in Neurosciences</i> , 1998, 21, 423-426.	4.2	35
240	Short- and Long-Term Memory Are Differentially Regulated by Monoaminergic Systems in the Rat Brain. <i>Neurobiology of Learning and Memory</i> , 1998, 69, 219-224.	1.0	139
241	Further evidence for the involvement of a hippocampal cGMP/cGMP-dependent protein kinase cascade in memory consolidation. <i>NeuroReport</i> , 1997, 8, 2221-2224.	0.6	109
242	Systemic Administration of ACTH or Vasopressin Reverses the Amnestic Effect of Posttraining $\beta^2$ -Endorphin or Electroconvulsive Shock but Not That of Intrahippocampal Infusion of Protein Kinase Inhibitors. <i>Neurobiology of Learning and Memory</i> , 1997, 68, 197-202.	1.0	29
243	Memory Formation: The Sequence of Biochemical Events in the Hippocampus and Its Connection to Activity in Other Brain Structures. <i>Neurobiology of Learning and Memory</i> , 1997, 68, 285-316.	1.0	814
244	B-50/GAP-43 phosphorylation and PKC activity are increased in rat hippocampal synaptosomal membranes after an inhibitory avoidance training. <i>Neurochemical Research</i> , 1997, 22, 499-505.	1.6	56
245	Reversible Changes in Hippocampal <sup>3</sup> H-AMPA Binding Following Inhibitory Avoidance Training in the Rat. <i>Neurobiology of Learning and Memory</i> , 1996, 66, 85-88.	1.0	37
246	Different Brain Areas Are Involved in Memory Expression at Different Times from Training. <i>Neurobiology of Learning and Memory</i> , 1996, 66, 97-101.	1.0	39
247	Hippocampal cGMP and cAMP are differentially involved in memory processing of inhibitory avoidance learning. <i>NeuroReport</i> , 1996, 7, 585-588.	0.6	155
248	Role of hippocampal NO in the acquisition and consolidation of inhibitory avoidance learning. <i>NeuroReport</i> , 1995, 6, 1498-1500.	0.6	81
249	Learning-specific, time-dependent increase in [ <sup>3</sup> H]phorbol dibutyrate binding to protein kinase C in selected regions of the rat brain. <i>Brain Research</i> , 1995, 685, 163-168.	1.1	47
250	Inhibitory Avoidance Training Induces Rapid and Selective Changes in [ <sup>3</sup> H]AMPA Receptor Binding in the Rat Hippocampal Formation. <i>Neurobiology of Learning and Memory</i> , 1995, 64, 257-264.	1.0	54
251	Intrahippocampal, but not intra-amygdala, infusion of an inhibitor of heme oxygenase causes retrograde amnesia in the rat. <i>European Journal of Pharmacology</i> , 1994, 271, 227-229.	1.7	16
252	Intrahippocampal or intraamygdala infusion of KN62, a specific inhibitor of calcium/calmodulin-dependent protein kinase II, causes retrograde amnesia in the rat. <i>Behavioral and Neural Biology</i> , 1994, 61, 203-205.	2.3	72

#	ARTICLE	IF	CITATIONS
253	Post-training intrahippocampal infusion of protein kinase C inhibitors causes amnesia in rats. Behavioral and Neural Biology, 1994, 61, 107-109.	2.3	67
254	Memory expression of habituation and of inhibitory avoidance is blocked by CNQX infused into the entorhinal cortex. Behavioral and Neural Biology, 1993, 60, 5-8.	2.3	26
255	Memory expression is blocked by the infusion of CNQX into the hippocampus and/or the amygdala up to 20 days after training. Behavioral and Neural Biology, 1993, 59, 83-86.	2.3	59
256	Post-Training Memory Processing in Amygdala, Septum and Hippocampus: Role of Benzodiazepine/GABAA Receptors, and their Interaction with other Neurotransmitter Systems. Reviews in the Neurosciences, 1992, 3, 11-24.	1.4	12
257	Neurotransmitter receptors involved in post-training memory processing by the amygdala, medial septum, and hippocampus of the rat. Behavioral and Neural Biology, 1992, 58, 16-26.	2.3	358
258	Amnesia by post-training infusion of glutamate receptor antagonists into the amygdala, hippocampus, and entorhinal cortex. Behavioral and Neural Biology, 1992, 58, 76-80.	2.3	171
259	GABAA receptor modulation of memory: the role of endogenous benzodiazepines. Trends in Pharmacological Sciences, 1991, 12, 260-265.	4.0	160
260	Acetylcholine release is modulated by different opioid receptor types in different brain regions and species. Trends in Pharmacological Sciences, 1990, 11, 179-180.	4.0	22
261	Pretest $\hat{1}^2$ -endorphin and epinephrine, but not oxotremorine, reverse retrograde interference of a conditioned emotional response in mice. Pharmacology Biochemistry and Behavior, 1989, 33, 545-548.	1.3	4
262	Diazepam prevents post-training drug effects related to state dependency, but not post-training memory facilitation by epinephrine. Behavioral and Neural Biology, 1989, 51, 73-79.	2.3	15
263	Different forms of post-training memory processing. Behavioral and Neural Biology, 1989, 51, 171-202.	2.3	142
264	Behavioral drug actions and brain lateralization. Trends in Pharmacological Sciences, 1989, 10, 344-345.	4.0	8
265	The effect of non-factual post-training negative comment on the recall of verbal information. Journal of Psychiatric Research, 1988, 22, 165-169.	1.5	11
266	Retention enhancement by pre-test $\hat{1}^2$ -endorphin and oxotremorine and its reversal by scopolamine. Behavioral and Neural Biology, 1988, 50, 251-254.	2.3	17
267	Effect of novel experiences on retention of inhibitory avoidance behavior in mice: The influence of previous exposure to the same or another experience. Behavioral and Neural Biology, 1987, 47, 109-115.	2.3	36
268	The effect of an exposure to novel and non-novel video taped material on retrieval in two memory tests. Neuropsychologia, 1987, 25, 995-998.	0.7	6
269	Differential effect of posttraining naloxone, $\hat{1}^2$ -endorphin, leu-enkephalin and electroconvulsive shock administration upon memory of an open-field habituation and of a water-finding task. Psychoneuroendocrinology, 1986, 11, 437-446.	1.3	70
270	Retrograde memory enhancement by diazepam: its relation to anterograde amnesia, and some clinical implications. Psychopharmacology, 1986, 90, 554-6.	1.5	78



#	ARTICLE	IF	CITATIONS
271	Role of $\beta$ -Endorphin in Behavioral Regulation. <i>Annals of the New York Academy of Sciences</i> , 1985, 444, 162-177.	1.8	68
272	Effect of a novel experience prior to training or testing on retention of an inhibitory avoidance response in mice: Involvement of an opioid system. <i>Behavioral and Neural Biology</i> , 1985, 44, 228-238.	2.3	53
273	Interaction between consecutive learnings: inhibitory avoidance and habituation. <i>Behavioral and Neural Biology</i> , 1985, 44, 515-520.	2.3	37
274	Response of the rat brain $\hat{\mu}^2$ -endorphin system to novelty: Importance of the fornix connection. <i>Behavioral and Neural Biology</i> , 1985, 43, 37-46.	2.3	26
275	Factors that influence test session performance measured 0, 3, or 6 h after inhibitory avoidance training. <i>Behavioral and Neural Biology</i> , 1985, 43, 260-273.	2.3	18
276	On how passive is inhibitory avoidance. <i>Behavioral and Neural Biology</i> , 1985, 43, 327-330.	2.3	48
277	Effect of various behavioral training and testing procedures on brain $\hat{\mu}^2$ -endorphin-like immunoreactivity and the possible role of $\hat{\mu}^2$ -endorphin in behavioral regulation. <i>Psychoneuroendocrinology</i> , 1984, 9, 381-389.	1.3	73
278	Effect of the intraperitoneal and intracerebroventricular administration of ACTH, epinephrine, or $\hat{\mu}^2$ -endorphin on retrieval of an inhibitory avoidance task in rats. <i>Behavioral and Neural Biology</i> , 1984, 40, 119-122.	2.3	35
279	Memory as a state dependent phenomenon: Role of ACTH and epinephrine. <i>Behavioral and Neural Biology</i> , 1983, 38, 144-149.	2.3	49
280	Retrograde amnesia caused by Met- Leu- and des-Tyr-Met-enkephalin in the rat and its reversal by naloxone. <i>Neuroscience Letters</i> , 1981, 22, 189-193.	1.0	60
281	Effect of naloxone and morphine on various forms of memory in the rat: Possible role of endogenous opiate mechanisms in memory consolidation. <i>Psychopharmacology</i> , 1979, 66, 199-203.	1.5	251
282	The influence of stimulus pairing and of the shuttle-shock contingency in the performance of shuttle responses to a buzzer by weanling rats. <i>Behavioral Biology</i> , 1976, 17, 119-122.	2.3	12
283	Three main factors in rat shuttle behavior: Their pharmacology and sequential entry in operation during a two-way avoidance session. <i>Psychopharmacology</i> , 1976, 49, 145-157.	1.5	31
284	The effect of conditioning and pseudoconditioning on RNA metabolism of rat hippocampus and neocortex. <i>Behavioral Biology</i> , 1974, 12, 67-80.	2.3	15
285	Effects of cannabidiol and of diphenylhydantoin on the hippocampus and on learning. <i>Psychopharmacology</i> , 1973, 31, 167-175.	1.5	32
286	Field potentials in rat hippocampus: Monosynaptic nature and heterosynaptic post-tetanic potentiation. <i>Experimental Neurology</i> , 1968, 21, 133-146.	2.0	27