Luca Franchin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/584553/publications.pdf

Version: 2024-02-01

21 papers 1,065 citations

8 h-index 17 g-index

21 all docs

21 docs citations

times ranked

21

2730 citing authors

#	Article	IF	CITATIONS
1	Reduced Rate of Hospital Admissions for ACS during Covid-19 Outbreak in Northern Italy. New England Journal of Medicine, 2020, 383, 88-89.	13.9	873
2	Ischemia Reperfusion Injury: Mechanisms of Damage/Protection and Novel Strategies for Cardiac Recovery/Regeneration. International Journal of Molecular Sciences, 2019, 20, 5024.	1.8	49
3	Clinical Outcomes Following Isolated Transcatheter Tricuspid Valve Repair. JACC: Cardiovascular Interventions, 2021, 14, 2285-2295.	1.1	22
4	Extracellular vesicles from patients with Acute Coronary Syndrome impact on ischemia-reperfusion injury. Pharmacological Research, 2021, 170, 105715.	3.1	18
5	Percutaneous vs. surgical revascularization for patients with unprotected left main stenosis: a meta-analysis of 5-year follow-up randomized controlled trials. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 476-485.	1.8	17
6	Invasive versus conservative management in spontaneous coronary artery dissection: A meta-analysis and meta-regression study. Hellenic Journal of Cardiology, 2021, 62, 297-303.	0.4	13
7	Percutaneous coronary intervention versus coronary artery surgery for left main disease according to lesion site: A meta-analysis. Journal of Thoracic and Cardiovascular Surgery, 2023, 166, 120-132.e11.	0.4	11
8	Aortic valve replacement vs. balloon-expandable and self-expandable transcatheter implantation: A network meta-analysis. International Journal of Cardiology, 2021, 337, 90-98.	0.8	11
9	Comparison of antithrombotic strategies in patients with cryptogenic stroke and patent foramen ovale: an updated meta-analysis. Cardiovascular Drugs and Therapy, 2021, 35, 987-993.	1.3	10
10	Percutaneous Coronary Intervention (PCI) Reprograms Circulating Extracellular Vesicles from ACS Patients Impairing Their Cardio-Protective Properties. International Journal of Molecular Sciences, 2021, 22, 10270.	1.8	10
11	Fractional flow reserve guided versus angiographic guided surgical revascularization: A metaâ€analysis. Catheterization and Cardiovascular Interventions, 2021, 98, E18-E23.	0.7	8
12	New advances in the prevention of transcatheter aortic valve implantation failure: current and future perspectives. Kardiologia Polska, 2020, 78, 842-849.	0.3	6
13	Impact of stent thickness on clinical outcomes in small vessel and bifurcation lesions: a RAIN-CARDIOGROUP VII sub-study. Journal of Cardiovascular Medicine, 2021, 22, 20-25.	0.6	5
14	Incidence and Predictors of Stent Thrombosis in Patients Treated with Stents for Coronary Bifurcation Narrowing (From the BIFURCAT Registry). American Journal of Cardiology, 2021, 156, 24-31.	0.7	4
15	Outcomes during the first year following spontaneous coronary artery dissection: A systematic timeframe pooled analysis. Catheterization and Cardiovascular Interventions, 2022, 99, 472-479.	0.7	4
16	Transient Complete Atrioventricular Block due to Rupture of the Right Sinus of Valsalva. Circulation: Cardiovascular Imaging, 2021, 14, e012708.	1.3	2
17	IVUS-guided decision-making in acute coronary syndrome after resuscitated cardiac arrest. International Journal of Cardiovascular Imaging, 2021, 37, 2107-2109.	0.7	1
18	Impact of lipid-lowering therapies on cardiovascular outcomes according to coronary artery calcium score. A systematic review and meta-analysis. Revista Espanola De Cardiologia (English Ed), 2021, , .	0.4	1

#	Article	IF	CITATIONS
19	Interatrial electrical dissociation with concealed atypical atrial flutter during catheter ablation. Europace, 2021, 23, 1210-1210.	0.7	O
20	De-escalation of dual antiplatelet therapy for patients with acute coronary syndrome after percutaneous coronary intervention: a network meta-analysis of randomised controlled trials. The Cochrane Library, 2021, 2021, .	1.5	0
21	Valve-in-valve-in-ring: A bailout strategy to tackle paravalvular leaks due to device malapposition. Journal of Cardiovascular Echography, 2021, 31, 246.	0.1	O