

# Dong Uk Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5845662/publications.pdf>

Version: 2024-02-01

40  
papers

543  
citations

933447

10  
h-index

677142

22  
g-index

43  
all docs

43  
docs citations

43  
times ranked

710  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Efficacy and safety of temperature-controlled intraductal radiofrequency ablation in advanced malignant hilar biliary obstruction: A pilot multicenter randomized comparative trial. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 469-478.                        | 2.6 | 24        |
| 2  | Is Neoadjuvant Therapy Needed in Patients with Resectable Pancreatic Cancer?. <i>Gut and Liver</i> , 2022, 16, 3-4.   | 2.9 | 1         |
| 3  | Relationship between high bile juice amylase levels and chronic bacterial infections in patients with gallbladder cancer. <i>Annals of Surgical Treatment and Research</i> , 2022, 102, 125.  | 1.0 | 0         |
| 4  | Comparison of the Malignant Predictors in Intrahepatic and Extrahepatic Intraductal Papillary Neoplasm of the Bile Duct. <i>Journal of Clinical Medicine</i> , 2022, 11, 1985.  | 2.4 | 5         |
| 5  | Genetic aberration from normal tissues adjacent to biliary tract cancers. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2022, 26, S273-S273.   | 0.1 | 0         |
| 6  | Structured reporting of CT or MRI for perihilar cholangiocarcinoma: usefulness for clinical planning and interdisciplinary communication. <i>Japanese Journal of Radiology</i> , 2021, 39, 349-356.   | 2.4 | 1         |
| 7  | Validation of functional liver imaging scores (FLIS) derived from gadoteric acid-enhanced MRI in patients with chronic liver disease and liver cirrhosis: the relationship between Child-Pugh score and FLIS. <i>European Radiology</i> , 2021, 31, 8606-8614.                        | 4.5 | 17        |
| 8  | Artificial intelligence-assisted analysis of endoscopic retrograde cholangiopancreatography image for identifying ampulla and difficulty of selective cannulation. <i>Scientific Reports</i> , 2021, 11, 8381.  | 3.3 | 6         |
| 9  | The predictors of sustained virological response with sofosbuvir and ribavirin in patients with chronic hepatitis C genotype 2. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 544-556.   | 1.7 | 7         |
| 10 | KG 4/2015: A randomized, controlled, multicenter, open-label phase III clinical trial of GV1001 with gemcitabine/capecitabine in previous untreated, eotaxin-high patients with advanced pancreatic ductal adenocarcinoma. <i>Journal of Clinical Oncology</i> , 2021, 39, 4020-4020. | 1.6 | 2         |
| 11 | Real-Life Effectiveness and Safety of Glecaprevir/Pibrentasvir for Korean Patients with Chronic Hepatitis C at a Single Institution. <i>Gut and Liver</i> , 2021, 15, 440-450.  | 2.9 | 7         |
| 12 | Primary needle-knife fistulotomy for preventing post-endoscopic retrograde cholangiopancreatography pancreatitis: Importance of the endoscopist's expertise level. <i>World Journal of Clinical Cases</i> , 2021, 9, 4166-4177.   | 0.8 | 8         |
| 13 | Circulating Tumor Cells and TWIST Expression in Patients with Metastatic Gastric Cancer: A Preliminary Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4481.   | 2.4 | 9         |
| 14 | Vimentin-Positive Circulating Tumor Cells as Diagnostic and Prognostic Biomarkers in Patients with Biliary Tract Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 4435.  | 2.4 | 2         |
| 15 | Circulating Tumor Cell Clusters Are Cloaked with Platelets and Correlate with Poor Prognosis in Unresectable Pancreatic Cancer. <i>Cancers</i> , 2021, 13, 5272.  | 3.7 | 17        |
| 16 | Usefulness of intraductal RFA in patients with malignant biliary obstruction. <i>Medicine (United States)</i> , 2020, 99, e21724.   | 1.0 | 11        |
| 17 | Primary Needle-Knife Fistulotomy Versus Conventional Cannulation Method in a High-Risk Cohort of Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis. <i>American Journal of Gastroenterology</i> , 2020, 115, 616-624.  | 0.4 | 31        |
| 18 | Comparison of gemcitabine plus nab-paclitaxel and FOLFIRINOX in metastatic pancreatic cancer. <i>World Journal of Clinical Cases</i> , 2020, 8, 3718-3729.  | 0.8 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | First-line chemotherapy in very elderly patients with metastatic pancreatic cancer: Gemcitabine monotherapy <i>vs</i> combination chemotherapy. <i>World Journal of Clinical Cases</i> , 2020, 8, 4022-4033.   | 0.8 | 6         |
| 20 | The relationship between chemotherapy-induced peripheral neuropathy and heart rate variability.. <i>Journal of Clinical Oncology</i> , 2020, 38, 820-820.  | 1.6 | 0         |
| 21 | Clinical Risk Factors for Complications in Patients Undergoing Percutaneous Transhepatic Cholangioscopy. <i>The Korean Journal of Pancreas and Biliary Tract</i> , 2020, 25, 55-63.  | 0.1 | 0         |
| 22 | Retrospective Study Acute distal common bile duct angle is risk factor for post-endoscopic retrograde cholangiopancreatography pancreatitis in beginner endoscopist. <i>World Journal of Clinical Cases</i> , 2020, 8, 20-28.  | 0.8 | 3         |
| 23 | Does the Cytogenetic Analysis Using Fluorescence In Situ Hybridization Improve the Preoperative Diagnostic Accuracy of Pancreatic Ductal Adenocarcinoma?. <i>Gut and Liver</i> , 2020, 14, 397-398.  | 2.9 | 0         |
| 24 | EUS-guided biliary drainage versus ERCP for first-line palliation of malignant distal biliary obstruction: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2019, 9, 16551.  | 3.3 | 58        |
| 25 | Modified CAIPIRINHA-VIBE without view-sharing on gadoteric acid-enhanced multi-arterial phase MR imaging for diagnosing hepatocellular carcinoma: comparison with the CAIPIRINHA-Dixon-TWIST-VIBE. <i>European Radiology</i> , 2019, 29, 3574-3583.                              | 4.5 | 7         |
| 26 | Continuous Infusion versus Intermittent Dosing with Pantoprazole for Gastric Endoscopic Submucosal Dissection. <i>Gut and Liver</i> , 2019, 13, 40-47.   | 2.9 | 7         |
| 27 | Comprehensive characterization of single circulating rare cells through automated picking and high-throughput mRNA profiling in patients with pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 271-271.   | 1.6 | 0         |
| 28 | Genetic Analysis Can Surrogate the Treatment Strategies in Patients with Pancreatic Cancer. <i>Gut and Liver</i> , 2019, 13, 587-588.  | 2.9 | 0         |
| 29 | Efficacy and Safety of a Patient-positioning Device (EZ-FIX® Cushion) during Endoscopic Submucosal Dissection of Gastric Epithelial Neoplasm: A Prospective Randomized Trial. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2019, 19, 257-265. | 0.4 | 0         |
| 30 | Patient perception and preference of EUS-guided drainage over percutaneous drainage when endoscopic transpapillary biliary drainage fails: An international multicenter survey. <i>Endoscopic Ultrasound</i> , 2018, 7, 48.  | 1.5 | 41        |
| 31 | Bile Duct Patency Maintained after Intraductal Radiofrequency Ablation in a Case of Hepatocellular Cholangiocarcinoma with Bile Duct Invasion. <i>Clinical Endoscopy</i> , 2018, 51, 201-205.  | 1.5 | 2         |
| 32 | Convex versus Radial Echoendoscopes - Comparison of Capability for Evaluating the Pancreatobiliary Junction. <i>Clinical Endoscopy</i> , 2018, 51, 211-212.  | 1.5 | 1         |
| 33 | Complementary and Alternative Medicine Use and Its Association with Emotional Status and Quality of Life in Patients with a Solid Tumor: A Cross-Sectional Study. <i>Journal of Alternative and Complementary Medicine</i> , 2017, 23, 362-369.                                  | 2.1 | 36        |
| 34 | Role of endoscopic biliary drainage in advanced hepatocellular carcinoma with jaundice. <i>PLoS ONE</i> , 2017, 12, e0187469.  | 2.5 | 6         |
| 35 | Diffusion-weighted magnetic resonance imaging of gallbladder adenocarcinoma: analysis with emphasis on histologic grade. <i>Clinical Imaging</i> , 2016, 40, 345-351.  | 1.5 | 17        |
| 36 | Similar Efficacies of Endoscopic Ultrasound-guided Transmural and Percutaneous Drainage for Malignant Distal Biliary Obstruction. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1011-1019.e3.  | 4.4 | 171       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Is the Balloon Dilation Duration in Endoscopic Papillary Balloon Dilation (EPBD) Related to the Occurrence of Post-EPBD Pancreatitis?. <i>Clinical Endoscopy</i> , 2015, 48, 6.                           | 1.5 | 1         |
| 38 | Factors Associated with Diffusely Increased Splenic F-18 FDG Uptake in Patients with Cholangiocarcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2014, 48, 137-143.                               | 1.0 | 12        |
| 39 | Bilateral biliary drainage for malignant hilar obstruction using the "stent-in-stent"™ method with a Y-stent. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 99-106.              | 1.6 | 24        |
| 40 | Percutaneous Transhepatic Recanalization of Malignant Hilar Obstruction: A Possible Rescue for Early Failure of Endoscopic Y-Stenting. <i>Journal of the Korean Society of Radiology</i> , 2013, 69, 385. | 0.2 | 0         |