

Sang Jin Rhee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/584615/publications.pdf>

Version: 2024-02-01

36
papers

347
citations

840776

11
h-index

940533

16
g-index

37
all docs

37
docs citations

37
times ranked

491
citing authors

#	ARTICLE	IF	CITATIONS
1	Subjective depressive symptoms and metabolic syndrome among the general population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 223-230.	4.8	32
2	Relationship between thyroid-stimulating hormone levels and risk of depression among the general population with normal free T4 levels. <i>Psychoneuroendocrinology</i> , 2015, 58, 114-119.	2.7	32
3	Suicide risk factors across suicidal ideators, single suicide attempters, and multiple suicide attempters. <i>Journal of Psychiatric Research</i> , 2020, 131, 1-8.	3.1	29
4	Comparison of serum protein profiles between major depressive disorder and bipolar disorder. <i>BMC Psychiatry</i> , 2020, 20, 145.	2.6	29
5	Comparison of serum microbiome composition in bipolar and major depressive disorders. <i>Journal of Psychiatric Research</i> , 2020, 123, 31-38.	3.1	23
6	Detection of Minor and Major Depression through Voice as a Biomarker Using Machine Learning. <i>Journal of Clinical Medicine</i> , 2021, 10, 3046.	2.4	21
7	Epidemiology of pharmaceutically treated depression and treatment resistant depression in South Korea. <i>PLoS ONE</i> , 2019, 14, e0221552.	2.5	16
8	Longitudinal study of the relationship between lower urinary tract symptoms and depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2019, 116, 100-105.	2.6	16
9	The association between serum microbial DNA composition and symptoms of depression and anxiety in mood disorders. <i>Scientific Reports</i> , 2021, 11, 13987.	3.3	16
10	Serum Vitamin D Concentrations Are Associated With Depressive Symptoms in Men: The Sixth Korea National Health and Nutrition Examination Survey 2014. <i>Frontiers in Psychiatry</i> , 2020, 11, 756.	2.6	15
11	Cost analysis of depression using the national insurance system in South Korea: a comparison of depression and treatment-resistant depression. <i>BMC Health Services Research</i> , 2020, 20, 286.	2.2	15
12	The relationship between visceral adiposity and depressive symptoms in the general Korean population. <i>Journal of Affective Disorders</i> , 2019, 244, 54-59.	4.1	12
13	Identification of altered protein expression in major depressive disorder and bipolar disorder patients using liquid chromatography-tandem mass spectrometry. <i>Psychiatry Research</i> , 2021, 299, 113850.	3.3	10
14	Comparison of Suicide Risk by Mental Illness: a Retrospective Review of 14-Year Electronic Medical Records. <i>Journal of Korean Medical Science</i> , 2020, 35, e402.	2.5	9
15	The Korean Cohort for the Model Predicting a Suicide and Suicide-related Behavior: Study rationale, methodology, and baseline sample characteristics of a long-term, large-scale, multi-center, prospective, naturalistic, observational cohort study. <i>Comprehensive Psychiatry</i> , 2019, 88, 29-38.	3.1	7
16	Rate of diagnostic conversion to bipolar disorder in adults with unipolar depression and psychopharmacological treatment in the republic of Korea: A nationwide register-based study. <i>Journal of Affective Disorders</i> , 2020, 273, 240-246.	4.1	7
17	Comparison of Serum Uric Acid in Major Depressive Disorder and Bipolar Disorder: a Retrospective Chart Review Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e222.	2.5	7
18	Study Protocol for a Prospective Longitudinal Cohort Study to Identify Proteomic Predictors of Pluripotent Risk for Mental Illness: The Seoul Pluripotent Risk for Mental Illness Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 340.	2.6	6

#	ARTICLE	IF	CITATIONS
19	An integrated model for the relationship between socio-cultural factors, Attitudes Toward Suicide, and intensity of suicidal ideation in Korean, Japanese, and American populations. <i>Journal of Affective Disorders</i> , 2021, 280, 203-210.	4.1	6
20	Association between serum uric acid and depressive symptoms stratified by low-grade inflammation status. <i>Scientific Reports</i> , 2021, 11, 20405.	3.3	6
21	The epidemiology of antidepressant use in South Korea: Does short-term antidepressant use affect the relapse and recurrence of depressive episodes?. <i>PLoS ONE</i> , 2019, 14, e0222791.	2.5	5
22	Predictive protein markers for depression severity in mood disorders: A preliminary trans-diagnostic approach study. <i>Journal of Psychiatric Research</i> , 2021, 142, 63-72.	3.1	5
23	Identifying the Medical Lethality of Suicide Attempts Using Network Analysis and Deep Learning: Nationwide Study. <i>JMIR Medical Informatics</i> , 2020, 8, e14500.	2.6	4
24	Alterations in blood proteins in the prodromal stage of bipolar II disorders. <i>Scientific Reports</i> , 2022, 12, 3174.	3.3	4
25	Integrating proteomic and clinical data to discriminate major psychiatric disorders: Applications for major depressive disorder, bipolar disorder, and schizophrenia. <i>Clinical and Translational Medicine</i> , 2022, 12, .	4.0	4
26	Proteomic profiling of postmortem prefrontal cortex tissue of suicide completers. <i>Translational Psychiatry</i> , 2022, 12, 142.	4.8	3
27	Self-Transcendence Mediates the Relationship between Early Trauma and Fatal Methods of Suicide Attempts. <i>Journal of Korean Medical Science</i> , 2021, 36, e39.	2.5	2
28	Effect of suicidal loss on bereaved individuals' suicidal ideation: Structural equation model using Attitudes Towards Suicide scale and moderation effect of interest in news media. <i>Journal of Affective Disorders</i> , 2021, 298, 51-57.	4.1	2
29	Effect of Attitude Toward Suicide on Suicidal Behavior: Based on the Korea National Suicide Survey. <i>Psychiatry Investigation</i> , 2022, 19, 427-434.	1.6	2
30	The influence of poverty attribution on attitudes toward suicide and suicidal thought: A cross-national comparison between South Korean, Japanese, and American populations. <i>Comprehensive Psychiatry</i> , 2021, 109, 152259.	3.1	1
31	Plasma proteomic data in bipolar II disorders and major depressive disorders. <i>Data in Brief</i> , 2021, 39, 107495.	1.0	1
32	Early Trauma and Relationships among Recent Stress, Depressive Symptoms, Anxiety Symptoms, and Suicidal Ideation in Korean Women. <i>Journal of Korean Medical Science</i> , 2021, 36, e72.	2.5	0
33	Title is missing!. , 2019, 14, e0222791.		0
34	Title is missing!. , 2019, 14, e0222791.		0
35	Title is missing!. , 2019, 14, e0222791.		0
36	Title is missing!. , 2019, 14, e0222791.		0