

Squire Booker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5847050/publications.pdf>

Version: 2024-02-01

92
papers

4,203
citations

87723

38
h-index

118652

62
g-index

109
all docs

109
docs citations

109
times ranked

2606
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Structural characterization of cobalamin-dependent radical S-adenosylmethionine methylases. <i>Methods in Enzymology</i> , 2022, , . | 0.4 | 0 |
| 2 | Structure of a B12-dependent radical SAM enzyme in carbapenem biosynthesis. <i>Nature</i> , 2022, 602, 343-348. | 13.7 | 36 |
| 3 | Using peptide substrate analogs to characterize a radical intermediate in NosN catalysis. <i>Methods in Enzymology</i> , 2022, 666, 469-487. | 0.4 | 0 |
| 4 | Happy Birthday <i>ACS Bio & Med Chem Au</i> !. <i>ACS Bio & Med Chem Au</i> , 2022, 2, 1-3. | 1.7 | 0 |
| 5 | [FeFe]-Hydrogenase: Defined Lysate-Free Maturation Reveals a Key Role for Lipoyl-Protein in DTMA Ligand Biosynthesis. <i>Angewandte Chemie - International Edition</i> , 2022, 61, . | 7.2 | 13 |
| 6 | [FeFe]-Hydrogenase: Defined Lysate-Free Maturation Reveals a Key Role for Lipoyl-Protein in DTMA Ligand Biosynthesis. <i>Angewandte Chemie</i> , 2022, 134, . | 1.6 | 5 |
| 7 | Titelbild: [FeFe]-Hydrogenase: Defined Lysate-Free Maturation Reveals a Key Role for Lipoyl-Protein in DTMA Ligand Biosynthesis (<i>Angew. Chem.</i> 22/2022). <i>Angewandte Chemie</i> , 2022, 134, . | 1.6 | 0 |
| 8 | In Vitro Demonstration of Human Lipoyl Synthase Catalytic Activity in the Presence of NFU1. <i>ACS Bio & Med Chem Au</i> , 2022, 2, 456-468. | 1.7 | 9 |
| 9 | Characterization of LipS1 and LipS2 from <i>Thermococcus kodakarensis</i> : Proteins Annotated as Biotin Synthases, which Together Catalyze Formation of the Lipoyl Cofactor. <i>ACS Bio & Med Chem Au</i> , 2022, 2, 509-520. | 1.7 | 3 |
| 10 | Structural basis for tRNA methylthiolation by the radical SAM enzyme MiaB. <i>Nature</i> , 2021, 597, 566-570. | 13.7 | 25 |
| 11 | Biochemical Approaches to Probe the Role of the Auxiliary Iron-Sulfur Cluster of Lipoyl Synthase from <i>Mycobacterium Tuberculosis</i> . <i>Methods in Molecular Biology</i> , 2021, 2353, 307-332. | 0.4 | 1 |
| 12 | Structural basis for non-radical catalysis by TsrM, a radical SAM methylase. <i>Nature Chemical Biology</i> , 2021, 17, 485-491. | 3.9 | 41 |
| 13 | First Step in Catalysis of the Radical S-Adenosylmethionine Methylthiotransferase MiaB Yields an Intermediate with a [3Fe-4S]-Like Auxiliary Cluster. <i>Journal of the American Chemical Society</i> , 2020, 142, 1911-1924. | 6.6 | 21 |
| 14 | Radical S-Adenosylmethionine Methylases. , 2020, , 24-69. | | 1 |
| 15 | The Biosynthesis of Lipoic Acid. , 2020, , 3-23. | | 0 |
| 16 | Methanogenesis marker protein 10 (Mmp10) from <i>Methanosarcina acetivorans</i> is a radical S-adenosylmethionine methylase that unexpectedly requires cobalamin. <i>Journal of Biological Chemistry</i> , 2019, 294, 11712-11725. | 1.6 | 35 |
| 17 | An Unexpected Species Determined by X-ray Crystallography that May Represent an Intermediate in the Reaction Catalyzed by Quinolinate Synthase. <i>Journal of the American Chemical Society</i> , 2019, 141, 14142-14151. | 6.6 | 6 |
| 18 | Understanding the role of electron donors in the reaction catalyzed by TsrM, a cobalamin-dependent radical S-adenosylmethionine methylase. <i>Journal of Biological Inorganic Chemistry</i> , 2019, 24, 831-839. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Expanding Role of Methyl-Coenzyme M Reductase in the Anaerobic Functionalization of Alkanes. <i>Biochemistry</i> , 2019, 58, 4269-4271. | 1.2 | 4 |
| 20 | Analysis of RNA Methylation by Phylogenetically Diverse Cfr Radical <i>S</i> -Adenosylmethionine Enzymes Reveals an Iron-Binding Accessory Domain in a Clostridial Enzyme. <i>Biochemistry</i> , 2019, 58, 3169-3184. | 1.2 | 3 |
| 21 | Capturing Intermediates in the Reaction Catalyzed by NosN, a Class C Radical <i>S</i> -Adenosylmethionine Methylase Involved in the Biosynthesis of the Nosiheptide Side-Ring System. <i>Journal of the American Chemical Society</i> , 2019, 141, 5788-5797. | 6.6 | 23 |
| 22 | The A-type domain in <i>Escherichia coli</i> NfuA is required for regenerating the auxiliary [4Fe-4S] cluster in <i>Escherichia coli</i> lipoyl synthase. <i>Journal of Biological Chemistry</i> , 2019, 294, 1609-1617. | 1.6 | 19 |
| 23 | Ferredoxins as interchangeable redox components in support of MiaB, a radical <i>S</i> -adenosylmethionine methylthiotransferase. <i>Protein Science</i> , 2019, 28, 267-282. | 3.1 | 20 |
| 24 | Parsing redox potentials of five ferredoxins found within <i>Thermotoga maritima</i> . <i>Protein Science</i> , 2019, 28, 257-266. | 3.1 | 14 |
| 25 | Stuffed Methyltransferase Catalyzes the Penultimate Step of Pyochelin Biosynthesis. <i>Biochemistry</i> , 2019, 58, 665-678. | 1.2 | 10 |
| 26 | Unraveling the Biosynthesis of the Essential Lipoyl Cofactor in <i>Staphylococcus aureus</i> . <i>FASEB Journal</i> , 2019, 33, 781.4. | 0.2 | 0 |
| 27 | A (Re)Discovery of the Fom3 Substrate. <i>Biochemistry</i> , 2018, 57, 891-892. | 1.2 | 1 |
| 28 | Enhanced Solubilization of Class B Radical <i>S</i> -Adenosylmethionine Methylases by Improved Cobalamin Uptake in <i>Escherichia coli</i> . <i>Biochemistry</i> , 2018, 57, 1475-1490. | 1.2 | 60 |
| 29 | Investigation of Solvent Hydron Exchange in the Reaction Catalyzed by the Antibiotic Resistance Protein Cfr. <i>Biochemistry</i> , 2018, 57, 4431-4439. | 1.2 | 5 |
| 30 | Atlas of the Radical SAM Superfamily: Divergent Evolution of Function Using a "Plug and Play" Domain. <i>Methods in Enzymology</i> , 2018, 606, 1-71. | 0.4 | 99 |
| 31 | Using Peptide Mimics to Study the Biosynthesis of the Side-Ring System of Nosiheptide. <i>Methods in Enzymology</i> , 2018, 606, 241-268. | 0.4 | 9 |
| 32 | Biochemical Approaches for Understanding Iron-Sulfur Cluster Regeneration in <i>Escherichia coli</i> Lipoyl Synthase During Catalysis. <i>Methods in Enzymology</i> , 2018, 606, 217-239. | 0.4 | 15 |
| 33 | Stereochemical and Mechanistic Investigation of the Reaction Catalyzed by Fom3 from <i>Streptomyces fradiae</i> , a Cobalamin-Dependent Radical <i>S</i> -Adenosylmethionine Methylase. <i>Biochemistry</i> , 2018, 57, 4972-4984. | 1.2 | 29 |
| 34 | Characterization of A Novel <i>S</i> -adenosylmethionine-dependent Methylase by Electron Paramagnetic Resonance and Mössbauer Spectroscopies. <i>FASEB Journal</i> , 2018, 32, . | 0.2 | 0 |
| 35 | Rerouting the Pathway for the Biosynthesis of the Side Ring System of Nosiheptide: The Roles of NosI, NosJ, and NosK. <i>Journal of the American Chemical Society</i> , 2017, 139, 5896-5905. | 6.6 | 32 |
| 36 | TsrM as a Model for Purifying and Characterizing Cobalamin-Dependent Radical <i>S</i> -Adenosylmethionine Methylases. <i>Methods in Enzymology</i> , 2017, 595, 303-329. | 0.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | NosN, a Radical <i>S</i> -Adenosylmethionine Methylase, Catalyzes Both C1 Transfer and Formation of the Ester Linkage of the Side-Ring System during the Biosynthesis of Nosiheptide. <i>Journal of the American Chemical Society</i> , 2017, 139, 17438-17445. | 6.6 | 50 |
| 38 | Destruction and reformation of an iron-sulfur cluster during catalysis by lipoyl synthase. <i>Science</i> , 2017, 358, 373-377. | 6.0 | 95 |
| 39 | Efficient methylation of C2 in <i>L</i> -tryptophan by the cobalamin-dependent radical <i>S</i> -adenosylmethionine methylase TsrM requires an unmodified N1 amine. <i>Journal of Biological Chemistry</i> , 2017, 292, 15456-15467. | 1.6 | 33 |
| 40 | Structure of Quinolate Synthase from <i>Pyrococcus horikoshii</i> in the Presence of Its Product, Quinolinic Acid. <i>Journal of the American Chemical Society</i> , 2016, 138, 7224-7227. | 6.6 | 15 |
| 41 | Crystallographic capture of a radical <i>S</i> -adenosylmethionine enzyme in the act of modifying tRNA. <i>Science</i> , 2016, 352, 309-312. | 6.0 | 63 |
| 42 | Radical <i>S</i> -Adenosylmethionine Enzymes in Human Health and Disease. <i>Annual Review of Biochemistry</i> , 2016, 85, 485-514. | 5.0 | 186 |
| 43 | Crystallographic snapshots of sulfur insertion by lipoyl synthase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9446-9450. | 3.3 | 89 |
| 44 | Trifluoroselenomethionine: A New Unnatural Amino Acid. <i>ChemBioChem</i> , 2016, 17, 1738-1751. | 1.3 | 27 |
| 45 | Transformations of the FeS Clusters of the Methylthiotransferases MiaB and RimO, Detected by Direct Electrochemistry. <i>Biochemistry</i> , 2016, 55, 5531-5536. | 1.2 | 16 |
| 46 | Spectroscopic and Electrochemical Characterization of the Iron-Sulfur and Cobalamin Cofactors of TsrM, an Unusual Radical <i>S</i> -Adenosylmethionine Methylase. <i>Journal of the American Chemical Society</i> , 2016, 138, 3416-3426. | 6.6 | 77 |
| 47 | Stereochemical Course of the Reaction Catalyzed by RimO, a Radical SAM Methylthiotransferase. <i>Journal of the American Chemical Society</i> , 2016, 138, 2889-2892. | 6.6 | 14 |
| 48 | Characterization of Lipoyl Synthase from <i>Mycobacterium tuberculosis</i> . <i>Biochemistry</i> , 2016, 55, 1372-1383. | 1.2 | 16 |
| 49 | Efficient Delivery of Long-Chain Fatty Aldehydes from the <i>Nostoc punctiforme</i> Acyl-CoA Carrier Protein Reductase to Its Cognate Aldehyde-Deformylating Oxygenase. <i>Biochemistry</i> , 2015, 54, 1006-1015. | 1.2 | 35 |
| 50 | Mechanistic Diversity of Radical <i>S</i> -Adenosylmethionine (SAM)-dependent Methylation. <i>Journal of Biological Chemistry</i> , 2015, 290, 3995-4002. | 1.6 | 199 |
| 51 | Electrochemical Resolution of the [4Fe-4S] Centers of the AdoMet Radical Enzyme BtrN: Evidence of Proton Coupling and an Unusual, Low-Potential Auxiliary Cluster. <i>Journal of the American Chemical Society</i> , 2015, 137, 8664-8667. | 6.6 | 43 |
| 52 | Mössbauer spectroscopy of Fe/S proteins. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1395-1405. | 1.9 | 102 |
| 53 | Auxiliary iron-sulfur cofactors in radical SAM enzymes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1316-1334. | 1.9 | 93 |
| 54 | Characterization of a Radical Intermediate in Lipoyl Cofactor Biosynthesis. <i>Journal of the American Chemical Society</i> , 2015, 137, 13216-13219. | 6.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Rapid Reduction of the Diferric-Peroxyhemiacetal Intermediate in Aldehyde-Deformylating Oxygenase by a Cyanobacterial Ferredoxin: Evidence for a Free-Radical Mechanism. <i>Journal of the American Chemical Society</i> , 2015, 137, 11695-11709. | 6.6 | 61 |
| 56 | Consecutive radical <i>S</i> -adenosylmethionine methylations form the ethyl side chain in thienamycin biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 10354-10358. | 3.3 | 77 |
| 57 | Investigation of the Radical SAM Methylthiotransferase MiaB Reaction Mechanism. <i>FASEB Journal</i> , 2015, 29, 572.28. | 0.2 | 0 |
| 58 | Identification of an Intermediate Methyl Carrier and the Stereochemical Outcomes of H-Atom Abstraction and Methylthiolation by the Radical SAM Enzyme RimO. <i>FASEB Journal</i> , 2015, 29, 573.20. | 0.2 | 0 |
| 59 | Evidence for the Sacrificial Role of the Auxiliary [4Fe-4S] Cluster of Lipoyl Synthase. <i>FASEB Journal</i> , 2015, 29, 572.4. | 0.2 | 0 |
| 60 | Bridging a gap in iron-sulfur cluster assembly. <i>ELife</i> , 2015, 4, . | 2.8 | 0 |
| 61 | 9. The role of iron-sulfur clusters in the biosynthesis of the lipoyl cofactor. , 2014, , 211-238. | | 3 |
| 62 | Characterization of a Cross-Linked Protein-Nucleic Acid Substrate Radical in the Reaction Catalyzed by RlmN. <i>Journal of the American Chemical Society</i> , 2014, 136, 8221-8228. | 6.6 | 42 |
| 63 | Evidence for a Catalytically and Kinetically Competent Enzyme-Substrate Cross-Linked Intermediate in Catalysis by Lipoyl Synthase. <i>Biochemistry</i> , 2014, 53, 4557-4572. | 1.2 | 47 |
| 64 | Identification of an Intermediate Methyl Carrier in the Radical <i>S</i> -Adenosylmethionine Methylthiotransferases RimO and MiaB. <i>Journal of the American Chemical Society</i> , 2013, 135, 15404-15416. | 6.6 | 55 |
| 65 | A substrate radical intermediate in catalysis by the antibiotic resistance protein Cfr. <i>Nature Chemical Biology</i> , 2013, 9, 422-427. | 3.9 | 45 |
| 66 | Substrate-Triggered Addition of Dioxygen to the Diferrous Cofactor of Aldehyde-Deformylating Oxygenase to Form a Diferric-Peroxide Intermediate. <i>Journal of the American Chemical Society</i> , 2013, 135, 15801-15812. | 6.6 | 68 |
| 67 | Electrochemical investigation of a radical <i>S</i> -adenosylmethionine enzyme: BtrN from <i>Bacillus circulans</i> . <i>FASEB Journal</i> , 2013, 27, . | 0.2 | 0 |
| 68 | RlmN and AtsB as Models for the Overproduction and Characterization of Radical SAM Proteins. <i>Methods in Enzymology</i> , 2012, 516, 125-152. | 0.4 | 98 |
| 69 | Radical SAM enzymes and radical enzymology. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2012, 1824, 1151-1153. | 1.1 | 20 |
| 70 | Identification and function of auxiliary iron-sulfur clusters in radical SAM enzymes. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2012, 1824, 1196-1212. | 1.1 | 66 |
| 71 | Structural Basis for Methyl Transfer by a Radical SAM Enzyme. <i>Science</i> , 2011, 332, 1089-1092. | 6.0 | 172 |
| 72 | A Radically Different Mechanism for <i>S</i> -Adenosylmethionine-Dependent Methyltransferases. <i>Science</i> , 2011, 332, 604-607. | 6.0 | 230 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Cfr and RimN Contain a Single [4Fe-4S] Cluster, which Directs Two Distinct Reactivities for S-Adenosylmethionine: Methyl Transfer by S ² Displacement and Radical Generation. <i>Journal of the American Chemical Society</i> , 2011, 133, 19586-19589. | 6.6 | 60 |
| 74 | Lipoic Acid Biosynthesis and Enzymology. , 2010, , 181-212. | | 9 |
| 75 | A Consensus Mechanism for Radical SAM-Dependent Dehydrogenation? BtrN Contains Two [4Fe-4S] Clusters. <i>Biochemistry</i> , 2010, 49, 3783-3785. | 1.2 | 76 |
| 76 | Mechanistic and functional versatility of radical SAM enzymes. <i>F1000 Biology Reports</i> , 2010, 2, 52. | 4.0 | 65 |
| 77 | Anaerobic functionalization of unactivated C-H bonds. <i>Current Opinion in Chemical Biology</i> , 2009, 13, 58-73. | 2.8 | 106 |
| 78 | Characterization of RimO, a New Member of the Methylthiotransferase Subclass of the Radical SAM Superfamily. <i>Biochemistry</i> , 2009, 48, 10162-10174. | 1.2 | 76 |
| 79 | Characterization of Quinolate Synthases from <i>Escherichia coli</i> , <i>Mycobacterium tuberculosis</i> , and <i>Pyrococcus horikoshii</i> Indicates That [4Fe-4S] Clusters Are Common Cofactors throughout This Class of Enzymes. <i>Biochemistry</i> , 2008, 47, 10999-11012. | 1.2 | 27 |
| 80 | Self-sacrifice in radical S-adenosylmethionine proteins. <i>Current Opinion in Chemical Biology</i> , 2007, 11, 543-552. | 2.8 | 109 |
| 81 | Mechanistic Investigations of Lipoic Acid Biosynthesis in <i>Escherichia coli</i> : Both Sulfur Atoms in Lipoic Acid are Contributed by the Same Lipoyl Synthase Polypeptide. <i>Journal of the American Chemical Society</i> , 2005, 127, 2860-2861. | 6.6 | 129 |
| 82 | <i>Escherichia coli</i> Quinolate Synthetase Does Indeed Harbor a [4Fe-4S] Cluster. <i>Journal of the American Chemical Society</i> , 2005, 127, 7310-7311. | 6.6 | 58 |
| 83 | Expression, purification, and physical characterization of <i>Escherichia coli</i> lipoyl(octanoyl)transferase. <i>Protein Expression and Purification</i> , 2005, 39, 269-282. | 0.6 | 35 |
| 84 | Unraveling the Pathway of Lipoic Acid Biosynthesis. <i>Chemistry and Biology</i> , 2004, 11, 10-12. | 6.2 | 42 |
| 85 | Insight into the Polar Reactivity of the Onium Chalcogen Analogues of S-Adenosyl-L-methionine. <i>Biochemistry</i> , 2004, 43, 13496-13509. | 1.2 | 106 |
| 86 | Isotope and Elemental Effects Indicate a Rate-Limiting Methyl Transfer as the Initial Step in the Reaction Catalyzed by <i>Escherichia coli</i> Cyclopropane Fatty Acid Synthase. <i>Biochemistry</i> , 2004, 43, 13510-13524. | 1.2 | 59 |
| 87 | Lipoyl Synthase Requires Two Equivalents of S-Adenosyl-L-methionine To Synthesize One Equivalent of Lipoic Acid. <i>Biochemistry</i> , 2004, 43, 6378-6386. | 1.2 | 175 |
| 88 | <i>Escherichia coli</i> Lipoyl Synthase Binds Two Distinct [4Fe-4S] Clusters per Polypeptide. <i>Biochemistry</i> , 2004, 43, 11770-11781. | 1.2 | 133 |
| 89 | Radical mechanisms of S-adenosylmethionine-dependent enzymes. <i>Advances in Protein Chemistry</i> , 2001, 58, 1-45. | 4.4 | 93 |
| 90 | Direct FeS Cluster Involvement in Generation of a Radical in Lysine 2,3-Aminomutase. <i>Biochemistry</i> , 2000, 39, 15668-15673. | 1.2 | 99 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Radical intermediates in the reaction of lysine 2,3-aminomutase. <i>Advances in Free Radical Chemistry</i> , 1999, , 1-43. | 0.4 | 16 |
| 92 | Welcome to ACS Bio & Med Chem Au. <i>ACS Bio & Med Chem Au</i> , 0, , . | 1.7 | 0 |