

Motoji Sawabe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5847371/publications.pdf>

Version: 2024-02-01

71
papers

908
citations

567281

15
h-index

526287

27
g-index

71
all docs

71
docs citations

71
times ranked

1654
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteome analysis demonstrates involvement of endoplasmic reticulum stress response in human myocardium with subclinical left ventricular diastolic dysfunction. <i>Geriatrics and Gerontology International</i> , 2021, 21, 577-583.	1.5	3
2	ITGB6-Knockout Suppresses Cholangiocarcinoma Cell Migration and Invasion with Declining PODXL2 Expression. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6303.	4.1	6
3	Simultaneous analyses of urinary eicosanoids and related mediators identified tetranor-prostaglandin E metabolite as a novel biomarker of diabetic nephropathy. <i>Journal of Lipid Research</i> , 2021, 62, 100120.	4.2	11
4	Development of an intervention system for linkage-to-care and follow-up for hepatitis B and C virus carriers. <i>Hepatology International</i> , 2021, , 1.	4.2	2
5	Analysis of urinary sphingolipids using liquid chromatography-tandem mass spectrometry in diabetic nephropathy. <i>Journal of Diabetes Investigation</i> , 2020, 11, 441-449.	2.4	23
6	Clinicopathological characteristics of gastric cancer with carbohydrate antigen 19 expression occurring in elderly individuals: An autopsy study. <i>Pathology International</i> , 2020, 70, 92-100.	1.3	4
7	B7-H3 expression in upper tract urothelial carcinoma associates with adverse clinicopathological features and poor survival. <i>Pathology Research and Practice</i> , 2020, 216, 153219.	2.3	7
8	Association of CYP2A6 gene deletion with cancers in Japanese elderly: an autopsy study. <i>BMC Cancer</i> , 2020, 20, 186.	2.6	4
9	Urinary autotaxin concentrations are associated with kidney injury. <i>Clinica Chimica Acta</i> , 2020, 509, 156-165.	1.1	6
10	Association between rs1229984 in ADH1B and cancer prevalence in a Japanese population. <i>Molecular and Clinical Oncology</i> , 2020, 12, 503-510.	1.0	3
11	Evaluation of Lysophospholipid Measurement in Cerebrospinal Fluid Samples using Liquid Chromatography-Tandem Mass Spectrometry. <i>Lipids</i> , 2019, 54, 487-500.	1.7	20
12	Frequent appearance of club cell (Clara cell)-like cells as a histological marker for ALK positive lung adenocarcinoma. <i>Pathology International</i> , 2019, 69, 688-696.	1.3	3
13	Optimization of trypsin treatment condition utilizing immunohistochemistry for chromogenic in situ hybridization. <i>Pathology International</i> , 2019, 69, 563-571.	1.3	1
14	Age-associated proteomic alterations in human aortic media. <i>Geriatrics and Gerontology International</i> , 2019, 19, 1054-1062.	1.5	13
15	Disseminated varicella zoster virus infection and acute hepatitis: Autopsy-proven cases from a single institute. <i>Pathology International</i> , 2019, 69, 378-380.	1.3	2
16	Expression of minor cartilage collagens and small leucine rich proteoglycans may be relatively reduced in osteoarthritic cartilage. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 232.	1.9	7
17	A 3-Dimensional Model of the Human Round Window Membrane. <i>Annals of Otology, Rhinology and Laryngology</i> , 2019, 128, 103S-110S.	1.1	1
18	The stem cell-specific intermediate filament nestin missense variation p.A1199P is associated with pancreatic cancer. <i>Oncology Letters</i> , 2019, 17, 4647-4654.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Fumarate accumulation involved in renal diabetic fibrosis in Goto-Kakizaki rats. Archives of Biochemistry and Biophysics, 2019, 678, 108167.	3.0	7
20	How can we strengthen pathology services in Cambodia?. Global Health & Medicine, 2019, 1, 110-113.	1.4	2
21	Useful Application of Immunostaining to Malignant Pleural Effusion among Lao People in Vientiane Capital, Lao PDR. Asian Pacific Journal of Cancer Prevention, 2019, 20, 243-248.	1.2	0
22	Identification of novel hyper- or hypomethylated CpG sites and genes associated with atherosclerotic plaque using an epigenome-wide association study. International Journal of Molecular Medicine, 2018, 41, 2724-2732.	4.0	27
23	Relationship between pancreatic intraepithelial neoplasias, pancreatic ductal adenocarcinomas, and single nucleotide polymorphisms in autopsied elderly patients. Genes Chromosomes and Cancer, 2018, 57, 12-18.	2.8	6
24	Inverse Association Between Height-Increasing Alleles and Extreme Longevity in Japanese Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 588-595.	3.6	9
25	Clinicopathological characteristics of distant metastases of adenocarcinoma, squamous cell carcinoma and urothelial carcinoma: An autopsy study of older Japanese patients. Geriatrics and Gerontology International, 2018, 18, 211-215.	1.5	3
26	Cytological diagnostic clues in poorly differentiated squamous cell carcinomas of the breast: Streaming arrangement, necrotic background, nucleolar enlargement and cannibalism of cancer cells. Cytopathology, 2018, 29, 22-27.	0.7	12
27	P-Selectin Glycoprotein Ligand-1 (PSGL-1) Expressing CD4 T Cells Contribute Plaque Instability in Acute Coronary Syndrome. Circulation Journal, 2018, 82, 2128-2135.	1.6	5
28	α 24 and α 26 Integrin Expression Is Associated with the Subclassification and Clinicopathological Features of Intrahepatic Cholangiocarcinoma. International Journal of Molecular Sciences, 2018, 19, 1004.	4.1	10
29	Hyperchromatic crowded cell groups in BD SurePath TM method. The Journal of the Japanese Society of Clinical Cytology, 2018, 57, 13-18.	0.0	0
30	Identification of EGFLAM, SPATC1L and RNASE13 as novel susceptibility loci for aortic aneurysm in Japanese individuals by exome-wide association studies. International Journal of Molecular Medicine, 2017, 39, 1091-1100.	4.0	15
31	Identification of six polymorphisms as novel susceptibility loci for ischemic or hemorrhagic stroke by exome-wide association studies. International Journal of Molecular Medicine, 2017, 39, 1477-1491.	4.0	16
32	Association of ZFH3 gene variation with atrial fibrillation, cerebral infarction, and lung thromboembolism: An autopsy study. Journal of Cardiology, 2017, 70, 180-184.	1.9	18
33	Identification of TNFSF13, SPATC1L, SLC22A25 and SALL4 as novel susceptibility loci for atrial fibrillation by an exome-wide association study. Molecular Medicine Reports, 2017, 16, 5823-5832.	2.4	8
34	Cytological markers for predicting ALK ⁺ positive pulmonary adenocarcinoma. Diagnostic Cytopathology, 2017, 45, 963-970.	1.0	11
35	Association of Macrophage Capping Protein (CAPG) Arg335 his Polymorphism and Cancer Susceptibility in the Elderly Japanese. Journal of Gerontology & Geriatric Research, 2017, 06, .	0.1	1
36	Identification of STXBP2 as a novel susceptibility locus for myocardial infarction in Japanese individuals by an exome-wide association study. Oncotarget, 2017, 8, 33527-33535.	1.8	14

#	ARTICLE	IF	CITATIONS
37	Identification of <i>C21orf59</i> and <i>ATG2A</i> as novel determinants of renal function-related traits in Japanese by exome-wide association studies. <i>Oncotarget</i> , 2017, 8, 45259-45273.	1.8	9
38	Identification of rs7350481 at chromosome 11q23.3 as a novel susceptibility locus for metabolic syndrome in Japanese individuals by an exome-wide association study. <i>Oncotarget</i> , 2017, 8, 39296-39308.	1.8	13
39	Identification of eight genetic variants as novel determinants of dyslipidemia in Japanese by exome-wide association studies. <i>Oncotarget</i> , 2017, 8, 38950-38961.	1.8	6
40	Identification of polymorphisms in 12q24.1, <i>ACAD10</i> , and <i>BRAP</i> as novel genetic determinants of blood pressure in Japanese by exome-wide association studies. <i>Oncotarget</i> , 2017, 8, 43068-43079.	1.8	13
41	Identification of five genetic variants as novel determinants of type 2 diabetes mellitus in Japanese by exome-wide association studies. <i>Oncotarget</i> , 2017, 8, 80492-80505.	1.8	3
42	Comparison of the positive rate of HSIL or worse and percentage of unsatisfactory specimens between BD SurePath TM and conventional methods. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2017, 56, 225-231.	0.0	0
43	Combination of wing-typed centrifuge tube and BD CytoRich TM improves cell concentration and diagnostic accuracy in urinary cytology. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2017, 56, 271-275.	0.0	2
44	High risk HPV rate of detection and the genotyping study used remainder specimen of BD SurePath TM method. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2017, 56, 276-282.	0.0	0
45	An Alpha-kinase 2 Gene Variant Disrupts Filamentous Actin Localization in the Surface Cells of Colorectal Cancer Spheroids. <i>Anticancer Research</i> , 2017, 37, 3855-3862.	1.1	5
46	Association of polymorphisms of the transporter associated with antigen processing (TAP2) gene with pulmonary tuberculosis in an elderly Japanese population. <i>Apmis</i> , 2016, 124, 675-680.	2.0	8
47	Exome-wide Association Study Identifies CLEC3B Missense Variant p.S106G as Being Associated With Extreme Longevity in East Asian Populations. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw074.	3.6	13
48	Application of low vacuum scanning electron microscopy for Papanicolaou-stained slides for cytopathology examinations. <i>Microscopy (Oxford, England)</i> , 2016, 65, 269-273.	1.5	3
49	Genetic risk score based on the lifetime prevalence of femoral fracture in 924 consecutive autopsies of Japanese males. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 685-691.	2.7	6
50	Association of non-synonymous variants in and genes with abdominal aortic aneurysm: an autopsy study. <i>Journal of Geriatric Cardiology</i> , 2016, 13, 960-967.	0.2	1
51	Associations between the orexin (hypocretin) receptor 2 gene polymorphism Val308Ile and nicotine dependence in genome-wide and subsequent association studies. <i>Molecular Brain</i> , 2015, 8, 50.	2.6	23
52	New insight into scar-related ventricular tachycardia circuits in ischemic cardiomyopathy: Fat deposition after myocardial infarction on computed tomography--A pilot study. <i>Heart Rhythm</i> , 2015, 12, 1508-1518.	0.7	50
53	A missense single nucleotide polymorphism, V114I of the Werner syndrome gene, is associated with risk of osteoporosis and femoral fracture in the Japanese population. <i>Journal of Bone and Mineral Metabolism</i> , 2015, 33, 694-700.	2.7	6
54	Cytological variations and typical diagnostic features of endocervical adenocarcinoma <i>in situ</i> : A retrospective study of 74 cases. <i>CytoJournal</i> , 2015, 12, 8.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Diagnostic accuracy of BD SurePath TM liquid based cytology in endoscopic retrograde cholangiopancreatography. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2015, 54, 238-243.	0.0	1
56	Identification of hypo- and hypermethylated genes related to atherosclerosis by a genome-wide analysis of DNA methylation. <i>International Journal of Molecular Medicine</i> , 2014, 33, 1355-1363.	4.0	47
57	Integrins $\alpha 6$, $\alpha 4$ and $\alpha 2$ are downregulated in cholangiolocellular carcinoma but not cholangiocarcinoma. <i>Hepatology Research</i> , 2014, 44, E320-34.	3.4	16
58	Significant association between hypolipoproteinemia(a) and lifetime risk of cancer: An autopsy study from a community-based Geriatric Hospital. <i>Cancer Epidemiology</i> , 2014, 38, 550-555.	1.9	10
59	Genome-wide analysis of DNA methylation in human atherosclerosis. <i>European Heart Journal</i> , 2013, 34, 2607-2607.	2.2	0
60	Frequent microsatellite instability in papillary and solid-type, poorly differentiated adenocarcinomas of the stomach. <i>Gastric Cancer</i> , 2013, 16, 505-512.	5.3	55
61	Low Lipoprotein(a) Concentration Is Associated with Cancer and All-Cause Deaths: A Population-Based Cohort Study (The JMS Cohort Study). <i>PLoS ONE</i> , 2012, 7, e31954.	2.5	34
62	High lipoprotein(a) level promotes both coronary atherosclerosis and myocardial infarction: a path analysis using a large number of autopsy cases. <i>Heart</i> , 2009, 95, 1997-2002.	2.9	17
63	Lymphotoxin-alpha polymorphisms and presence of cancer in 1,536 consecutive autopsy cases. <i>BMC Cancer</i> , 2008, 8, 235.	2.6	22
64	Expression of GCDFP-15 and AR decreases in larger or node-positive apocrine carcinomas of the breast. <i>Histopathology</i> , 2005, 47, 195-201.	2.9	64
65	Hypermethylation of the hMLH1 promoter with absent hMLH1 expression in medullary-type poorly differentiated colorectal adenocarcinoma in the elderly. <i>Modern Pathology</i> , 2004, 17, 172-179.	5.5	48
66	Developments of geriatric autopsy database and Internet-based database of Japanese single nucleotide polymorphisms for geriatric research (JG-SNP). <i>Mechanisms of Ageing and Development</i> , 2004, 125, 547-552.	4.6	45
67	Age-related hypermethylation of the hMLH1 promoter in gastric cancers. <i>International Journal of Cancer</i> , 2001, 94, 208-211.	5.1	69
68	Focal hepatocellular necrosis and portal lymphocytic infiltration of the liver in chronic alcoholics: Histopathological study of 40 liver biopsies. <i>Pathology International</i> , 1994, 44, 611-617.	1.3	1
69	Neoplastic Argentaffin Cells with Intracytoplasmic Eosinophilic Granules in a Gastric Adenocarcinoma. <i>Pathology International</i> , 1991, 41, 905-910.	1.3	1
70	ANALYSIS OF MORPHOLOGICAL FACTORS OF HEPATOCELLULAR CARCINOMA IN 98 AUTOPSY CASES WITH RESPECT TO PULMONARY METASTASIS. <i>Pathology International</i> , 1987, 37, 1389-1404.	1.3	19
71	Pathological changes of the lungs after prolonged inhalation of high concentrations of oxygen. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1986, 408, 461-474.	1.4	5