

Felix M Mottaghy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5847554/publications.pdf>

Version: 2024-02-01

404
papers

24,490
citations

13068

68
h-index

9311

143
g-index

447
all docs

447
docs citations

447
times ranked

25858
citing authors

#	ARTICLE	IF	CITATIONS
1	Radiomics: the bridge between medical imaging and personalized medicine. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 749-762.	12.5	3,216
2	Use of Positron Emission Tomography for Response Assessment of Lymphoma: Consensus of the Imaging Subcommittee of International Harmonization Project in Lymphoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 571-578.	0.8	1,275
3	FDG PET and PET/CT: EANM procedure guidelines for tumour PET imaging: version 1.0. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 181-200.	3.3	1,147
4	²²⁵ Ac-PSMA-617 for PSMA-Targeted α -Radiation Therapy of Metastatic Castration-Resistant Prostate Cancer. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1941-1944.	2.8	741
5	Cold acclimation recruits human brown fat and increases nonshivering thermogenesis. <i>Journal of Clinical Investigation</i> , 2013, 123, 3395-3403.	3.9	658
6	German Multicenter Study Investigating ¹⁷⁷ Lu-PSMA-617 Radioligand Therapy in Advanced Prostate Cancer Patients. <i>Journal of Nuclear Medicine</i> , 2017, 58, 85-90.	2.8	646
7	⁶⁸ Ga-PSMA PET/CT: Joint EANM and SNMMI procedure guideline for prostate cancer imaging: version 1.0. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1014-1024.	3.3	589
8	Short-term cold acclimation improves insulin sensitivity in patients with type 2 diabetes mellitus. <i>Nature Medicine</i> , 2015, 21, 863-865.	15.2	460
9	Detection of bone metastases in patients with lung cancer: ^{99m} Tc-MDP planar bone scintigraphy, ¹⁸ F-fluoride PET or ¹⁸ F-FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1807-1812.	3.3	419
10	MRI-Based Attenuation Correction for Hybrid PET/MRI Systems: A 4-Class Tissue Segmentation Technique Using a Combined Ultrashort-Echo-Time/Dixon MRI Sequence. <i>Journal of Nuclear Medicine</i> , 2012, 53, 796-804.	2.8	406
11	Phase-specific modulation of cortical motor output during movement observation. <i>NeuroReport</i> , 2001, 12, 1489-1492.	0.6	371
12	Response Assessment of Aggressive Non-Hodgkin's Lymphoma by Integrated International Workshop Criteria and Fluorine- ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography. <i>Journal of Clinical Oncology</i> , 2005, 23, 4652-4661.	0.8	364
13	The Bile Acid Chenodeoxycholic Acid Increases Human Brown Adipose Tissue Activity. <i>Cell Metabolism</i> , 2015, 22, 418-426.	7.2	342
14	GLUT1 mutations are a cause of paroxysmal exertion-induced dyskinesias and induce hemolytic anemia by a cation leak. <i>Journal of Clinical Investigation</i> , 2008, 118, 2157-2168.	3.9	321
15	The EANM practice guidelines for bone scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1723-1738.	3.3	293
16	Automatic, three-segment, MR-based attenuation correction for whole-body PET/MR data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 138-152.	3.3	287
17	EANM procedure guidelines for radionuclide therapy with ¹⁷⁷ Lu-labelled PSMA-ligands (¹⁷⁷ Lu-PSMA-RLT). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 2536-2544.	3.3	265
18	Short-term Cold Acclimation Recruits Brown Adipose Tissue in Obese Humans. <i>Diabetes</i> , 2016, 65, 1179-1189.	0.3	241

#	ARTICLE	IF	CITATIONS
19	MRI for attenuation correction in PET: methods and challenges. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2013, 26, 99-113.	1.1	197
20	Modulation of input-output curves by low and high frequency repetitive transcranial magnetic stimulation of the motor cortex. <i>Clinical Neurophysiology</i> , 2002, 113, 1249-1257.	0.7	179
21	Modulation of premotor mirror neuron activity during observation of unpredictable grasping movements. <i>European Journal of Neuroscience</i> , 2004, 20, 2193-2202.	1.2	176
22	Molecular Imaging of Proliferation in Malignant Lymphoma. <i>Cancer Research</i> , 2006, 66, 11055-11061.	0.4	173
23	Episodic retrieval activates the precuneus irrespective of the imagery content of word pair associates. <i>Brain</i> , 1999, 122, 255-263.	3.7	168
24	Facilitation of picture naming by focal transcranial magnetic stimulation of Wernicke's area. <i>Experimental Brain Research</i> , 1998, 121, 371-378.	0.7	166
25	Functional magnetic resonance imaging detects activation of the visual association cortex during laser acupuncture of the foot in humans. <i>Neuroscience Letters</i> , 2002, 327, 53-56.	1.0	163
26	Grammatical Distinctions in the Left Frontal Cortex. <i>Journal of Cognitive Neuroscience</i> , 2001, 13, 713-720.	1.1	162
27	[⁶⁸ Ga]PSMA-HBED uptake mimicking lymph node metastasis in coeliac ganglia: an important pitfall in clinical practice. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 210-214.	3.3	162
28	Extent of disease in recurrent prostate cancer determined by [⁶⁸ Ga]PSMA-HBED-CC PET/CT in relation to PSA levels, PSA doubling time and Gleason score. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 397-403.	3.3	162
29	Low brown adipose tissue activity in endurance-trained compared with lean sedentary men. <i>International Journal of Obesity</i> , 2015, 39, 1696-1702.	1.6	157
30	Correlation of cerebral blood flow and treatment effects of repetitive transcranial magnetic stimulation in depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2002, 115, 1-14.	0.9	144
31	Visual cortex excitability increases during visual mental imagery—a TMS study in healthy human subjects. <i>Brain Research</i> , 2002, 938, 92-97.	1.1	142
32	Prospective Evaluation of ¹¹ C-Choline Positron Emission Tomography/Computed Tomography and Diffusion-Weighted Magnetic Resonance Imaging for the Nodal Staging of Prostate Cancer with a High Risk of Lymph Node Metastases. <i>European Urology</i> , 2011, 60, 125-130.	0.9	142
33	Segregation of Areas Related to Visual Working Memory in the Prefrontal Cortex Revealed by rTMS. <i>Cerebral Cortex</i> , 2002, 12, 369-375.	1.6	140
34	Modulation of the neuronal circuitry subserving working memory in healthy human subjects by repetitive transcranial magnetic stimulation. <i>Neuroscience Letters</i> , 2000, 280, 167-170.	1.0	139
35	Evaluation of [¹¹ C]choline positron emission/computed tomography in patients with increasing prostate-specific antigen levels after primary treatment for prostate cancer. <i>BJU International</i> , 2007, 100, 786-793.	1.3	136
36	Facilitation of picture naming after repetitive transcranial magnetic stimulation. <i>Neurology</i> , 1999, 53, 1806-1806.	1.5	135

#	ARTICLE	IF	CITATIONS
37	Brown adipose tissue activity after a high-calorie meal in humans. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 57-64.	2.2	134
38	Radiomics for precision medicine: Current challenges, future prospects, and the proposal of a new framework. <i>Methods</i> , 2021, 188, 20-29.	1.9	129
39	¹⁸ F-NaF PET/CT: EANM procedure guidelines for bone imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1767-1777.	3.3	123
40	Noninvasive brain stimulation with transcranial magnetic or direct current stimulation (TMS/tDCS) – From insights into human memory to therapy of its dysfunction. <i>Methods</i> , 2008, 44, 329-337.	1.9	121
41	Dissociating neural correlates for nouns and verbs. <i>NeuroImage</i> , 2005, 24, 1058-1067.	2.1	115
42	First evidence of PSMA expression in differentiated thyroid cancer using [68Ga]PSMA-HBED-CC PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1622-1623.	3.3	112
43	Comparative analysis of brain structure, metabolism, and cognition in myotonic dystrophy 1 and 2. <i>Neurology</i> , 2010, 74, 1108-1117.	1.5	111
44	Topographic segregation and convergence of verbal, object, shape and spatial working memory in humans. <i>Neuroscience Letters</i> , 2002, 323, 156-160.	1.0	110
45	Does caffeine modulate verbal working memory processes? An fMRI study. <i>NeuroImage</i> , 2008, 39, 492-499.	2.1	110
46	On the relationship between glomerular filtration rate and serum creatinine in children. <i>Pediatric Nephrology</i> , 2010, 25, 927-934.	0.9	102
47	Clinical relevance of imaging proliferative activity in lung nodules. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 525-533.	3.3	101
48	Additional Value of PET-CT in Staging of Clinical Stage IIB and III Breast Cancer. <i>Breast Journal</i> , 2010, 16, 617-624.	0.4	96
49	Fatty acid synthase overexpression: target for therapy and reversal of chemoresistance in ovarian cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 146.	1.8	95
50	Repetitive Transcranial Magnetic Stimulation Effects on Language Function Depend on the Stimulation Parameters. <i>Journal of Clinical Neurophysiology</i> , 2001, 18, 326-330.	0.9	93
51	Stability of radiomics features in apparent diffusion coefficient maps from a multi-centre test-retest trial. <i>Scientific Reports</i> , 2019, 9, 4800.	1.6	93
52	[¹¹ C]choline PET/CT in prostate cancer patients with biochemical recurrence after radical prostatectomy. <i>World Journal of Urology</i> , 2009, 27, 619-625.	1.2	89
53	Molecular imaging of cell death. <i>Methods</i> , 2009, 48, 178-187.	1.9	88
54	Comparison of diagnostic accuracy of ¹¹¹ In-pentetreotide SPECT and ⁶⁸ Ga-DOTATOC PET/CT: A lesion-by-lesion analysis in patients with metastatic neuroendocrine tumours. <i>European Radiology</i> , 2016, 26, 900-909.	2.3	86

#	ARTICLE	IF	CITATIONS
55	Modulatory effects on human sensorimotor cortex by whole-hand afferent electrical stimulation. <i>Neurology</i> , 2004, 62, 2262-2269.	1.5	85
56	[¹¹ C]Choline PET/CT for Targeted Salvage Lymph Node Dissection in Patients with Biochemical Recurrence after Primary Curative Therapy for Prostate Cancer. <i>Urologia Internationalis</i> , 2008, 81, 191-197.	0.6	85
57	Radiomics in neuro-oncology: Basics, workflow, and applications. <i>Methods</i> , 2021, 188, 112-121.	1.9	85
58	Implication of 2-18Fluor-2-Deoxyglucose Positron Emission Tomography in the Follow-Up of H ₁₄ arthle Cell Thyroid Cancer. <i>Thyroid</i> , 2002, 12, 155-161.	2.4	82
59	Hypoxia imaging with [18F]HX4 PET in NSCLC patients: Defining optimal imaging parameters. <i>Radiotherapy and Oncology</i> , 2013, 109, 58-64.	0.3	81
60	<i>In Vivo</i> Quantification of Hypoxic and Metabolic Status of NSCLC Tumors Using [18F]HX4 and [18F]FDG-PET/CT Imaging. <i>Clinical Cancer Research</i> , 2014, 20, 6389-6397.	3.2	81
61	Chronometry of parietal and prefrontal activations in verbal working memory revealed by transcranial magnetic stimulation. <i>NeuroImage</i> , 2003, 18, 565-575.	2.1	78
62	Systems level modeling of a neuronal network subserving intrinsic alertness. <i>NeuroImage</i> , 2006, 29, 225-233.	2.1	78
63	Clinical Value of 18-Fluorine-Fluorodihydroxyphenylalanine Positron Emission Tomography/Computed Tomography in the Follow-Up of Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2010, 20, 527-533.	2.4	78
64	Imaging of amino acid transport in brain tumours: Positron emission tomography with O-(2-[18]Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3	1.9	76
65	Functional Magnetic Resonance Imaging of the Human Sensorimotor Cortex Using a Novel Vibrotactile Stimulator. <i>NeuroImage</i> , 2002, 17, 421-430.	2.1	75
66	Dopaminergic dysfunction in attention deficit hyperactivity disorder (ADHD), differences between pharmacologically treated and never treated young adults: A 3,4-dihydroxy-6-[18F]fluorophenyl-L-alanine PET study. <i>NeuroImage</i> , 2008, 41, 718-727.	2.1	73
67	Imaging Cold-Activated Brown Adipose Tissue Using Dynamic T2*-Weighted Magnetic Resonance Imaging and 2-Deoxy-2-[18F]fluoro-D-glucose Positron Emission Tomography. <i>Investigative Radiology</i> , 2013, 48, 708-714.	3.5	73
68	Molecular imaging of brown adipose tissue in health and disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 776-791.	3.3	73
69	Glucose uptake in human brown adipose tissue is impaired upon fasting-induced insulin resistance. <i>Diabetologia</i> , 2015, 58, 586-595.	2.9	72
70	Brain activation patterns during a selective attention test – a functional MRI study in healthy volunteers and unmedicated patients during an acute episode of schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2007, 154, 31-40.	0.9	69
71	Evidence of a modality-dependent role of the cerebellum in working memory? An fMRI study comparing verbal and abstract n-back tasks. <i>NeuroImage</i> , 2009, 47, 2073-2082.	2.1	69
72	First Demonstration of Leukemia Imaging with the Proliferation Marker [¹⁸ F]-Fluorodeoxythymidine. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1756-1762.	2.8	68

#	ARTICLE	IF	CITATIONS
73	Use of integrated FDG PET/CT imaging in pulmonary carcinoid tumours. <i>Journal of Internal Medicine</i> , 2006, 260, 545-550.	2.7	67
74	Dose-Response Relationship in Differentiated Thyroid Cancer Patients Undergoing Radioiodine Treatment Assessed by Means of ¹²⁴ I PET/CT. <i>Journal of Nuclear Medicine</i> , 2016, 57, 1027-1032.	2.8	66
75	Brain activation patterns during a selective attention test—a functional MRI study in healthy volunteers and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2003, 123, 1-15.	0.9	64
76	Thyroid Hormone Activates Brown Adipose Tissue and Increases Non-Shivering Thermogenesis - A Cohort Study in a Group of Thyroid Carcinoma Patients. <i>PLoS ONE</i> , 2016, 11, e0145049.	1.1	64
77	Multiparametric imaging of patient and tumour heterogeneity in non-small-cell lung cancer: quantification of tumour hypoxia, metabolism and perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 240-248.	3.3	64
78	Neuronal correlates of encoding and retrieval in episodic memory during a paired-word association learning task: a functional magnetic resonance imaging study. <i>Experimental Brain Research</i> , 1999, 128, 332-342.	0.7	63
79	Final analysis of a prospective trial on functional imaging for nodal staging in patients with prostate cancer at high risk for lymph node involvement. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 109.e23-109.e31.	0.8	63
80	HER2-directed antibodies, affibodies and nanobodies as drug-delivery vehicles in breast cancer with a specific focus on radioimmunotherapy and radioimmunoimaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1371-1389.	3.3	63
81	Network analysis in episodic encoding and retrieval of word-pair associates: a PET study. <i>European Journal of Neuroscience</i> , 1999, 11, 3293-3301.	1.2	62
82	Clinical value of 18F-fluorodihydroxyphenylalanine positron emission tomography/computed tomography (18F-DOPA PET/CT) for detecting pheochromocytoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 484-493.	3.3	62
83	Cost-Effectiveness of Hybrid PET/CT for Staging of Non-Small Cell Lung Cancer. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1668-1675.	2.8	62
84	Dose-escalation using intensity-modulated radiotherapy for prostate cancer - evaluation of quality of life with and without 18F-choline PET-CT detected simultaneous integrated boost. <i>Radiation Oncology</i> , 2012, 7, 14.	1.2	61
85	Brain metastasis in lung cancer. <i>Nuklearmedizin - Nuclear Medicine</i> , 2011, 50, 101-106.	0.3	60
86	Striatal dopaminergic modulation of reinforcement learning predicts reward-oriented behavior in daily life. <i>Biological Psychology</i> , 2017, 127, 1-9.	1.1	60
87	Human brain structures related to plantar vibrotactile stimulation: A functional magnetic resonance imaging study. <i>NeuroImage</i> , 2006, 29, 923-929.	2.1	59
88	¹¹ C-Choline positron-emission tomography/computed tomography and transrectal ultrasonography for staging localized prostate cancer. <i>BJU International</i> , 2007, 99, 1421-1426.	1.3	57
89	Enhancing Picture Naming with Transcranial Magnetic Stimulation. <i>Behavioural Neurology</i> , 2006, 17, 177-186.	1.1	56
90	Molecularly targeted therapies in cancer: a guide for the nuclear medicine physician. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 41-54.	3.3	55

#	ARTICLE	IF	CITATIONS
91	Modulation of a brain-behavior relationship in verbal working memory by rTMS. <i>Cognitive Brain Research</i> , 2003, 15, 241-249.	3.3	53
92	Direct comparison of [18F]FDG PET/CT with PET alone and with side-by-side PET and CT in patients with malignant melanoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1355-1364.	3.3	53
93	Caffeine and Cognition in Functional Magnetic Resonance Imaging. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S71-S84.	1.2	53
94	The Impact of Dopamine on Aggression: An [¹⁸ F]-FDOPA PET Study in Healthy Males. <i>Journal of Neuroscience</i> , 2013, 33, 16889-16896.	1.7	51
95	Evaluation of tumour hypoxia during radiotherapy using [18F]HX4 PET imaging and blood biomarkers in patients with head and neck cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2139-2146.	3.3	51
96	⁶⁸ Ga-PSMA PET/CT for monitoring response to ¹⁷⁷ Lu-PSMA-617 radioligand therapy in patients with metastatic castration-resistant prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1054-1062.	3.3	51
97	Consequences of radiopharmaceutical extravasation and therapeutic interventions: a systematic review. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1234-1243.	3.3	50
98	Bilateral parieto-frontal network for verbal working memory: an interference approach using repetitive transcranial magnetic stimulation (rTMS). <i>European Journal of Neuroscience</i> , 2002, 16, 1627-1632.	1.2	49
99	A new pneumatic vibrator for functional magnetic resonance imaging of the human sensorimotor cortex. <i>Neuroscience Letters</i> , 2002, 324, 125-128.	1.0	48
100	MAOA-VNTR polymorphism modulates context-dependent dopamine release and aggressive behavior in males. <i>NeuroImage</i> , 2016, 125, 378-385.	2.1	48
101	Quantitative assessment of Zirconium-89 labeled cetuximab using PET/CT imaging in patients with advanced head and neck cancer: a theragnostic approach. <i>Oncotarget</i> , 2017, 8, 3870-3880.	0.8	48
102	The Use of [¹⁸ F]-Fluoroethyl)-l-Tyrosine PET for Treatment Management of Bevacizumab and Irinotecan in Patients with Recurrent High-Grade Glioma: A Cost-Effectiveness Analysis. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1217-1222.	2.8	47
103	The role of patient-based treatment planning in peptide receptor radionuclide therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 871-880.	3.3	47
104	¹⁸ F-FET PET Imaging in Differentiating Glioma Progression from Treatment-Related Changes: A Single-Center Experience. <i>Journal of Nuclear Medicine</i> , 2020, 61, 505-511.	2.8	47
105	Interfering with working memory in humans. <i>Neuroscience</i> , 2006, 139, 85-90.	1.1	46
106	Intensity-Modulated Radiotherapy for Prostate Cancer Implementing Molecular Imaging with ¹⁸ F-Choline PET-CT to Define a Simultaneous Integrated Boost. <i>Strahlentherapie Und Onkologie</i> , 2010, 186, 600-606.	1.0	46
107	Site-specific ⁶⁸ Ga-labeled Annexin A5 as a PET imaging agent for apoptosis. <i>Nuclear Medicine and Biology</i> , 2011, 38, 381-392.	0.3	46
108	Clinical value of ⁶⁸ Ga-DOTATATE-PET/CT compared to stand-alone contrast enhanced CT for the detection of extra-hepatic metastases in patients with neuroendocrine tumours (NET). <i>European Journal of Radiology</i> , 2015, 84, 1866-1872.	1.2	45

#	ARTICLE	IF	CITATIONS
109	Brain systems engaged in encoding and retrieval of word-pair associates independent of their imagery content or presentation modalities. <i>Neuropsychologia</i> , 2002, 40, 457-470.	0.7	44
110	FDG positron emission tomography/computed tomography scan may identify mantle cell lymphoma patients with unusually favorable outcome. <i>Nuclear Medicine Communications</i> , 2009, 30, 770-778.	0.5	44
111	Is There an Additional Value of 11C-Choline PET-CT to T2-weighted MRI Images in the Localization of Intraprostatic Tumor Nodules?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 1486-1492.	0.4	44
112	Diagnosis and Treatment of Nasopharyngeal Carcinoma in Children and Adolescents â€” Recommendations of the GPOH-NPC Study Group. <i>Klinische Padiatrie</i> , 2016, 228, 105-112.	0.2	44
113	Imaging Intraplaque Inflammation in Carotid Atherosclerosis With ¹⁸ F-Fluorocholine Positron Emission Tomographyâ€”Computed Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	1.3	43
114	Differences in predicted and actually absorbed doses in peptide receptor radionuclide therapy. <i>Medical Physics</i> , 2012, 39, 5708-5717.	1.6	42
115	Hypoxia and hypoxia response-associated molecular markers in esophageal cancer: A systematic review. <i>Methods</i> , 2017, 130, 51-62.	1.9	42
116	Hybrid total-body pet scannersâ€”current status and future perspectives. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 445-459.	3.3	42
117	Imaging and neural modelling in episodic and working memory processes. <i>Neural Networks</i> , 2000, 13, 847-859.	3.3	41
118	Motor control in simple bimanual movements: a transcranial magnetic stimulation and reaction time study. <i>Clinical Neurophysiology</i> , 2001, 112, 265-274.	0.7	41
119	Effect of the positron range of ¹⁸ F, ⁶⁸ Ga and ¹²⁴ I on PET/CT in lung-equivalent materials. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 940-948.	3.3	41
120	In Vivo Evidence of Deep Brain Stimulation-Induced Dopaminergic Modulation in Tourette's Syndrome. <i>Biological Psychiatry</i> , 2012, 71, e11-e13.	0.7	40
121	Comparison of [¹⁸ F]FDG PET/CT and MRI in the diagnosis of active osteomyelitis. <i>Skeletal Radiology</i> , 2014, 43, 665-672.	1.2	40
122	Effects of Smoking Cessation on Presynaptic Dopamine Function of Addicted Male Smokers. <i>Biological Psychiatry</i> , 2016, 80, 198-206.	0.7	40
123	Fractionated Radiotherapy with 3 x 8 Gy Induces Systemic Anti-Tumour Responses and Abscopal Tumour Inhibition without Modulating the Humoral Anti-Tumour Response. <i>PLoS ONE</i> , 2016, 11, e0159515.	1.1	40
124	Molecular imaging of prostate cancer. <i>Methods</i> , 2009, 48, 193-199.	1.9	39
125	Diffuse Large B-Cell Lymphoma: Prospective Multicenter Comparison of Early Interim FLT PET/CT versus FDG PET/CT with IHP, EORTC, Deauville, and PERCIST Criteria for Early Therapeutic Monitoring. <i>Radiology</i> , 2016, 280, 220-229.	3.6	39
126	Modulation of glutathione promotes apoptosis in tripleâ€”negative breast cancer cells. <i>FASEB Journal</i> , 2018, 32, 2803-2813.	0.2	38

#	ARTICLE	IF	CITATIONS
127	Radiomics Analysis for Clinical Decision Support in Nuclear Medicine. <i>Seminars in Nuclear Medicine</i> , 2019, 49, 438-449.	2.5	38
128	Theranostic and nanotheranostic probes in nuclear medicine. <i>Methods</i> , 2017, 130, 14-22.	1.9	37
129	Sequential implementation of DSC-MR perfusion and dynamic [18F]FET PET allows efficient differentiation of glioma progression from treatment-related changes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1956-1965.	3.3	37
130	Site-specific labeling of α -second generation α ™ annexin V with $^{99m}\text{Tc}(\text{CO})_3$ for improved imaging of apoptosis in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1356-1363.	1.4	35
131	Lateral visual field stimulation reveals extrastriate cortical activation in the contralateral hemisphere: an fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2004, 131, 1-9.	0.9	34
132	Whole-body diffusion-weighted magnetic resonance imaging: Current evidence in oncology and potential role in colorectal cancer staging. <i>European Journal of Cancer</i> , 2011, 47, 2107-2116.	1.3	34
133	Multiphasic ⁶⁸ Ga-PSMA PET/CT in the Detection of Early Recurrence in Prostate Cancer Patients with a PSA Level of Less Than 1 ng/mL: A Prospective Study of 135 Patients. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1484-1490.	2.8	34
134	Study-Parameter Impact in Quantitative 90-Yttrium PET Imaging for Radioembolization Treatment Monitoring and Dosimetry. <i>IEEE Transactions on Medical Imaging</i> , 2013, 32, 485-492.	5.4	33
135	Failure of annexin-based apoptosis imaging in the assessment of antiangiogenic therapy effects. <i>EJNMMI Research</i> , 2011, 1, 26.	1.1	32
136	Diagnosis of Pulmonary Embolism: Conventional Ventilation/Perfusion SPECT Is Superior to the Combination of Perfusion SPECT and Nonenhanced CT. <i>Respiration</i> , 2014, 88, 291-297.	1.2	32
137	Modulation of Fronto-Striatal Functional Connectivity Using Transcranial Magnetic Stimulation. <i>Frontiers in Human Neuroscience</i> , 2019, 13, 190.	1.0	32
138	Repetitive TMS temporarily alters brain diffusion. <i>Neurology</i> , 2003, 60, 1539-1541.	1.5	31
139	The Effects of In-Plane Spatial Resolution on CT-Based Radiomic Features α ™ Stability with and without ComBat Harmonization. <i>Cancers</i> , 2021, 13, 1848.	1.7	31
140	PET and PET/CT in radiation treatment planning for prostate cancer. <i>Expert Review of Anticancer Therapy</i> , 2011, 11, 1035-1041.	1.1	30
141	Beyond azide α ™alkyne click reaction: easy access to 18F-labelled compounds via nitrile oxide cycloadditions. <i>Chemical Communications</i> , 2012, 48, 7134.	2.2	30
142	A Practical One α ™Pot Synthesis of Positron Emission Tomography (PET) Tracers via Nickel α ™Mediated Radiofluorination. <i>ChemistryOpen</i> , 2015, 4, 457-462.	0.9	30
143	Relapse patterns after radiochemotherapy of glioblastoma with FET PET-guided boost irradiation and simulation to optimize radiation target volume. <i>Radiation Oncology</i> , 2016, 11, 87.	1.2	30
144	Relevant tumor sink effect in prostate cancer patients receiving ^{177}Lu -PSMA-617 radioligand therapy. <i>Nuklearmedizin - NuclearMedicine</i> , 2018, 57, 19-25.	0.3	30

#	ARTICLE	IF	CITATIONS
145	MR and PET-CT monitoring of tissue-engineered vascular grafts in the ovine carotid artery. <i>Biomaterials</i> , 2019, 216, 119228.	5.7	30
146	Current trends in the use of O-(2-[18F]fluoroethyl)-L-tyrosine ([18F]FET) in neurooncology. <i>Nuclear Medicine and Biology</i> , 2021, 92, 78-84.	0.3	30
147	Hedgehog signaling sensitizes Glioma stem cells to endogenous nano-irradiation. <i>Oncotarget</i> , 2014, 5, 5483-5493.	0.8	30
148	124I PET/CT in the pretherapeutic staging of differentiated thyroid carcinoma: comparison with posttherapy 131I SPECT/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 693-700.	3.3	29
149	Thyroid nodules with indeterminate cytology: molecular imaging with ^{99m} Tc-methoxyisobutylisonitrile (MIBI) is more cost-effective than the Afirma [®] gene expression classifier. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1497-1500.	3.3	29
150	Dependence of treatment planning accuracy in peptide receptor radionuclide therapy on the sampling schedule. <i>EJNMMI Research</i> , 2016, 6, 30.	1.1	29
151	Feasibility of [18F]-2-Fluoro-A85380-PET Imaging of Human Vascular Nicotinic Acetylcholine Receptors In Vivo. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 528-536.	2.3	28
152	^{99m} Tc Radiolabeling and Biological Evaluation of Nanoparticles Functionalized with a Versatile Coating Ligand. <i>Chemistry - A European Journal</i> , 2015, 21, 6090-6099.	1.7	28
153	Hybrid ¹⁸ F- ⁶⁸ Ga-FDG PET/MRI might improve locoregional staging of breast cancer patients prior to neoadjuvant chemotherapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1796-1805.	3.3	28
154	Inflammation-Based Index and ⁶⁸ Ga-DOTATOC PET- ⁶⁸ Ga-Derived Uptake and Volumetric Parameters Predict Outcome in Neuroendocrine Tumor Patients Treated with ⁹⁰ Y-DOTATOC. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1014-1020.	2.8	28
155	Lexical decision of nonwords and pseudowords in humans: a positron emission tomography study. <i>Neuroscience Letters</i> , 2003, 345, 177-181.	1.0	27
156	Use of integrated FDG-PET/CT in sarcoidosis. <i>Clinical Imaging</i> , 2008, 32, 269-273.	0.8	27
157	O-(2-18F-fluoroethyl)-L-tyrosine PET for evaluation of brain metastasis recurrence after radiotherapy: an effectiveness and cost-effectiveness analysis. <i>Neuro-Oncology</i> , 2017, 19, 1271-1278.	0.6	27
158	Added value of dedicated axillary hybrid ¹⁸ F-FDG PET/MRI for improved axillary nodal staging in clinically node-positive breast cancer patients: a feasibility study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 179-186.	3.3	27
159	Concentrations of beta-amyloid precursor protein processing products in cerebrospinal fluid of patients with amyotrophic lateral sclerosis and frontotemporal lobar degeneration. <i>Journal of Neural Transmission</i> , 2009, 116, 1169-1178.	1.4	26
160	Relationship between positive thyroglobulin doubling time and ¹⁸ F-FDG PET/CT-positive, ¹³¹ I-negative lesions. <i>Nuclear Medicine Communications</i> , 2014, 35, 176-181.	0.5	26
161	Non-invasive molecular imaging of kidney diseases. <i>Nature Reviews Nephrology</i> , 2021, 17, 688-703.	4.1	26
162	I- ¹³¹ I-MIBG therapies. <i>Methods</i> , 2011, 55, 238-245.	1.9	25

#	ARTICLE	IF	CITATIONS
163	Individualized dosimetry-based activity reduction of ⁹⁰ Y-DOTATOC prevents severe and rapid kidney function deterioration from peptide receptor radionuclide therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 1141-57.	3.3	25
164	Retrospective quality control review of FDG scans in the imaging sub-study of PALETTE EORTC 62072/VEG110727: a randomized, double-blind, placebo-controlled phase III trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 848-857.	3.3	25
165	SPECT and PET imaging of angiogenesis and arteriogenesis in pre-clinical models of myocardial ischemia and peripheral vascular disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 2433-2447.	3.3	25
166	Targeting of prostate-specific membrane antigen for radio-ligand therapy of triple-negative breast cancer. <i>Breast Cancer Research</i> , 2019, 21, 116.	2.2	25
167	Target identification for the diagnosis and intervention of vulnerable atherosclerotic plaques beyond ¹⁸ F-fluorodeoxyglucose positron emission tomography imaging: promising tracers on the horizon. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 251-265.	3.3	25
168	The application of a workflow integrating the variable reproducibility and harmonizability of radiomic features on a phantom dataset. <i>PLoS ONE</i> , 2021, 16, e0251147.	1.1	25
169	Optimized Multipinhole Design for Mouse Imaging. <i>IEEE Transactions on Nuclear Science</i> , 2009, 56, 2696-2705.	1.2	24
170	Performance of MAP Reconstruction for Hot Lesion Detection in Whole-Body PET/CT: An Evaluation With Human and Numerical Observers. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 67-73.	5.4	24
171	Acute and Sustained Effects of Methylphenidate on Cognition and Presynaptic Dopamine Metabolism: An [¹⁸ F]FDOPA PET Study. <i>Journal of Neuroscience</i> , 2014, 34, 14769-14776.	1.7	24
172	In Vivo Molecular Imaging of Apoptosis and Necrosis in Atherosclerotic Plaques Using MicroSPECT-CT and MicroPET-CT Imaging. <i>Molecular Imaging and Biology</i> , 2014, 16, 246-254.	1.3	24
173	Synthesis of ¹⁸ F-labelled β -lactams by Using the Kinugasa Reaction. <i>Chemistry - A European Journal</i> , 2014, 20, 4697-4703.	1.7	24
174	Impact of Bariatric Surgery on Carotid Artery Inflammation and the Metabolic Activity in Different Adipose Tissues. <i>Medicine (United States)</i> , 2015, 94, e725.	0.4	24
175	Reliability of sentinel node procedure for lymph node staging in prostate cancer patients at high risk for lymph node involvement. <i>Acta Oncologica</i> , 2015, 54, 896-902.	0.8	24
176	Molecular imaging of angiogenesis after myocardial infarction by ¹¹¹ In-DTPA-cNGR and ^{99m} Tc-sestamibi dual-isotope myocardial SPECT. <i>EJNMMI Research</i> , 2015, 5, 2.	1.1	24
177	Metabolic tumour volume of anal carcinoma on ¹⁸ F-FDG PET/CT before combined radiochemotherapy is the only independent determinant of recurrence free survival. <i>European Journal of Radiology</i> , 2016, 85, 1390-1394.	1.2	24
178	Advancements in PARP1 Targeted Nuclear Imaging and Theranostic Probes. <i>Journal of Clinical Medicine</i> , 2020, 9, 2130.	1.0	24
179	Functional imaging of neuroendocrine tumours with PET. <i>Pituitary</i> , 2006, 9, 237-242.	1.6	23
180	Selective internal radiation therapy (SIRT) in primary or secondary liver cancer. <i>Methods</i> , 2011, 55, 253-257.	1.9	23

#	ARTICLE	IF	CITATIONS
181	Image Quality and Data Quantification in Dopamine Transporter SPECT. <i>Clinical Nuclear Medicine</i> , 2012, 37, 866-871.	0.7	23
182	Clustering of multi-parametric functional imaging to identify high-risk subvolumes in non-small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2017, 125, 379-384.	0.3	23
183	Brown adipose tissue and lipid metabolism imaging. <i>Methods</i> , 2017, 130, 105-113.	1.9	22
184	Magnetic resonance imaging of carotid plaques: current status and clinical perspectives. <i>Annals of Translational Medicine</i> , 2020, 8, 1266-1266.	0.7	22
185	Neural correlates of transmeatal cochlear laser (TCL) stimulation in healthy human subjects. <i>Neuroscience Letters</i> , 2007, 411, 189-193.	1.0	21
186	Evaluation of lung tumor perfusion by dynamic contrast-enhanced MRI. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1334-1341.	1.0	21
187	Do androgens control the uptake of 18F-FDG, 11C-choline and 11C-acetate in human prostate cancer cell lines?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1842-1853.	3.3	21
188	Radiolabeled Nanogels for Nuclear Molecular Imaging. <i>Macromolecular Rapid Communications</i> , 2013, 34, 562-567.	2.0	21
189	A possible link between increased metabolic activity of fat tissue and aortic wall inflammation in subjects with COPD. A retrospective 18F-FDG-PET/CT pilot study. <i>Respiratory Medicine</i> , 2014, 108, 883-890.	1.3	21
190	2-[18F]FDG PET/CT radiomics in lung cancer: An overview of the technical aspect and its emerging role in management of the disease. <i>Methods</i> , 2021, 188, 84-97.	1.9	21
191	[68Ga]Ga-FAPI uptake correlates with the state of chronic kidney disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 3365-3372.	3.3	21
192	Dose-response relationship in cyclophosphamide-treated B-cell lymphoma xenografts monitored with [18F]FDG PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1688-1695.	3.3	20
193	Prognostic Relevance of 18F-FDG PET/CT in Carcinoma of Unknown Primary. <i>Clinical Nuclear Medicine</i> , 2014, 39, 131-135.	0.7	20
194	Negative 18F-2-fluorodeoxyglucose PET/CT predicts good cancer specific survival in patients with a suspicion of recurrent ovarian cancer. <i>European Journal of Radiology</i> , 2014, 83, 463-467.	1.2	20
195	Multistage Passive and Active Delivery of Radiolabeled Nanogels for Superior Tumor Penetration Efficiency. <i>Biomacromolecules</i> , 2017, 18, 2489-2498.	2.6	20
196	Synthesis and evaluation of a radiometal-labeled macrocyclic chelator-derivatised thymidine analog. <i>Nuclear Medicine and Biology</i> , 2006, 33, 359-366.	0.3	19
197	New Molecular Markers for Prostate Tumor Imaging: A Study on 2-Methylene Substituted Fatty Acids as New AMACR Inhibitors. <i>Chemistry - A European Journal</i> , 2011, 17, 10144-10150.	1.7	19
198	No evidence for attenuated stress-induced extrastriatal dopamine signaling in psychotic disorder. <i>Translational Psychiatry</i> , 2015, 5, e547-e547.	2.4	19

#	ARTICLE	IF	CITATIONS
199	Method of bioluminescence imaging for molecular imaging of physiological and pathological processes. <i>Methods</i> , 2009, 48, 139-145.	1.9	18
200	Apoptosis Imaging to Monitor Cancer Therapy: The Road to Fast Treatment Evaluation?. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 571-583.	0.9	18
201	Extremity doses of nuclear medicine personnel: a concern. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 529-532.	3.3	18
202	Maximum Dose Rate Is a Determinant of Hypothyroidism After ¹³¹ I Therapy of Graves' Disease but the Total Thyroid Absorbed Dose Is Not. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 4109-4115.	1.8	18
203	Time-integrated activity coefficient estimation for radionuclide therapy using PET and a pharmacokinetic model: A simulation study on the effect of sampling schedule and noise. <i>Medical Physics</i> , 2016, 43, 5145-5154.	1.6	18
204	Molecular imaging using PSMA PET/CT versus multiparametric MRI for initial staging of prostate cancer: comparing apples with oranges?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1397-1399.	3.3	18
205	⁶⁸ Ga-PSMA-HBED-CC PET/CT: where molecular imaging has an edge over morphological imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 394-396.	3.3	18
206	Intensity-modulated radiotherapy of prostate cancer with simultaneous integrated boost after molecular imaging with ¹⁸ F-choline-PET/CT. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 638-645.	1.0	18
207	Impact of Glutathione Modulation on Stability and Pharmacokinetic Profile of Redox-Sensitive Nanogels. <i>Small</i> , 2018, 14, e1704093.	5.2	18
208	Protease Responsive Nanogels for Transcytosis across the Blood-Brain Barrier and Intracellular Delivery of Radiopharmaceuticals to Brain Tumor Cells. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100812.	3.9	18
209	Radioiodinated Phenylalkyl Malonic Acid Derivatives as pH-Sensitive SPECT Tracers. <i>PLoS ONE</i> , 2012, 7, e38428.	1.1	18
210	Intracortical inhibition and facilitation in human facial motor area: difference between upper and lower facial area. <i>Clinical Neurophysiology</i> , 2001, 112, 1604-1611.	0.7	17
211	Imaging of tumour hypoxia and metabolism in patients with head and neck squamous cell carcinoma. <i>Acta Oncologica</i> , 2015, 54, 1378-1384.	0.8	17
212	Feasibility of in vivo ¹⁸ F-florbetaben PET/MR imaging of human carotid amyloid- β . <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1119-1128.	3.3	17
213	Characterizing geometrical accuracy in clinically optimised 7T and 3T magnetic resonance images for high-precision radiation treatment of brain tumours. <i>Physics and Imaging in Radiation Oncology</i> , 2019, 9, 35-42.	1.2	17
214	Molecular Imaging of Angiogenesis in Oncology: Current Preclinical and Clinical Status. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5544.	1.8	17
215	A novel presenilin1 mutation (Q223R) associated with early onset Alzheimer's disease, dysarthria and spastic paraparesis and decreased Abeta levels in CSF. <i>European Journal of Neurology</i> , 2010, 17, 631-633.	1.7	16
216	Dosimetry in molecular nuclear therapy. <i>Methods</i> , 2011, 55, 196-202.	1.9	16

#	ARTICLE	IF	CITATIONS
217	C-(4-[¹⁸ F]fluorophenyl)-N-phenyl nitrene: A novel ¹⁸ F-labeled building block for metal free [3+2]cycloaddition. <i>Applied Radiation and Isotopes</i> , 2012, 70, 184-192.	0.7	16
218	The role of striatal dopamine D2/3 receptors in cognitive performance in drug-free patients with schizophrenia. <i>Psychopharmacology</i> , 2018, 235, 2221-2232.	1.5	16
219	Assessment of Chemotherapy-Induced Organ Damage with Ga-68 Labeled Duramycin. <i>Molecular Imaging and Biology</i> , 2020, 22, 623-633.	1.3	16
220	Early-Life Stress Affects Stress-Related Prefrontal Dopamine Activity in Healthy Adults, but Not in Individuals with Psychotic Disorder. <i>PLoS ONE</i> , 2016, 11, e0150746.	1.1	16
221	Molecular imaging of therapy response with (¹⁸ F)-FLT and (¹⁸ F)-FDG following cyclophosphamide and mTOR inhibition. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 2, 110-21.	1.0	16
222	Primary progressive aphasia accompanied by environmental sound agnosia: A neuropsychological, MRI and PET study. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 191-197.	0.9	15
223	Variability of BOLD response evoked by foot vibrotactile stimulation: Influence of vibration amplitude and stimulus waveform. <i>NeuroImage</i> , 2008, 41, 504-510.	2.1	15
224	Response Assessment of Hormonal Therapy in Prostate Cancer by [¹¹ C] Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2010, 35, 701-703.	0.7	15
225	Synthesis and evaluation of ¹⁸ F-fluoroethylated benzothiazole derivatives for in vivo imaging of amyloid plaques in Alzheimer's disease. <i>Applied Radiation and Isotopes</i> , 2010, 68, 1066-1072.	0.7	15
226	Predicting tumor hypoxia in non-small cell lung cancer by combining CT, FDG PET and dynamic contrast-enhanced CT. <i>Acta Oncologica</i> , 2017, 56, 1591-1596.	0.8	15
227	Prediction of time-integrated activity coefficients in PRRT using simulated dynamic PET and a pharmacokinetic model. <i>Physica Medica</i> , 2017, 42, 298-304.	0.4	15
228	Synthesis, radiosynthesis and in vitro evaluation of ¹⁸ F-Bodipy-C16/triglyceride as a dual modal imaging agent for brown adipose tissue. <i>PLoS ONE</i> , 2017, 12, e0182297.	1.1	15
229	The battle on time, money and precision: Da[¹⁸ F] id vs. [⁶⁸ Ga]liath. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2944-2946.	3.3	15
230	Short Communication: ¹⁸ F-Immuno-PET: Determination of Anti-CD66 Biodistribution in a Patient with High-Risk Leukemia. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2008, 23, 819-824.	0.7	14
231	Computed Tomography Angiography. <i>Investigative Radiology</i> , 2011, 46, 271-276.	3.5	14
232	Preclinical Imaging of Therapy Response Using Metabolic and Apoptosis Molecular Imaging. <i>Molecular Imaging and Biology</i> , 2011, 13, 995-1002.	1.3	14
233	Nothing new under the nuclear sun: towards 80 years of theranostics in nuclear medicine. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 199-201.	3.3	14
234	Potential of ¹²⁵ I nicotinic acetylcholine receptor PET imaging in atherosclerosis. <i>Methods</i> , 2017, 130, 90-104.	1.9	14

#	ARTICLE	IF	CITATIONS
235	O-(2-[18F]fluoroethyl)-l-tyrosine PET in gliomas: influence of data processing in different centres. EJNMMI Research, 2017, 7, 64.	1.1	14
236	Intact striatal dopaminergic modulation of reward learning and daily-life reward-oriented behavior in first-degree relatives of individuals with psychotic disorder. Psychological Medicine, 2018, 48, 1909-1914.	2.7	14
237	[18F]BODIPY-triglyceride-containing chylomicron-like particles as an imaging agent for brown adipose tissue in vivo. Scientific Reports, 2019, 9, 2706.	1.6	14
238	Development of Radiotracers for Breast Cancerâ€”The Tumor Microenvironment as an Emerging Target. Cells, 2020, 9, 2334.	1.8	14
239	Off-target effects of oral anticoagulants â€” vascular effects of vitamin K antagonist and non-vitamin K antagonist oral anticoagulant dabigatran etexilate. Journal of Thrombosis and Haemostasis, 2021, 19, 1348-1363.	1.9	14
240	Performance of Integrated FDG-PET/CT for Differentiating Benign and Malignant Lung Lesions -Results from a Large Prospective Clinical Trial. Molecular Imaging and Biology, 2008, 10, 121-128.	1.3	13
241	Molecular nuclear therapies for thyroid carcinoma. Methods, 2011, 55, 230-237.	1.9	13
242	Evaluation of androgen-induced effects on the uptake of [18F]FDG, [11C]choline and [11C]acetate in an androgen-sensitive and androgen-independent prostate cancer xenograft model. EJNMMI Research, 2013, 3, 31.	1.1	13
243	Breaking the Invulnerability of Cancer Stem Cells: Two-Step Strategy to Kill the Stem-like Cell Subpopulation of Multiple Myeloma. Molecular Cancer Therapeutics, 2014, 13, 144-153.	1.9	13
244	Pharmacokinetic modeling of a novel hypoxia PET tracer [18F]HX4 in patients with non-small cell lung cancer. EJNMMI Physics, 2016, 3, 30.	1.3	13
245	Intraindividual comparison of selective intraarterial versus systemic intravenous 68Ga-DOTATATE PET/CT in patients with inoperable meningioma. Nuklearmedizin - NuclearMedicine, 2019, 58, 23-27.	0.3	13
246	High uptake of 68Ga-PSMA and 18F-DCFPyL in the peritumoral area of rat gliomas due to activated astrocytes. EJNMMI Research, 2020, 10, 55.	1.1	13
247	Auger Emitter Conjugated PARP Inhibitor for Therapy in Triple Negative Breast Cancers: A Comparative In-Vitro Study. Cancers, 2022, 14, 230.	1.7	13
248	Tuning the Elasticity of Nanogels Improves Their Circulation Time by Evading Immune Cells. Angewandte Chemie - International Edition, 2022, 61, .	7.2	13
249	Radiolabeled Nanocarriers as Theranosticsâ€”Advancement from Peptides to Nanocarriers. Small, 2022, 18, e2200673.	5.2	13
250	Value of Positron Emission Tomography of the Para-Aortic Lymph Nodes in Cervical Carcinoma Stage IB2-IIIB. Journal of Clinical Oncology, 2008, 26, 5654-5655.	0.8	12
251	Targeted endoradiotherapy using nucleotides. Methods, 2011, 55, 203-214.	1.9	12
252	A comparison of four radionuclide dose calibrators using various radionuclides and measurement geometries clinically used in nuclear medicine. Physica Medica, 2019, 60, 14-21.	0.4	12

#	ARTICLE	IF	CITATIONS
253	Learning related interactions among neuronal systems involved in memory processes. Journal of Physiology (Paris), 2006, 99, 318-332.	2.1	11
254	CT-based evaluation of segmented head regions for attenuation correction in MR-PET systems. , 2010, , .		11
255	PET/CT in lung cancer: Influence of contrast medium on quantitative and clinical assessment. European Radiology, 2012, 22, 2458-2464.	2.3	11
256	Cost-effectiveness of 99mTc-MIBI in the evaluation of thyroid nodules for malignancy: a new lease of life for an old radiopharmaceutical?. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 102-104.	3.3	11
257	Synthesis, Radiosynthesis, and Preliminary in vitro and in vivo Evaluation of the Fluorinated Ceramide Trafficking Inhibitor (HPA-12) for Brain Applications. Journal of Alzheimer's Disease, 2017, 60, 783-794.	1.2	11
258	Treatment planning in PRRT based on simulated PET data and a PBPK model. Nuklearmedizin - NuclearMedicine, 2017, 56, 23-30.	0.3	11
259	Nitroglycerin as a radiosensitizer in non-small cell lung cancer: Results of a prospective imaging-based phase II trial. Clinical and Translational Radiation Oncology, 2020, 21, 49-55.	0.9	11
260	Molecular Imaging of Apoptosis for Early Prediction of Therapy Efficiency. Current Pharmaceutical Design, 2014, 20, 2319-2328.	0.9	11
261	Integrated FDG PET-CT imaging improves staging in malignant pleural mesothelioma. Nuklearmedizin - NuclearMedicine, 2007, 46, 239-43.	0.3	11
262	Static FET PET radiomics for the differentiation of treatment-related changes from glioma progression. Journal of Neuro-Oncology, 2022, 159, 519-529.	1.4	11
263	Release of premotor activity after repetitive transcranial magnetic stimulation of prefrontal cortex. Social Neuroscience, 2008, 3, 289-302.	0.7	10
264	Auger electron emitter against multiple myeloma "targeted endo-radio-therapy with 125I-labeled thymidine analogue 5-iodo-4-thio-2-deoxyuridine. Nuclear Medicine and Biology, 2011, 38, 1067-1077.	0.3	10
265	Multiphase CT scanning and different intravenous contrast media concentrations in combined F-18-FDG PET/CT: Effect on quantitative and clinical assessment. European Journal of Radiology, 2012, 81, e862-e869.	1.2	10
266	Simultaneous dual-isotope SPECT/CT with 99mTc- and 111In-labelled albumin microspheres in treatment planning for SIRT. European Radiology, 2013, 23, 3062-3070.	2.3	10
267	The influence of different contrast medium concentrations and injection protocols on quantitative and clinical assessment of FDG-PET/CT in lung cancer. European Journal of Radiology, 2013, 82, e617-e622.	1.2	10
268	Dual addressing of thymidine synthesis pathways for effective targeting of proliferating melanoma. Cancer Medicine, 2017, 6, 1639-1651.	1.3	10
269	The reconstruction algorithm used for [68Ga]PSMA-HBED-CC PET/CT reconstruction significantly influences the number of detected lymph node metastases and coeliac ganglia. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 662-669.	3.3	10
270	Flare Phenomenon in O-(2-18F-Fluoroethyl)-l-Tyrosine PET After Resection of Gliomas. Journal of Nuclear Medicine, 2020, 61, 1294-1299.	2.8	10

#	ARTICLE	IF	CITATIONS
271	Sodium [18F]Fluoride PET Can Efficiently Monitor In Vivo Atherosclerotic Plaque Calcification Progression and Treatment. <i>Cells</i> , 2021, 10, 275.	1.8	10
272	Positron emission tomography/computed tomography in the management of Hodgkin and B-cell non-Hodgkin lymphoma: An update. <i>Cancer</i> , 2021, 127, 3727-3741.	2.0	10
273	An international multi-center investigation on the accuracy of radionuclide calibrators in nuclear medicine theragnostics. <i>EJNMMI Physics</i> , 2020, 7, 69.	1.3	10
274	Optimized multipinhole design for mouse imaging. , 2008, , .		9
275	Different Intravenous Contrast Media Concentrations Do Not Affect Clinical Assessment of 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography Scans in an Intraindividual Comparison. <i>Investigative Radiology</i> , 2012, 47, 497-502.	3.5	9
276	Significant impact of transient deterioration of renal function on dosimetry in PRRT. <i>Annals of Nuclear Medicine</i> , 2013, 27, 74-77.	1.2	9
277	A low molecular weight zinc ²⁺ -dipicolylamine-based probe detects apoptosis during tumour treatment better than an annexin V-based probe. <i>European Radiology</i> , 2014, 24, 363-370.	2.3	9
278	PET Imaging of the Human Nicotinic Cholinergic Pathway in Atherosclerosis. <i>Current Cardiology Reports</i> , 2015, 17, 67.	1.3	9
279	Evaluation of a Pretargeting Strategy for Molecular Imaging of the Prostate Stem Cell Antigen with a Single Chain Antibody. <i>Scientific Reports</i> , 2018, 8, 3755.	1.6	9
280	Striatal dopamine release and impaired reinforcement learning in adults with 22q11.2 deletion syndrome. <i>European Neuropsychopharmacology</i> , 2018, 28, 732-742.	0.3	9
281	Ceramide analog [18F]F-HPA-12 detects sphingolipid disbalance in the brain of Alzheimer's disease transgenic mice by functioning as a metabolic probe. <i>Scientific Reports</i> , 2020, 10, 19354.	1.6	9
282	Locking and loading the bullet against micro-calcification. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1370-1375.	0.8	9
283	18F-FET-PET-guided gross total resection improves overall survival in patients with WHO grade III/IV glioma: moving towards a multimodal imaging-guided resection. <i>Journal of Neuro-Oncology</i> , 2021, 155, 71-80.	1.4	9
284	Multimodal Treatment of Nasopharyngeal Carcinoma in Children, Adolescents and Young Adults-Extended Follow-Up of the NPC-2003-GPOH Study Cohort and Patients of the Interim Cohort. <i>Cancers</i> , 2022, 14, 1261.	1.7	9
285	rTMS Induces Brief Events of Muscle Atonia in Patients with Narcolepsy. <i>Sleep</i> , 2000, 23, 1-6.	0.6	8
286	Altered Biodistribution of Somatostatin Analogues After First Cycle of Peptide Receptor Radionuclide Therapy. <i>Journal of Clinical Oncology</i> , 2011, 29, e579-e581.	0.8	8
287	Body surface area adapted iopromide 300mg/ml versus 370mg/ml contrast medium injection protocol: Influence on quantitative and clinical assessment in combined PET/CT. <i>European Journal of Radiology</i> , 2013, 82, 2348-2352.	1.2	8
288	Nondestructive monitoring of tissue-engineered constructs. <i>Biomedizinische Technik</i> , 2014, 59, 165-75.	0.9	8

#	ARTICLE	IF	CITATIONS
289	Detection of coronary artery disease in postmenopausal women: the significance of integrated stress imaging tests in a 4-year prognostic study. <i>Clinical Research in Cardiology</i> , 2015, 104, 258-271.	1.5	8
290	Sensitivity Analysis of a Physiologically Based Pharmacokinetic Model Used for Treatment Planning in Peptide Receptor Radionuclide Therapy. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2016, 31, 217-224.	0.7	8
291	Advantages and limitations of amino acid PET for tracking therapy response in glioma patients. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 137-146.	1.4	8
292	Evaluation of SPECT/CT in the assessment of inflammatory jaw pathologies. <i>European Journal of Radiology</i> , 2020, 125, 108917.	1.2	8
293	¹⁸ F-Fluorothymidine PET is an early and superior predictor of progression-free survival following chemoimmunotherapy of diffuse large B cell lymphoma: a multicenter study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2883-2893.	3.3	8
294	Lesion-Function Analysis from Multimodal Imaging and Normative Brain Atlases for Prediction of Cognitive Deficits in Glioma Patients. <i>Cancers</i> , 2021, 13, 2373.	1.7	8
295	Reproducibility of CT-Based Hepatocellular Carcinoma Radiomic Features across Different Contrast Imaging Phases: A Proof of Concept on SORAMIC Trial Data. <i>Cancers</i> , 2021, 13, 4638.	1.7	8
296	Functional Imaging of Neuroendocrine Tumors. <i>Methods in Molecular Biology</i> , 2011, 727, 105-122.	0.4	8
297	Prostate-specific membrane antigen radioligand therapy of prostate cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 29-36.	0.4	8
298	Two Decades of Brain Tumour Imaging with O-(2-[¹⁸ F]fluoroethyl)-L-tyrosine PET: The Forschungszentrum Jülich Experience. <i>Cancers</i> , 2022, 14, 3336.	1.7	8
299	Intracoronary ¹²⁵ I-brachytherapy using a rhenium-188 filled balloon catheter in restenotic lesions of native coronary arteries and venous bypass grafts. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 1314-1320.	3.3	7
300	A 25-year-old woman with a gastric GIST and a PET-positive epicardial tumor. <i>Nature Clinical Practice Oncology</i> , 2007, 4, 197-201.	4.3	7
301	Diagnostic evaluation of PSA recurrence and review of hormonal management after radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2009, 12, 116-123.	2.0	7
302	Ga-68 DOTATOC PET/CT Changed the Therapeutic Course of a Patient With the Sudden Onset of Vision Problems. <i>Clinical Nuclear Medicine</i> , 2009, 34, 27-28.	0.7	7
303	Retention of ^{99m} Tc-DMSA(III) and ^{99m} Tc-nanocolloid in different syringes affects imaging quality. <i>Nuclear Medicine Communications</i> , 2014, 35, 433-437.	0.5	7
304	Dynamic ⁶⁸ Ga-DOTATOC PET/CT and static image in NET patients. <i>Nuklearmedizin - NuclearMedicine</i> , 2016, 55, 104-114.	0.3	7
305	Left ventricular function measurements in a mouse myocardial infarction model. <i>Nuklearmedizin - NuclearMedicine</i> , 2016, 55, 115-122.	0.3	7
306	Patients with high-risk differentiated thyroid cancer have a lower ¹³¹ I ablation success rate than low-risk ones in spite of a high ablation activity. <i>Clinical Endocrinology</i> , 2016, 85, 926-931.	1.2	7

#	ARTICLE	IF	CITATIONS
307	PSA levels, PSA doubling time, Gleason score and prior therapy cannot predict measured uptake of [68Ga]PSMA-HBED-CC lesion uptake in recurrent/metastatic prostate cancer. <i>Nuklearmedizin - NuclearMedicine</i> , 2017, 56, 225-232.	0.3	7
308	Imaging approaches to understand disease complexity: chronic obstructive pulmonary disease as a clinical model. <i>Journal of Applied Physiology</i> , 2018, 124, 512-520.	1.2	7
309	Quantitative performance evaluation of ¹²⁴ I PET/MRI lesion dosimetry in differentiated thyroid cancer. <i>Physics in Medicine and Biology</i> , 2018, 63, 015014.	1.6	7
310	Daily-life stress differentially impacts ventral striatal dopaminergic modulation of reward processing in first-degree relatives of individuals with psychosis. <i>European Neuropsychopharmacology</i> , 2018, 28, 1314-1324.	0.3	7
311	Contemporary considerations in adjuvant radioiodine treatment of adults with differentiated thyroid cancer. <i>International Journal of Cancer</i> , 2020, 147, 2345-2354.	2.3	7
312	Reply to Orhac, F.; Buvat, I. Comment on œbrahim et al. The Effects of In-Plane Spatial Resolution on CT-Based Radiomic Features™ Stability with and without ComBat Harmonization. <i>Cancers</i> 2021, 13, 1848. <i>Cancers</i> , 2021, 13, 3080.	1.7	7
313	TMS: Using brain plasticity to treat chronic poststroke symptoms. <i>Neurology</i> , 2003, 61, 881-882.	1.5	6
314	Improving binding potential analysis in [11C]raclopride PET studies using cluster analysis. <i>Medical Physics</i> , 2004, 31, 902-906.	1.6	6
315	A phantom assessment of portable imaging and radio-guided surgery systems with technetium-99m and fluorine-18. <i>Nuclear Medicine Communications</i> , 2012, 33, 452-458.	0.5	6
316	In-vivo detection of the erythropoietin receptor in tumours using positron emission tomography. <i>European Radiology</i> , 2015, 25, 472-479.	2.3	6
317	Assessing the Intracellular Integrity of Phosphine- Stabilized Ultrasmall Cytotoxic Gold Nanoparticles Enabled by Fluorescence Labeling. <i>Advanced Healthcare Materials</i> , 2016, 5, 3118-3128.	3.9	6
318	Characterization of BAT activity in rats using invasive and non-invasive techniques. <i>PLoS ONE</i> , 2019, 14, e0215852.	1.1	6
319	Molecular imaging of bone metastases using tumor-targeted tracers. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 63, 136-149.	0.4	6
320	Bioluminescence imaging of therapy response does not correlate with FDG-PET response in a mouse model of Burkitt lymphoma. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 2, 353-61.	1.0	6
321	Resveratrol treatment does not reduce arterial inflammation in males at risk of type 2 diabetes: a randomized crossover trial. <i>Nuklearmedizin - NuclearMedicine</i> , 2022, 61, 33-41.	0.3	6
322	90Y/177Lu-DOTATATE therapy: survival of the fittest?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1785-1787.	3.3	5
323	Contrast medium injection protocol adjusted for body surface area in combined PET/CT. <i>European Radiology</i> , 2013, 23, 1970-1977.	2.3	5
324	Nuclear medicine training and practice in Germany. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 187-190.	3.3	5

#	ARTICLE	IF	CITATIONS
325	Comparison of automatic versus manual procedures for the quantification of dopamine D2 receptor availability using I-123-IBZM-SPECT. <i>Nuclear Medicine Communications</i> , 2015, 36, 1120-1126.	0.5	5
326	Comparison of LDPI to SPECT perfusion imaging using ^{99m} Tc-sestamibi and ^{99m} Tc-pyrophosphate in a murine ischemic hind limb model of neovascularization. <i>EJNMMI Research</i> , 2016, 6, 44.	1.1	5
327	In vivo Molecular Imaging of Glutamate Carboxypeptidase II Expression in Re-endothelialisation after Percutaneous Balloon Denudation in a Rat Model. <i>Scientific Reports</i> , 2018, 8, 7411.	1.6	5
328	Peripheral ganglia in healthy rats as target structures for the evaluation of PSMA imaging agents. <i>BMC Cancer</i> , 2019, 19, 633.	1.1	5
329	Performance of severity parameters to detect chemotherapy-induced pain and distress in mice. <i>Laboratory Animals</i> , 2020, 54, 452-460.	0.5	5
330	Radioiodinated indomethacin amide for molecular imaging of cyclooxygenase-2 expressing tumors. <i>Oncotarget</i> , 2017, 8, 18059-18069.	0.8	5
331	Pretherapeutic dosimetry before ¹³¹ I therapy of benign thyroid disease. <i>Nuklearmedizin - Nuclear Medicine</i> , 2015, 54, 131-136.	0.3	5
332	Brown adipose tissue activation is not related to hypermetabolism in emphysematous chronic obstructive pulmonary disease patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1329-1338.	2.9	5
333	Tuning the Elasticity of Nanogels Improves Their Circulation Time by Evading Immune Cells. <i>Angewandte Chemie</i> , 0, , .	1.6	5
334	Current and future aspects of molecular imaging. <i>Methods</i> , 2009, 48, 81-82.	1.9	4
335	Can Evaluation of Targeted Therapy in Oncology Be Improved by Means of ¹⁸ F-FLT?. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1499-1500.	2.8	4
336	Low osmolar monomeric versus iso osmolar dimeric contrast media: An intra individual comparison in CT angiography using an animal model. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2011, 55, 170-175.	0.9	4
337	Accuracy of a clinical PET/CT vs. a preclinical ¹⁸ F PET system for monitoring treatment effects in tumour xenografts. <i>European Journal of Radiology</i> , 2013, 82, 1318-1324.	1.2	4
338	Can radioimmunotherapy promote from an orphan drug to daily clinical practice?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 865-866.	3.3	4
339	Somatostatin Receptor Imaging Guided Pasireotide Therapy in Medullary Thyroid Cancer With Ectopic Adrenocorticotropin Production. <i>Clinical Nuclear Medicine</i> , 2015, 40, e83-e84.	0.7	4
340	Is the whole larger than the sum of the parts? Integrated PET/MRI as a tool for response prediction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 325-327.	3.3	4
341	TSH suppression aggravates arterial inflammation in an ¹⁸ F-FDG PET study in thyroid carcinoma patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1428-1438.	3.3	4
342	Hepatic candidiasis mimicking lymphoma on ¹⁸ F-FDG PET/CT in a patient with T cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2925-2926.	3.3	4

#	ARTICLE	IF	CITATIONS
343	Combined 18F-FET PET and diffusion kurtosis MRI in posttreatment glioblastoma: differentiation of true progression from treatment-related changes. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab044.	0.4	4
344	Will we successfully avoid the garbage in garbage out problem in imaging data mining? An overview on current concepts and future directions in molecular imaging. <i>Methods</i> , 2021, 188, 1-3.	1.9	4
345	Labelling via [Al18F]2+ Using Precomplexed Al-NODA Moieties. <i>Pharmaceuticals</i> , 2021, 14, 818.	1.7	4
346	Value of 18F-FDG PET/CT for predicting axillary pathologic complete response following neoadjuvant systemic therapy in breast cancer patients: emphasis on breast cancer subtype. <i>EJNMMI Research</i> , 2021, 11, 116.	1.1	4
347	CT Reconstruction Kernels and the Effect of Pre- and Post-Processing on the Reproducibility of Handcrafted Radiomic Features. <i>Journal of Personalized Medicine</i> , 2022, 12, 553.	1.1	4
348	MaasPenn Radiomics Reproducibility Score: A Novel Quantitative Measure for Evaluating the Reproducibility of CT-Based Handcrafted Radiomic Features. <i>Cancers</i> , 2022, 14, 1599.	1.7	4
349	Phantom studies and clinical application of high resolution, image reconstruction using (18)F-fluoromethylcholine PET/CT for prostate cancer. <i>Hellenic Journal of Nuclear Medicine</i> , 2014, 17, 194-9.	0.2	4
350	The Use of 18F-FET-PET-MRI in Neuro-Oncology: The Best of Both Worlds – A Narrative Review. <i>Diagnostics</i> , 2022, 12, 1202.	1.3	4
351	Early Whole-Body Diffusion-weighted MRI Helps Predict Long-term Outcome Following Peptide Receptor Radionuclide Therapy for Metastatic Neuroendocrine Tumors. <i>Radiology Imaging Cancer</i> , 2022, 4, .	0.7	4
352	Current and future aspects of nuclear molecular therapies: A model of theranostics. <i>Methods</i> , 2011, 55, 193-195.	1.9	3
353	Bone graft scintigraphy. <i>Nuklearmedizin - NuclearMedicine</i> , 2012, 51, 201-204.	0.3	3
354	A liver nodule in a patient transplanted for primary sclerosing cholangitis: an interdisciplinary diagnostic approach. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, 56-62.	0.2	3
355	Use of Cyclic Backbone NGR-Based SPECT to Increase Efficacy of Postmyocardial Infarction Angiogenesis Imaging. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-9.	0.4	3
356	Impact of prompt gamma coincidence correction on absorbed dose estimation in differentiated thyroid cancer using 124I PET/CT imaging. <i>Nuclear Medicine Communications</i> , 2018, 39, 1156-1164.	0.5	3
357	Performing clinical 18F-FDG-PET/MRI of the mediastinum optimising a dedicated, patient-friendly protocol. <i>Nuclear Medicine Communications</i> , 2019, 40, 815-826.	0.5	3
358	Investigation of Cerebral O-(2-[18F]Fluoroethyl)-L-Tyrosine Uptake in Rat Epilepsy Models. <i>Molecular Imaging and Biology</i> , 2020, 22, 1255-1265.	1.3	3
359	Is 68Ga-DOTA-FAPI a new arrow in the quiver of dose painting in radiation dose planning in head and neck cancers?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2718-2720.	3.3	3
360	Effects of Combined Vitamin K2 and Vitamin D3 Supplementation on Na[18F]F PET/MRI in Patients with Carotid Artery Disease: The INTRICATE Rationale and Trial Design. <i>Nutrients</i> , 2021, 13, 994.	1.7	3

#	ARTICLE	IF	CITATIONS
361	Change of Apoptosis and Glucose Metabolism in Lung Cancer Xenografts during Cytotoxic and Anti-Angiogenic Therapy Assessed by Annexin V Based Optical Imaging and 18F-FDG-PET/CT. Contrast Media and Molecular Imaging, 2021, 2021, 1-11.	0.4	3
362	Use of full-dose contrast-enhanced CT for extrahepatic staging using Gallium-68-DOTATATE PET/CT in patients with neuroendocrine tumors. Diagnostic and Interventional Radiology, 2021, 27, 573-579.	0.7	3
363	Pilot study of a newly developed eLearning tool to teach CT and PET/CT in radiology and nuclear medicine. Nuklearmedizin - NuclearMedicine, 2020, 59, 79-84.	0.3	3
364	Brown adipose tissue uptake of triglyceride-rich lipoprotein-derived fatty acids in diabetic or obese mice under different temperature conditions. EJNMMI Research, 2020, 10, 127.	1.1	3
365	Use of Radionuclide-Based Imaging Methods in Breast Cancer. Seminars in Nuclear Medicine, 2022, 52, 561-573.	2.5	3
366	Paramediastinal Inflammatory Changes After Chemoradiation Detected on FDG PET-CT Imaging. Clinical Nuclear Medicine, 2010, 35, 355-356.	0.7	2
367	Hard beta and gamma emissions of 124I. Nuklearmedizin - NuclearMedicine, 2011, 50, 240-246.	0.3	2
368	18F-MK-9470 PET imaging of the type 1 cannabinoid receptor in prostate carcinoma: a pilot study. EJNMMI Research, 2013, 3, 59.	1.1	2
369	Lower [18F]fallypride binding to dopamine D2/3 receptors in frontal brain areas in adults with 22q11.2 deletion syndrome: a positron emission tomography study. Psychological Medicine, 2020, 50, 799-807.	2.7	2
370	Timing of post 131I ablation diagnostic whole body scan in differentiated thyroid cancer patients. Nuklearmedizin - NuclearMedicine, 2015, 54, 151-157.	0.3	2
371	Diagnosis of Brachiocephalic Thrombophlebitis as the Cause of Fever of Unknown Origin by 18F-FDG-PET/CT. Molecular Imaging and Radionuclide Therapy, 2015, 24, 25-28.	0.3	2
372	Simulation-based partial volume correction for dopaminergic PET imaging: Impact of segmentation accuracy. Zeitschrift Fur Medizinische Physik, 2015, 25, 230-242.	0.6	1
373	No clinically relevant differences between positron emission tomography (^{PET}) reconstructions based on low-dose or contrast-enhanced ^{CT} in combined integrated multiphase ¹⁸F-fluoroethylcholine ^{PET}/^{CT} for prostate cancer. Journal of Medical Imaging and Radiation Oncology, 2016, 60, 498-505.	0.9	1
374	Non-invasive molecular imaging and theranostic probes. Methods, 2017, 130, 1-3.	1.9	1
375	<i>In vivo</i> quantification of amyloid burden in TTR-related cardiac amyloidosis. Intractable and Rare Diseases Research, 2017, 6, 291-294.	0.3	1
376	Protease Responsive Nanogels for Transcytosis across the Blood-Brain Barrier and Intracellular Delivery of Radiopharmaceuticals to Brain Tumor Cells (Adv. Healthcare Mater. 20/2021). Advanced Healthcare Materials, 2021, 10, 2170100.	3.9	1
377	Radiosynthesis and evaluation of [11C]BTA-1 and [11C]3'-Me-BTA-1 as potential radiotracers for in vivo imaging of-amyloid plaques. Nuklearmedizin - NuclearMedicine, 2007, , .	0.3	1
378	1019: Clinical Value of [11C] Choline Petict in Patients with Rising PSA After Primary Treatment of Prostate Cancer. Journal of Urology, 2007, 177, 336-336.	0.2	1

#	ARTICLE	IF	CITATIONS
379	Abstract B144: Hypoxia imaging with [18F]HX4 PET compared with [18F]FMISO and [18F]FAZA: From preclinical to clinical studies.. , 2013, , .		1
380	Short-term discontinuation of vagal nerve stimulation alters 18F-FDG blood pool activity: an exploratory interventional study in epilepsy patients. <i>EJNMMI Research</i> , 2019, 9, 101.	1.1	1
381	Successful palliative peptide receptor radionuclide therapy for impending compression of vena cava due to unresectable liver metastasis of neuroendocrine tumor. <i>EXCLI Journal</i> , 2019, 18, 273-276.	0.5	1
382	Preclinical development and characterisation of Tc-NM-01 for SPECT/CT imaging of human PD-L1. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 11, 154-166.	1.0	1
383	Teaching of Nuclear Cardiology in Times of Pandemic: Transfer of a Case-based Interactive Course from Classroom to Distance Learning. <i>Nuklearmedizin - NuclearMedicine</i> , 2022, 61, 6-15.	0.3	1
384	Assessment of the lymphatic system by indirect lymphography in patients suffering from postthrombotic syndrome. <i>Journal of Vascular Surgery: Venous and Lymphatic Disorders</i> , 2022, , .	0.9	1
385	Perspectives on translational molecular imaging and therapy: an overview of key questions to be addressed. <i>EJNMMI Research</i> , 2022, 12, .	1.1	1
386	Models in memory research. <i>Methods</i> , 2008, 44, 287-288.	1.9	0
387	Molecular imaging provides a hint that Miller Fisher syndrome might involve the central nervous system. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 467-467.	0.9	0
388	91 poster: Investigating the Impact of the Highly Variable Lymphatic Drainage Pattern in Prostate Cancer Patients. <i>Radiotherapy and Oncology</i> , 2010, 94, S35.	0.3	0
389	Generation and imaging of patient customized implants. <i>Biomedizinische Technik</i> , 2012, 57, .	0.9	0
390	P.8.b.024 MAOA-VNTR polymorphism modulates context-dependent dopamine release and aggressive behaviour. <i>European Neuropsychopharmacology</i> , 2014, 24, S747.	0.3	0
391	A Practical One-Pot Synthesis of Positron Emission Tomography (PET) Tracers via Nickel-Mediated Radiofluorination. <i>ChemistryOpen</i> , 2015, 4, 395-395.	0.9	0
392	Cellular Uptake: Assessing the Intracellular Integrity of Phosphine-Stabilized Ultrasmall Cytotoxic Gold Nanoparticles Enabled by Fluorescence Labeling (Adv. Healthcare Mater. 24/2016). <i>Advanced Healthcare Materials</i> , 2016, 5, 3088-3088.	3.9	0
393	PO-0894: Comparing the spatial integrity of 7 T and 3 T MR images for image-guided radiotherapy of brain tumors. <i>Radiotherapy and Oncology</i> , 2017, 123, S492-S493.	0.3	0
394	626. Reward Learning and Dopamine Release in Adults with 22q11DS: A Study Using [18F]fallypride Positron Emission Tomography. <i>Biological Psychiatry</i> , 2017, 81, S253-S254.	0.7	0
395	Biological Evaluation of α -Tyrosine Labelled with $\text{fac-}[\text{99mTc}(\text{CO})_3] + \alpha$ para-OH-Coupled 2,3-Diaminopropionic Acid Based Chelator. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 1772-1777.	1.0	0
396	Female Patient with Simultaneous Occurrence of Subacute Thyroiditis and Focal Autonomy. <i>Nuklearmedizin - NuclearMedicine</i> , 2019, 58, 401-402.	0.3	0

#	ARTICLE	IF	CITATIONS
397	Proposal for greater balance and inclusion in ranking nuclear medicine journals. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1291-1292.	3.3	0
398	Potential for a theranostic approach targeting cancer associated fibroblasts. , 2021, , .		0
399	Malignant Melanoma: Localisation and Characterization Using Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography. , 2010, , 311-322.		0
400	Gedächtnis. , 2007, , 469-476.		0
401	Radionuclide tumor necrosis factor-alpha activity in herniated lumbar disc correlates with severe leg pain. , 2020, 11, 344.		0
402	Letter to the Editor: ^{18}F -FDOPA PET for the Noninvasive Prediction of Glioma Molecular Parameters: A Radiomics Study [J Nucl Med 2022; 63:147-157]. Journal of Nuclear Medicine, 2022, , jnumed.122.263837.	2.8	0
403	Pulmonary adenocarcinoma as a random finding in $(^{99\text{m}}\text{Tc})$ -MIBI parathyroid scintigraphy. Hellenic Journal of Nuclear Medicine, 2012, 15, 254-5.	0.2	0
404	Innenrücktitelbild: Tuning the Elasticity of Nanogels Improves Their Circulation Time by Evading Immune Cells (Angew. Chem. 20/2022). Angewandte Chemie, 2022, 134, .	1.6	0