
Leder Leal Xavier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5847923/publications.pdf Version: 2024-02-01



LENED LEAL XAVIED

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Rat Adipose-Derived Stromal Cells (ADSCs) Increases the Glioblastoma Growth and Decreases the Animal Survival. Stem Cell Reviews and Reports, 2022, 18, 1495-1509. | 3.8 | 4 |
| 2 | Contagious depression: Automatic mimicry and the mirror neuron system - A review. Neuroscience and Biobehavioral Reviews, 2022, 134, 104509. | 6.1 | 9 |
| 3 | Age-related tolerance to paraquat-induced parkinsonism in Drosophila melanogaster. Toxicology Letters, 2022, 361, 43-53. | 0.8 | 7 |
| 4 | The Foot Fault Scoring System to Assess Skilled Walking in Rodents: A Reliability Study. Frontiers in Behavioral Neuroscience, 2022, 16, 892010. | 2.0 | 6 |
| 5 | SARS-CoV-2 mutations in Brazil: from genomics to putative clinical conditions. Scientific Reports, 2021, 11, 11998. | 3.3 | 17 |
| 6 | Morphological and mechanical changes induced by quercetin in human T24 bladder cancer cells. Micron, 2021, 151, 103152. | 2.2 | 20 |
| 7 | Neuroprotective effect of ACTH on collagenase-induced peri-intraventricular hemorrhage in newborn male rats. Scientific Reports, 2020, 10, 17734. | 3.3 | 7 |
| 8 | Does Angiotensin II Peak in Response to SARS-CoV-2?. Frontiers in Immunology, 2020, 11, 577875. | 4.8 | 11 |
| 9 | Human leukocyte antigen-G polymorphisms in periodontitis. Acta Odontologica Scandinavica, 2020, 78, 141-145. | 1.6 | 3 |
| 10 | Octyl gallate induces hepatic steatosis in HepG2 cells through the regulation of SREBP-1c and PPAR-gamma gene expression. EXCLI Journal, 2020, 19, 962-971. | 0.7 | 2 |
| 11 | Selective brain neuronal and glial losses without changes in GFAP immunoreactivity: Young versus mature adult Wistar rats. Mechanisms of Ageing and Development, 2019, 182, 111128. | 4.6 | 4 |
| 12 | Increases in dendritic spine density in BLA without metabolic changes in a rodent model of PTSD. Brain Structure and Function, 2019, 224, 2857-2870. | 2.3 | 3 |
| 13 | Involvement of the Cholinergic Parameters and Glial Cells in Learning Delay Induced by Glutaric Acid: Protection by N-Acetylcysteine. Molecular Neurobiology, 2019, 56, 4945-4959. | 4.0 | 5 |
| 14 | Blockade of GluN2B-containing NMDA receptors reduces short-term brain damage induced by early-life status epilepticus. NeuroToxicology, 2019, 71, 138-149. | 3.0 | 13 |
| 15 | Dual influences of early life stress induced by limited bedding on walking adaptability and Bdnf/TrkB and Drd1/Drd2 gene expression in different mouse brain regions. Behavioural Brain Research, 2019, 359, 66-72. | 2.2 | 16 |
| 16 | Octyl gallate reduces ATP levels and Ki67 expression leading HepG2 cells to cell cycle arrest and mitochondria-mediated apoptosis. Toxicology in Vitro, 2018, 48, 11-25. | 2.4 | 21 |
| 17 | Can an aversive, extinction-resistant memory trigger impairments in walking adaptability? An experimental study using adult rats. Neuroscience Letters, 2018, 665, 224-228. | 2.1 | 5 |
| 18 | Remodeling of the number and structure of dendritic spines in the medial amygdala: From prepubertal sexual dimorphism to puberty and effect of sexual experience in male rats. European Journal of Neuroscience, 2018, 48, 1851-1865. | 2.6 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Glial fibrillary acidic protein levels are associated with global histone H4 acetylation after spinal cord injury in rats. Neural Regeneration Research, 2018, 13, 1945. | 3.0 | 10 |
| 20 | Ketamine promotes increased freezing behavior in rats with experimental PTSD without changing brain glucose metabolism or BDNF. Neuroscience Letters, 2017, 658, 6-11. | 2.1 | 16 |
| 21 | Effects of tannery wastewater exposure on adult Drosophila melanogaster. Environmental Science and Pollution Research, 2017, 24, 26387-26395. | 5.3 | 2 |
| 22 | An evaluation of aversive memory and hippocampal oxidative status in streptozotocin-induced diabetic rats treated with resveratrol. Neuroscience Letters, 2017, 636, 184-189. | 2.1 | 17 |
| 23 | Physical exercise reverses spatial memory deficit and induces hippocampal astrocyte plasticity in diabetic rats. Brain Research, 2017, 1655, 242-251. | 2.2 | 31 |
| 24 | Anisocoric pupil generated by azygos anterior cerebral artery: a case report. Journal of Morphological Sciences, 2017, 34, 016-018. | 0.2 | 0 |
| 25 | Biomechanical potential of the temporal muscle in brachyfacial and dolichofacial subjects: a study on dry mandibles. Orthodontics and Craniofacial Research, 2016, 19, 162-168. | 2.8 | 6 |
| 26 | Sulforaphane effects on postinfarction cardiac remodeling in rats: modulation of redox-sensitive prosurvival and proapoptotic proteins. Journal of Nutritional Biochemistry, 2016, 34, 106-117. | 4.2 | 25 |
| 27 | Experimental Post-traumatic Stress Disorder Decreases Astrocyte Density and Changes Astrocytic Polarity in the CA1 Hippocampus of Male Rats. Neurochemical Research, 2016, 41, 892-904. | 3.3 | 45 |
| 28 | It is Time for More Research into Umbilical Cord Stem Cells as a Potential Treatment in Neurological Diseases. British Journal of Medicine and Medical Research, 2016, 18, 1-9. | 0.2 | 0 |
| 29 | Similarities in the surface area/volume ratio in the fibers of the recurrent laryngeal nerve can explain the symmetry in the vocal fold mobility?. Medical Hypotheses, 2015, 85, 989-991. | 1.5 | Ο |
| 30 | Physical training improves non-spatial memory, locomotor skills and the blood brain barrier in diabetic rats. Brain Research, 2015, 1618, 75-82. | 2.2 | 35 |
| 31 | Antidepressant Effects of Ketamine Are Not Related to 18F-FDG Metabolism or Tyrosine Hydroxylase Immunoreactivity in the Ventral Tegmental Area of Wistar Rats. Neurochemical Research, 2015, 40, 1153-1164. | 3.3 | 13 |
| 32 | Skeletal muscle electrical stimulation improves baroreflex sensitivity and heart rate variability in heart failure rats. Autonomic Neuroscience: Basic and Clinical, 2015, 193, 92-96. | 2.8 | 13 |
| 33 | Astrocyte morphology after ischemic and hemorrhagic experimental stroke has no influence on the different recovery patterns. Behavioural Brain Research, 2015, 278, 257-261. | 2.2 | 31 |
| 34 | Relation Between the Conduction Velocity of Nerve Fibers, Microâ€anatomical Parameters and the Divine Proportion (Φ =1.618) ―A new Paradigm. FASEB Journal, 2015, 29, 703.9. | 0.5 | 0 |
| 35 | Sunitinib Improves Some Clinical Aspects and Reverts DMBA-Induced Hyperplasic Lesions in Hamster Buccal Pouch. ISRN Otolaryngology, 2014, 2014, 1-7. | 0.9 | 4 |
| 36 | New Therapy of Skin Repair Combining Adipose-Derived Mesenchymal Stem Cells with Sodium Carboxymethylcellulose Scaffold in a Pre-Clinical Rat Model. PLoS ONE, 2014, 9, e96241. | 2.5 | 55 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Sexual Dimorphism in the Histologic Organization of the Muscle Fibers in Human Tongue. Journal of Voice, 2014, 28, 424-429. | 1.5 | 4 |
| 38 | Effects of undernourishment, recurrent seizures and enriched environment during early life in hippocampal morphology. International Journal of Developmental Neuroscience, 2014, 33, 81-87. | 1.6 | 13 |
| 39 | Resveratrol prevents akinesia and restores neuronal tyrosine hydroxylase immunoreactivity in the substantia nigra pars compacta of diabetic rats. Brain Research, 2014, 1592, 101-112. | 2.2 | 10 |
| 40 | 072 — (SIM0179) Enriched environment attenuates some neuronal and glial morphological changes induced by undernourishment and seizures during early life. Epilepsy and Behavior, 2014, 38, 213. | 1.7 | 0 |
| 41 | Degree of myelination (g-ratio) of the human recurrent laryngeal nerve. European Archives of Oto-Rhino-Laryngology, 2014, 271, 1277-1281. | 1.6 | 12 |
| 42 | Physical exercise increases GFAP expression and induces morphological changes in hippocampal astrocytes. Brain Structure and Function, 2014, 219, 293-302. | 2.3 | 103 |
| 43 | Effect of prior exercise training and myocardial infarction-induced heart failure on the neuronal and glial densities and the GFAP-immunoreactivity in the posterodorsal medial amygdala of rats. Histology and Histopathology, 2014, 29, 1423-35. | 0.7 | 8 |
| 44 | Physical exercise down-regulated locomotor side effects induced by haloperidol treatment in Wistar rats. Pharmacology Biochemistry and Behavior, 2013, 104, 113-118. | 2.9 | 16 |
| 45 | Plasma cytokines levels in aggressive and chronic periodontitis. Acta Odontologica Scandinavica, 2013, 71, 683-688. | 1.6 | 18 |
| 46 | Morphologic Evaluation of the Fetal Recurrent Laryngeal Nerve and Motor Units in the Thyroarytenoid Muscle. Journal of Voice, 2013, 27, 668-673. | 1.5 | 2 |
| 47 | Sexual Dimorphism in the Human Vocal Fold Innervation. Journal of Voice, 2013, 27, 267-272. | 1.5 | 5 |
| 48 | Low-level laser therapy improves the inflammatory profile of rats with heart failure. Lasers in Medical Science, 2013, 28, 1007-1016. | 2.1 | 41 |
| 49 | Cellular components of the human medial amygdaloid nucleus. Journal of Comparative Neurology, 2013, 521, 589-611. | 1.6 | 22 |
| 50 | Morphology of Fetal Vocal Fold and Associated Structures. Journal of Voice, 2013, 27, 5-10. | 1.5 | 9 |
| 51 | Behavior outcome after ischemic and hemorrhagic stroke, with similar brain damage, in rats. Behavioural Brain Research, 2013, 244, 82-89. | 2.2 | 39 |
| 52 | Two intrathecal transplants of bone marrow mononuclear cells produce motor improvement in an acute and severe model of spinal cord injury. Coluna/ Columna, 2013, 12, 274-277. | 0.2 | 4 |
| 53 | N-Acetylcysteine Prevents Spatial Memory Impairment Induced by Chronic Early Postnatal Glutaric Acid and Lipopolysaccharide in Rat Pups. PLoS ONE, 2013, 8, e78332. | 2.5 | 27 |
| 54 | Histological Organization is Similar in Human Vocal Muscle and Tongue—A Study of Muscles and Nerves. Journal of Voice, 2012, 26, 811.e19-811.e26. | 1.5 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Exercise alleviates hypoalgesia and increases the level of calcitonin gene-related peptide in the dorsal horn of the spinal cord of diabetic rats. Clinics, 2012, 67, 1087-1091. | 1.5 | 3 |
| 56 | Morphofunctional analysis of sciatic nerve and motor performance of rats after cryotherapy with liquid nitrogen. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2012, 113, 319-326. | 0.4 | 2 |
| 57 | Histological Asymmetry of the Human Recurrent Laryngeal Nerve. Journal of Voice, 2011, 25, 8-14. | 1.5 | 19 |
| 58 | Thermographic evaluation of hind paw skin temperature and functional recovery of locomotion after sciatic nerve crush in rats. Clinics, 2011, 66, 1259-1266. | 1.5 | 13 |
| 59 | Neuromuscular electrical stimulation improves GLUT-4 and morphological characteristics of skeletal muscle in rats with heart failure. Acta Physiologica, 2011, 201, 265-273. | 3.8 | 8 |
| 60 | Treadmill training improves motor skills and increases tyrosine hydroxylase immunoreactivity in the substantia nigra pars compacta in diabetic rats. Brain Research, 2011, 1382, 173-180. | 2.2 | 20 |
| 61 | Effects of physical exercise on spatial memory and astroglial alterations in the hippocampus of diabetic rats. Metabolic Brain Disease, 2011, 26, 269-279. | 2.9 | 56 |
| 62 | Validation of cofilin-1 as a biomarker in non-small cell lung cancer: application of quantitative method in a retrospective cohort. Journal of Cancer Research and Clinical Oncology, 2011, 137, 1309-1316. | 2.5 | 29 |
| 63 | The role of calcium channel blockers and resveratrol in the prevention of paraquat-induced parkinsonism in Drosophila melanogaster: a locomotor analysis. Invertebrate Neuroscience, 2011, 11, 43-51. | 1.8 | 21 |
| 64 | Respiratory muscle training improves hemodynamics, autonomic function, baroreceptor sensitivity, and respiratory mechanics in rats with heart failure. Journal of Applied Physiology, 2011, 111, 1664-1670. | 2.5 | 45 |
| 65 | Acetylcholinesterase inhibition in cognition-relevant brain areas of mice treated with a nootropic Amazonian herbal (Marapuama). Phytomedicine, 2010, 17, 956-962. | 5.3 | 18 |
| 66 | A novel preclinical rodent model of collagenase-induced germinal matrix/intraventricular hemorrhage. Brain Research, 2010, 1356, 130-138. | 2.2 | 38 |
| 67 | Lesion of the subthalamic nucleus reverses motor deficits but not death of nigrostriatal dopaminergic neurons in a rat 6-hydroxydopamine-lesion model of Parkinson's disease. Brazilian Journal of Medical and Biological Research, 2010, 43, 85-95. | 1.5 | 23 |
| 68 | Evaluation of chronic omega-3 fatty acids supplementation on behavioral and neurochemical alterations in 6-hydroxydopamine-lesion model of Parkinson's disease. Neuroscience Research, 2010, 66, 256-264. | 1.9 | 52 |
| 69 | Prevention of seizures and reorganization of hippocampal functions by transplantation of bone marrow cells in the acute phase of experimental epilepsy. Seizure: the Journal of the British Epilepsy Association, 2010, 19, 84-92. | 2.0 | 54 |
| 70 | Hemispheric Brain Injury and Behavioral Deficits Induced by Severe Neonatal Hypoxia-Ischemia in Rats Are Not Attenuated by Intravenous Administration of Human Umbilical Cord Blood Cells. Pediatric Research, 2009, 65, 631-635. | 2.3 | 81 |
| 71 | Morphological changes in hippocampal astrocytes induced by environmental enrichment in mice. Brain Research, 2009, 1274, 47-54. | 2.2 | 95 |
| 72 | Sex differences in NADPH-diaphorase activity in the rat posterodorsal medial amygdala. Brain Research, 2009, 1305, 31-39. | 2.2 | 3 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | NADPH-diaphorase activity in the nociceptive pathways of land snail Megalobulimus abbreviatus: the involvement of pedal ganglia. Invertebrate Neuroscience, 2009, 9, 155-165. | 1.8 | 6 |
| 74 | Evaluation of Estrogen Neuroprotective Effect on Nigrostriatal Dopaminergic Neurons Following 6-Hydroxydopamine Injection into the Substantia Nigra Pars Compacta or the Medial Forebrain Bundle. Neurochemical Research, 2008, 33, 1238-1246. | 3.3 | 31 |
| 75 | Endurance and Resistance Exercise Training Programs Elicit Specific Effects on Sciatic Nerve Regeneration After Experimental Traumatic Lesion in Rats. Neurorehabilitation and Neural Repair, 2008, 22, 355-366. | 2.9 | 97 |
| 76 | Neuronal somatic volume of posteroventral medial amygdala cells from males and across the estrous cycle of female rats. Neuroscience Letters, 2007, 420, 110-115. | 2.1 | 12 |
| 77 | Plastic changes induced by neonatal handling in the hypothalamus of female rats. Brain Research, 2007, 1170, 20-30. | 2.2 | 36 |
| 78 | Early handling, but not maternal separation, decreases emotional responses in two paradigms of fear without changes in mesolimbic dopamine. Behavioural Brain Research, 2006, 166, 241-246. | 2.2 | 58 |
| 79 | Influence of sex and estrous cycle, but not laterality, on the neuronal somatic volume of the posterodorsal medial amygdala of rats. Neuroscience Letters, 2006, 405, 153-158. | 2.1 | 41 |
| 80 | Gonadal hormone regulation of glial fibrillary acidic protein immunoreactivity in the medial amygdala subnuclei across the estrous cycle and in castrated and treated female rats. Brain Research, 2006, 1108, 117-126. | 2.2 | 38 |
| 81 | Serotonergic immunoreactivity in the pedal ganglia of the pulmonate snail Megalobulimus abbreviatus after thermal stimulus: A semi-quantitative analysis. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2005, 141, 230-238. | 1.8 | 7 |
| 82 | The terrestrial Gastropoda Megalobulimus abbreviatus as a useful model for nociceptive experiments: effects of morphine and naloxone on thermal avoidance behavior. Brazilian Journal of Medical and Biological Research, 2005, 38, 73-80. | 1.5 | 21 |
| 83 | A simple and fast densitometric method for the analysis of tyrosine hydroxylase immunoreactivity in the substantia nigra pars compacta and in the ventral tegmental area. Brain Research Protocols, 2005, 16, 58-64. | 1.6 | 157 |
| 84 | Tactile stimulation and maternal separation prevent hippocampal damage in rats submitted to neonatal hypoxia–ischemia. Brain Research, 2004, 1002, 94-99. | 2.2 | 50 |
| 85 | Somatostatin-, calcitonin gene-related peptide, and γ-aminobutyric acid-like immunoreactivitity in the frog lumbosacral spinal cord: distribution and effects of sciatic nerve transection. Comparative Biochemistry and Molecular Biology, 2004, 138, 19-28. | 1.6 | 6 |
| 86 | Failure of estrogen to protect the substantia nigra pars compacta of female rats from lesion induced by 6-hydroxydopamine. Brain Research, 2003, 986, 200-205. | 2.2 | 35 |
| 87 | Substance P immunoreactivity in the lumbar spinal cord of the turtle Trachemys dorbigni following peripheral nerve injury. Brazilian Journal of Medical and Biological Research, 2003, 36, 515-520. | 1.5 | 7 |
| 88 | Sciatic nerve transection decrease substance P immunoreactivity in the lumbosacral spinal cord of the frog (Rana catesbeiana). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2002, 131, 807-814. | 1.6 | 11 |
| 89 | Glial fibrillary acidic protein immunodetection and immunoreactivity in the anterior and posterior medial amygdala of male and female rats. Brain Research Bulletin, 2002, 58, 67-75. | 3.0 | 44 |
| 90 | Distribution of glycogen phosphorylase and cytochrome oxidase in the central nervous system of the turtle Trachemys dorbigni. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 1999, 124, 113-122. | 1.8 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | The Golden Ratio and Michelangelo´s Influence in Gaspar Becerra`s Flayed Man. Journal of Morphological Sciences, 0, 38, 57-61. | 0.2 | 0 |