

# Eddie A James

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5849845/eddie-a-james-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133  
papers

4,845  
citations

38  
h-index

65  
g-index

163  
ext. papers

6,150  
ext. citations

7.4  
avg, IF

5.42  
L-index

#	Paper	IF	Citations
133	Defining inflammatory cell states in rheumatoid arthritis joint synovial tissues by integrating single-cell transcriptomics and mass cytometry. <i>Nature Immunology</i> , <b>2019</b> , 20, 928-942	19.1	369
132	Expanding antigen-specific regulatory networks to treat autoimmunity. <i>Nature</i> , <b>2016</b> , 530, 434-40	50.4	304
131	Analysis of self-antigen specificity of islet-infiltrating T cells from human donors with type 1 diabetes. <i>Nature Medicine</i> , <b>2016</b> , 22, 1482-1487	50.5	178
130	Memory T cells in latent Mycobacterium tuberculosis infection are directed against three antigenic islands and largely contained in a CXCR3+CCR6+ Th1 subset. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003130	7.6	169
129	Synovial fibroblast-neutrophil interactions promote pathogenic adaptive immunity in rheumatoid arthritis. <i>Science Immunology</i> , <b>2017</b> , 2,	28	134
128	Citrulline-specific Th1 cells are increased in rheumatoid arthritis and their frequency is influenced by disease duration and therapy. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 1712-22	9.5	132
127	Differentiation stage determines pathologic and protective allergen-specific CD4+ T-cell outcomes during specific immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , <b>2012</b> , 129, 544-51, 551.e1-7	11.5	121
126	Healthy human subjects have CD4+ T cells directed against H5N1 influenza virus. <i>Journal of Immunology</i> , <b>2008</b> , 180, 1758-68	5.3	109
125	Production and characterization of biologically active human GM-CSF secreted by genetically modified plant cells. <i>Protein Expression and Purification</i> , <b>2000</b> , 19, 131-8	2	107
124	Recognition of posttranslationally modified GAD65 epitopes in subjects with type 1 diabetes. <i>Diabetes</i> , <b>2014</b> , 63, 3033-40	0.9	103
123	Ara h 1-reactive T cells in individuals with peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , <b>2011</b> , 127, 1211-8.e3	11.5	100
122	Autoreactive T cells specific for insulin B:11-23 recognize a low-affinity peptide register in human subjects with autoimmune diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 14840-5	11.5	87
121	Assessment of seasonal influenza A virus-specific CD4 T-cell responses to 2009 pandemic H1N1 swine-origin influenza A virus. <i>Journal of Virology</i> , <b>2010</b> , 84, 3312-9	6.6	86
120	Frequency of epitope-specific naive CD4(+) T cells correlates with immunodominance in the human memory repertoire. <i>Journal of Immunology</i> , <b>2012</b> , 188, 2537-44	5.3	85
119	Islet-specific glucose-6-phosphatase catalytic subunit-related protein-reactive CD4+ T cells in human subjects. <i>Journal of Immunology</i> , <b>2006</b> , 176, 2781-9	5.3	85
118	Specific immunotherapy modifies allergen-specific CD4(+) T-cell responses in an epitope-dependent manner. <i>Journal of Allergy and Clinical Immunology</i> , <b>2014</b> , 133, 872-9.e7	11.5	83
117	Antigen-Specific CD4 + T Cells Recognize Epitopes of Protective Antigen following Vaccination with an Anthrax Vaccine. <i>Infection and Immunity</i> , <b>2007</b> , 75, 4670-4670	3.7	78

116	HLA-DR1001 presents "altered-self" peptides derived from joint-associated proteins by accepting citrulline in three of its binding pockets. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2909-18		75
115	Regulatory CD4 T Cells Recognize Major Histocompatibility Complex Class II Molecule-Restricted Peptide Epitopes of Apolipoprotein B. <i>Circulation</i> , <b>2018</b> , 138, 1130-1143	16.7	71
114	MHC II tetramers visualize human CD4+ T cell responses to Epstein-Barr virus infection and demonstrate atypical kinetics of the nuclear antigen EBNA1 response. <i>Journal of Experimental Medicine</i> , <b>2013</b> , 210, 933-49	16.6	69
113	Dissecting mechanisms of immunodominance to the common tuberculosis antigens ESAT-6, CFP10, Rv2031c (hspX), Rv2654c (TB7.7), and Rv1038c (EsxJ). <i>Journal of Immunology</i> , <b>2012</b> , 188, 5020-31	5.3	67
112	Cell ER stress and the implications for immunogenicity in type 1 diabetes. <i>Frontiers in Cell and Developmental Biology</i> , <b>2015</b> , 3, 67	5.7	66
111	Direct ex vivo analysis of allergen-specific CD4+ T cells. <i>Journal of Allergy and Clinical Immunology</i> , <b>2010</b> , 125, 1407-1409.e1	11.5	64
110	T-cell responses over time in a mild hemophilia A inhibitor subject: epitope identification and transient immunogenicity of the corresponding self-peptide. <i>Journal of Thrombosis and Haemostasis</i> , <b>2007</b> , 5, 2399-407	15.4	64
109	Yellow fever vaccination elicits broad functional CD4+ T cell responses that recognize structural and nonstructural proteins. <i>Journal of Virology</i> , <b>2013</b> , 87, 12794-804	6.6	62
108	Characterization of CD4+ T cell subsets in allergy. <i>Current Opinion in Immunology</i> , <b>2012</b> , 24, 700-6	7.8	60
107	Autoreactive CD8+ T cell exhaustion distinguishes subjects with slow type 1 diabetes progression. <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 480-490	15.9	59
106	Immune Recognition of T Cells: Neoepitopes as Key Players in the Loss of Tolerance. <i>Diabetes</i> , <b>2018</b> , 67, 1035-1042	0.9	54
105	Lineages of human T-cell clones, including T helper 17/T helper 1 cells, isolated at different stages of anti-factor VIII immune responses. <i>Blood</i> , <b>2009</b> , 114, 1423-8	2.2	53
104	T cell epitopes and post-translationally modified epitopes in type 1 diabetes. <i>Current Diabetes Reports</i> , <b>2015</b> , 15, 90	5.6	52
103	Tetramer-guided epitope mapping reveals broad, individualized repertoires of tetanus toxin-specific CD4+ T cells and suggests HLA-based differences in epitope recognition. <i>International Immunology</i> , <b>2007</b> , 19, 1291-301	4.9	48
102	Immune recognition of citrullinated epitopes. <i>Immunology</i> , <b>2016</b> , 149, 131-8	7.8	47
101	Multiplex mapping of CD4 T cell epitopes using class II tetramers. <i>Clinical Immunology</i> , <b>2006</b> , 120, 21-32	9	47
100	Efficient ex vivo analysis of CD4+ T-cell responses using combinatorial HLA class II tetramer staining. <i>Nature Communications</i> , <b>2016</b> , 7, 12614	17.4	46
99	CD4+ T cells from type 1 diabetic and healthy subjects exhibit different thresholds of activation to a naturally processed proinsulin epitope. <i>Journal of Autoimmunity</i> , <b>2008</b> , 31, 30-41	15.5	46

98	Neutrophil extracellular traps mediate articular cartilage damage and enhance cartilage component immunogenicity in rheumatoid arthritis. <i>JCI Insight</i> , <b>2020</b> , 5,	9.9	40
97	T-cell responses in two unrelated hemophilia A inhibitor subjects include an epitope at the factor VIII R593C missense site. <i>Journal of Thrombosis and Haemostasis</i> , <b>2011</b> , 9, 689-99	15.4	38
96	HLA-DR-restricted T-cell responses to factor VIII epitopes in a mild haemophilia A family with missense substitution A2201P. <i>Haemophilia</i> , <b>2010</b> , 16, 44-55	3.3	38
95	CD4+ T cells recognize unique and conserved 2009 H1N1 influenza hemagglutinin epitopes after natural infection and vaccination. <i>International Immunology</i> , <b>2013</b> , 25, 447-57	4.9	37
94	Functional islet-specific Treg can be generated from CD4+CD25- T cells of healthy and type 1 diabetic subjects. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 612-20	6.1	37
93	Factor VIII gene variants and inhibitor risk in African American hemophilia A patients. <i>Blood</i> , <b>2015</b> , 126, 895-904	2.2	36
92	T cell immunity to Zika virus targets immunodominant epitopes that show cross-reactivity with other Flaviviruses. <i>Scientific Reports</i> , <b>2018</b> , 8, 672	4.9	35
91	Modifying Enzymes Are Elicited by ER Stress, Generating Epitopes That Are Selectively Recognized by CD4 T Cells in Patients With Type 1 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 1356-1368	0.9	34
90	The anthrax vaccine adsorbed vaccine generates protective antigen (PA)-Specific CD4+ T cells with a phenotype distinct from that of naive PA T cells. <i>Infection and Immunity</i> , <b>2008</b> , 76, 4538-45	3.7	32
89	Increased production and recovery of secreted foreign proteins from plant cell cultures using an affinity chromatography bioreactor. <i>Biochemical Engineering Journal</i> , <b>2002</b> , 12, 205-213	4.2	32
88	Functional and Structural Characterization of a Novel HLA-DRB1*04:01-Restricted $\alpha$ -Enolase T Cell Epitope in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , <b>2016</b> , 7, 494	8.4	32
87	Citrullinated Aggrecan Epitopes as Targets of Autoreactive CD4+ T Cells in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 518-528	9.5	32
86	CD4+ T cells recognize diverse epitopes within GAD65: implications for repertoire development and diabetes monitoring. <i>Immunology</i> , <b>2013</b> , 138, 269-79	7.8	31
85	Inflammation-Induced Citrullinated Glucose-Regulated Protein 78 Elicits Immune Responses in Human Type 1 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 2337-2348	0.9	31
84	Beta cell-specific CD8 T cells maintain stem cell memory-associated epigenetic programs during type 1 diabetes. <i>Nature Immunology</i> , <b>2020</b> , 21, 578-587	19.1	29
83	Standardizing T-Cell Biomarkers in Type 1 Diabetes: Challenges and Recent Advances. <i>Diabetes</i> , <b>2019</b> , 68, 1366-1379	0.9	29
82	Assessment of CD4+ T cell responses to glutamic acid decarboxylase 65 using DQ8 tetramers reveals a pathogenic role of GAD65 121-140 and GAD65 250-266 in T1D development. <i>PLoS ONE</i> , <b>2014</b> , 9, e112882	3.7	28
81	T-Cell Epitopes and Neo-epitopes in Type 1 Diabetes: A Comprehensive Update and Reappraisal. <i>Diabetes</i> , <b>2020</b> , 69, 1311-1335	0.9	27

80	Uveitis-associated epitopes of retinal antigens are pathogenic in the humanized mouse model of uveitis and identify autoaggressive T cells. <i>Journal of Immunology</i> , <b>2011</b> , 187, 1977-85	5.3	27
79	Antigen-specific CD4+ T cells recognize epitopes of protective antigen following vaccination with an anthrax vaccine. <i>Infection and Immunity</i> , <b>2007</b> , 75, 1852-60	3.7	27
78	Grass-specific CD4(+) T-cells exhibit varying degrees of cross-reactivity, implications for allergen-specific immunotherapy. <i>Clinical and Experimental Allergy</i> , <b>2014</b> , 44, 986-98	4.1	26
77	Lack of allergy to timothy grass pollen is not a passive phenomenon but associated with the allergen-specific modulation of immune reactivity. <i>Clinical and Experimental Allergy</i> , <b>2016</b> , 46, 705-19	4.1	25
76	Memory T cells specific to citrullinated Enolase are enriched in the rheumatic joint. <i>Journal of Autoimmunity</i> , <b>2018</b> , 92, 47-56	15.5	25
75	Searching immunodominant epitopes prior to epidemic: HLA class II-restricted SARS-CoV spike protein epitopes in unexposed individuals. <i>International Immunology</i> , <b>2009</b> , 21, 63-71	4.9	24
74	Loss and recovery of protein productivity in genetically modified plant cell lines. <i>Plant Cell Reports</i> , <b>2006</b> , 25, 723-7	5.1	23
73	The effect of immobilization on recombinant protein production in plant cell culture. <i>Plant Cell Reports</i> , <b>2001</b> , 20, 562-566	5.1	23
72	Identification of Unique Antigenic Determinants in the Amino Terminus of IA-2 (ICA512) in Childhood and Adult Autoimmune Diabetes: New Biomarker Development. <i>Diabetes Care</i> , <b>2017</b> , 40, 561-568	14.6	22
71	A Novel HLA-DRB1*10:01-Restricted T Cell Epitope From Citrullinated Type II Collagen Relevant to Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2016</b> , 68, 1124-35	9.5	22
70	The binding of antigenic peptides to HLA-DR is influenced by interactions between pocket 6 and pocket 9. <i>Journal of Immunology</i> , <b>2009</b> , 183, 3249-58	5.3	22
69	Neuroinvasive West Nile Infection Elicits Elevated and Atypically Polarized T Cell Responses That Promote a Pathogenic Outcome. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005375	7.6	21
68	CD8+ suppressor-mediated regulation of human CD4+ T cell responses to glutamic acid decarboxylase 65. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 78-86	6.1	20
67	Central T cell tolerance: Identification of tissue-restricted autoantigens in the thymus HLA-DR peptidome. <i>Journal of Autoimmunity</i> , <b>2015</b> , 60, 12-9	15.5	19
66	Human Leukocyte Antigen (HLA)-DRB1*15:01 and HLA-DRB5*01:01 Present Complementary Peptide Repertoires. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 984	8.4	19
65	Immunology of Diabetes Society T-Cell Workshop: HLA class I tetramer-directed epitope validation initiative T-Cell Workshop Report-HLA Class I Tetramer Validation Initiative. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 720-6	7.5	19
64	Proinflammatory Histidyl-Transfer RNA Synthetase-Specific CD4+ T Cells in the Blood and Lungs of Patients With Idiopathic Inflammatory Myopathies. <i>Arthritis and Rheumatology</i> , <b>2020</b> , 72, 179-191	9.5	19
63	Primary EBV Infection Induces an Acute Wave of Activated Antigen-Specific Cytotoxic CD4 T Cells. <i>Journal of Immunology</i> , <b>2019</b> , 203, 1276-1287	5.3	18

62	Immunology of Diabetes Society T-Cell Workshop: HLA class II tetramer-directed epitope validation initiative. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 727-36	7.5	18
61	Comparison of cryopreservation methods on T-cell responses to islet and control antigens from type 1 diabetic patients and controls. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 737-45	7.5	18
60	Visualizing antigen specific CD4+ T cells using MHC class II tetramers. <i>Journal of Visualized Experiments</i> , <b>2009</b> ,	1.6	18
59	T cells from hemophilia A subjects recognize the same HLA-restricted FVIII epitope with a narrow TCR repertoire. <i>Blood</i> , <b>2016</b> , 128, 2043-2054	2.2	18
58	Hybrid Insulin Peptides Are Recognized by Human T Cells in the Context of DRB1*04:01. <i>Diabetes</i> , <b>2020</b> , 69, 1492-1502	0.9	17
57	The production of foreign proteins from genetically modified plant cells. <i>Advances in Biochemical Engineering/Biotechnology</i> , <b>2001</b> , 72, 127-56	1.7	17
56	Modulation of CRTh2 expression on allergen-specific T cells following peptide immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2019</b> , 74, 2157-2166	9.3	16
55	Reassessing the role of HLA-DRB3 T-cell responses: evidence for significant expression and complementary antigen presentation. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 91-102	6.1	16
54	Peptide-MHC cellular microarray with innovative data analysis system for simultaneously detecting multiple CD4 T-cell responses. <i>PLoS ONE</i> , <b>2010</b> , 5, e11355	3.7	15
53	Human CD8+ and CD4+ T cell memory to lymphocytic choriomeningitis virus infection. <i>Journal of Virology</i> , <b>2011</b> , 85, 11770-80	6.6	15
52	Papillomavirus-specific CD4+ T cells exhibit reduced STAT-5 signaling and altered cytokine profiles in patients with recurrent respiratory papillomatosis. <i>Journal of Immunology</i> , <b>2011</b> , 186, 6633-40	5.3	14
51	Nasal allergen challenge and environmental exposure chamber challenge: A randomized trial comparing clinical and biological responses to cat allergen. <i>Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 145, 1585-1597	11.5	13
50	Differences in self-peptide binding between T1D-related susceptible and protective DR4 subtypes. <i>Journal of Autoimmunity</i> , <b>2011</b> , 36, 155-60	15.5	13
49	Definition of the peptide binding motif within DRB1*1401 restricted epitopes by peptide competition and structural modeling. <i>Molecular Immunology</i> , <b>2008</b> , 45, 2651-9	4.3	13
48	FVIII proteins with a modified immunodominant T-cell epitope exhibit reduced immunogenicity and normal FVIII activity. <i>Blood Advances</i> , <b>2018</b> , 2, 309-322	7.8	13
47	Human CD4 T Cells Specific for Merkel Cell Polyomavirus Localize to Merkel Cell Carcinomas and Target a Required Oncogenic Domain. <i>Cancer Immunology Research</i> , <b>2019</b> , 7, 1727-1739	12.5	12
46	Peanut-specific T cell responses in patients with different clinical reactivity. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204639	3.9	12
45	Antigen-specific immunomodulation for type 1 diabetes by novel recombinant antibodies directed against diabetes-associated auto-reactive T cell epitope. <i>Journal of Autoimmunity</i> , <b>2013</b> , 47, 83-93	15.5	11

44	Restricted myeloperoxidase epitopes drive the adaptive immune response in MPO-ANCA vasculitis. <i>Journal of Autoimmunity</i> , <b>2020</b> , 106, 102306	15.5	11
43	A Comparative Analysis of the Peptide Repertoires of HLA-DR Molecules Differentially Associated With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , <b>2016</b> , 68, 2412-21	9.5	10
42	Differential binding of pyruvate dehydrogenase complex-E2 epitopes by DRB1*08:01 and DRB1*11:01 is predicted by their structural motifs and correlates with disease risk. <i>Journal of Immunology</i> , <b>2013</b> , 190, 4516-24	5.3	10
41	Low-affinity major histocompatibility complex-binding peptides in type 1 diabetes. <i>Diabetes</i> , <b>2008</b> , 57, 1788-9	0.9	10
40	The Role of Cell Stress and Neo-Epitopes in the Immunopathology of Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 624590	5.7	10
39	Combinatorial detection of autoreactive CD8 T cells with HLA-A2 multimers: a multi-centre study by the Immunology of Diabetes Society T Cell Workshop. <i>Diabetologia</i> , <b>2018</b> , 61, 658-670	10.3	10
38	Discriminative T cell recognition of cross-reactive islet-antigens is associated with HLA-DQ8 transdimer-mediated autoimmune diabetes. <i>Science Advances</i> , <b>2019</b> , 5, eaaw9336	14.3	9
37	Analysis of pancreatic beta cell specific CD4+ T cells reveals a predominance of proinsulin specific cells. <i>Cellular Immunology</i> , <b>2019</b> , 335, 68-75	4.4	9
36	DRB4*01:01 Has a Distinct Motif and Presents a Proinsulin Epitope That Is Recognized in Subjects with Type 1 Diabetes. <i>Journal of Immunology</i> , <b>2018</b> , 201, 3524-3533	5.3	9
35	Shared recognition of citrullinated tenascin-C peptides by T and B cells in rheumatoid arthritis. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	8
34	Increased islet antigen-specific regulatory and effector CD4 T cells in healthy individuals with the type 1 diabetes-protective haplotype. <i>Science Immunology</i> , <b>2020</b> , 5,	28	7
33	A composite immune signature parallels disease progression across T1D subjects. <i>JCI Insight</i> , <b>2019</b> , 4,	9.9	7
32	Rapid identification and expression of human TCRs in retrogenic mice. <i>Journal of Immunological Methods</i> , <b>2016</b> , 439, 29-36	2.5	6
31	Ara h 1 Peptide Immunotherapy Ameliorates Peanut-Induced Anaphylaxis. <i>Journal of Allergy and Clinical Immunology</i> , <b>2015</b> , 135, AB158	11.5	6
30	DRB1*12:01 presents a unique subset of epitopes by preferring aromatics in pocket 9. <i>Molecular Immunology</i> , <b>2012</b> , 50, 26-34	4.3	6
29	H5N1 strain-specific hemagglutinin CD4+ T cell epitopes restricted by HLA DR4. <i>Vaccine</i> , <b>2009</b> , 27, 3862-71	7.1	6
28	Impaired HA-specific T follicular helper cell and antibody responses to influenza vaccination are linked to inflammation in humans. <i>ELife</i> , <b>2021</b> , 10,	8.9	6
27	An improved optical technique for monitoring plant cell concentration. <i>Plant Cell Reports</i> , <b>2000</b> , 19, 283-85	3.85	5

26	Ontogeny of different subsets of yellow fever virus-specific circulatory CXCR5 CD4 T cells after yellow fever vaccination. <i>Scientific Reports</i> , <b>2020</b> , 10, 15686	4.9	5
25	HLA autoimmune risk alleles restrict the hypervariable region of T cell receptors		4
24	Escherichiacoli-Specific CD4+ T Cells Have Public T-Cell Receptors and Low Interleukin 10 Production in Crohn's Disease. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2020</b> , 10, 507-526	7.9	2
23	Enolase specific T cells in rheumatoid arthritis B MHC class II tetramer approach. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A33.3-A34	2.4	2
22	Characterization of Human CD4 T Cells Specific for a C-Peptide/C-Peptide Hybrid Insulin Peptide. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 668680	8.4	2
21	Means, Motive, and Opportunity: Do Non-Islet-Reactive Infiltrating T Cells Contribute to Autoimmunity in Type 1 Diabetes?. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 683091	8.4	2
20	SAT0082 ASSOCIATIONS OF BASELINE CLINICAL AND BIOMARKER FACTORS WITH SYMPTOMS AND FUTURE DEVELOPMENT OF CLINICALLY-APPARENT RHEUMATOID ARTHRITIS IN AN ACPA POSITIVE COHORT <b>2019</b> ,		2
19	Non-Genetically Encoded Epitopes Are Relevant Targets in Autoimmune Diabetes. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	2
18	A Novel Approach of Identifying Immunodominant Self and Viral Antigen Cross-Reactive T Cells and Defining the Epitopes They Recognize. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2811	8.4	2
17	Streamlined Single Cell TCR Isolation and Generation of Retroviral Vectors for In Vitro and In Vivo Expression of Human TCRs. <i>Journal of Visualized Experiments</i> , <b>2017</b> ,	1.6	1
16	HLA-DRB1*1101-Restricted T Cells from Two Unrelated Mild Hemophilia a Inhibitor Subjects with Missense Genotype R593C Respond to the Same Minimal Epitope.. <i>Blood</i> , <b>2008</b> , 112, 1212-1212	2.2	1
15	Factor VIII Proteins Having a Rationally Modified, Immunodominant T-Cell Epitope Demonstrate Normal Procoagulant Activity, Bind To VWF With High Affinity, and Are Markedly Less Stimulatory To FVIII-Specific Human T Cells. <i>Blood</i> , <b>2013</b> , 122, 574-574	2.2	1
14	Impaired HA-specific T follicular helper cell and antibody responses to influenza vaccination are linked to inflammation in humans		1
13	Direct Analysis of Insulin-Specific T Cells Provides New Insights. <i>Diabetes</i> , <b>2017</b> , 66, 2940-2941	0.9	0
12	Citrullination of glucokinase is linked to autoimmune diabetes.. <i>Nature Communications</i> , <b>2022</b> , 13, 1870	17.4	0
11	P-187 Identification and Characterization of E.coli Outer Membrane Protein C (OmpC)-specific T Cells Using MHC Class II Tetramers. <i>Inflammatory Bowel Diseases</i> , <b>2013</b> , 19, S100	4.5	
10	Response to Comment on Frequency of Epitope-Specific Naive CD4+ T Cells Correlates with Immunodominance in the Human Memory Repertoire <i>Journal of Immunology</i> , <b>2012</b> , 188, 5206-5206	5.3	
9	Application of image analysis for precise, noninvasive measurement of plant culture growth. <i>Korean Journal of Chemical Engineering</i> , <b>2004</b> , 21, 195-200	2.8	



8	287-OR: TCR/HLA Humanized Mice Reveal Reduced Tolerance and Increased Immunogenicity of Posttranslationally Modified GAD65 Epitope. <i>Diabetes</i> , <b>2020</b> , 69, 287-OR	0.9
7	T cell recognition of neoepitopes in autoimmunity <b>2022</b> , 47-59	
6	Screening for Potential HLA-DRB1-Restricted T-Cell Epitopes in Factor VIII Using Peptide Microarrays. <i>Blood</i> , <b>2014</b> , 124, 1506-1506	2.2
5	Factor VIII Gene Variants and Inhibitor Risk in African American Hemophilia a Patients. <i>Blood</i> , <b>2014</b> , 124, 235-235	2.2
4	PBMCs from Hemophilia a Subjects with and without an Inhibitor Show Robust Cytokine Secretion in Response to Factor VIII C2 Domain Epitopes. <i>Blood</i> , <b>2015</b> , 126, 2291-2291	2.2
3	Antigen Deimination in Human Type 1 Diabetes and Nonobese Diabetic Mice <b>2017</b> , 173-189	
2	Sequence-Modified Factor VIII Variants Having Reduced Immunogenicity. <i>Blood</i> , <b>2012</b> , 120, 39-39	2.2
1	12-OR: Metabolic Effects of Two Oral Insulin Dosing Regimens in Individuals at High Risk for Type 1 Diabetes (T1D). <i>Diabetes</i> , <b>2021</b> , 70, 12-OR	0.9