## Yahdiana Harahap

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5849950/publications.pdf

Version: 2024-02-01

		1162889	1058333
50	260	8	14
papers	citations	h-index	g-index
51	51	51	362
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Simultaneous quantification of losartan and active metabolite in human plasma by liquid chromatography–tandem mass spectrometry using irbesartan as internal standard. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 862-867.	1.4	37
2	<p>Analysis of the Doxorubicin and Doxorubicinol in the Plasma of Breast Cancer Patients for Monitoring the Toxicity of Doxorubicin</p> . Drug Design, Development and Therapy, 2020, Volume 14, 3469-3475.	2.0	27
3	ANALYSIS OF 4-HYDROXYCYCLOPHOSPHAMIDE IN CANCER PATIENTS PLASMA FOR THERAPEUTIC DRUG MONITORING OF CYCLOPHOSPHAMIDE. International Journal of Pharmacy and Pharmaceutical Sciences, 2016, 8, 194.	0.3	23
4	Volumetric Absorptive Microsampling as a Sampling Alternative in Clinical Trials and Therapeutic Drug Monitoring During the COVID-19 Pandemic: A Review. Drug Design, Development and Therapy, 2020, Volume 14, 5757-5771.	2.0	21
5	Effects of (i) Hibiscus Sabdariffa (i) Calyces Aqueous Extract on the Antihypertensive Potency of Captopril in the Two-Kidney-One-Clip Rat Hypertension Model. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-7.	0.5	15
6	Study of valproic acid liposomes for delivery into the brain through an intranasal route. Heliyon, 2022, 8, e09030.	1.4	11
7	Quantification of 6-Mercaptopurine and Its Metabolites in Patients with Acute Lympoblastic Leukemia Using Dried Blood Spots and UPLC-MS/MS. Scientia Pharmaceutica, 2018, 86, 18.	0.7	9
8	Development of UPLC–MS/MS method for quantitative analysis of curcumin in human plasma. Acta Chromatographica, 2018, 30, 207-211.	0.7	8
9	Analysis of Acrylamide in Dried Blood Spots of Lung Cancer Patients by Ultrahigh-Performance Liquid Chromatography Tandem Mass Spectrometry. International Journal of Analytical Chemistry, 2020, 2020, 1-7.	0.4	8
10	Quantification of 3-Hydroxypropyl Mercapturic Acid in the Urine of Patients with Breast Cancer to Monitor Cyclophosphamide Toxicity. Therapeutic Drug Monitoring, 2020, 42, 548-553.	1.0	7
11	Phenotyping Study of Cyclophosphamide 4-Hydroxylation in Malay Cancer Patients. Drug Design, Development and Therapy, 2021, Volume 15, 305-313.	2.0	7
12	Efficacy and tolerability of a nutraceutical combination of red yeast rice, guggulipid, and chromium picolinate evaluated in a randomized, placebo-controlled, double-blind study. Complementary Therapies in Medicine, 2020, 48, 102282.	1.3	6
13	KAJIAN BIOAKTIF DAN ZAT GIZI PROPOLIS INDONESIA DAN BRASIL. Jurnal Gizi Dan Pangan, 2012, 7, 1.	0.1	6
14	A bioequivalence study of two tamsulosin sustained-release tablets in Indonesian healthy volunteers. European Journal of Drug Metabolism and Pharmacokinetics, 2011, 36, 109-113.	0.6	5
15	Bioequivalence study of two rosuvastatin tablet formulations in healthy Indonesian subjects. International Journal of Clinical Pharmacology and Therapeutics, 2016, 54, 212-216.	0.3	5
16	Analysis of Rifampicin in Dried Blood Spot of Tuberculosis Patients for Therapeutic Drug Monitoring using High Performance Liquid Chromatography. Journal of Young Pharmacists, 2018, 10, 48-51.	0.1	5
17	ANALYTICAL VALIDATION OF CLOPIDOGREL IN HUMAN PLASMA THROUGH ULTRAHIGHPERFORMANCE LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. International Journal of Applied Pharmaceutics, 0, 9, 163.	0.3	4
18	Volumetric Absorptive Microsampling as a New Biosampling Tool for Monitoring of Tamoxifen, Endoxifen, 4-OH Tamoxifen and N-Desmethyltamoxifen in Breast Cancer Patients. Drug Design, Development and Therapy, 2021, Volume 15, 2417-2430.	2.0	4

#	Article	IF	CITATIONS
19	Comparative Bioavailability of Two Dexamethasone Tablet Formulations in Indonesian Healthy Volunteers. Arzneimittelforschung, 2009, 59, 191-194.	0.5	3
20	Comparative bioavailability of two irbesartan/hydrochlorothiazide tablet formulations in Indonesian healthy subjects. Arzneimittelforschung, 2010, 60, 749-753.	0.5	3
21	Quantification of atorvastatin in human plasma by liquid chromatography tandem mass spectrometry and its application for bioequivalence study of three formulations. Asian Journal of Pharmaceutical Sciences, 2016, 11, 66-67.	4.3	3
22	Pharmacokinetic Herb-Drug Interaction between <i>Hibiscus sabdariffa</i> Calyces Aqueous Extract and Captopril in Rats. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-8.	0.5	3
23	Development and Validation of the Quantification Method for Hydroxychloroquine in Volumetric Absorptive Microsampling (VAMS) Using High-Performance Liquid Chromatography-Photodiode Array. Advances in Pharmacological and Pharmaceutical Sciences, 2021, 2021, 1-7.	0.7	3
24	Development and validation of doxorubicin hydrochloride and doxorubicinol quantification method in dried blood spot by liquid chromatography–tandem mass spectrometry. Journal of Pharmacy and Bioallied Sciences, 2020, 12, 406.	0.2	3
25	Pharmacokinetic interaction between irbesartan and Orthosiphon stamineus extract in rat plasma. Asian Journal of Pharmaceutical Sciences, 2016, 11, 70-71.	4.3	2
26	SIMULTANEOUS ANALYTICAL METHOD DEVELOPMENT OF 6-MERCAPTOPURINE AND 6-METHYLMERCAPTOPURINE IN DRIED BLOOD SPOT USING ULTRA PERFORMANCE LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY. International Journal of Applied Pharmaceutics, 0, 9, 168.	0.3	2
27	Impact of Truncated Area on Point Estimate and Intra-Subject Variability in Bioequivalence of Dutasteride with Long Half-Life. Drug Research, 2018, 68, 238-240.	0.7	2
28	CLINICAL APPLICATION OF DRIED BLOOD SPOT FOR MONITORING STUDIES OF TAMOXIFEN, ENDOXIFEN, AND 4-HYDROXYTAMOXIFEN IN BREAST CANCER PATIENT USING LIQUID CHROMATOGRAPHY–TANDEM MASS SPECTROMETRY. International Journal of Applied Pharmaceutics, 0, , 59-63.	0.3	2
29	A bioequivalence study of two telmisartan 80 mg tablets in healthy Indonesian subjects: an open label, three-way, three-period, partial replicate crossover study. Drug Development and Industrial Pharmacy, 2020, 46, 1747-1752.	0.9	2
30	Method Development and Validation for Measuring O6-Methylguanine in Dried Blood Spot Using Ultra High-Performance Liquid Chromatography Tandem Mass Spectrometry. Drug Design, Development and Therapy, 2021, Volume 15, 963-971.	2.0	2
31	Determination of O6-Methylguanine in dried blood spot of breast cancer patients after cyclophosphamide administration. Heliyon, 2021, 7, e07558.	1.4	2
32	Rectal Administration of Ibuprofen: Comparison of Enema and Suppository Form. Drug Research, 2021, ,	0.7	2
33	Simultaneous Analysis of 6-Mercaptopurine, 6-Methylmercaptopurine, and 6-Thioguanosine-5'-monophosphate in Dried Blood Spot Using Ultra Performance Liquid Chromatography Tandem Mass Spectrometry. Indonesian Journal of Chemistry, 2018, 18, 544.	0.3	2
34	Method Validation of Esomeprazole Analysis in Human Plasma using High Performance Liquid Chromatography–Photodiode Array. Journal of Young Pharmacists, 2017, 9, s24-s28.	0.1	2
35	Method Validation of Acrylamide in Dried Blood Spot by Liquid Chromatography-tandem Mass Spectrometry. Pakistan Journal of Biological Sciences, 2020, 23, 1321-1331.	0.2	2
36	Comparative Bioavailability of Two Estazolam Tablet Formulations in Indonesian Healthy Volunteers. Arzneimittelforschung, 2008, 58, 501-504.	0.5	1

3

#	Article	IF	CITATIONS
37	DETECTION OF BISPHENOL A CONTAMINATION IN CANNED CARBONATED BEVERAGES BY GAS CHROMATOGRAPHY. International Journal of Applied Pharmaceutics, 2018, 10, 116.	0.3	1
38	Study on bioequivalence of beraprost in healthy volunteers by liquid chromatography with tandem mass spectrometry. Biomedical Chromatography, 2019, 33, e4403.	0.8	1
39	Evaluation of the combination of Kemuning Leaves Extracts and Simvastatin on Blood fatty acids and amino acids of Hyperlipidemic Model Rats. Research Journal of Pharmacy and Technology, 2021, , 2076-2080.	0.2	1
40	Analysis of tamoxifen and its metabolites in dried blood spot and volumetric absorptive microsampling: comparison and clinical application. Heliyon, 2021, 7, e07275.	1.4	1
41	Analysis of O6-Methylguanine in Cancer Patient Blood during Administration of Cyclophosphamide Using Ultra High Performance Liquid Chromatography-Tandem Mass Spectrometry. Journal of Advances in Medical and Pharmaceutical Sciences, 2015, 2, 20-28.	0.2	1
42	Simultaneous Analytical Method Development of 6-Mercaptopurine and 6-Methylmercaptopurine in Plasma by High Performance Liquid Chromatography-Photodiode Array. Journal of Young Pharmacists, 2017, 9, s29-s34.	0.1	1
43	Pilot Study of Isoniazid Acetylation in Melanesian Healthy Subject from Indonesia. Journal of Young Pharmacists, 2018, 10, S140-S144.	0.1	1
44	Determination of ethinyl estradiol and levonorgestrel in human plasma with prednisone as internal standard using ultra-performance liquid chromatography–tandem mass spectrometry. Journal of Pharmacy and Bioallied Sciences, 2019, 11, 254.	0.2	1
45	Pharmacokinetic Study and Incurred Sample Stability of Esomeprazole in Dried Blood Spot Sample Using High Performance Liquid Chromatography-Photodiode Array. Indonesian Journal of Chemistry, 2020, 20, 979.	0.3	1
46	Single dose oral pharmacokinetic profile rubraxanthone in mice. Heliyon, 2022, 8, e09104.	1.4	1
47	Characterization of Ephedrine as Illegal Methamphetamine Precursors Based on Î15N, Î13C, and Î2H Isotopes: Their Application for Methamphetamine Profiling in Indonesia. International Journal of Pharmaceutical Investigation, 2021, 11, 379-383.	0.2	1
48	The correlation between the level of 3-hydroxypropyl mercapturic acid, CYP2B6 polymorphisms, and hematuria occurrences after cyclophosphamide administration and its bioanalytical methods: A systematic review. Heliyon, 2021, 7, e08126.	1.4	0
49	Bioequivalence of two memantine tablet formulations in healthy Indonesian subjects. International Journal of Clinical Pharmacology and Therapeutics, 2019, 57, 478-482.	0.3	0
50	Analysis of Acrylamide and Glycidamide in Dried Blood Spot of Smokers Using Ultra-High-Performance Liquid Chromatography–Tandem Mass Spectrometry. Drug Design, Development and Therapy, 2022, Volume 16, 521-531.	2.0	0