

Yahdiana Harahap

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5849950/publications.pdf>

Version: 2024-02-01

50
papers

260
citations

1162889

8
h-index

1058333

14
g-index

51
all docs

51
docs citations

51
times ranked

362
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of Acrylamide and Glycidamide in Dried Blood Spot of Smokers Using Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry. Drug Design, Development and Therapy, 2022, Volume 16, 521-531.	2.0	0
2	Study of valproic acid liposomes for delivery into the brain through an intranasal route. Heliyon, 2022, 8, e09030.	1.4	11
3	Single dose oral pharmacokinetic profile rubraxanthone in mice. Heliyon, 2022, 8, e09104.	1.4	1
4	Phenotyping Study of Cyclophosphamide 4-Hydroxylation in Malay Cancer Patients. Drug Design, Development and Therapy, 2021, Volume 15, 305-313.	2.0	7
5	Method Development and Validation for Measuring O6-Methylguanine in Dried Blood Spot Using Ultra High-Performance Liquid Chromatography Tandem Mass Spectrometry. Drug Design, Development and Therapy, 2021, Volume 15, 963-971.	2.0	2
6	Evaluation of the combination of Kemuning Leaves Extracts and Simvastatin on Blood fatty acids and amino acids of Hyperlipidemic Model Rats. Research Journal of Pharmacy and Technology, 2021, , 2076-2080.	0.2	1
7	Analysis of tamoxifen and its metabolites in dried blood spot and volumetric absorptive microsampling: comparison and clinical application. Heliyon, 2021, 7, e07275.	1.4	1
8	Volumetric Absorptive Microsampling as a New Biosampling Tool for Monitoring of Tamoxifen, Endoxifen, 4-OH Tamoxifen and N-Desmethyltamoxifen in Breast Cancer Patients. Drug Design, Development and Therapy, 2021, Volume 15, 2417-2430.	2.0	4
9	Determination of O6-Methylguanine in dried blood spot of breast cancer patients after cyclophosphamide administration. Heliyon, 2021, 7, e07558.	1.4	2
10	Rectal Administration of Ibuprofen: Comparison of Enema and Suppository Form. Drug Research, 2021, , .	0.7	2
11	Development and Validation of the Quantification Method for Hydroxychloroquine in Volumetric Absorptive Microsampling (VAMS) Using High-Performance Liquid Chromatography-Photodiode Array. Advances in Pharmacological and Pharmaceutical Sciences, 2021, 2021, 1-7.	0.7	3
12	The correlation between the level of 3-hydroxypropyl mercapturic acid, CYP2B6 polymorphisms, and hematuria occurrences after cyclophosphamide administration and its bioanalytical methods: A systematic review. Heliyon, 2021, 7, e08126.	1.4	0
13	Characterization of Ephedrine as Illegal Methamphetamine Precursors Based on ^{15}N , ^{13}C , and ^2H Isotopes: Their Application for Methamphetamine Profiling in Indonesia. International Journal of Pharmaceutical Investigation, 2021, 11, 379-383.	0.2	1
14	Efficacy and tolerability of a nutraceutical combination of red yeast rice, guggulipid, and chromium picolinate evaluated in a randomized, placebo-controlled, double-blind study. Complementary Therapies in Medicine, 2020, 48, 102282.	1.3	6
15	Quantification of 3-Hydroxypropyl Mercapturic Acid in the Urine of Patients with Breast Cancer to Monitor Cyclophosphamide Toxicity. Therapeutic Drug Monitoring, 2020, 42, 548-553.	1.0	7
16	<p>Analysis of the Doxorubicin and Doxorubicinol in the Plasma of Breast Cancer Patients for Monitoring the Toxicity of Doxorubicin</p>. Drug Design, Development and Therapy, 2020, Volume 14, 3469-3475.	2.0	27
17	A bioequivalence study of two telmisartan 80â€%mg tablets in healthy Indonesian subjects: an open label, three-way, three-period, partial replicate crossover study. Drug Development and Industrial Pharmacy, 2020, 46, 1747-1752.	0.9	2
18	Pharmacokinetic Herb-Drug Interaction between <i>Hibiscus sabdariffa</i> Calyces Aqueous Extract and Captopril in Rats. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-8.	0.5	3

#	ARTICLE	IF	CITATIONS
19	Analysis of Acrylamide in Dried Blood Spots of Lung Cancer Patients by Ultrahigh-Performance Liquid Chromatography Tandem Mass Spectrometry. <i>International Journal of Analytical Chemistry</i> , 2020, 2020, 1-7.	0.4	8
20	Volumetric Absorptive Microsampling as a Sampling Alternative in Clinical Trials and Therapeutic Drug Monitoring During the COVID-19 Pandemic: A Review. <i>Drug Design, Development and Therapy</i> , 2020, Volume 14, 5757-5771.	2.0	21
21	Development and validation of doxorubicin hydrochloride and doxorubicinol quantification method in dried blood spot by liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2020, 12, 406.	0.2	3
22	Pharmacokinetic Study and Incurred Sample Stability of Esomeprazole in Dried Blood Spot Sample Using High Performance Liquid Chromatography-Photodiode Array. <i>Indonesian Journal of Chemistry</i> , 2020, 20, 979.	0.3	1
23	Method Validation of Acrylamide in Dried Blood Spot by Liquid Chromatography-tandem Mass Spectrometry. <i>Pakistan Journal of Biological Sciences</i> , 2020, 23, 1321-1331.	0.2	2
24	Effects of <i>Hibiscus Sabdariffa</i> Calyces Aqueous Extract on the Antihypertensive Potency of Captopril in the Two-Kidney-One-Clip Rat Hypertension Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-7.	0.5	15
25	Study on bioequivalence of beraprost in healthy volunteers by liquid chromatography with tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2019, 33, e4403.	0.8	1
26	Determination of ethinyl estradiol and levonorgestrel in human plasma with prednisone as internal standard using ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2019, 11, 254.	0.2	1
27	Bioequivalence of two memantine tablet formulations in healthy Indonesian subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019, 57, 478-482.	0.3	0
28	Development of UPLC-MS/MS method for quantitative analysis of curcumin in human plasma. <i>Acta Chromatographica</i> , 2018, 30, 207-211.	0.7	8
29	Impact of Truncated Area on Point Estimate and Intra-Subject Variability in Bioequivalence of Dutasteride with Long Half-Life. <i>Drug Research</i> , 2018, 68, 238-240.	0.7	2
30	DETECTION OF BISPHENOL A CONTAMINATION IN CANNED CARBONATED BEVERAGES BY GAS CHROMATOGRAPHY. <i>International Journal of Applied Pharmaceutics</i> , 2018, 10, 116.	0.3	1
31	Quantification of 6-Mercaptopurine and Its Metabolites in Patients with Acute Lymphoblastic Leukemia Using Dried Blood Spots and UPLC-MS/MS. <i>Scientia Pharmaceutica</i> , 2018, 86, 18.	0.7	9
32	Simultaneous Analysis of 6-Mercaptopurine, 6-Methylmercaptopurine, and 6-Thioguanosine-5 TM -monophosphate in Dried Blood Spot Using Ultra Performance Liquid Chromatography Tandem Mass Spectrometry. <i>Indonesian Journal of Chemistry</i> , 2018, 18, 544.	0.3	2
33	Analysis of Rifampicin in Dried Blood Spot of Tuberculosis Patients for Therapeutic Drug Monitoring using High Performance Liquid Chromatography. <i>Journal of Young Pharmacists</i> , 2018, 10, 48-51.	0.1	5
34	Pilot Study of Isoniazid Acetylation in Melanesian Healthy Subject from Indonesia. <i>Journal of Young Pharmacists</i> , 2018, 10, S140-S144.	0.1	1
35	Simultaneous Analytical Method Development of 6-Mercaptopurine and 6-Methylmercaptopurine in Plasma by High Performance Liquid Chromatography-Photodiode Array. <i>Journal of Young Pharmacists</i> , 2017, 9, s29-s34.	0.1	1
36	Method Validation of Esomeprazole Analysis in Human Plasma using High Performance Liquid Chromatography-Photodiode Array. <i>Journal of Young Pharmacists</i> , 2017, 9, s24-s28.	0.1	2

#	ARTICLE	IF	CITATIONS
37	ANALYSIS OF 4-HYDROXYCYCLOPHOSPHAMIDE IN CANCER PATIENTS PLASMA FOR THERAPEUTIC DRUG MONITORING OF CYCLOPHOSPHAMIDE. <i>International Journal of Pharmacy and Pharmaceutical Sciences</i> , 2016, 8, 194.	0.3	23
38	Quantification of atorvastatin in human plasma by liquid chromatography tandem mass spectrometry and its application for bioequivalence study of three formulations. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016, 11, 66-67.	4.3	3
39	Pharmacokinetic interaction between irbesartan and Orthosiphon stamineus extract in rat plasma. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016, 11, 70-71.	4.3	2
40	Bioequivalence study of two rosuvastatin tablet formulations in healthy Indonesian subjects. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 212-216.	0.3	5
41	Analysis of O6-Methylguanine in Cancer Patient Blood during Administration of Cyclophosphamide Using Ultra High Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Advances in Medical and Pharmaceutical Sciences</i> , 2015, 2, 20-28.	0.2	1
42	KAJIAN BIOAKTIF DAN ZAT GIZI PROPOLIS INDONESIA DAN BRASIL. <i>Jurnal Gizi Dan Pangan</i> , 2012, 7, 1.	0.1	6
43	A bioequivalence study of two tamsulosin sustained-release tablets in Indonesian healthy volunteers. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2011, 36, 109-113.	0.6	5
44	Comparative bioavailability of two irbesartan/hydrochlorothiazide tablet formulations in Indonesian healthy subjects. <i>Arzneimittelforschung</i> , 2010, 60, 749-753.	0.5	3
45	Comparative Bioavailability of Two Dexamethasone Tablet Formulations in Indonesian Healthy Volunteers. <i>Arzneimittelforschung</i> , 2009, 59, 191-194.	0.5	3
46	Simultaneous quantification of losartan and active metabolite in human plasma by liquid chromatography-tandem mass spectrometry using irbesartan as internal standard. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 862-867.	1.4	37
47	Comparative Bioavailability of Two Estazolam Tablet Formulations in Indonesian Healthy Volunteers. <i>Arzneimittelforschung</i> , 2008, 58, 501-504.	0.5	1
48	SIMULTANEOUS ANALYTICAL METHOD DEVELOPMENT OF 6-MERCAPTOPYRINE AND 6-METHYLMERCAPTOPYRINE IN DRIED BLOOD SPOT USING ULTRA PERFORMANCE LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY. <i>International Journal of Applied Pharmaceutics</i> , 0, 9, 168.	0.3	2
49	ANALYTICAL VALIDATION OF CLOPIDOGREL IN HUMAN PLASMA THROUGH ULTRAHIGH PERFORMANCE LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. <i>International Journal of Applied Pharmaceutics</i> , 0, 9, 163.	0.3	4
50	CLINICAL APPLICATION OF DRIED BLOOD SPOT FOR MONITORING STUDIES OF TAMOXIFEN, ENDOXIFEN, AND 4-HYDROXYTAMOXIFEN IN BREAST CANCER PATIENT USING LIQUID CHROMATOGRAPHY-TANDEM MASS SPECTROMETRY. <i>International Journal of Applied Pharmaceutics</i> , 0, , 59-63.	0.3	2