

# Craig J Mcclain

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5850911/publications.pdf>

Version: 2024-02-01

152  
papers

6,207  
citations

71102

41  
h-index

79698

73  
g-index

159  
all docs

159  
docs citations

159  
times ranked

8121  
citing authors

#	ARTICLE	IF	CITATIONS
1	Research methodologies to address clinical unmet needs and challenges in alcohol-associated liver disease. <i>Hepatology</i> , 2022, 75, 1026-1037.	7.3	22
2	Age-Associated Gut Dysbiosis, Marked by Loss of Butyrogenic Potential, Correlates With Altered Plasma Tryptophan Metabolites in Older People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022, 89, S56-S64.	2.1	7
3	Gut microbial trimethylamine is elevated in alcohol-associated hepatitis and contributes to ethanol-induced liver injury in mice. <i>ELife</i> , 2022, 11, .	6.0	21
4	Positive blood phosphatidylethanol concentration is associated with unfavorable waitlist-related outcomes for patients medically appropriate for liver transplantation. <i>Alcoholism: Clinical and Experimental Research</i> , 2022, 46, 581-588.	2.4	12
5	IL-1 receptor antagonist plus pentoxifylline and zinc for severe alcohol-associated hepatitis. <i>Hepatology</i> , 2022, 76, 1058-1068.	7.3	41
6	Neutral ceramidase-dependent regulation of macrophage metabolism directs intestinal immune homeostasis and controls enteric infection. <i>Cell Reports</i> , 2022, 38, 110560.	6.4	8
7	Restoring Oat Nanoparticles Mediated Brain Memory Function of Mice Fed Alcohol by Sorting Inflammatory Dectin-1 Complex Into Microglial Exosomes. <i>Small</i> , 2022, 18, e2105385.	10.0	19
8	Hepatic Protein and Phosphoprotein Signatures of Alcohol-Associated Cirrhosis and Hepatitis. <i>American Journal of Pathology</i> , 2022, 192, 1066-1082.	3.8	8
9	Novel Liposomal Rolipram Formulation for Clinical Application to Reduce Emesis. <i>Drug Design, Development and Therapy</i> , 2022, Volume 16, 1301-1309.	4.3	3
10	Inhibition of Sphingosine-1-Phosphate-Induced Th17 Cells Ameliorates Alcohol-Associated Steatohepatitis in Mice. <i>Hepatology</i> , 2021, 73, 952-967.	7.3	30
11	Diagnostic and Prognostic Significance of Complement in Patients With Alcohol-Associated Hepatitis. <i>Hepatology</i> , 2021, 73, 983-997.	7.3	17
12	Neutral Ceramidase Mediates Nonalcoholic Steatohepatitis by Regulating Monounsaturated Fatty Acids and Gut IgA+ B Cells. <i>Hepatology</i> , 2021, 73, 901-919.	7.3	18
13	Analysis of sex differences in dietary copper-fructose interaction-induced alterations of gut microbial activity in relation to hepatic steatosis. <i>Biology of Sex Differences</i> , 2021, 12, 3.	4.1	7
14	Beneficial effects of an endogenous enrichment in n3 PUFAs on Wnt signaling are associated with attenuation of alcohol-mediated liver disease in mice. <i>FASEB Journal</i> , 2021, 35, e21377.	0.5	14
15	Metabolic Profiling of Bile Acids in the Urine of Patients with Alcohol-Associated Liver Disease. <i>Hepatology Communications</i> , 2021, 5, 798-811.	4.3	8
16	Differential role of MLKL in alcohol-associated and non-alcohol-associated fatty liver diseases in mice and humans. <i>JCI Insight</i> , 2021, 6, .	5.0	27
17	Linoleic Acid-Derived Oxylipins Differentiate Early Stage Alcoholic Hepatitis From Mild Alcohol-Associated Liver Injury. <i>Hepatology Communications</i> , 2021, 5, 947-960.	4.3	15
18	Ileum Gene Expression in Response to Acute Systemic Inflammation in Mice Chronically Fed Ethanol: Beneficial Effects of Elevated Tissue n-3 PUFAs. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1582.	4.1	5

#	ARTICLE	IF	CITATIONS
19	Malnutrition and Alcohol-Associated Hepatitis. <i>Clinics in Liver Disease</i> , 2021, 25, 557-570.	2.1	16
20	Plasma Metabolomics Analysis of Polyvinyl Chloride Workers Identifies Altered Processes and Candidate Biomarkers for Hepatic Hemangiosarcoma and Its Development. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5093.	4.1	2
21	Increased hepatic JNK activation by ethanol is mediated by transcriptional suppression of mitogen-activated protein kinase phosphatase 1 (Mkp1): role of cAMP-specific protein kinase A. <i>FASEB Journal</i> , 2021, 35, .	0.5	1
22	Fat-1 Transgenic Mice With Augmented n3-Polyunsaturated Fatty Acids Are Protected From Liver Injury Caused by Acute-On-Chronic Ethanol Administration. <i>Frontiers in Pharmacology</i> , 2021, 12, 711590.	3.5	7
23	Plant-derived exosomal microRNAs inhibit lung inflammation induced by exosomes SARS-CoV-2 Nsp12. <i>Molecular Therapy</i> , 2021, 29, 2424-2440.	8.2	101
24	Feeding mice a diet high in oxidized linoleic acid metabolites does not alter liver oxylipin concentrations. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021, 172, 102316.	2.2	1
25	Epigenetic Mechanisms Underlying HIV-Infection Induced Susceptibility of CD4+ T Cells to Enhanced Activation-Induced FasL Expression and Cell Death. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, 128-137.	2.1	1
26	High-fat diet-induced upregulation of exosomal phosphatidylcholine contributes to insulin resistance. <i>Nature Communications</i> , 2021, 12, 213.	12.8	112
27	Keratin-18: Diagnostic, Prognostic, and Theragnostic for Alcohol-Associated Hepatitis. <i>American Journal of Gastroenterology</i> , 2021, 116, 77-79.	0.4	7
28	Deficiency of Cathelicidin Attenuates High-Fat Diet Plus Alcohol-Induced Liver Injury through FGF21/Adiponectin Regulation. <i>Cells</i> , 2021, 10, 3333.	4.1	5
29	Human Beta Defensin 2 Ameliorated Alcohol-Associated Liver Disease in Mice. <i>Frontiers in Physiology</i> , 2021, 12, 812882.	2.8	8
30	Mechanisms, biomarkers and targets for therapy in alcohol-associated liver injury: From Genetics to nutrition: Summary of the ISBRA 2018 symposium. <i>Alcohol</i> , 2020, 83, 105-114.	1.7	17
31	Probiotic <i>Lactobacillus rhamnosus</i> GG Prevents Liver Fibrosis Through Inhibiting Hepatic Bile Acid Synthesis and Enhancing Bile Acid Excretion in Mice. <i>Hepatology</i> , 2020, 71, 2050-2066.	7.3	178
32	Tributylin Inhibits Ethanol-Induced Epigenetic Repression of CPT-1A and Attenuates Hepatic Steatosis and Injury. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 569-585.	4.5	27
33	Probiotic culture supernatant improves metabolic function through FGF21-adiponectin pathway in mice. <i>Journal of Nutritional Biochemistry</i> , 2020, 75, 108256.	4.2	38
34	Insecticide and metal exposures are associated with a surrogate biomarker for non-alcoholic fatty liver disease in the National Health and Nutrition Examination Survey 2003-2004. <i>Environmental Science and Pollution Research</i> , 2020, 27, 6476-6487.	5.3	24
35	Keratin 18 Is a Diagnostic and Prognostic Factor for Acute Alcoholic Hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2046-2054.	4.4	52
36	Lemon Exosome-like Nanoparticles-Manipulated Probiotics Protect Mice from <i>C.Âdiff</i> Infection. <i>IScience</i> , 2020, 23, 101571.	4.1	38

#	ARTICLE	IF	CITATIONS
37	Interaction of Heavy Drinking Patterns and Depression Severity Predicts Efficacy of Quetiapine Fumarate XR in Lowering Alcohol Intake in Alcohol Use Disorder Patients. <i>Substance Abuse: Research and Treatment</i> , 2020, 14, 117822182095518.	0.9	3
38	cAMP Signaling in Pathobiology of Alcohol Associated Liver Disease. <i>Biomolecules</i> , 2020, 10, 1433.	4.0	16
39	Cathelicidin-related antimicrobial peptide alleviates alcoholic liver disease through inhibiting inflammasome activation. <i>Journal of Pathology</i> , 2020, 252, 371-383.	4.5	17
40	Transcriptional signatures of the small intestinal mucosa in response to ethanol in transgenic mice rich in endogenous n3 fatty acids. <i>Scientific Reports</i> , 2020, 10, 19930.	3.3	3
41	Soluble Epoxide Hydrolase Inhibition in Liver Diseases: A Review of Current Research and Knowledge Gaps. <i>Biology</i> , 2020, 9, 124.	2.8	12
42	Elevated Fructose and Uric Acid Through Aldose Reductase Contribute to Experimental and Human Alcoholic Liver Disease. <i>Hepatology</i> , 2020, 72, 1617-1637.	7.3	29
43	Lower Serum Magnesium Concentrations are associated With Specific Heavy Drinking Markers, Pro-Inflammatory Response and Early-Stage Alcohol-associated Liver Injury. <i>Alcohol and Alcoholism</i> , 2020, 55, 164-170.	1.6	18
44	Fifteen Years of Gene Set Analysis for High-Throughput Genomic Data: A Review of Statistical Approaches and Future Challenges. <i>Entropy</i> , 2020, 22, 427.	2.2	34
45	Repurposing Treatment of Wernicke-Korsakoff Syndrome for Th-17 Cell Immune Storm Syndrome and Neurological Symptoms in COVID-19: Thiamine Efficacy and Safety, In-Vitro Evidence and Pharmacokinetic Profile. <i>Frontiers in Pharmacology</i> , 2020, 11, 598128.	3.5	17
46	Dietary copper-fructose interactions alter gut microbiome in a sex-differential manner likely contributes to the sex differences in the metabolic phenotype. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
47	Probiotic-generated product protects against alcoholic liver disease through increasing intestinal AhR-Reg3 and Nrf2 signaling. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.5	0
48	Microbiome dysbiosis and alcoholic liver disease. <i>Liver Research</i> , 2019, 3, 218-226.	1.4	28
49	Fibroblast growth factor 21 is required for the therapeutic effects of <i>Lactobacillus rhamnosus</i> GG against fructose-induced fatty liver in mice. <i>Molecular Metabolism</i> , 2019, 29, 145-157.	6.5	26
50	Decreased n-6:n-3 PUFA ratio attenuates ethanol-induced alterations in intestinal homeostasis, microbiota, and liver injury. <i>Journal of Lipid Research</i> , 2019, 60, 2034-2049.	4.2	39
51	Introduction to the Virtual Issue "Translational Studies in AUD: Liver Disease: Alcoholism: Clinical and Experimental Research, 2019, 43, 593-596.	2.4	0
52	Integrating comprehensive two-dimensional gas chromatography mass spectrometry and parallel two-dimensional liquid chromatography mass spectrometry for untargeted metabolomics. <i>Analyst</i> , 2019, 144, 4331-4341.	3.5	14
53	Chalcone Derivative L6H21 Reduces EtOH+ALPS-Induced Liver Injury Through Inhibition of NLRP3 Inflammasome Activation. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1662-1671.	2.4	9
54	Phosphodiesterase 4 Inhibition as a Therapeutic Target for Alcoholic Liver Disease: From Bedside to Bench. <i>Hepatology</i> , 2019, 70, 1958-1971.	7.3	32

#	ARTICLE	IF	CITATIONS
55	Biomarkers of Macrophage Activation and Immune Danger Signals Predict Clinical Outcomes in Alcoholic Hepatitis. <i>Hepatology</i> , 2019, 70, 1134-1149.	7.3	66
56	Exacerbation of Hangover Symptomology Significantly Corresponds with Heavy and Chronic Alcohol Drinking: A Pilot Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1943.	2.4	9
57	Alterations in Serum Zinc and Polyunsaturated Fatty Acid Concentrations in Treatment-Naive HIV-Diagnosed Alcohol-Dependent Subjects with Liver Injury. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 92-99.	1.1	3
58	Urinary acrolein metabolite levels in severe acute alcoholic hepatitis patients. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G115-G122.	3.4	15
59	Chalcone derivative L6H21 reduces EtOH-induced liver injury through inhibition of NLRP3 inflammasome activation. <i>FASEB Journal</i> , 2019, 33, 680.12.	0.5	0
60	Effects of Endogenous n6:n3 PUFA Ratio Reduction on Ileum Homeostasis and Liver Injury in Mice Chronically Fed Ethanol. <i>FASEB Journal</i> , 2019, 33, .	0.5	0
61	Decrease of n6/n3 PUFA Ratio Augmented Growth and Improved Markers of Intestinal Barrier Integrity in Small Intestinal Organoids Derived from Na <sup>+</sup> ve and Alcohol-Fed Mice. <i>FASEB Journal</i> , 2019, 33, .	0.5	1
62	Surface fitting for calculating the second dimension retention index in comprehensive two-dimensional gas chromatography mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1539, 62-70.	3.7	9
63	Jumonji: Welcome to the World of Interferon Signaling in Alcohol and HCV. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 163-164.	4.5	0
64	Dietary copper-fructose interactions alter gut microbial activity in male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G119-G130.	3.4	37
65	Ethanol and unsaturated dietary fat induce unique patterns of hepatic n6 and n3 PUFA oxylipins in a mouse model of alcoholic liver disease. <i>PLoS ONE</i> , 2018, 13, e0204119.	2.5	25
66	Plant-Derived Exosomal MicroRNAs Shape the Gut Microbiota. <i>Cell Host and Microbe</i> , 2018, 24, 637-652.e8.	11.0	517
67	Intestinal HIF-1 $\alpha$ deletion exacerbates alcoholic liver disease by inducing intestinal dysbiosis and barrier dysfunction. <i>Journal of Hepatology</i> , 2018, 69, 886-895.	3.7	160
68	Association of serum zinc with markers of liver injury in very heavy drinking alcohol-dependent patients. <i>Journal of Nutritional Biochemistry</i> , 2018, 59, 49-55.	4.2	30
69	Simultaneous quantification of straight-chain and branched-chain short chain fatty acids by gas chromatography mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 359-367.	2.3	51
70	Effects of diets enriched in linoleic acid and its peroxidation products on brain fatty acids, oxylipins, and aldehydes in mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2018, 1863, 1206-1213.	2.4	27
71	Oxidized linoleic acid metabolites induce liver mitochondrial dysfunction, apoptosis, and NLRP3 activation in mice. <i>Journal of Lipid Research</i> , 2018, 59, 1597-1609.	4.2	60
72	Role of cAMP and phosphodiesterase signaling in liver health and disease. <i>Cellular Signalling</i> , 2018, 49, 105-115.	3.6	85

#	ARTICLE	IF	CITATIONS
73	Protein Requirements for Critically Ill Patients With Renal and Liver Failure. <i>Nutrition in Clinical Practice</i> , 2017, 32, 101S-111S.	2.4	19
74	Protein and Calorie Requirements Associated With the Presence of Obesity. <i>Nutrition in Clinical Practice</i> , 2017, 32, 86S-93S.	2.4	22
75	Liver Injury and Endotoxemia in Male and Female Alcohol-Dependent Individuals Admitted to an Alcohol Treatment Program. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 747-757.	2.4	51
76	Analysis of stable isotope assisted metabolomics data acquired by GC-MS. <i>Analytica Chimica Acta</i> , 2017, 980, 25-32.	5.4	16
77	Summary Points and Consensus Recommendations From the International Protein Summit. <i>Nutrition in Clinical Practice</i> , 2017, 32, 142S-151S.	2.4	75
78	Medical Management of Severe Alcoholic Hepatitis: Expert Review from the Clinical Practice Updates Committee of the AGA Institute. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 5-12.	4.4	83
79	Dietary Linoleic Acid and Its Oxidized Metabolites Exacerbate Liver Injury Caused by Ethanol via Induction of Hepatic Proinflammatory Response in Mice. <i>American Journal of Pathology</i> , 2017, 187, 2232-2245.	3.8	55
80	Acrolein Disrupts Tight Junction Proteins and Causes Endoplasmic Reticulum Stress-Mediated Epithelial Cell Death Leading to Intestinal Barrier Dysfunction and Permeability. <i>American Journal of Pathology</i> , 2017, 187, 2686-2697.	3.8	77
81	Phosphodiesterase 4b expression plays a major role in alcohol-induced neuro-inflammation. <i>Neuropharmacology</i> , 2017, 125, 376-385.	4.1	33
82	Activation of autophagy attenuates EtOH-LPS-induced hepatic steatosis and injury through MD2 associated TLR4 signaling. <i>Scientific Reports</i> , 2017, 7, 9292.	3.3	27
83	Fibroblast Growth Factor 21 Deficiency Attenuates Experimental Colitis-Induced Adipose Tissue Lipolysis. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-9.	1.5	6
84	Rate of hepatitis C viral clearance by human livers in human patients: Liver transplantation modeling primary infection and implications for studying entry inhibition. <i>PLoS ONE</i> , 2017, 12, e0180719.	2.5	5
85	A Review on the Sex Differences in Organ and System Pathology with Alcohol Drinking. <i>Current Drug Abuse Reviews</i> , 2017, 9, 87-92.	3.4	29
86	Probiotics and Alcoholic Liver Disease: Treatment and Potential Mechanisms. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-11.	1.5	72
87	Chronic Alcohol Consumption Causes Liver Injury in High-Fructose-Fed Male Mice Through Enhanced Hepatic Inflammatory Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 518-528.	2.4	26
88	Dysregulation of hepatic cAMP levels via altered Pde4b expression plays a critical role in alcohol-induced steatosis. <i>Journal of Pathology</i> , 2016, 240, 96-107.	4.5	39
89	Association Between MC-2 Peptide and Hepatic Perfusion and Liver Injury Following Resuscitated Hemorrhagic Shock. <i>JAMA Surgery</i> , 2016, 151, 265.	4.3	6
90	Elder: A compound identification tool for gas chromatography mass spectrometry data. <i>Journal of Chromatography A</i> , 2016, 1448, 107-114.	3.7	9

#	ARTICLE	IF	CITATIONS
91	Effects of Sex, Drinking History, and Omega-3 and Omega-6 Fatty Acids Dysregulation on the Onset of Liver Injury in Very Heavy Drinking Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 2085-2093.	2.4	33
92	Acrolein Is a Pathogenic Mediator of Alcoholic Liver Disease and the Scavenger Hydralazine Is Protective in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 685-700.	4.5	44
93	Safety Assessment of Liver Injury with Quetiapine Fumarate XR Management in Very Heavy Drinking Alcohol-Dependent Patients. <i>Clinical Drug Investigation</i> , 2016, 36, 935-944.	2.2	5
94	Fibroblast growth factor 21 deficiency exacerbates chronic alcohol-induced hepatic steatosis and injury. <i>Scientific Reports</i> , 2016, 6, 31026.	3.3	58
95	Acrolein enhances epigenetic modifications, FasL expression and hepatocyte toxicity induced by anti-HIV drug Zidovudine. <i>Toxicology in Vitro</i> , 2016, 35, 66-76.	2.4	8
96	Saturated and Unsaturated Dietary Fats Differentially Modulate Ethanol-Induced Changes in Gut Microbiome and Metabolome in a Mouse Model of Alcoholic Liver Disease. <i>American Journal of Pathology</i> , 2016, 186, 765-776.	3.8	80
97	Vinyl Chloride Metabolites Potentiate Inflammatory Liver Injury Caused by LPS in Mice. <i>Toxicological Sciences</i> , 2016, 151, 312-323.	3.1	38
98	Standard Definitions and Common Data Elements for Clinical Trials in Patients With Alcoholic Hepatitis: Recommendation From the NIAAA Alcoholic Hepatitis Consortia. <i>Gastroenterology</i> , 2016, 150, 785-790.	1.3	387
99	Nuclear receptors and nonalcoholic fatty liver disease. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016, 1859, 1083-1099.	1.9	223
100	Liver Injury Assessment by Vetscan VS2 Analyzer and Most Frequently Used ALT/GTP Reagent. <i>Gastroenterology &amp; Hepatology (Bartlesville, Okla)</i> , 2016, 4, .	0.1	4
101	Elevated Linoleic Acid (A Pro-Inflammatory PUFA) and Liver Injury in a Treatment Naive HIV-HCV Co-Infected Alcohol Dependent Patient. <i>Journal of Biosciences and Medicines</i> , 2016, 04, 23-27.	0.2	3
102	Ginger-derived nanoparticles protect against alcohol-induced liver damage. <i>Journal of Extracellular Vesicles</i> , 2015, 4, 28713.	12.2	277
103	Alcoholic, Nonalcoholic, and Toxicant-Associated Steatohepatitis: Mechanistic Similarities and Differences. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 356-367.	4.5	64
104	Inhibition of miR122a by <i>Lactobacillus rhamnosus</i> GG culture supernatant increases intestinal occludin expression and protects mice from alcoholic liver disease. <i>Toxicology Letters</i> , 2015, 234, 194-200.	0.8	83
105	The gut microbiome in NAFLD and ALD. <i>Clinical Liver Disease</i> , 2015, 6, 55-58.	2.1	16
106	Misoprostol modulates cytokine expression through a cAMP pathway: Potential therapeutic implication for liver disease. <i>Clinical Immunology</i> , 2015, 161, 291-299.	3.2	12
107	Enhanced AMPK phosphorylation contributes to the beneficial effects of <i>Lactobacillus rhamnosus</i> GG supernatant on chronic-alcohol-induced fatty liver disease. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 337-344.	4.2	73
108	Introducing the AASLD President: Gyongyi Szabo. <i>Hepatology</i> , 2015, 61, 413-415.	7.3	0



#	ARTICLE	IF	CITATIONS
109	Gut-liver axis, nutrition, and non-alcoholic fatty liver disease. <i>Clinical Biochemistry</i> , 2015, 48, 923-930.	1.9	233
110	Kupffer cell depletion protects against the steatosis, but not the liver damage, induced by marginal-copper, high-fructose diet in male rats. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G934-G945.	3.4	20
111	FGF21 mediates alcohol-induced adipose tissue lipolysis by activation of systemic release of catecholamine in mice. <i>Journal of Lipid Research</i> , 2015, 56, 1481-1491.	4.2	83
112	Transient Receptor Potential Vanilloid 1 Gene Deficiency Ameliorates Hepatic Injury in a Mouse Model of Chronic Binge Alcohol-Induced Alcoholic Liver Disease. <i>American Journal of Pathology</i> , 2015, 185, 43-54.	3.8	25
113	Pathogenic Role of Phosphodiesterase 4B (PDE4B) in Alcohol-induced Neuroinflammation. <i>FASEB Journal</i> , 2015, 29, 771.18.	0.5	2
114	Mechanistic role of PDE4/cAMP in the development of HIV-1 induced FasL mediated hepatotoxicity. <i>FASEB Journal</i> , 2015, 29, 937.6.	0.5	0
115	Acrolein Exacerbates HAART-Induced Apoptotic Death in Hepatocytes by Enhancing Transcriptionally Permissive Epigenetic Modifications at FasL Promoter. <i>FASEB Journal</i> , 2015, 29, 569.11.	0.5	0
116	Lipid-derived aldehyde, acrolein, is a critical mediator of alcohol-induced gut-liver injury in alcoholic liver disease. <i>FASEB Journal</i> , 2015, 29, 1020.8.	0.5	0
117	FGF21 Mediates Alcohol-Induced Adipose Tissue Lipolysis by Activation of Systemic Release of Catecholamine in Mice. <i>FASEB Journal</i> , 2015, 29, 1020.4.	0.5	0
118	Fructose Induced Endotoxemia in Pediatric Nonalcoholic Fatty Liver Disease. <i>International Journal of Hepatology</i> , 2014, 2014, 1-8.	1.1	81
119	Metabolomic Analysis of the Effects of Chronic Arsenic Exposure in a Mouse Model of Diet-Induced Fatty Liver Disease. <i>Journal of Proteome Research</i> , 2014, 13, 547-554.	3.7	60
120	Alcoholic and non-alcoholic steatohepatitis. <i>Experimental and Molecular Pathology</i> , 2014, 97, 492-510.	2.1	56
121	HIF-1 $\alpha$ and HIF-2 $\alpha$ are critically involved in hypoxia-induced lipid accumulation in hepatocytes through reducing PGC-1 $\alpha$ -mediated fatty acid $\beta$ -oxidation. <i>Toxicology Letters</i> , 2014, 226, 117-123.	0.8	109
122	Coordinated Histone H3 Methylation and Acetylation Regulate Physiologic and Pathologic Fas Ligand Gene Expression in Human CD4+ T Cells. <i>Journal of Immunology</i> , 2014, 193, 412-421.	0.8	28
123	Ethanol and dietary unsaturated fat (corn oil/linoleic acid enriched) cause intestinal inflammation and impaired intestinal barrier defense in mice chronically fed alcohol. <i>Alcohol</i> , 2013, 47, 257-264.	1.7	55
124	Rolipram Attenuates Bile Duct Ligation-Induced Liver Injury in Rats: A Potential Pathogenic Role of PDE4. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013, 347, 80-90.	2.5	30
125	Management of patients with moderate alcoholic liver disease. <i>Clinical Liver Disease</i> , 2013, 2, 76-79.	2.1	3
126	Ethanol is a Significant Cofactor in HAART Induced Hepatotoxicity. <i>FASEB Journal</i> , 2013, 27, 664.10.	0.5	0



#	ARTICLE	IF	CITATIONS
127	Secreted factors of Lactobacillus rhamnosus GG culture prevents chronic alcohol-induced liver injury. FASEB Journal, 2013, 27, 1106.1.	0.5	0
128	Acrolein enhances anti-HIV HAART medication-induced hepatotoxicity. FASEB Journal, 2013, 27, 664.9.	0.5	0
129	Misoprostol, prostaglandin analogue, modulates cytokine activity through cAMP pathway. FASEB Journal, 2013, 27, 1b536.	0.5	2
130	Chronic Alcohol Exposure Stimulates Adipose Tissue Lipolysis in Mice. American Journal of Pathology, 2012, 180, 998-1007.	3.8	183
131	The Type of Dietary Fat Modulates Intestinal Tight Junction Integrity, Gut Permeability, and Hepatic Toll-Like Receptor Expression in a Mouse Model of Alcoholic Liver Disease. Alcoholism: Clinical and Experimental Research, 2012, 36, 835-846.	2.4	109
132	The role of p300-HAT in promoter-associated histone acetylation and regulation of FasL gene expression in ethanol treated CD4+ T lymphocytes. FASEB Journal, 2012, 26, 673.14.	0.5	0
133	Histone deacetylation is the primary epigenetic mechanism for silencing of tumor suppressor gene Tissue Factor Pathway Inhibitor-2 in hepatocellular carcinoma cells. FASEB Journal, 2012, 26, 673.15.	0.5	0
134	Increased Phosphodiesterase 4B (PDE4B) and decreased cellular cAMP regulate LPS-inducible TNF- $\alpha$ in glucose-primed monocytes. FASEB Journal, 2012, 26, 1050.8.	0.5	0
135	Alcoholic Liver Disease and Malnutrition. Alcoholism: Clinical and Experimental Research, 2011, 35, 815-820.	2.4	83
136	Chronic Alcohol Consumption Induces Cardiac Nitrosative Stress and Cell Death in an Ang II, PKC, and NO-Dependent Manner. FASEB Journal, 2011, 25, 1096.7.	0.5	0
137	Acrolein-induced hepatotoxicity: role of mitochondrial dysfunction and endoplasmic reticulum stress. FASEB Journal, 2011, 25, 1018.8.	0.5	0
138	Toxicant-associated steatohepatitis in vinyl chloride workers. Hepatology, 2010, 51, 474-481.	7.3	141
139	S-Adenosylmethionine (SAM) downregulates phosphodiesterase 4B expression and attenuates endotoxin-induced TNF expression in monocytes via cAMP/PKA pathway. FASEB Journal, 2010, 24, 872.1.	0.5	0
140	Epigenetic Modifications Of Histones Play A Critical Role In Ethanol-Mediated Enhancement Of FasL Gene Expression And Cell Death In CD4 + T Lymphocytes. FASEB Journal, 2010, 24, 759.6.	0.5	0
141	Inhibition Of Transmethylation (TM) Leads To Histone Modifications And Plays A Critical Role In The Epigenetic Regulation Of IL-2 Gene Expression In Primary Human CD4 + T Lymphocytes. FASEB Journal, 2010, 24, 755.3.	0.5	0
142	Zinc supplementation reverses alcohol-induced steatosis in mice through reactivating hepatocyte nuclear factor-4 $\alpha$ and peroxisome proliferator-activated receptor- $\alpha$ . Hepatology, 2009, 50, 1241-1250.	7.3	151
143	Hepatic gene expression and proteomic profile of mice with nonalcoholic fatty liver disease due to high fat diet. FASEB Journal, 2009, 23, 679.1.	0.5	0
144	Enhanced PDE4B expression augments LPS-inducible TNF expression in ethanol-primed monocytes: relevance to alcoholic liver disease. American Journal of Physiology - Renal Physiology, 2008, 295, G718-G724.	3.4	59

#	ARTICLE	IF	CITATIONS
145	Environmental pollutant and lipid peroxidation product, acrolein, inhibits interferon $\alpha$ mediated antiviral signaling in human hepatocytes: relevance for HCV therapy. <i>FASEB Journal</i> , 2008, 22, 646-10.	0.5	0
146	Chronic ethanol-mediated decrease in cAMP primes macrophages to enhanced LPS-inducible NF- $\kappa$ B activity and TNF expression: relevance to alcoholic liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 291, G681-G688.	3.4	78
147	Impairment of antiviral cytokine expression and enhancement of Murine Cytomegalovirus (MCMV) mediated liver injury in a diabetic mouse model. <i>FASEB Journal</i> , 2006, 20, A1137.	0.5	0
148	Glutathione precursor prevents 4-hydroxynonenal-induced cytotoxicity in CD4 + T lymphocytes. <i>FASEB Journal</i> , 2006, 20, A1128.	0.5	0
149	Molecular Pathology and Clinical Aspects of Alcohol-Induced Tissue Injury. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 120-128.	2.4	59
150	Epidermal Growth Factor Protects the Liver Against Alcohol-Induced Injury and Sensitization to Bacterial Lipopolysaccharide. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 864-874.	2.4	31
151	High-Energy Diets, Fatty Acids and Endothelial Cell Function: Implications for Atherosclerosis. <i>Journal of the American College of Nutrition</i> , 2001, 20, 97-105.	1.8	144
152	Complementary and Alternative Medicine in Gastroenterology. , 0, , 2844-2859.		0