EncarnaciÃ3n Nðñez-Olivera

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5851640/publications.pdf

Version: 2024-02-01

331259 414034 61 1,252 21 32 g-index citations h-index papers 61 61 61 1342 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Solar ultraviolet radiation is necessary to enhance grapevine fruit ripening transcriptional and phenolic responses. BMC Plant Biology, 2014, 14, 183.	1.6	132
2	Biomonitoring of metal deposition in northern Spain by moss analysis. Science of the Total Environment, 2002, 300, $115-127$.	3.9	67
3	Environmental Factors Correlated with the Metabolite Profile of <i>Vitis vinifera</i> cv. Pinot Noir Berry Skins along a European Latitudinal Gradient. Journal of Agricultural and Food Chemistry, 2016, 64, 8722-8734.	2.4	52
4	Evolutionary conservation of structure and function of the <scp>UVR</scp> 8 photoreceptor from the liverwort <i>Marchantia polymorpha</i> and the moss <i>Physcomitrella patens</i> New Phytologist, 2018, 217, 151-162.	3.5	51
5	Adaptability of Leaves of Cistus ladanifer to Widely Varying Environmental Conditions. Functional Ecology, 1996, 10, 636.	1.7	48
6	Different physiological responses of two aquatic bryophytes to enhanced ultraviolet-B radiation. Journal of Bryology, 2003, 25, 17-30.	0.4	44
7	Effects of enhanced UV radiation and water availability on performance, biomass production and photoprotective mechanisms of Laurus nobilis seedlings. Environmental and Experimental Botany, 2015, 109, 264-275.	2.0	42
8	Impacts of long-term enhanced UV-B radiation on bryophytes in two sub-Arctic heathland sites of contrasting water availability. Annals of Botany, 2011, 108, 557-565.	1.4	34
9	Environmental plasticity of Pinot noir grapevine leaves: A transâ€European study of morphological and biochemical changes along a 1,500â€km latitudinal climatic gradient. Plant, Cell and Environment, 2017, 40, 2790-2805.	2.8	34
10	Effects of cadmium and enhanced UV radiation on the physiology and the concentration of UV-absorbing compounds of the aquatic liverwort Jungermannia exsertifolia subsp. cordifolia. Photochemical and Photobiological Sciences, 2006, 5, 760-769.	1.6	33
11	Physiological changes and UV protection in the aquatic liverwort Jungermannia exsertifolia subsp. cordifolia along an altitudinal gradient of UV-B radiation. Functional Plant Biology, 2006, 33, 1025.	1.1	31
12	Influence of Temperature on the Effects of Artificially Enhanced UV-B Radiation on Aquatic Bryophytes Under Laboratory Conditions. Photosynthetica, 2004, 42, 201-212.	0.9	30
13	Dynamic response of UV-absorbing compounds, quantum yield and the xanthophyll cycle to diel changes in UV-B and photosynthetic radiations in an aquatic liverwort. Journal of Plant Physiology, 2012, 169, 20-26.	1.6	30
14	Hydroxycinnamic acid derivatives in an aquatic liverwort as possible bioindicators of enhanced UV radiation. Environmental Pollution, 2008, 151, 8-16.	3.7	28
15	Effects of ambient solar UV radiation on grapevine leaf physiology and berry phenolic composition along one entire season under Mediterranean field conditions. Plant Physiology and Biochemistry, 2016, 109, 374-386.	2.8	28
16	Effects of <scp>UV</scp> exclusion on the physiology and phenolic composition of leaves and berries of <i>Vitis vinifera</i> cv. Graciano. Journal of the Science of Food and Agriculture, 2015, 95, 409-416.	1.7	26
17	Seasonal changes in photosynthetic pigment composition of aquatic bryophytes. Journal of Bryology, 1994, 18, 97-113.	0.4	24
18	Interactions between parasitic fungi and mosses: pegged and swollen-tipped rhizoids inFunariaandBryum. Journal of Bryology, 2005, 27, 47-53.	0.4	24

#	Article	IF	CITATIONS
19	Effects of organic pollution on transplanted aquatic bryophytes. Journal of Bryology, 1993, 17, 553-566.	0.4	23
20	Effects of enhanced UV-B radiation on hydroxycinnamic acid derivatives extracted from different cell compartments in the aquatic liverwort Jungermannia exsertifolia subsp. cordifolia. Physiologia Plantarum, 2010, 140, no-no.	2.6	23
21	Phenolic characteristics acquired by berry skins of <i>Vitis vinifera</i> cv. Tempranillo in response to closeâ€toâ€ambient solar ultraviolet radiation are mostly reflected in the resulting wines. Journal of the Science of Food and Agriculture, 2020, 100, 401-409.	1.7	22
22	Seasonal variations in UVâ€absorbing compounds and physiological characteristics in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> over a 3â€year period. Physiologia Plantarum, 2009, 136, 73-85.	2.6	21
23	Phenolic compounds from different bryophyte species and cell compartments respond specifically to ultraviolet radiation, but not particularly quickly. Plant Physiology and Biochemistry, 2019, 134, 137-144.	2.8	21
24	Element Concentrations and Enrichment Ratios in the Aquatic MossRhynchostegium riparioidesalong the River Iregua (La Rioja, Northern Spain). Bryologist, 2000, 103, 518-533.	0.1	20
25	Secondary metabolites and related genes in <scp><i>Vitis vinifera</i></scp> L. cv. Tempranillo grapes as influenced by ultraviolet radiation and berry development. Physiologia Plantarum, 2021, 173, 709-724.	2.6	20
26	A Survey of the Distribution of UV-Absorbing Compounds in Aquatic Bryophytes from a Mountain Stream. Bryologist, 2004, 107, 202-208.	0.1	19
27	A comparative study of Cistus ladanifer shrublands in Extremadura (CW Spain) on the basis of woody species composition and cover. Plant Ecology, 1995, 117, 123-132.	1.2	18
28	Assessing the UV-B Tolerance of Sun and Shade Samples of Two Aquatic Bryophytes Using Short-term Tests. Bryologist, 2005, 108, 435-448.	0.1	17
29	UV responses of <i>Lolium perenne</i> raised along a latitudinal gradient across Europe: a filtration study. Physiologia Plantarum, 2012, 145, 604-618.	2.6	17
30	Retrospective bioindication of stratospheric ozone and ultraviolet radiation using hydroxycinnamic acid derivatives of herbarium samples of an aquatic liverwort. Environmental Pollution, 2009, 157, 2335-2344.	3.7	16
31	Combined seasonal and longitudinal variations of element concentrations in two aquatic mosses (Fontinalis antipyretica and F. squamosa). Nova Hedwigia, 2002, 74, 349-364.	0.2	15
32	Modelling spatial patterns of correlations between concentrations of heavy metals in mosses and atmospheric deposition in 2010 across Europe. Environmental Sciences Europe, 2018, 30, 53.	2.6	15
33	Cyclic environmental factors only partially explain the seasonal variability of photoprotection and physiology in two mosses from an unforested headwater stream. Bryologist, 2010, 113, 277-291.	0.1	14
34	Cell Compartmentation of UV-Absorbing Compounds in Two Aquatic Mosses Under Enhanced UV-B. Cryptogamie, Bryologie, 2012, 33, 169-184.	0.1	14
35	Effects of UVB radiation exposure from the molecular to the organism level in macrophytes from shallow Mediterranean habitats. Aquatic Botany, 2015, 120, 112-120.	0.8	14
36	Cell compartmentation of ultravioletâ€absorbing compounds: An underexplored tool related to bryophyte ecology, phylogeny and evolution. Functional Ecology, 2018, 32, 882-893.	1.7	14

#	Article	IF	CITATIONS
37	A supplement of ultraviolet-B radiation under field conditions increases phenolic and volatile compounds of Tempranillo grape skins and the resulting wines. European Journal of Agronomy, 2020, 121, 126150.	1.9	14
38	Ultraviolet-absorbing capacity of aquatic bryophytes from Tierra del Fuego (Argentina). Journal of Bryology, 2008, 30, 290-296.	0.4	12
39	First Data on the Effects of Ultraviolet Radiation on Phenolic Compounds in the Model HornwortAnthoceros agrestis. Cryptogamie, Bryologie, 2018, 39, 201-211.	0.1	11
40	Aquatic Bryophytes under Ultraviolet Radiation. , 2011, , 115-146.		10
41	Spatial variability of ultraviolet-absorbing compounds in an aquatic liverwort and their usefulness as biomarkers of current and past UV radiation: A case study in the Atlantic–Mediterranean transition. Science of the Total Environment, 2015, 518-519, 248-257.	3.9	10
42	Photosynthetically-active radiation, UV-A and UV-B, causes both common and specific damage and photoprotective responses in the model liverwort Marchantia polymorpha subsp. ruderalis. Photochemical and Photobiological Sciences, 2019, 18, 400-412.	1.6	10
43	Short-Term Physiological Responses of the Aquatic Liverwort Jungermannia exsertifolia subsp. cordifolia to KH2PO4and Anoxia. Bryologist, 2002, 105, 86-95.	0.1	9
44	Acclimation of Bryophytes to Sun Conditions, in Comparison to Shade Conditions, Is Influenced by Both Photosynthetic and Ultraviolet Radiations. Frontiers in Plant Science, 2019, 10, 998.	1.7	9
45	Ultraviolet Radiation-Induced Changes in Mycosporine-Like Amino Acids and Physiological Variables in the Red Alga <i>Lemanea fluviatilis</i> Journal of Freshwater Ecology, 2005, 20, 677-687.	0.5	8
46	Among- and within-genus variability of the UV-absorption capacity in saxicolous mosses. Bryologist, 2014, 117, 1-9.	0.1	8
47	Trace element concentrations in the moss Hypnum cupressiforme growing in a presumably unpolluted area. Chemosphere, 2016, 158, 177-183.	4.2	7
48	Bioindication and modelling of atmospheric deposition in forests enable exposure and effect monitoring at high spatial density across scales. Annals of Forest Science, 2017, 74, 1.	0.8	7
49	The legend and procession of the Moss Men from Béjar (Salamanca, Spain). Journal of Bryology, 2001, 23, 264-266.	0.4	6
50	High-Level Phosphate Addition Does Not Modify UV Effects in Two Aquatic Bryophytes. Bryologist, 2008, 111, 444-454.	0.1	5
51	Ultraviolet-absorbing compounds from the cell walls of an aquatic liverwort are more efficiently extracted by alkaline than by enzymatic digestion. Journal of Bryology, 2015, 37, 8-14.	0.4	5
52	Can Parietin Transfer Energy Radiatively to Photosynthetic Pigments?. Molecules, 2018, 23, 1741.	1.7	5
53	Novel biotechnological substances from bryophytes. , 2021, , 233-248.		5
54	Bryophyte ultraviolet-omics: from genes to the environment. Journal of Experimental Botany, 2022, 73, 4412-4426.	2.4	5

#	Article	IF	Citations
55	UV radiation biomonitoring using cell compartmentation of UV-absorbing compounds in herbarium samples of a liverwort. Ecological Indicators, 2015, 52, 48-56.	2.6	4
56	Spores potentially dispersed to longer distances are more tolerant to ultraviolet radiation: A case study in the moss genus <i>Orthotrichum</i> . American Journal of Botany, 2018, 105, 996-1008.	0.8	4
57	Developmental Stage Determines the Accumulation Pattern of UV-Absorbing Compounds in the Model Liverwort Marchantia polymorpha subsp. ruderalis under Controlled Conditions. Plants, 2021, 10, 473.	1.6	4
58	To What Extent Are the Effects of UV Radiation on Grapes Conserved in the Resulting Wines?. Plants, 2021, 10, 1678.	1.6	4
59	Ecophysiology of photosynthetic pigments in aquatic bryophytes. , 2018, , 277-292.		4
60	Current and historical factors drive variation of reproductive traits in unisexual mosses in Europe: A case study. Journal of Systematics and Evolution, 2023, 61, 213-226.	1.6	3
61	Barbilophozia atlantica(Kaal.) K Müll. in the Iberian Peninsula. Journal of Bryology, 1998, 20, 510-513.	0.4	2