

# Encarnación Nájuez-Olivera

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5851640/publications.pdf>

Version: 2024-02-01

61  
papers

1,252  
citations

331259

21  
h-index

414034

32  
g-index

61  
all docs

61  
docs citations

61  
times ranked

1342  
citing authors

#	ARTICLE	IF	CITATIONS
1	Current and historical factors drive variation of reproductive traits in unisexual mosses in Europe: A case study. <i>Journal of Systematics and Evolution</i> , 2023, 61, 213-226.	1.6	3
2	Bryophyte ultraviolet-omics: from genes to the environment. <i>Journal of Experimental Botany</i> , 2022, 73, 4412-4426.	2.4	5
3	Novel biotechnological substances from bryophytes. , 2021, , 233-248.		5
4	Developmental Stage Determines the Accumulation Pattern of UV-Absorbing Compounds in the Model Liverwort <i>Marchantia polymorpha</i> subsp. <i>ruderalis</i> under Controlled Conditions. <i>Plants</i> , 2021, 10, 473.	1.6	4
5	Secondary metabolites and related genes in <i>Vitis vinifera</i> L. cv. Tempranillo grapes as influenced by ultraviolet radiation and berry development. <i>Physiologia Plantarum</i> , 2021, 173, 709-724.	2.6	20
6	To What Extent Are the Effects of UV Radiation on Grapes Conserved in the Resulting Wines?. <i>Plants</i> , 2021, 10, 1678.	1.6	4
7	Phenolic characteristics acquired by berry skins of <i>Vitis vinifera</i> cv. Tempranillo in response to close ambient solar ultraviolet radiation are mostly reflected in the resulting wines. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 401-409.	1.7	22
8	A supplement of ultraviolet-B radiation under field conditions increases phenolic and volatile compounds of Tempranillo grape skins and the resulting wines. <i>European Journal of Agronomy</i> , 2020, 121, 126150.	1.9	14
9	Phenolic compounds from different bryophyte species and cell compartments respond specifically to ultraviolet radiation, but not particularly quickly. <i>Plant Physiology and Biochemistry</i> , 2019, 134, 137-144.	2.8	21
10	Acclimation of Bryophytes to Sun Conditions, in Comparison to Shade Conditions, Is Influenced by Both Photosynthetic and Ultraviolet Radiations. <i>Frontiers in Plant Science</i> , 2019, 10, 998.	1.7	9
11	Photosynthetically-active radiation, UV-A and UV-B, causes both common and specific damage and photoprotective responses in the model liverwort <i>Marchantia polymorpha</i> subsp. <i>ruderalis</i> . <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 400-412.	1.6	10
12	Cell compartmentation of ultraviolet-absorbing compounds: An underexplored tool related to bryophyte ecology, phylogeny and evolution. <i>Functional Ecology</i> , 2018, 32, 882-893.	1.7	14
13	Evolutionary conservation of structure and function of the UVR8 photoreceptor from the liverwort <i>Marchantia polymorpha</i> and the moss <i>Physcomitrella patens</i> . <i>New Phytologist</i> , 2018, 217, 151-162.	3.5	51
14	Modelling spatial patterns of correlations between concentrations of heavy metals in mosses and atmospheric deposition in 2010 across Europe. <i>Environmental Sciences Europe</i> , 2018, 30, 53.	2.6	15
15	Can Parietin Transfer Energy Radiatively to Photosynthetic Pigments?. <i>Molecules</i> , 2018, 23, 1741.	1.7	5
16	Spores potentially dispersed to longer distances are more tolerant to ultraviolet radiation: A case study in the moss genus <i>Orthotrichum</i> . <i>American Journal of Botany</i> , 2018, 105, 996-1008.	0.8	4
17	Ecophysiology of photosynthetic pigments in aquatic bryophytes. , 2018, , 277-292.		4
18	First Data on the Effects of Ultraviolet Radiation on Phenolic Compounds in the Model Hornwort <i>Anthoceros agrestis</i> . <i>Cryptogamie, Bryologie</i> , 2018, 39, 201-211.	0.1	11

#	ARTICLE	IF	CITATIONS
19	Environmental plasticity of Pinot noir grapevine leaves: A trans-European study of morphological and biochemical changes along a 1,500-km latitudinal climatic gradient. <i>Plant, Cell and Environment</i> , 2017, 40, 2790-2805.	2.8	34
20	Bioindication and modelling of atmospheric deposition in forests enable exposure and effect monitoring at high spatial density across scales. <i>Annals of Forest Science</i> , 2017, 74, 1.	0.8	7
21	Effects of ambient solar UV radiation on grapevine leaf physiology and berry phenolic composition along one entire season under Mediterranean field conditions. <i>Plant Physiology and Biochemistry</i> , 2016, 109, 374-386.	2.8	28
22	Environmental Factors Correlated with the Metabolite Profile of <i>Vitis vinifera</i> cv. Pinot Noir Berry Skins along a European Latitudinal Gradient. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8722-8734.	2.4	52
23	Trace element concentrations in the moss <i>Hypnum cupressiforme</i> growing in a presumably unpolluted area. <i>Chemosphere</i> , 2016, 158, 177-183.	4.2	7
24	Spatial variability of ultraviolet-absorbing compounds in an aquatic liverwort and their usefulness as biomarkers of current and past UV radiation: A case study in the Atlantic-Mediterranean transition. <i>Science of the Total Environment</i> , 2015, 518-519, 248-257.	3.9	10
25	Ultraviolet-absorbing compounds from the cell walls of an aquatic liverwort are more efficiently extracted by alkaline than by enzymatic digestion. <i>Journal of Bryology</i> , 2015, 37, 8-14.	0.4	5
26	UV radiation biomonitoring using cell compartmentation of UV-absorbing compounds in herbarium samples of a liverwort. <i>Ecological Indicators</i> , 2015, 52, 48-56.	2.6	4
27	Effects of UVB radiation exposure from the molecular to the organism level in macrophytes from shallow Mediterranean habitats. <i>Aquatic Botany</i> , 2015, 120, 112-120.	0.8	14
28	Effects of UV exclusion on the physiology and phenolic composition of leaves and berries of <i>Vitis vinifera</i> cv. Graciano. <i>Journal of the Science of Food and Agriculture</i> , 2015, 95, 409-416.	1.7	26
29	Effects of enhanced UV radiation and water availability on performance, biomass production and photoprotective mechanisms of <i>Laurus nobilis</i> seedlings. <i>Environmental and Experimental Botany</i> , 2015, 109, 264-275.	2.0	42
30	Solar ultraviolet radiation is necessary to enhance grapevine fruit ripening transcriptional and phenolic responses. <i>BMC Plant Biology</i> , 2014, 14, 183.	1.6	132
31	Among- and within-genus variability of the UV-absorption capacity in saxicolous mosses. <i>Bryologist</i> , 2014, 117, 1-9.	0.1	8
32	Cell Compartmentation of UV-Absorbing Compounds in Two Aquatic Mosses Under Enhanced UV-B. <i>Cryptogamie, Bryologie</i> , 2012, 33, 169-184.	0.1	14
33	Dynamic response of UV-absorbing compounds, quantum yield and the xanthophyll cycle to diel changes in UV-B and photosynthetic radiations in an aquatic liverwort. <i>Journal of Plant Physiology</i> , 2012, 169, 20-26.	1.6	30
34	UV responses of <i>Lolium perenne</i> raised along a latitudinal gradient across Europe: a filtration study. <i>Physiologia Plantarum</i> , 2012, 145, 604-618.	2.6	17
35	Aquatic Bryophytes under Ultraviolet Radiation. , 2011, , 115-146.		10
36	Impacts of long-term enhanced UV-B radiation on bryophytes in two sub-Arctic heathland sites of contrasting water availability. <i>Annals of Botany</i> , 2011, 108, 557-565.	1.4	34

#	ARTICLE	IF	CITATIONS
37	Effects of enhanced UV-B radiation on hydroxycinnamic acid derivatives extracted from different cell compartments in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> . <i>Physiologia Plantarum</i> , 2010, 140, no-no.	2.6	23
38	Cyclic environmental factors only partially explain the seasonal variability of photoprotection and physiology in two mosses from an unforested headwater stream. <i>Bryologist</i> , 2010, 113, 277-291.	0.1	14
39	Seasonal variations in UV-absorbing compounds and physiological characteristics in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> over a 3-year period. <i>Physiologia Plantarum</i> , 2009, 136, 73-85.	2.6	21
40	Retrospective bioindication of stratospheric ozone and ultraviolet radiation using hydroxycinnamic acid derivatives of herbarium samples of an aquatic liverwort. <i>Environmental Pollution</i> , 2009, 157, 2335-2344.	3.7	16
41	Hydroxycinnamic acid derivatives in an aquatic liverwort as possible bioindicators of enhanced UV radiation. <i>Environmental Pollution</i> , 2008, 151, 8-16.	3.7	28
42	Ultraviolet-absorbing capacity of aquatic bryophytes from Tierra del Fuego (Argentina). <i>Journal of Bryology</i> , 2008, 30, 290-296.	0.4	12
43	High-Level Phosphate Addition Does Not Modify UV Effects in Two Aquatic Bryophytes. <i>Bryologist</i> , 2008, 111, 444-454.	0.1	5
44	Physiological changes and UV protection in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> along an altitudinal gradient of UV-B radiation. <i>Functional Plant Biology</i> , 2006, 33, 1025.	1.1	31
45	Effects of cadmium and enhanced UV radiation on the physiology and the concentration of UV-absorbing compounds of the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> . <i>Photochemical and Photobiological Sciences</i> , 2006, 5, 760-769.	1.6	33
46	Ultraviolet Radiation-Induced Changes in Mycosporine-Like Amino Acids and Physiological Variables in the Red Alga <i>Lemanea fluviatilis</i> . <i>Journal of Freshwater Ecology</i> , 2005, 20, 677-687.	0.5	8
47	Interactions between parasitic fungi and mosses: pegged and swollen-tipped rhizoids in <i>Funaria</i> and <i>Bryum</i> . <i>Journal of Bryology</i> , 2005, 27, 47-53.	0.4	24
48	Assessing the UV-B Tolerance of Sun and Shade Samples of Two Aquatic Bryophytes Using Short-term Tests. <i>Bryologist</i> , 2005, 108, 435-448.	0.1	17
49	Influence of Temperature on the Effects of Artificially Enhanced UV-B Radiation on Aquatic Bryophytes Under Laboratory Conditions. <i>Photosynthetica</i> , 2004, 42, 201-212.	0.9	30
50	A Survey of the Distribution of UV-Absorbing Compounds in Aquatic Bryophytes from a Mountain Stream. <i>Bryologist</i> , 2004, 107, 202-208.	0.1	19
51	Different physiological responses of two aquatic bryophytes to enhanced ultraviolet-B radiation. <i>Journal of Bryology</i> , 2003, 25, 17-30.	0.4	44
52	Combined seasonal and longitudinal variations of element concentrations in two aquatic mosses ( <i>Fontinalis antipyretica</i> and <i>F. squamosa</i> ). <i>Nova Hedwigia</i> , 2002, 74, 349-364.	0.2	15
53	Short-Term Physiological Responses of the Aquatic Liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> to $\text{KH}_2\text{PO}_4$ and Anoxia. <i>Bryologist</i> , 2002, 105, 86-95.	0.1	9
54	Biomonitoring of metal deposition in northern Spain by moss analysis. <i>Science of the Total Environment</i> , 2002, 300, 115-127.	3.9	67

#	ARTICLE	IF	CITATIONS
55	The legend and procession of the Moss Men from B�jar (Salamanca, Spain). Journal of Bryology, 2001, 23, 264-266.	0.4	6
56	Element Concentrations and Enrichment Ratios in the Aquatic Moss <i>Rhynchostegium riparioides</i> along the River Iregua (La Rioja, Northern Spain). Bryologist, 2000, 103, 518-533.	0.1	20
57	<i>Barbilophozia atlantica</i> (Kaal.) K M�ll. in the Iberian Peninsula. Journal of Bryology, 1998, 20, 510-513.	0.4	2
58	Adaptability of Leaves of <i>Cistus ladanifer</i> to Widely Varying Environmental Conditions. Functional Ecology, 1996, 10, 636.	1.7	48
59	A comparative study of <i>Cistus ladanifer</i> shrublands in Extremadura (SW Spain) on the basis of woody species composition and cover. Plant Ecology, 1995, 117, 123-132.	1.2	18
60	Seasonal changes in photosynthetic pigment composition of aquatic bryophytes. Journal of Bryology, 1994, 18, 97-113.	0.4	24
61	Effects of organic pollution on transplanted aquatic bryophytes. Journal of Bryology, 1993, 17, 553-566.	0.4	23