

Encarnacin Nez-Olivera

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5851640/encarnacion-nunez-olivera-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

932
citations

18
h-index

27
g-index

61
ext. papers

1,131
ext. citations

3.8
avg, IF

3.97
L-index

#	Paper	IF	Citations
58	Solar ultraviolet radiation is necessary to enhance grapevine fruit ripening transcriptional and phenolic responses. <i>BMC Plant Biology</i> , 2014 , 14, 183	5.3	95
57	Biomonitoring of metal deposition in northern Spain by moss analysis. <i>Science of the Total Environment</i> , 2002 , 300, 115-27	10.2	60
56	Different physiological responses of two aquatic bryophytes to enhanced ultraviolet-B radiation. <i>Journal of Bryology</i> , 2003 , 25, 17-30	1.1	40
55	Adaptability of Leaves of <i>Cistus ladanifer</i> to Widely Varying Environmental Conditions. <i>Functional Ecology</i> , 1996 , 10, 636	5.6	40
54	Evolutionary conservation of structure and function of the UVR8 photoreceptor from the liverwort <i>Marchantia polymorpha</i> and the moss <i>Physcomitrella patens</i> . <i>New Phytologist</i> , 2018 , 217, 151-162	9.8	33
53	Effects of enhanced UV radiation and water availability on performance, biomass production and photoprotective mechanisms of <i>Laurus nobilis</i> seedlings. <i>Environmental and Experimental Botany</i> , 2015 , 109, 264-275	5.9	32
52	Physiological changes and UV protection in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> along an altitudinal gradient of UV-B radiation. <i>Functional Plant Biology</i> , 2006 , 33, 1025-1036	2.7	30
51	Effects of cadmium and enhanced UV radiation on the physiology and the concentration of UV-absorbing compounds of the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> . <i>Photochemical and Photobiological Sciences</i> , 2006 , 5, 760-9	4.2	28
50	Dynamic response of UV-absorbing compounds, quantum yield and the xanthophyll cycle to diel changes in UV-B and photosynthetic radiations in an aquatic liverwort. <i>Journal of Plant Physiology</i> , 2012 , 169, 20-6	3.6	26
49	Influence of Temperature on the Effects of Artificially Enhanced UV-B Radiation on Aquatic Bryophytes Under Laboratory Conditions. <i>Photosynthetica</i> , 2004 , 42, 201-212	2.2	26
48	Environmental Factors Correlated with the Metabolite Profile of <i>Vitis vinifera</i> cv. Pinot Noir Berry Skins along a European Latitudinal Gradient. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 8722-8734	5.7	25
47	Impacts of long-term enhanced UV-B radiation on bryophytes in two sub-Arctic heathland sites of contrasting water availability. <i>Annals of Botany</i> , 2011 , 108, 557-65	4.1	25
46	Interactions between parasitic fungi and mosses: pegged and swollen-tipped rhizoids in <i>Funaria</i> and <i>Bryum</i> . <i>Journal of Bryology</i> , 2005 , 27, 47-53	1.1	24
45	Seasonal changes in photosynthetic pigment composition of aquatic bryophytes. <i>Journal of Bryology</i> , 1994 , 18, 97-113	1.1	23
44	Effects of enhanced UV-B radiation on hydroxycinnamic acid derivatives extracted from different cell compartments in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> . <i>Physiologia Plantarum</i> , 2010 , 140, 269-79	4.6	22
43	Effects of organic pollution on transplanted aquatic bryophytes. <i>Journal of Bryology</i> , 1993 , 17, 553-566	1.1	22
42	Hydroxycinnamic acid derivatives in an aquatic liverwort as possible bioindicators of enhanced UV radiation. <i>Environmental Pollution</i> , 2008 , 151, 8-16	9.3	21

41	Seasonal variations in UV-absorbing compounds and physiological characteristics in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> over a 3-year period. <i>Physiologia Plantarum</i> , 2009 , 136, 73-85	4.6	19
40	Effects of UV exclusion on the physiology and phenolic composition of leaves and berries of <i>Vitis vinifera</i> cv. Graciano. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 409-16	4.3	18
39	Effects of ambient solar UV radiation on grapevine leaf physiology and berry phenolic composition along one entire season under Mediterranean field conditions. <i>Plant Physiology and Biochemistry</i> , 2016 , 109, 374-386	5.4	18
38	Element Concentrations and Enrichment Ratios in the Aquatic Moss <i>Rhynchostegium riparioides</i> along the River Iregua (La Rioja, Northern Spain). <i>Bryologist</i> , 2000 , 103, 518-533	0.7	17
37	A Survey of the Distribution of UV-Absorbing Compounds in Aquatic Bryophytes from a Mountain Stream. <i>Bryologist</i> , 2004 , 107, 202-208	0.7	16
36	Environmental plasticity of Pinot noir grapevine leaves: A trans-European study of morphological and biochemical changes along a 1,500-km latitudinal climatic gradient. <i>Plant, Cell and Environment</i> , 2017 , 40, 2790-2805	8.4	15
35	Assessing the UV-B Tolerance of Sun and Shade Samples of Two Aquatic Bryophytes Using Short-term Tests. <i>Bryologist</i> , 2005 , 108, 435-448	0.7	15
34	UV responses of <i>Lolium perenne</i> raised along a latitudinal gradient across Europe: a filtration study. <i>Physiologia Plantarum</i> , 2012 , 145, 604-18	4.6	14
33	Retrospective bioindication of stratospheric ozone and ultraviolet radiation using hydroxycinnamic acid derivatives of herbarium samples of an aquatic liverwort. <i>Environmental Pollution</i> , 2009 , 157, 2335-44	8.3	14
32	Effects of UVB radiation exposure from the molecular to the organism level in macrophytes from shallow Mediterranean habitats. <i>Aquatic Botany</i> , 2015 , 120, 112-120	1.8	13
31	Cyclic environmental factors only partially explain the seasonal variability of photoprotection and physiology in two mosses from an unforested headwater stream. <i>Bryologist</i> , 2010 , 113, 277-291	0.7	13
30	Combined seasonal and longitudinal variations of element concentrations in two aquatic mosses (<i>Fontinalis antipyretica</i> and <i>F. squamosa</i>). <i>Nova Hedwigia</i> , 2002 , 74, 349-364	1.3	13
29	Phenolic characteristics acquired by berry skins of <i>Vitis vinifera</i> cv. Tempranillo in response to close-to-ambient solar ultraviolet radiation are mostly reflected in the resulting wines. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 401-409	4.3	13
28	A comparative study of <i>Cistus ladanifer</i> shrublands in Extremadura (CW Spain) on the basis of woody species composition and cover. <i>Plant Ecology</i> , 1995 , 117, 123-132		12
27	Phenolic compounds from different bryophyte species and cell compartments respond specifically to ultraviolet radiation, but not particularly quickly. <i>Plant Physiology and Biochemistry</i> , 2019 , 134, 137-144	5.4	11
26	Cell Compartmentation of UV-Absorbing Compounds in Two Aquatic Mosses Under Enhanced UV-B. <i>Cryptogamie, Bryologie</i> , 2012 , 33, 169-184	0.8	11
25	Ultraviolet-absorbing capacity of aquatic bryophytes from Tierra del Fuego (Argentina). <i>Journal of Bryology</i> , 2008 , 30, 290-296	1.1	11
24	Cell compartmentation of ultraviolet-absorbing compounds: An underexplored tool related to bryophyte ecology, phylogeny and evolution. <i>Functional Ecology</i> , 2018 , 32, 882-893	5.6	10

23	A supplement of ultraviolet-B radiation under field conditions increases phenolic and volatile compounds of Tempranillo grape skins and the resulting wines. <i>European Journal of Agronomy</i> , 2020 , 121, 126150	5	9
22	Acclimation of Bryophytes to Sun Conditions, in Comparison to Shade Conditions, Is Influenced by Both Photosynthetic and Ultraviolet Radiations. <i>Frontiers in Plant Science</i> , 2019 , 10, 998	6.2	7
21	Ultraviolet Radiation-Induced Changes in Mycosporine-Like Amino Acids and Physiological Variables in the Red Alga <i>Lemanea fluviatilis</i> . <i>Journal of Freshwater Ecology</i> , 2005 , 20, 677-687	1.4	7
20	First Data on the Effects of Ultraviolet Radiation on Phenolic Compounds in the Model Hornwort <i>Anthoceros agrestis</i> . <i>Cryptogamie, Bryologie</i> , 2018 , 39, 201-211	0.8	7
19	Spatial variability of ultraviolet-absorbing compounds in an aquatic liverwort and their usefulness as biomarkers of current and past UV radiation: a case study in the Atlantic-Mediterranean transition. <i>Science of the Total Environment</i> , 2015 , 518-519, 248-57	10.2	6
18	Trace element concentrations in the moss <i>Hypnum cupressiforme</i> growing in a presumably unpolluted area. <i>Chemosphere</i> , 2016 , 158, 177-83	8.4	6
17	Among- and within-genus variability of the UV-absorption capacity in saxicolous mosses. <i>Bryologist</i> , 2014 , 117, 1-9	0.7	6
16	Aquatic Bryophytes under Ultraviolet Radiation 115-146		6
15	Short-Term Physiological Responses of the Aquatic Liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> to KH ₂ PO ₄ and Anoxia. <i>Bryologist</i> , 2002 , 105, 86-95	0.7	6
14	Modelling spatial patterns of correlations between concentrations of heavy metals in mosses and atmospheric deposition in 2010 across Europe. <i>Environmental Sciences Europe</i> , 2018 , 30, 53	5	6
13	Photosynthetically-active radiation, UV-A and UV-B, causes both common and specific damage and photoprotective responses in the model liverwort <i>Marchantia polymorpha</i> subsp. <i>ruderalis</i> . <i>Photochemical and Photobiological Sciences</i> , 2019 , 18, 400-412	4.2	5
12	Bioindication and modelling of atmospheric deposition in forests enable exposure and effect monitoring at high spatial density across scales. <i>Annals of Forest Science</i> , 2017 , 74, 1	3.1	5
11	The legend and procession of the Moss Men from Bjar (Salamanca, Spain). <i>Journal of Bryology</i> , 2001 , 23, 264-266	1.1	5
10	Ultraviolet-absorbing compounds from the cell walls of an aquatic liverwort are more efficiently extracted by alkaline than by enzymatic digestion. <i>Journal of Bryology</i> , 2015 , 37, 8-14	1.1	4
9	High-Level Phosphate Addition Does Not Modify UV Effects in Two Aquatic Bryophytes. <i>Bryologist</i> , 2008 , 111, 444-454	0.7	4
8	Ecophysiology of photosynthetic pigments in aquatic bryophytes 2018 , 277-292		3
7	Developmental Stage Determines the Accumulation Pattern of UV-Absorbing Compounds in the Model Liverwort subsp. under Controlled Conditions. <i>Plants</i> , 2021 , 10,	4.5	3
6	UV radiation biomonitoring using cell compartmentation of UV-absorbing compounds in herbarium samples of a liverwort. <i>Ecological Indicators</i> , 2015 , 52, 48-56	5.8	2

5	Can Parietin Transfer Energy Radiatively to Photosynthetic Pigments?. <i>Molecules</i> , 2018 , 23,	4.8	2
4	Spores potentially dispersed to longer distances are more tolerant to ultraviolet radiation: A case study in the moss genus <i>Orthotrichum</i> . <i>American Journal of Botany</i> , 2018 , 105, 996-1008	2.7	2
3	<i>Barbilophozia atlantica</i> (Kaal.) K MŪ. in the Iberian Peninsula. <i>Journal of Bryology</i> , 1998 , 20, 510-513	1.1	2
2	Secondary metabolites and related genes in <i>Vitis vinifera</i> L. cv. Tempranillo grapes as influenced by ultraviolet radiation and berry development. <i>Physiologia Plantarum</i> , 2021 , 173, 709-724	4.6	2
1	Novel biotechnological substances from bryophytes 2021 , 233-248		1