

Yonghui Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5852025/publications.pdf>

Version: 2024-02-01

296
papers

6,028
citations

93792

39
h-index

198040

52
g-index

311
all docs

311
docs citations

311
times ranked

4352
citing authors

#	ARTICLE	IF	CITATIONS
1	Two new lanostane-type triterpenoids from the fungus <i>Periconia</i> sp. TJ403-rc01. <i>Natural Product Research</i> , 2023, 37, 1154-1160.	1.0	2
2	A new diketopiperazine-type alkaloid from the endophytic fungus <i>Penicillium expansum</i> . <i>Natural Product Research</i> , 2023, 37, 3716-3721.	1.0	2
3	A new abietane-type diterpenoid and a new long-chain alkenone from fungus <i>Daldinia</i> sp. TJ403-LS1. <i>Natural Product Research</i> , 2022, 36, 531-538.	1.0	2
4	Armochaetoglasins J and K: new cytochalasans from <i>Chaetomium globosum</i> . <i>Natural Product Research</i> , 2022, 36, 3603-3609.	1.0	3
5	Hybeanones A and B, Two Highly Modified Polycyclic Polyprenylated Acylphloroglucinols from <i>Hypericum beanii</i> . <i>Chinese Journal of Chemistry</i> , 2022, 40, 53-58.	2.6	12
6	Multioxidized aromatic polyketides produced by a soil-derived fungus <i>Penicillium canescens</i> . <i>Phytochemistry</i> , 2022, 193, 113012.	1.4	8
7	Isolation, absolute configurations and bioactivities of pestaphilonones: Undescribed methylated side chain containing-azaphilonones from <i>Pestalotiopsis oxyanthi</i> . <i>Phytochemistry</i> , 2022, 194, 113045.	1.4	4
8	Highly oxygenated isoryanodane diterpenoids from the leaves of <i>Cinnamomum cassia</i> and their immunomodulatory activities. <i>Phytochemistry</i> , 2022, 196, 113077.	1.4	2
9	Discovery of immunosuppressive Lupane-type Triterpenoids from <i>Hypericum longistylum</i> . <i>Natural Product Research</i> , 2022, , 1-7.	1.0	3
10	Kinsenoside Protects Against Radiation-Induced Liver Fibrosis via Downregulating Connective Tissue Growth Factor Through TGF- β 1 Signaling. <i>Frontiers in Pharmacology</i> , 2022, 13, 808576.	1.6	5
11	Discovery of 13,15-nor-polycyclic polyprenylated acylphloroglucinols from <i>Hypericum longistylum</i> with anti-inflammatory activity. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 1284-1291.	1.5	8
12	Emerione A, a novel fungal metabolite as an inhibitor of New Delhi metallo- β -lactamase 1, restores carbapenem susceptibility in carbapenem-resistant isolates. <i>Journal of Global Antimicrobial Resistance</i> , 2022, 28, 216-222.	0.9	7
13	Kinsenoside attenuates liver fibro-inflammation by suppressing dendritic cells via the PI3K-AKT-FoxO1 pathway. <i>Pharmacological Research</i> , 2022, 177, 106092.	3.1	26
14	A mild tetrahydro-Diels-Alder reaction of arylidyne compounds affords exclusively linear products. <i>Organic and Biomolecular Chemistry</i> , 2022, , .	1.5	0
15	Asperflavipines E and aspermichalasin A: three cytochalasan heterotetramers and an unusual cytochalasan monomer from <i>Aspergillus micronesiensis</i> . <i>Organic Chemistry Frontiers</i> , 2022, 9, 2585-2592.	2.3	6
16	Asperosin A, a [4 + 2] Diels-Alder cycloaddition polyketide dimer from <i>Aspergillus rugulosa</i> with immunosuppressive activity. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2477-2485.	2.3	5
17	Undescribed Meroterpenoids from <i>Hypericum japonicum</i> with Neuroprotective Effects on H_2O_2 Insult SHY5Y Cells Targeting Keap1-Nrf2. <i>Chinese Journal of Chemistry</i> , 2022, 40, 1321-1330.	2.6	2
18	Distachydrimanes F, phenylspirodrimane dimers and hybrids with cytotoxic activity from the coral-derived fungus <i>Stachybotrys chartarum</i> . <i>Chinese Chemical Letters</i> , 2022, 33, 4587-4594.	4.8	12

#	ARTICLE	IF	CITATIONS
19	Stereohirsutynes Aâ€‰%âˆ”â€‰C: three new acetylenic aromatic metabolites from <i>Stereum hirsutum</i> . <i>Natural Product Research</i> , 2022, , 1-8.	1.0	2
20	Discovery of Undescribed Monoterpenoid Polyprenylated Acylphloroglucinols with Immunosuppressive Activities from <i>Hypericum longistylum</i> . <i>Phytochemistry</i> , 2022, 198, 113173.	1.4	4
21	Kiiacylphnols Aâˆ”H, eight undescribed polycyclic polyprenylated acylphloroglucinols with anticancer activities from <i>Hypericum przewalskii</i> Maxim. <i>Phytochemistry</i> , 2022, 199, 113166.	1.4	3
22	Methyl 6-O-cinnamoyl-Î±-d-glucopyranoside Ameliorates Acute Liver Injury by Inhibiting Oxidative Stress Through the Activation of Nrf2 Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2022, 13, 873938.	1.6	2
23	Norprzewalsone A, a Rearranged Polycyclic Polyprenylated Acylphloroglucinol with a Spiro[cyclopentane-1,3â€²-tricyclo[7.4.0.0^{1,6}]tridecane] Core from <i>Hypericum przewalskii</i> . <i>Journal of Organic Chemistry</i> , 2022, 87, 6824-6831.	1.7	4
24	A Removable Acyl Group Promoted the Intramolecular Dehydro-Dielsâ€”Alder Reaction of Styrene-Ynes: Highly Chemoselective Synthesis of Aryldihydronaphthalene Derivatives. <i>Journal of Organic Chemistry</i> , 2022, 87, 6601-6611.	1.7	5
25	(Â±)-Hyperpyran A: Terpenoid-based bicyclic dihydropyran enantiomers with hypoglycemic activity from <i>Hypericum perforatum</i> (St. John's wort). <i>FÃ-toterapÃ-Ã</i> , 2022, 161, 105221.	1.1	4
26	Talaromynoids Aâ€”E: Five New Fusicoccane Diterpenoids from the Endophytic Fungus <i>Talaromyces</i> sp. DC-26. <i>Journal of Organic Chemistry</i> , 2022, 87, 7333-7341.	1.7	8
27	30-norlanostane triterpenoids and steroid derivatives from the endophytic fungus <i>Aspergillus nidulans</i> . <i>Phytochemistry</i> , 2022, 201, 113257.	1.4	3
28	(Â±)-Walskiiglucinol A, a pair of rearranged acylphloroglucinol derivative enantiomers from <i>Hypericum przewalskii</i> . <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 4970-4975.	1.5	0
29	Kinsenoside alleviates inflammation and fibrosis in experimental NASH mice by suppressing the NF-Î²B/NLRP3 signaling pathway. <i>Phytomedicine</i> , 2022, 104, 154241.	2.3	12
30	An unprecedented ergostane with a 6/6/5 tricyclic 13(14â€”8)abeo-8,14-seco skeleton from <i>Talaromyces adpressus</i> . <i>Bioorganic Chemistry</i> , 2022, 127, 105943.	2.0	4
31	Aureoterrolides Bâ€”M: Eremophilane-type sesquiterpenoids isolated from <i>Aspergillus aureoterreus</i> and their cytotoxicity. <i>Phytochemistry</i> , 2022, 202, 113294.	1.4	4
32	Structurally diverse metabolites from a soil-derived fungus <i>Aspergillus calidouustus</i> . <i>Bioorganic Chemistry</i> , 2022, 127, 105988.	2.0	3
33	Bioactive Polyketide-Terpenoid Hybrids from a Soil-Derived Fungus <i>Bipolaris zeicola</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 10962-10974.	1.7	12
34	One new spirocyclic lactone and one new benzopyran derivative from <i>Aspergillus terreus</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 429-435.	0.7	2
35	Hypoxylonoids Aâˆ”G: Isopimarane diterpene glycosides from <i>Xylaria hypoxylon</i> . <i>Phytochemistry</i> , 2021, 182, 112613.	1.4	4
36	Large-scale culture as a complementary and practical method for discovering natural products with novel skeletons. <i>Natural Product Reports</i> , 2021, 38, 1775-1793.	5.2	25

#	ARTICLE	IF	CITATIONS
37	Hyperbeanone A, a 5,6- <i>seco</i> -spirocyclic polycyclic polyprenylated acylphloroglucinol derivative with an unprecedented skeleton from <i>Hypericum beani</i> . <i>Organic Chemistry Frontiers</i> , 2021, 8, 6411-6418.	2.3	6
38	Unprecedented polycyclic polyprenylated acylphloroglucinols with anti-Alzheimer's activity from St. John's wort. <i>Chemical Science</i> , 2021, 12, 11438-11446.	3.7	19
39	Synthesis of Succinimides via Intramolecular Alder-Ene Reaction of 1,6-Enynes. <i>Organic Letters</i> , 2021, 23, 3173-3178.	2.4	14
40	Hypaluton A, an Immunosuppressive 3,4- <i>nor</i> -Polycyclic Polyprenylated Acylphloroglucinol from <i>Hypericum patulum</i> . <i>Journal of Organic Chemistry</i> , 2021, 86, 6478-6485.	1.7	14
41	Five new secondary metabolites from the fungus <i>Phomopsis asparagi</i> . <i>F&T</i> , 2021, 150, 104840.	1.1	6
42	Chaetocochin J, an epipolythiodioxopiperazine alkaloid, induces apoptosis and autophagy in colorectal cancer via AMPK and PI3K/AKT/mTOR pathways. <i>Bioorganic Chemistry</i> , 2021, 109, 104693.	2.0	20
43	Inducing new bioactive metabolites production from coculture of <i>Pestalotiopsis</i> sp. and <i>Penicillium bialowiezense</i> . <i>Bioorganic Chemistry</i> , 2021, 110, 104826.	2.0	8
44	Kinsenoside Alleviates 17 β -Ethinylestradiol-Induced Cholestatic Liver Injury in Rats by Inhibiting Inflammatory Responses and Regulating FXR-Mediated Bile Acid Homeostasis. <i>Pharmaceuticals</i> , 2021, 14, 452.	1.7	16
45	Discovery of nor-bicyclic polyprenylated acylphloroglucinols possessing diverse architectures with anti-hepatoma activities from <i>Hypericum patulum</i> . <i>Bioorganic Chemistry</i> , 2021, 111, 104902.	2.0	7
46	Identification of anti-Parkinson's Disease Lead Compounds from <i>Aspergillus ochraceus</i> Targeting Adenosin Receptors A _{2A} . <i>ChemistryOpen</i> , 2021, 10, 630-638.	0.9	9
47	Piperazine-2,5-dione derivatives and an $\hat{\pm}$ -pyrone polyketide from <i>Penicillium griseofulvum</i> and their immunosuppression activity. <i>Phytochemistry</i> , 2021, 186, 112708.	1.4	10
48	New Polyketides With Anti-Inflammatory Activity From the Fungus <i>Aspergillus rugulosa</i> . <i>Frontiers in Pharmacology</i> , 2021, 12, 700573.	1.6	9
49	New immunosuppressive secondary metabolites from the endophytic fungus <i>Aspergillus</i> sp.. <i>F&T</i> , 2021, 151, 104882.	1.1	13
50	Meroterpenoids with Potent Immunosuppressive Activity from Fungus <i>Bipolaris zeicola</i> . <i>Chinese Journal of Chemistry</i> , 2021, 39, 2460-2466.	2.6	5
51	($\hat{\pm}$)-hyperzewalsins A ^D , four pairs of nor-monocyclic polyprenylated acylphloroglucinols with immunosuppressive activity from <i>hypericum przewalskii maxim.</i> <i>Phytochemistry</i> , 2021, 187, 112779.	1.4	7
52	A new pair of cytotoxic enantiomeric isoprenylated chromone derivatives from <i>Pestalotiopsis</i> sp.. <i>Journal of Asian Natural Products Research</i> , 2021, , 1-7.	0.7	2
53	Bioassay-Guided Isolation of an Abetiane-Type Diterpenoid from <i>Prunella vulgaris</i> That Protects against Concanavalin A-Induced Autoimmune Hepatitis. <i>Journal of Natural Products</i> , 2021, 84, 2189-2199.	1.5	7
54	New secondary metabolites with immunosuppressive and BChE inhibitory activities from an endophytic fungus <i>Daldinia</i> sp. TJ403-LS1. <i>Bioorganic Chemistry</i> , 2021, 114, 105091.	2.0	4

#	ARTICLE	IF	CITATIONS
55	Bipolaquinones Aâ€“, Immunosuppressive Meroterpenoids from a Soil-Derived <i>Bipolaris zeicola</i> . <i>Journal of Natural Products</i> , 2021, 84, 2427-2436.	1.5	5
56	Five undescribed steroids from <i>Talaromyces stipitatus</i> and their cytotoxic activities against hepatoma cell lines. <i>Phytochemistry</i> , 2021, 189, 112816.	1.4	6
57	Polycyclic polyprenylated acylphloroglucinols with immunosuppressive activity from <i>Hypericum perforatum</i> and absolute configurations assignment of previously reported analogues. <i>Bioorganic Chemistry</i> , 2021, 114, 105144.	2.0	14
58	Terpeneâ”Shikimate conjugated meroterpenoids from the endophytic fungus <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2021, 190, 112860.	1.4	5
59	Asperanstinoids Aâ€“E: Undescribed 3,5-dimethylorsellinic acid-based meroterpenoids from <i>Aspergillus calidoustus</i> . <i>Phytochemistry</i> , 2021, 190, 112892.	1.4	7
60	Discovery of bioactive polycyclic polyprenylated acylphloroglucinols from <i>Hypericum wilsonii</i> . <i>Bioorganic Chemistry</i> , 2021, 115, 105246.	2.0	8
61	Spectanoids Aâ”H: Eight undescribed sesterterpenoids from <i>Aspergillus spectabilis</i> . <i>Phytochemistry</i> , 2021, 191, 112910.	1.4	7
62	Progress in the Chemistry of Cytochalasans. <i>Progress in the Chemistry of Organic Natural Products</i> , 2021, 114, 1-134.	0.8	13
63	New secondary metabolites from the endophytic fungus <i>Aspergillus</i> sp. from <i>Tripterygium wilfordii</i> . <i>Natural Product Research</i> , 2021, , 1-10.	1.0	1
64	Practical access to fluorescent 2,3-naphthalimide derivatives <i>via</i> didehydro-Dielsâ€“Alder reaction. <i>Chemical Communications</i> , 2021, 57, 5155-5158.	2.2	9
65	Norwilsonnol A, an immunosuppressive polycyclic polyprenylated acylphloroglucinol with a spiro[5-oxatricyclo[6.4.0.0 ^{3,7}]dodecane-6â”2,1-â”2,2â”2-dioxane] system from <i>Hypericum wilsonii</i> . <i>Organic Chemistry Frontiers</i> , 2021, 8, 2280-2286.	2.3	14
66	Discovery of GOT1 Inhibitors from a Marine-Derived <i>Aspergillus terreus</i> That Act against Pancreatic Ductal Adenocarcinoma. <i>Marine Drugs</i> , 2021, 19, 588.	2.2	9
67	New \pm -pyrone derivatives with herbicidal activity from the endophytic fungus <i>Alternaria brassicicola</i> . <i>Bioorganic Chemistry</i> , 2021, 117, 105452.	2.0	19
68	A new megastimane sesquiterpenoid from the leaves of <i>Cinnamomum cassia</i> . <i>Journal of Asian Natural Products Research</i> , 2021, , 1-7.	0.7	0
69	TerC Is a Multifunctional and Promiscuous Flavoprotein Monooxygenase That Catalyzes Bimodal Oxidative Transformations. <i>Organic Letters</i> , 2021, 23, 8947-8951.	2.4	8
70	Kinsenoside Alleviates Alcoholic Liver Injury by Reducing Oxidative Stress, Inhibiting Endoplasmic Reticulum Stress, and Regulating AMPK-Dependent Autophagy. <i>Frontiers in Pharmacology</i> , 2021, 12, 747325.	1.6	10
71	New cyclopiane diterpenes with anti-inflammatory activity from the sea sediment-derived fungus <i>Penicillium</i> sp. TJ403-2. <i>Chinese Chemical Letters</i> , 2020, 31, 197-201.	4.8	24
72	Prenylated quinolinone alkaloids and prenylated isoindolinone alkaloids from the fungus <i>Aspergillus nidulans</i> . <i>Phytochemistry</i> , 2020, 169, 112177.	1.4	20

#	ARTICLE	IF	CITATIONS
73	Reisolation and Configurational Reinvestigation of Cottoquinazolines Eâ€“G from an Arthropod-Derived Strain of the Fungus <i>Neosartorya fischeri</i> . <i>Journal of Natural Products</i> , 2020, 83, 169-173.	1.5	11
74	Wilsonglucinols Aâ€“C, homoadamantane-type polycyclic polyprenylated acylphloroglucinols with unusual fused epoxy ring skeletons from <i>Hypericum wilsonii</i> . <i>Organic Chemistry Frontiers</i> , 2020, 7, 464-471.	2.3	12
75	Structurally Diverse Meroterpenoids from a Marine-Derived <i>Aspergillus</i> sp. Fungus. <i>Journal of Natural Products</i> , 2020, 83, 99-104.	1.5	20
76	Two anti-inflammatory chlorinated azaphilones from <i>Chaetomium globosum</i> TW1-1 cultured with 1-methyl-L-tryptophan and structure revision of chaephilone C. <i>Tetrahedron Letters</i> , 2020, 61, 151516.	0.7	8
77	Talaronoids Aâ€“D: four fusicoccane diterpenoids with an unprecedented tricyclic 5/8/6 ring system from the fungus <i>Talaromyces stipitatus</i> . <i>Organic Chemistry Frontiers</i> , 2020, 7, 3486-3492.	2.3	16
78	Longisglucinols Aâ€“C, Structurally Intriguing Polycyclic Polyprenylated Acylphloroglucinols with Anti-inflammatory Activity from <i>Hypericum longistylum</i> . <i>Organic Letters</i> , 2020, 22, 7926-7929.	2.4	18
79	Identification, synthesis and biological evaluation of pyrazine ring compounds from <i>Talaromyces minioluteus</i> (<i>Penicillium minioluteum</i>). <i>Organic Chemistry Frontiers</i> , 2020, 7, 3616-3624.	2.3	9
80	Discovery of an Orally Active Small-Molecule Tumor Necrosis Factor- $\hat{\pm}$ Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 8146-8156.	2.9	20
81	New cytotoxic secondary metabolites against human pancreatic cancer cells from the <i>Hypericum perforatum</i> endophytic fungus <i>Aspergillus terreus</i> . <i>FÅ-toterapÅ-Å¢</i> , 2020, 146, 104685.	1.1	13
82	Bioassay-Directed Isolation of Antibacterial Metabolites from an Arthropod-Derived <i>Penicillium chrysogenum</i> . <i>Journal of Natural Products</i> , 2020, 83, 3397-3403.	1.5	11
83	Terreuspyridine: An Unexpected Pyridine-Fused Meroterpenoid Alkaloid with a Tetracyclic 6/6/6/6 Skeleton from <i>Aspergillus terreus</i> . <i>Organic Letters</i> , 2020, 22, 7041-7046.	2.4	16
84	Discovery of an Oxepine-Containing Diketopiperazine Derivative Active against Concanavalin A-Induced Hepatitis. <i>Journal of Natural Products</i> , 2020, 83, 2672-2678.	1.5	10
85	Two new nucleoside derivatives isolated from the marine-derived <i>Aspergillus versicolor</i> and their intramolecular transesterification. <i>Natural Product Research</i> , 2020, , 1-8.	1.0	1
86	Two new phenolic glucosides from marine-derived fungus <i>Aspergillus</i> sp.. <i>Natural Product Research</i> , 2020, , 1-7.	1.0	5
87	Structural Diversification of Andiconin-Derived Natural Products by $\hat{\pm}$ -Ketoglutarate-Dependent Dioxygenases. <i>Organic Letters</i> , 2020, 22, 4311-4315.	2.4	16
88	Modified Fusicoccane-Type Diterpenoids from <i>Alternaria brassicicola</i> . <i>Journal of Natural Products</i> , 2020, 83, 1931-1938.	1.5	22
89	Hypersonins Aâ€“D, Polycyclic Polyprenylated Acylphloroglucinols with a 1,2- <i>seco</i> -Homoadamantane Architecture from <i>Hypericum wilsonii</i> . <i>Journal of Natural Products</i> , 2020, 83, 1804-1809.	1.5	14
90	Novel Antimicrobial Compounds as Ophiobolin-Type Sesterterpenes and Pimarane-Type Diterpene From <i>Bipolaris</i> Species TJ403-B1. <i>Frontiers in Microbiology</i> , 2020, 11, 856.	1.5	10

#	ARTICLE	IF	CITATIONS
91	Fusicoccane-derived diterpenoids with bridgehead double-bond-containing tricyclo[9.2.1.03,7]tetradecane ring systems from <i>Alternaria brassicicola</i> . <i>Bioorganic Chemistry</i> , 2020, 100, 103887.	2.0	8
92	Structurally diverse vibralactones produced by the fungus <i>Stereum hirsutum</i> . <i>Bioorganic Chemistry</i> , 2020, 99, 103760.	2.0	5
93	An Fe ²⁺ - and Î±-Ketoglutarate-Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9478-9484.	7.2	24
94	New bioactive secondary metabolites from the <i>Anoectochilus roxburghii</i> endophytic fungus <i>Aspergillus versicolor</i> . <i>FÄtoterapÄ</i> , 2020, 143, 104532.	1.1	12
95	An Fe ²⁺ - and Î±-Ketoglutarate-Dependent Halogenase Acts on Nucleotide Substrates. <i>Angewandte Chemie</i> , 2020, 132, 9565-9571.	1.6	6
96	Nidulaxanthone A, a xanthone dimer with a heptacyclic 6/6/6/6/6/6 ring system from <i>Aspergillus</i> sp.-F029. <i>Organic Chemistry Frontiers</i> , 2020, 7, 953-959.	2.3	7
97	Dimericchalasine A and Amichalasin D and E: Unexpected Cytochalasan Homodimer and Heterotrimers from <i>Aspergillus micronesiensis</i> PG-1. <i>Organic Letters</i> , 2020, 22, 2162-2166.	2.4	17
98	21-Epi-taichunamide D and (Ä)-versicaline A, three unusual alkaloids from the endophytic <i>Aspergillus versicolor</i> F210. <i>Tetrahedron Letters</i> , 2020, 61, 152219.	0.7	6
99	Proversilins ÄE, Drimane-Type Sesquiterpenoids from the Endophytic <i>Aspergillus versicolor</i> . <i>Journal of Natural Products</i> , 2020, 83, 2200-2206.	1.5	17
100	Wortmannolol Induces Breast Cancer Cell Death In Vitro and In Vivo by Targeting Phosphoinositide 3ÄKinase Î±. <i>ChemistrySelect</i> , 2020, 5, 2214-2218.	0.7	1
101	Dongtinganthracenes ÄD: Bioanthracene derivatives from <i>Penicillium</i> sp. DT10 derived from wetland soil obtained from Dongting Lake. <i>Phytochemistry</i> , 2020, 173, 112295.	1.4	2
102	Fungal Polyketides with Three Distinctive Ring Skeletons from the Fungus <i>Penicillium canescens</i> Uncovered by OSMAC and Molecular Networking Strategies. <i>Journal of Organic Chemistry</i> , 2020, 85, 4973-4980.	1.7	23
103	Polysubstituted Phenyl Glucosides Produced by the Fungus <i>Metarrhizium anisopliae</i> . <i>Current Medical Science</i> , 2020, 40, 232-238.	0.7	1
104	New secondary metabolites with immunosuppressive activity from the phytopathogenic fungus <i>Bipolaris maydis</i> . <i>Bioorganic Chemistry</i> , 2020, 99, 103816.	2.0	13
105	Four new ergostane-type steroids from <i>Lasiodiplodia pseudotheobromae</i> . <i>Tetrahedron Letters</i> , 2020, 61, 151737.	0.7	5
106	Structurally diverse and bioactive alkaloids from an insect-derived fungus <i>Neosartorya fischeri</i> . <i>Phytochemistry</i> , 2020, 175, 112374.	1.4	14
107	Discovery of new polycyclic polyprenylated acylphloroglucinols with diverse architectures as potent cyclooxygenase-2 inhibitors. <i>Organic Chemistry Frontiers</i> , 2020, 7, 1349-1357.	2.3	15
108	Secoemestrin C inhibits activation of NKT/conventional T cells and protects against concanavalin A-induced autoimmune hepatitis in mice. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 3389-3401.	0.0	5

#	ARTICLE	IF	CITATIONS
109	Canescones Aâ€“E: aromatic polyketide dimers with PTP1B inhibitory activity from <i>Penicillium canescens</i> . <i>Organic Chemistry Frontiers</i> , 2019, 6, 3274-3281.	2.3	8
110	HPLC-DAD-Directed Isolation of Linearly Fused Prenylated Indole Alkaloids from a Soil-Derived <i>Aspergillus versicolor</i> . <i>Journal of Natural Products</i> , 2019, 82, 2181-2188.	1.5	23
111	Cysteine Residue Containing Merocytochalasans and 17,18- <i>seco</i> -Aspochalasin from <i>Aspergillus micronesiensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 2653-2658.	1.5	23
112	Przewalcyrone F, epoxychromene-containing polycyclic polyprenylated acylphloroglucinols with immunosuppressive activity from <i>Hypericum przewalskii</i> Maxim.. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 8234-8242.	1.5	17
113	Anti-Angiogenic Effect of Asperchalsine A Via Attenuation of VEGF Signaling. <i>Biomolecules</i> , 2019, 9, 358.	1.8	8
114	Anti-inflammatory spirooxane and drimane sesquiterpenoids from <i>Talaromyces minioluteus</i> (<i>Penicillium minioluteum</i>). <i>Bioorganic Chemistry</i> , 2019, 91, 103166.	2.0	20
115	Bipolarolidesâ€“G: Ophiobolinâ€“Derived Sesterterpenes with Three New Carbon Skeletons from <i>Bipolaris</i> sp. T403â€“B1. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12091-12095.	7.2	50
116	Antimicrobial Dolabellanes and Atranones from a Marine-Derived Strain of the Toxigenic Fungus <i>Stachybotrys chartarum</i> . <i>Journal of Natural Products</i> , 2019, 82, 1923-1929.	1.5	37
117	Bipolarolidesâ€“G: Ophiobolinâ€“Derived Sesterterpenes with Three New Carbon Skeletons from <i>Bipolaris</i> sp. T403â€“B1. <i>Angewandte Chemie</i> , 2019, 131, 12219-12223.	1.6	10
118	Flavipesines A and B and Asperchalsines Eâ€“H: Cytochalasans and Merocytochalasans from <i>Aspergillus flavipes</i> . <i>Journal of Natural Products</i> , 2019, 82, 2994-3001.	1.5	13
119	New cytotoxic tricycloalternarenes from fungus <i>Alternaria brassicicola</i> . <i>Bioorganic Chemistry</i> , 2019, 92, 103279.	2.0	12
120	Asperpyridone A: An Unusual Pyridone Alkaloid Exerts Hypoglycemic Activity through the Insulin Signaling Pathway. <i>Journal of Natural Products</i> , 2019, 82, 2925-2930.	1.5	17
121	Aspulvinone O, a natural inhibitor of GOT1 suppresses pancreatic ductal adenocarcinoma cells growth by interfering glutamine metabolism. <i>Cell Communication and Signaling</i> , 2019, 17, 111.	2.7	37
122	Protective effect of kinsenoside on acute alcohol-induced liver injury in mice. <i>Revista Brasileira De Farmacognosia</i> , 2019, 29, 637-643.	0.6	5
123	Bipolaricins I, Ophiobolin-Type Tetracyclic Sesterterpenes from a Phytopathogenic <i>Bipolaris</i> sp. Fungus. <i>Journal of Natural Products</i> , 2019, 82, 2897-2906.	1.5	26
124	Periconiastone A, an Antibacterial Ergosterol with a Pentacyclo[8.7.0.0 ^{1,5} .0 ^{2,14} .0 ^{10,15}]heptadecane System from <i>Periconia</i> sp. T403-rc01. <i>Organic Letters</i> , 2019, 21, 8469-8472.	2.4	50
125	Alterbrassinoids D: Fusicoccane-Derived Diterpenoid Dimers Featuring Different Carbon Skeletons from <i>Alternaria brassicicola</i> . <i>Organic Letters</i> , 2019, 21, 8353-8357.	2.4	26
126	Highly functionalized cyclohexanone-monocyclic polyprenylated acylphloroglucinols from <i>Hypericum perforatum</i> induce leukemia cell apoptosis. <i>Organic Chemistry Frontiers</i> , 2019, 6, 817-824.	2.3	16

#	ARTICLE	IF	CITATIONS
127	Dongtingnoids Aâ€“G: Fusicoccane Diterpenoids from a <i>Penicillium</i> Species. <i>Journal of Natural Products</i> , 2019, 82, 80-86.	1.5	21
128	Dibrefeldins A and B, A pair of epimers representing the first brefeldin A dimers with cytotoxic activities from <i>Penicillium janthinellum</i> . <i>Bioorganic Chemistry</i> , 2019, 86, 176-182.	2.0	16
129	Anti-BACE1 and anti-AchE activities of undescribed spiro-dioxolane-containing meroterpenoids from the endophytic fungus <i>Aspergillus terreus</i> Thom. <i>Phytochemistry</i> , 2019, 165, 112041.	1.4	25
130	Emeriones Aâ€“C: Three Highly Methylated Polyketides with Bicyclo[4.2.0]octene and 3,6-Dioxabicyclo[3.1.0]hexane Functionalities from <i>Emericella nidulans</i> . <i>Organic Letters</i> , 2019, 21, 5091-5095.	2.4	15
131	Mangiterpenes Aâ€“C and 2â€²,3â€²-seco-manginoid C, four sesquiterpene/monoterpeneâ€“shikimateâ€“conjugated spirocyclic meroterpenoids from <i>Guignardia mangiferae</i> . <i>Phytochemistry</i> , 2019, 164, 236-242.	1.4	14
132	Highly oxygenated meroterpenoids from the Antarctic fungus <i>Aspergillus terreus</i> . <i>Phytochemistry</i> , 2019, 164, 184-191.	1.4	18
133	Hyperforatins Lâ€“U: Prenylated acylphloroglucinols with a terminal double bond from <i>Hypericum perforatum</i> L. (St John's Wort). <i>Phytochemistry</i> , 2019, 164, 41-49.	1.4	8
134	Phenolic <i>C</i> -Glycosides and Aglycones from Marine-Derived <i>Aspergillus</i> sp. and Their Anti-Inflammatory Activities. <i>Journal of Natural Products</i> , 2019, 82, 1098-1106.	1.5	11
135	Fusaresters Aâ€“E, new Î³-pyrone-containing polyketides from fungus <i>Fusarium</i> sp. Hungcl and structure revision of fusariumin D. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5526-5532.	1.5	14
136	Amiaspochalasin Aâ€“H, Undescribed Aspochalasin with a C-21 Ester Carbonyl from <i>Aspergillus micronesiensis</i> . <i>Journal of Organic Chemistry</i> , 2019, 84, 5483-5491.	1.7	8
137	The absolute configurations of hyperilongenols Aâ€“C: rare 12,13- <i>seco</i> -spirocyclic polycyclic polyprenylated acylphloroglucinols with enolizable Î²,Î²-tricarbonyl systems from <i>Hypericum longistylum</i> Oliv.. <i>Organic Chemistry Frontiers</i> , 2019, 6, 1491-1502.	2.3	20
138	Niduterpenoids A and B: Two Sesterterpenoids with a Highly Congested Hexacyclic 5/5/5/3/5 Ring System from the Fungus <i>Aspergillus nidulans</i> . <i>Organic Letters</i> , 2019, 21, 2290-2293.	2.4	31
139	Asperteramide A, an Unusual <i>N</i> -Phenyl Carbamic Acid Methyl Ester Trimer Isolated from the Coral-Derived Fungus <i>Aspergillus Terreus</i> . <i>European Journal of Organic Chemistry</i> , 2019, 2019, 2928-2932.	1.2	15
140	Anti-Inflammatory Activities of Leaf Oil from <i>Cinnamomum subavenium</i> In Vitro and In Vivo. <i>BioMed Research International</i> , 2019, 2019, 1-10.	0.9	6
141	Azacoccone E inhibits cancer cell growth by targeting 3-phosphoglycerate dehydrogenase. <i>Bioorganic Chemistry</i> , 2019, 87, 16-22.	2.0	26
142	Amichalasin Aâ€“C: Three Cytochalasin Heterotrimers from <i>Aspergillus micronesiensis</i> PG-1. <i>Organic Letters</i> , 2019, 21, 1026-1030.	2.4	25
143	Bipolarins Aâ€“H, eight new ophiobolin-type sesterterpenes with antimicrobial activity from fungus <i>Bipolaris</i> sp. TJ403-B1. <i>Chinese Journal of Natural Medicines</i> , 2019, 17, 935-944.	0.7	25
144	Emeridones Aâ€“F, a Series of 3,5-Demethylorsellinic Acid-Based Meroterpenoids with Rearranged Skeletons from an Endophytic Fungus <i>Emericella</i> sp. TJ29. <i>Journal of Organic Chemistry</i> , 2019, 84, 1534-1541.	1.7	31

#	ARTICLE	IF	CITATIONS
145	Antibacterial activity against drug-resistant microbial pathogens of cytochalasan alkaloids from the arthropod-associated fungus <i>Chaetomium globosum</i> TW1-1. <i>Bioorganic Chemistry</i> , 2019, 83, 98-104.	2.0	48
146	miR-214-3p Targets β -Catenin to Regulate Depressive-like Behaviors Induced by Chronic Social Defeat Stress in Mice. <i>Cerebral Cortex</i> , 2019, 29, 1509-1519.	1.6	43
147	(\pm)-Terreinlactone A, a Pair of 3-Substituted β -Lactone Enantiomers Derived from Terrein from the Fungus <i>Aspergillus terreus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2018, 66, 764-767.	0.6	4
148	Three New Indole Diketopiperazine Alkaloids from <i>Aspergillus ochraceus</i> . <i>Chemistry and Biodiversity</i> , 2018, 15, e1700550.	1.0	28
149	Aspermerodione, a novel fungal metabolite with an unusual 2,6-dioxabicyclo[2.2.1]heptane skeleton, as an inhibitor of penicillin-binding protein 2a. <i>Scientific Reports</i> , 2018, 8, 5454.	1.6	29
150	Anti-inflammatory butenolide derivatives from the coral-derived fungus <i>Aspergillus terreus</i> and structure revisions of aspernolides D and G, butyrolactone VI and 4,8-diacetoxy butyrolactone VI. <i>RSC Advances</i> , 2018, 8, 13040-13047.	1.7	39
151	β ,20-Epoxy-ent-kaurane Diterpenoids from the Aerial Parts of <i>Isodon pharicus</i> . <i>Journal of Natural Products</i> , 2018, 81, 106-116.	1.5	12
152	Hyperattenins L and M, two new polyprenylated acylphloroglucinols with adamantyl and homoadamantyl core structures from <i>Hypericum attenuatum</i> . <i>Fä-toterapÄ-Äç</i> , 2018, 125, 130-134.	1.1	11
153	Silver-Mediated Cyanomethylation of Cinnamamides by Direct C(sp ³)â€”H Functionalization of Acetonitrile. <i>Journal of Organic Chemistry</i> , 2018, 83, 1525-1531.	1.7	27
154	Kinsenoside: A Promising Bioactive Compound from <i>Anoectochilus</i> Species. <i>Current Medical Science</i> , 2018, 38, 11-18.	0.7	37
155	Griseofamines A and B: Two Indole-Tetramic Acid Alkaloids with 6/5/6/5 and 6/5/7/5 Ring Systems from <i>Penicillium griseofulvum</i> . <i>Organic Letters</i> , 2018, 20, 2046-2050.	2.4	23
156	ZYH005, a novel DNA intercalator, overcomes all-trans retinoic acid resistance in acute promyelocytic leukemia. <i>Nucleic Acids Research</i> , 2018, 46, 3284-3297.	6.5	13
157	Azacoccones A - E, five new aza-epicoccone derivatives from <i>Aspergillus flavipes</i> . <i>Fä-toterapÄ-Äç</i> , 2018, 124, 127-131.	1.1	12
158	Anti-inflammatory fusicoccane-type diterpenoids from the phytopathogenic fungus <i>Alternaria brassicicola</i> . <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8751-8760.	1.5	18
159	New 3,5-dimethylorsellinic acid-based meroterpenoids with BACE1 and AchE inhibitory activities from <i>Aspergillus terreus</i> . <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 9046-9052.	1.5	28
160	Alterbrassicicene A, a Highly Transformed Fusicoccane-Derived Diterpenoid with Potent PPAR- β Agonistic Activity from <i>Alternaria brassicicola</i> . <i>Organic Letters</i> , 2018, 20, 7982-7986.	2.4	37
161	(\pm)-Peniorthoesters A and B, Two Pairs of Novel Spiro-Orthoester enantiomers With an Unusual 1,4,6-Trioxaspiro[4.5]decane-7-One Unit From <i>Penicillium minioluteum</i> . <i>Frontiers in Chemistry</i> , 2018, 6, 605.	1.8	4
162	Bioactive polycyclic polyprenylated acylphloroglucinols from <i>Hypericum perforatum</i> . <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8130-8143.	1.5	19

#	ARTICLE	IF	CITATIONS
163	Polyketide and Prenylxanthone Derivatives from the Endophytic Fungus <i>Aspergillus</i> sp. TJ23. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800395.	1.0	10
164	Armochaetoglasins A–I: Cytochalasan alkaloids from fermentation broth of <i>Chaetomium globosum</i> TW1-1 by feeding L-tyrosine. <i>Phytochemistry</i> , 2018, 156, 106-115.	1.4	22
165	Brasilane sesquiterpenoids and dihydrobenzofuran derivatives from <i>Aspergillus terreus</i> [CFCC 81836]. <i>Phytochemistry</i> , 2018, 156, 159-166.	1.4	22
166	Cytochathiazines C: Three Merocytochalasans with a 2-H-1,4-Thiazine Functionality from Coculture of <i>Chaetomium globosum</i> and <i>Aspergillus flavipes</i> . <i>Organic Letters</i> , 2018, 20, 6817-6821.	2.4	34
167	Butenolides from a marine-derived fungus <i>Aspergillus terreus</i> with antitumor activities against pancreatic ductal adenocarcinoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 5903-5910.	1.4	24
168	Oral Bioavailability of Kinsenoside in Beagle Dogs Measured by LC-MS/MS: Improvement of Ex Vivo Stability of a Lactone-Containing Compound. <i>Pharmaceutics</i> , 2018, 10, 87.	2.0	7
169	BACE1 Inhibitory Meroterpenoids from <i>Aspergillus terreus</i> . <i>Journal of Natural Products</i> , 2018, 81, 1937-1945.	1.5	24
170	±-Glucosidase Inhibitors From the Coral-Associated Fungus <i>Aspergillus terreus</i> . <i>Frontiers in Chemistry</i> , 2018, 6, 422.	1.8	29
171	Asperversins A and B, Two Novel Meroterpenoids with an Unusual 5/6/6/6 Ring from the Marine-Derived Fungus <i>Aspergillus versicolor</i> . <i>Marine Drugs</i> , 2018, 16, 177.	2.2	23
172	Terrusnolides A-D, new butenolides with anti-inflammatory activities from an endophytic <i>Aspergillus</i> from <i>Tripterium wilfordii</i> . <i>Phytochemistry</i> , 2018, 130, 134-139.	1.1	21
173	Protoilludane, Illudalane, and Botryane Sesquiterpenoids from the Endophytic Fungus <i>Phomopsis</i> sp. TJ507A. <i>Journal of Natural Products</i> , 2018, 81, 1311-1320.	1.5	50
174	A pair of epimeric cassane-type diterpenoids and a new labdane-type derivative from <i>Caesalpinia decapetala</i> . <i>Tetrahedron</i> , 2018, 74, 3852-3857.	1.0	9
175	Phenylacetylene-bearing 3,4-seco-cleistanthane diterpenoids from the roots of <i>Phyllanthus glaucus</i> . <i>Phytochemistry</i> , 2018, 128, 79-85.	1.1	3
176	Structurally diverse diterpenoids from <i>Isodon pharicus</i> . <i>Organic Chemistry Frontiers</i> , 2018, 5, 2379-2389.	2.3	11
177	Cytochalasans Produced by the Coculture of <i>Aspergillus flavipes</i> and <i>Chaetomium globosum</i> . <i>Journal of Natural Products</i> , 2018, 81, 1578-1587.	1.5	31
178	Bioactive secondary metabolites from the marine-associated fungus <i>Aspergillus terreus</i> . <i>Bioorganic Chemistry</i> , 2018, 80, 525-530.	2.0	43
179	Mycophenolic Acid Derivatives with Immunosuppressive Activity from the Coral-Derived Fungus <i>Penicillium bialowiezense</i> . <i>Marine Drugs</i> , 2018, 16, 230.	2.2	16
180	Discovery of acylphloroglucinol-based meroterpenoid enantiomers as KSHV inhibitors from <i>Hypericum japonicum</i> . <i>RSC Advances</i> , 2018, 8, 24101-24109.	1.7	14

#	ARTICLE	IF	CITATIONS
181	A New Breviane Spiroditerpenoid from the Marine-Derived Fungus <i>Penicillium</i> sp. TJ403-1. <i>Marine Drugs</i> , 2018, 16, 110.	2.2	24
182	Two New Terpenoids from <i>Talaromyces purpurogenus</i> . <i>Marine Drugs</i> , 2018, 16, 150.	2.2	35
183	Hyperjaponol H, A New Bioactive Filicinic Acid-Based Meroterpenoid from <i>Hypericum japonicum</i> Thunb. ex Murray. <i>Molecules</i> , 2018, 23, 683.	1.7	10
184	Aspersiamides, Linearly Fused Prenylated Indole Alkaloids from the Marine-Derived Fungus <i>Aspergillus versicolor</i> . <i>Journal of Organic Chemistry</i> , 2018, 83, 8483-8492.	1.7	46
185	Fusicoccane-Derived Diterpenoids from <i>Alternaria brassicicola</i> : Investigation of the Structure-Stability Relationship and Discovery of an IKK β Inhibitor. <i>Organic Letters</i> , 2018, 20, 5198-5202.	2.4	46
186	Fusopoltide A and fusosterede A, A polyketide with a pentaleno[1,2-c]pyran ring system and A degraded steride, from the fungus <i>Fusarium solani</i> . <i>Tetrahedron Letters</i> , 2018, 59, 2679-2682.	0.7	13
187	Hyperisampsins N and O, two new benzoylated phloroglucinol derivatives from <i>Hypericum sampsonii</i> . <i>Chinese Chemical Letters</i> , 2017, 28, 986-990.	4.8	20
188	Spiroaspertrione A, a Bridged Spirocyclic Meroterpenoid, as a Potent Potentiator of Oxacillin against Methicillin-Resistant <i>Staphylococcus aureus</i> from <i>Aspergillus</i> sp. TJ23. <i>Journal of Organic Chemistry</i> , 2017, 82, 3125-3131.	1.7	71
189	Flavichalasin A-M, cytochalasan alkaloids from <i>Aspergillus flavipes</i> . <i>Scientific Reports</i> , 2017, 7, 42434.	1.6	27
190	Asperspiropene A, a novel fungal metabolite as an inhibitor of cancer-associated mutant isocitrate dehydrogenase 1. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1137-1144.	2.3	16
191	Two new geranylphenylacetate glycosides from the barks of <i>Cinnamomum cassia</i> . <i>Natural Product Research</i> , 2017, 31, 1812-1818.	1.0	12
192	Triterpenoids from Whole Plants of <i>Phyllanthus urinaria</i> . <i>Chinese Herbal Medicines</i> , 2017, 9, 193-196.	1.2	12
193	Tricyclic Polyprenylated Acylphloroglucinols from St John's Wort, <i>Hypericum perforatum</i> . <i>Journal of Natural Products</i> , 2017, 80, 1493-1504.	1.5	54
194	Secondary metabolites from <i>Colletotrichum capsici</i> , an endophytic fungus derived from <i>Siegesbeckia pubescens</i> Makino. <i>Natural Product Research</i> , 2017, 31, 1849-1854.	1.0	15
195	Cinnamomols A and B, Immunostimulative Diterpenoids with a New Carbon Skeleton from the Leaves of <i>Cinnamomum cassia</i> . <i>Organic Letters</i> , 2017, 19, 3029-3032.	2.4	30
196	Asperflavipine A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetracyclic Ring System from <i>Aspergillus flavipes</i> QCS12. <i>Angewandte Chemie</i> , 2017, 129, 5326-5330.	1.6	11
197	Asperflavipine A: A Cytochalasan Heterotetramer Uniquely Defined by a Highly Complex Tetracyclic Ring System from <i>Aspergillus flavipes</i> QCS12. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5242-5246.	7.2	76
198	Two pairs of chlorine-containing phenylpropanoid enantiomers from <i>Acorus tatarinowii</i> . <i>Chinese Chemical Letters</i> , 2017, 28, 1460-1464.	4.8	8

#	ARTICLE	IF	CITATIONS
199	Lanostane-type triterpenoids from <i>Kadsura coccinea</i> . <i>Tetrahedron</i> , 2017, 73, 2931-2937.	1.0	9
200	Phomopsterones A and B, Two Functionalized Ergostane-Type Steroids from the Endophytic Fungus <i>Phomopsis</i> sp. TJ507A. <i>Organic Letters</i> , 2017, 19, 258-261.	2.4	100
201	Atrichodermones C, three new secondary metabolites from the solid culture of an endophytic fungal strain, <i>Trichoderma atroviride</i> . <i>Fä-toterapÄ-Äç</i> , 2017, 123, 18-22.	1.1	32
202	Citrinal B, natural 11 beta-hydroxysteroid dehydrogenase type 1 inhibitor identified from structure-based virtual screening. <i>FÄ-toterapÄ-Äç</i> , 2017, 123, 29-34.	1.1	5
203	Manginoids A-G: Seven Monoterpene-Shikimate-Conjugated Meroterpenoids with a Spiro Ring System from <i>Guignardia mangiferae</i> . <i>Organic Letters</i> , 2017, 19, 5956-5959.	2.4	25
204	Bioassay-Guided Isolation of Antibacterial Metabolites from <i>Emericella</i> sp. TJ29. <i>Journal of Natural Products</i> , 2017, 80, 2399-2405.	1.5	52
205	Aspergilasines D: Four Merocytochalasans with New Carbon Skeletons from <i>Aspergillus flavipes</i> QCS12. <i>Organic Letters</i> , 2017, 19, 4399-4402.	2.4	47
206	Secondary metabolites from endophytic fungus <i>Chaetomium</i> sp. induce colon cancer cell apoptotic death. <i>FÄ-toterapÄ-Äç</i> , 2017, 121, 86-93.	1.1	27
207	Time-dependent Inhibition of CYP2C8 and CYP2C19 by <i>Hedera helix</i> Extracts, A Traditional Respiratory Herbal Medicine. <i>Molecules</i> , 2017, 22, 1241.	1.7	8
208	A New Megastigmane Sesquiterpenoid from <i>Zanthoxylum Schinifolium</i> Sieb. et Zucc. <i>Molecules</i> , 2016, 21, 383.	1.7	4
209	Two New Bioactive $\hat{\pm}$ -Pyrone from <i>Hypericum japonicum</i> . <i>Molecules</i> , 2016, 21, 515.	1.7	8
210	In Vitro Assessment of CYP-Mediated Drug Interactions for Kinsenoside, an Antihyperlipidemic Candidate. <i>Molecules</i> , 2016, 21, 800.	1.7	4
211	Epicochalasines A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3486-3490.	7.2	82
212	Chaephilones A and B, Two New Azaphilone Derivatives Isolated from <i>Chaetomium globosum</i> . <i>Chemistry and Biodiversity</i> , 2016, 13, 422-426.	1.0	14
213	Enantiomeric Lignans and Neolignans from <i>Phyllanthus glaucus</i> : Enantioseparation and Their Absolute Configurations. <i>Scientific Reports</i> , 2016, 6, 24809.	1.6	29
214	Fungal naphtho- $\hat{3}$ -pyrones: Potent antibiotics for drug-resistant microbial pathogens. <i>Scientific Reports</i> , 2016, 6, 24291.	1.6	33
215	Small molecule activation of NOTCH signaling inhibits acute myeloid leukemia. <i>Scientific Reports</i> , 2016, 6, 26510.	1.6	35
216	Diterpenoids of the Cassane Type from <i>Caesalpinia decapetala</i> . <i>Journal of Natural Products</i> , 2016, 79, 3134-3142.	1.5	30

#	ARTICLE	IF	CITATIONS
217	($\hat{\pm}$)-Japonones A and B, two pairs of new enantiomers with anti-KSHV activities from <i>Hypericum japonicum</i> . <i>Scientific Reports</i> , 2016, 6, 27588.	1.6	19
218	Structural Characterization of Kadcoccinin A: A Sesquiterpenoid with a Tricyclo[4.4.0.03,10]decane Scaffold from <i>Kadsura coccinea</i> . <i>Organic Letters</i> , 2016, 18, 2284-2287.	2.4	37
219	($\hat{\pm}$)-Japonicols A and D, Acylphloroglucinol-Based Meroterpenoid Enantiomers with Anti-KSHV Activities from <i>Hypericum japonicum</i> . <i>Journal of Natural Products</i> , 2016, 79, 1322-1328.	1.5	39
220	Filicinic Acid Based Meroterpenoids with Anti-Epstein-Barr Virus Activities from <i>Hypericum japonicum</i> . <i>Organic Letters</i> , 2016, 18, 2272-2275.	2.4	66
221	Sampbenzophenones C, prenylated benzoylphloroglucinol derivatives from <i>Hypericum sampsonii</i> . <i>RSC Advances</i> , 2016, 6, 86710-86716.	1.7	11
222	Rearranged 6/6/5/6-Fused Triterpenoid Acids from the Stems of <i>Kadsura coccinea</i> . <i>Journal of Natural Products</i> , 2016, 79, 2590-2598.	1.5	26
223	Asperterpenes A and B, two unprecedented meroterpenoids from <i>Aspergillus terreus</i> with BACE1 inhibitory activities. <i>Chemical Science</i> , 2016, 7, 6563-6572.	3.7	87
224	Mitochondrial Fission of Smooth Muscle Cells Is Involved in Artery Constriction. <i>Hypertension</i> , 2016, 68, 1245-1254.	1.3	36
225	Azo polymeric micelles designed for colon-targeted dimethyl fumarate delivery for colon cancer therapy. <i>Acta Biomaterialia</i> , 2016, 44, 323-331.	4.1	42
226	Citrinal B, a new secondary metabolite from endophytic fungus <i>Colletotrichum capsici</i> and structure revision of citrinal A. <i>Tetrahedron Letters</i> , 2016, 57, 4250-4253.	0.7	12
227	Novel small molecule HSD1 inhibitor from the endophytic fungus <i>Penicillium commune</i> . <i>Scientific Reports</i> , 2016, 6, 26418.	1.6	32
228	Nine new cytochalasan alkaloids from <i>Chaetomium globosum</i> TW1-1 (Ascomycota, Sordariales). <i>Scientific Reports</i> , 2016, 6, 18711.	1.6	28
229	Effects of kinsenoside, a potential immunosuppressive drug for autoimmune hepatitis, on dendritic cells/CD8+T cells communication in mice. <i>Hepatology</i> , 2016, 64, 2135-2150.	3.6	39
230	Antioxidant Lignans and Neolignans from <i>Acorus tatarinowii</i> . <i>Scientific Reports</i> , 2016, 6, 22909.	1.6	22
231	Studies on the Chemical Constituents of <i>Cuscuta chinensis</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 1133-1136.	0.2	8
232	Structural Revisions of a Class of Natural Products: Scaffolds of Aglycon Analogues of Fusicoccins and Cotylenins Isolated from Fungi. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4069-4073.	7.2	53
233	Epicochalasines A and B: Two Bioactive Merocytochalasans Bearing Caged Epicoccine Dimer Units from <i>Aspergillus flavipes</i> .	1.6	21
234	Hyperhexanone A, a crucial intermediate from bicyclo[3.3.1]- to cyclohexanone monocyclic-polycyclic polyprenylated acylphloroglucinols. <i>Tetrahedron</i> , 2016, 72, 4655-4659.	1.0	27

#	ARTICLE	IF	CITATIONS
235	6,8-Di-C-methyl-flavonoids with neuroprotective activities from <i>Rhododendron fortunei</i> . <i>F3-toterap3-3</i> , 2016, 112, 237-243.	1.1	22
236	Structural Revisions of a Class of Natural Products: Scaffolds of Aglycon Analogues of Fusicoccins and Cotylenins Isolated from Fungi. <i>Angewandte Chemie</i> , 2016, 128, 4137-4141.	1.6	20
237	Galanthamine, Plicamine, and Secoplicamine Alkaloids from <i>Zephyranthes candida</i> and Their Anti-acetylcholinesterase and Anti-inflammatory Activities. <i>Journal of Natural Products</i> , 2016, 79, 760-766.	1.5	52
238	Clerodane-type diterpenoids from tuberous roots of <i>Tinospora sagittata</i> (Oliv.) Gagnep. <i>F3-toterap3-3</i> , 2016, 110, 59-65.	1.1	19
239	Development of a hydrophilic interaction liquid chromatography-tandem mass spectrometric method for the determination of kinsenoside, an antihyperlipidemic candidate, in rat plasma and its application to pharmacokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 120, 19-24.	1.4	12
240	Coumarin derivatives from <i>Ainsliaea fragrans</i> and their anticoagulant activity. <i>Scientific Reports</i> , 2015, 5, 13544.	1.6	58
241	Hyperisampsins H-M, Cytotoxic Polycyclic Polyprenylated Acylphloroglucinols from <i>Hypericum sampsonii</i> . <i>Scientific Reports</i> , 2015, 5, 14772.	1.6	25
242	Asperchalsine A, a Cytochalasan Dimer with an Unprecedented Decacyclic Ring System, from <i>Aspergillus flavipes</i> . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13374-13378.	7.2	94
243	Penicamedine A, a Highly Oxygenated Hexacyclic Indole Alkaloid from <i>Penicillium camemberti</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1547-1553.	1.0	13
244	Armochaetoglobins A-j: Cytochalasan Alkaloids from <i>Chaetomium globosum</i> TW1-1, a Fungus Derived from the Terrestrial Arthropod <i>Armadillidium vulgare</i> . <i>Journal of Natural Products</i> , 2015, 78, 1193-1201.	1.5	57
245	Hyperascryones H, polyprenylated spirocyclic acylphloroglucinol derivatives from <i>Hypericum ascyron</i> Linn.. <i>Phytochemistry</i> , 2015, 115, 222-230.	1.4	46
246	Grayanane and leucothane diterpenoids from the leaves of <i>Rhododendron micranthum</i> . <i>Phytochemistry</i> , 2015, 117, 107-115.	1.4	44
247	Armochaeglobines A and B, Two New Indole-Based Alkaloids from the Arthropod-Derived Fungus <i>Chaetomium globosum</i> . <i>Organic Letters</i> , 2015, 17, 644-647.	2.4	56
248	A novel ent-kaurane diterpenoid executes antitumor function in colorectal cancer cells by inhibiting Wnt/ β -catenin signaling. <i>Carcinogenesis</i> , 2015, 36, 318-326.	1.3	21
249	Transition-Metal-Free Synthesis of Phenanthridinones from Biaryl-2-oxamic Acid under Radical Conditions. <i>Organic Letters</i> , 2015, 17, 346-349.	2.4	60
250	Neolignans with a Rare 2-Oxaspiro[4.5]deca-6,9-dien-8-one Motif from the Stem Bark of <i>Cinnamomum subavenium</i> . <i>Journal of Natural Products</i> , 2015, 78, 1740-1744.	1.5	32
251	Salidroside improves endothelial function and alleviates atherosclerosis by activating a mitochondria-related AMPK/PI3K/Akt/eNOS pathway. <i>Vascular Pharmacology</i> , 2015, 72, 141-152.	1.0	76
252	Indole diketopiperazines from endophytic <i>Chaetomium</i> sp 88194 induce breast cancer cell apoptotic death. <i>Scientific Reports</i> , 2015, 5, 9294.	1.6	36

#	ARTICLE	IF	CITATIONS
253	A new 3,4-seco-oleanane-type triterpenoid with an unusual enedione moiety from <i>Hypericum ascyron</i> . <i>FÄ-toterapÄ-Äç</i> , 2015, 103, 227-230.	1.1	7
254	Chemical constituents from leaves of <i>Cinnamomum subavenium</i> . <i>Biochemical Systematics and Ecology</i> , 2015, 61, 156-160.	0.6	11
255	Two new adamantyl-like polyprenylated acylphloroglucinols from <i>Hypericum attenuatum choisy</i> . <i>Tetrahedron Letters</i> , 2015, 56, 1953-1955.	0.7	26
256	Armochaetoglobins KÄ“R, Anti-HIV Pyrrole-Based Cytochalasans from <i>Chaetomium globosum</i> TW1Ä“1. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 3086-3094.	1.2	51
257	Three new 1Ä±-alkyldaphnane-type diterpenoids from the flower buds of <i>Wikstroemia chamaedaphne</i> . <i>FÄ-toterapÄ-Äç</i> , 2015, 106, 242-246.	1.1	16
258	(Ä±)-Acortatarinowins Ä“F, Norlignan, Neolignan, and Lignan Enantiomers from <i>Acorus tatarinowii</i> . <i>Journal of Natural Products</i> , 2015, 78, 2205-2214.	1.5	59
259	Kadcoocinones Ä“F, New Biogenetically Related Lanostane-Type Triterpenoids with Diverse Skeletons from <i>Kadsura coccinea</i> . <i>Organic Letters</i> , 2015, 17, 4616-4619.	2.4	40
260	Hyperattenins Ä“I, bioactive polyprenylated acylphloroglucinols from <i>Hypericum attenuatum Choisy</i> . <i>RSC Advances</i> , 2015, 5, 5277-5287.	1.7	43
261	Evaluation of Metabolic Stability of Kinsenoside, an Antidiabetic Candidate, in Rat and Human Liver Microsomes. <i>Mass Spectrometry Letters</i> , 2015, 6, 48-51.	0.5	9
262	Two New Secondary Metabolites from <i>Xylaria</i> sp. cfcc 87468. <i>Molecules</i> , 2014, 19, 1250-1257.	1.7	13
263	Five New Secondary Metabolites Produced by a Marine-Associated Fungus, <i>Daldinia eschscholzii</i> . <i>Marine Drugs</i> , 2014, 12, 5563-5575.	2.2	31
264	A New Sesquilignan Glucoside from <i>Uraria sinensis</i> . <i>Molecules</i> , 2014, 19, 1178-1188.	1.7	7
265	Efficient Synthesis of Kinsenoside and Goodyeroside A by a Chemo-Enzymatic Approach. <i>Molecules</i> , 2014, 19, 16950-16958.	1.7	16
266	A New Phenolic Glycoside from the Barks of <i>Cinnamomum cassia</i> . <i>Molecules</i> , 2014, 19, 17727-17734.	1.7	14
267	N-methylhemeanthidine chloride, a novel Amaryllidaceae alkaloid, inhibits pancreatic cancer cell proliferation via down-regulating AKT activation. <i>Toxicology and Applied Pharmacology</i> , 2014, 280, 475-483.	1.3	27
268	Bioactive Acylphloroglucinols with Adamantyl Skeleton from <i>Hypericum sampsonii</i> . <i>Organic Letters</i> , 2014, 16, 6322-6325.	2.4	94
269	Modification of the discontinuous deformation analysis method and its application to seismic response analysis of large underground caverns. <i>Tunnelling and Underground Space Technology</i> , 2014, 40, 241-250.	3.0	64
270	A pair of unprecedented cyclohexylethanoid enantiomers containing unusual trioxabicyclo[4.2.1]nonane ring from <i>Clerodendrum bungei</i> . <i>Tetrahedron Letters</i> , 2014, 55, 2277-2279.	0.7	13

#	ARTICLE	IF	CITATIONS
271	Salviprzols A and B, C21- and C22-terpenoids from the roots of <i>Salvia przewalskii</i> Maxim. <i>FÅ-toterapÃ-Ã</i> , 2014, 99, 204-210.	1.1	12
272	Colletotrichumine A, a novel indoleâ€pyrazine alkaloid with an unprecedented C16N3-type skeleton from cultures of <i>Colletotrichum capsici</i> . <i>Tetrahedron Letters</i> , 2014, 55, 6093-6095.	0.7	17
273	Diterpenoids with Immunosuppressive Activities from <i>Cinnamomum cassia</i> . <i>Journal of Natural Products</i> , 2014, 77, 1948-1954.	1.5	41
274	Phytochemical and chemotaxonomic studies on <i>Phyllanthus urinaria</i> . <i>Biochemical Systematics and Ecology</i> , 2014, 56, 60-64.	0.6	16
275	Wilsonols A&b>â€L, Megastigmane Sesquiterpenoids from the Leaves of <i>Cinnamomum wilsonii</i> . <i>Journal of Natural Products</i> , 2013, 76, 1303-1312.	1.5	35
276	Cytotoxic ent</i>-Kaurane Diterpenoids from <i>Salvia cavaleriei</i> . <i>Journal of Natural Products</i> , 2013, 76, 2253-2262.	1.5	16
277	A dual-channel probe for selective fluoride determination and application in live cell imaging. <i>Dyes and Pigments</i> , 2013, 97, 52-57.	2.0	36
278	Chemical constituents from <i>Teucrium viscidum</i> . <i>Biochemical Systematics and Ecology</i> , 2013, 51, 78-82.	0.6	8
279	Scapiformolactones Aâ€l: Germacrane sesquiterpenoids with an unusual 3-15,6-lactone moiety from <i>Salvia scapiformis</i> . <i>Phytochemistry</i> , 2013, 96, 378-388.	1.4	19
280	Micranthanone A, a New Diterpene with an Unprecedented Carbon Skeleton from <i>Rhododendron micranthum</i> . <i>Organic Letters</i> , 2013, 15, 3094-3097.	2.4	45
281	A New Lignan Glucoside from the Whole Plants of <i>Salvia Scapiformis</i> . <i>Molecules</i> , 2013, 18, 11377-11383.	1.7	9
282	A New Triterpenoid from <i>Teucrium viscidum</i> . <i>Molecules</i> , 2013, 18, 1262-1269.	1.7	12
283	Steroids and Phenylpropanoids with Immunomodulatory Activities from the Stem Barks of <i>Cinnamomum wilsonii</i> . <i>Chinese Journal of Organic Chemistry</i> , 2013, 33, 1273.	0.6	7
284	Cytotoxic Alkaloids from the Whole Plants of <i>Zephyranthes candida</i> . <i>Journal of Natural Products</i> , 2012, 75, 2113-2120.	1.5	76
285	Hepatoprotective activity of the ethanol extract of <i>Sarcopyramis Nepalensis</i> . <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 844-848.	1.0	2
286	Renoprotective potential of <i>Macrothelypteris torresiana</i> via ameliorating oxidative stress and proinflammatory cytokines. <i>Journal of Ethnopharmacology</i> , 2012, 139, 207-213.	2.0	7
287	Two New Diterpenoids from the Buds of <i>Wikstroemia chamaedaphne</i> . <i>Molecules</i> , 2012, 17, 6424-6433.	1.7	12
288	Microwave-Promoted Rearrangement of Hecogenin Derivatives into Cnor- D-homo Steroids. <i>Letters in Organic Chemistry</i> , 2009, 6, 126-129.	0.2	1

#	ARTICLE	IF	CITATIONS
289	Analysis of hupehenine in the total alkaloids from <i>Fritillaria hupehensis</i> by HPLC-ELSD. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2008, 28, 118-120.	1.0	8
290	Cytotoxic Diarylheptanoids from Pericarps of <i>Juglans Cathayensis</i> Dode. <i>Chemical Research in Chinese Universities</i> , 2008, 24, 427-429.	1.3	16
291	Preparation and antitussive, expectorant, and antiasthmatic activities of verticinone's derivatives. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 627-633.	0.7	2
292	Immunomodulatory activity of the rhizomes of <i>Impatiens pritzellii</i> var. <i>hupehensis</i> on collagen-induced arthritis mice. <i>Journal of Ethnopharmacology</i> , 2007, 109, 505-509.	2.0	18
293	Antihyperglycemic activity of kinsenoside, a high yielding constituent from <i>Anoectochilus roxburghii</i> in streptozotocin diabetic rats. <i>Journal of Ethnopharmacology</i> , 2007, 114, 141-145.	2.0	92
294	Alkaloids from <i>Fritillaria Hupehensis</i> . <i>Chinese Journal of Chemistry</i> , 2007, 25, 1728-1731.	2.6	7
295	Structure of a novel diterpenoid ester, fritillahupehin from bulbs of <i>Fritillaria hupehensis</i> Hsiao and K.C. Hsia. <i>FÄ-toterapÄ-Äç</i> , 2002, 73, 288-291.	1.1	3
296	Hyperispirones A and B, spiro-bridged polycyclic polyprenylated acylphloroglucinols with anti-angiogenesis activity from <i>Hypericum bearii</i> . <i>Organic Chemistry Frontiers</i> , 0, , .	2.3	2