

# Alireza Baghban

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5853074/alireza-baghban-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

2,483  
citations

29  
h-index

43  
g-index

126  
ext. papers

2,919  
ext. citations

3.1  
avg. IF

6.06  
L-index

#	Paper	IF	Citations
125	Prediction carbon dioxide solubility in presence of various ionic liquids using computational intelligence approaches. <i>Journal of Supercritical Fluids</i> , <b>2015</b> , 98, 50-64	4.2	153
124	Estimation of air dew point temperature using computational intelligence schemes. <i>Applied Thermal Engineering</i> , <b>2016</b> , 93, 1043-1052	5.8	96
123	Sensitivity analysis and application of machine learning methods to predict the heat transfer performance of CNT/water nanofluid flows through coils. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 128, 825-835	4.9	94
122	Phase equilibrium modeling of semi-clathrate hydrates of seven commonly gases in the presence of TBAB ionic liquid promoter based on a low parameter connectionist technique. <i>Journal of Supercritical Fluids</i> , <b>2015</b> , 101, 184-192	4.2	90
121	Rigorous modeling of CO <sub>2</sub> equilibrium absorption in ionic liquids. <i>International Journal of Greenhouse Gas Control</i> , <b>2017</b> , 58, 19-41	4.2	83
120	Estimating hydrogen sulfide solubility in ionic liquids using a machine learning approach. <i>Journal of Supercritical Fluids</i> , <b>2014</b> , 95, 525-534	4.2	83
119	Developing an ANFIS-based swarm concept model for estimating the relative viscosity of nanofluids. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2019</b> , 13, 26-39	4.5	69
118	Evolving machine learning models to predict hydrogen sulfide solubility in the presence of various ionic liquids. <i>Journal of Molecular Liquids</i> , <b>2016</b> , 216, 411-422	6	59
117	Prediction of CO <sub>2</sub> loading capacities of aqueous solutions of absorbents using different computational schemes. <i>International Journal of Greenhouse Gas Control</i> , <b>2017</b> , 57, 143-161	4.2	55
116	An insight into the estimation of fatty acid methyl ester based biodiesel properties using a LSSVM model. <i>Fuel</i> , <b>2019</b> , 243, 133-141	7.1	49
115	Prediction viscosity of ionic liquids using a hybrid LSSVM and group contribution method. <i>Journal of Molecular Liquids</i> , <b>2017</b> , 236, 452-464	6	47
114	Modeling of cetane number of biodiesel from fatty acid methyl ester (FAME) information using GA-, PSO-, and HGAPSO- LSSVM models. <i>Renewable Energy</i> , <b>2020</b> , 150, 924-934	8.1	47
113	Experimental, kinetic, and thermodynamic studies of adsorptive desulfurization and denitrogenation of model fuels using novel mesoporous materials. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 374, 129-139	12.8	43
112	Evaluation of electrical efficiency of photovoltaic thermal solar collector. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2020</b> , 14, 545-565	4.5	42
111	Evolving connectionist approaches to compute thermal conductivity of TiO <sub>2</sub> /water nanofluid. <i>Physica A: Statistical Mechanics and Its Applications</i> , <b>2020</b> , 540, 122489	3.3	42
110	Rigorous prognostication of permeability of heterogeneous carbonate oil reservoirs: Smart modeling and correlation development. <i>Fuel</i> , <b>2019</b> , 236, 110-123	7.1	39
109	Improved estimation of Cetane number of fatty acid methyl esters (FAMEs) based biodiesels using TLBO-NN and PSO-NN models. <i>Fuel</i> , <b>2018</b> , 232, 620-631	7.1	38

108	Estimating biofuel density via a soft computing approach based on intermolecular interactions. <i>Renewable Energy</i> , <b>2020</b> , 152, 1086-1098	8.1	37
107	Application of LSSVM strategy to estimate asphaltene precipitation during different production processes. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1855-1860	1.4	35
106	Connectionist intelligent model estimates of convective heat transfer coefficient of nanofluids in circular cross-sectional channels. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2018</b> , 132, 1213-1239	4.1	34
105	Phase equilibrium modelling of natural gas hydrate formation conditions using LSSVM approach. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1431-1438	1.4	34
104	Application of ANFIS and LSSVM strategies for estimating thermal conductivity enhancement of metal and metal oxide based nanofluids. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2019</b> , 13, 560-578	4.5	34
103	An insight into the prediction of TiO <sub>2</sub> /water nanofluid viscosity through intelligence schemes. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 2381-2394	4.1	33
102	ANFIS modeling of rhamnolipid breakthrough curves on activated carbon. <i>Chemical Engineering Research and Design</i> , <b>2017</b> , 126, 67-75	5.5	32
101	Modeling of true vapor pressure of petroleum products using ANFIS algorithm. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 933-939	1.4	31
100	On the estimation of viscosities and densities of CO <sub>2</sub> -loaded MDEA, MDEA + AMP, MDEA + DIPA, MDEA + MEA, and MDEA + DEA aqueous solutions. <i>Journal of Molecular Liquids</i> , <b>2017</b> , 242, 146-159	6	31
99	Computational intelligent strategies to predict energy conservation benefits in excess air controlled gas-fired systems. <i>Applied Thermal Engineering</i> , <b>2016</b> , 102, 432-446	5.8	31
98	Estimation of natural gases water content using adaptive neuro-fuzzy inference system. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 891-897	1.4	30
97	Application of LSSVM algorithm for estimating higher heating value of biomass based on ultimate analysis. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2018</b> , 40, 709-715	1.6	29
96	Application of the ANFIS strategy to estimate vaporization enthalpies of petroleum fractions and pure hydrocarbons. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1359-1366	1.4	29
95	Estimation of adsorption capacity of CO <sub>2</sub> , CH <sub>4</sub> , and their binary mixtures in Quidam shale using LSSVM: Application in CO <sub>2</sub> enhanced shale gas recovery and CO <sub>2</sub> storage. <i>Journal of Natural Gas Science and Engineering</i> , <b>2020</b> , 76, 103204	4.6	28
94	Applying ANFIS-PSO algorithm as a novel accurate approach for prediction of gas density. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 820-826	1.4	28
93	Modeling of viscosity for mixtures of Athabasca bitumen and heavy n-alkane with LSSVM algorithm. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1698-1704	1.4	28
92	Developing an ANFIS-PSO Model to Predict Mercury Emissions in Combustion Flue Gases. <i>Mathematics</i> , <b>2019</b> , 7, 965	2.3	28
91	Group contribution methods for estimating CO <sub>2</sub> absorption capacities of imidazolium and ammonium-based polyionic liquids. <i>Journal of Cleaner Production</i> , <b>2018</b> , 203, 601-618	10.3	26

90	An insight into the modeling of sulfur content of sour gases in supercritical region. <i>Journal of Petroleum Science and Engineering</i> , <b>2020</b> , 184, 106459	4.4	26
89	Towards experimental and modeling study of heat transfer performance of water- SiO <sub>2</sub> nanofluid in quadrangular cross-section channels. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2019</b> , 13, 453-469	4.5	25
88	Phase behavior modelling of asphaltene precipitation utilizing MLP-ANN approach. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 2009-2015	1.4	25
87	Prediction of solubility of ammonia in liquid electrolytes using Least Square Support Vector Machines. <i>Ain Shams Engineering Journal</i> , <b>2018</b> , 9, 1303-1312	4.4	24
86	Optimization methods using artificial intelligence algorithms to estimate thermal efficiency of PV/T system. <i>Energy Science and Engineering</i> , <b>2019</b> , 7, 821-834	3.4	22
85	Neural computing approach for estimation of natural gas dew point temperature in glycol dehydration plant. <i>International Journal of Ambient Energy</i> , <b>2020</b> , 41, 775-782	2	22
84	Viscosity estimation of mixed oil using RBF-ANN approach. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1731-1736	1.4	21
83	Application of LSSVM for biodiesel production using supercritical ethanol solvent. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2017</b> , 39, 1869-1874	1.6	20
82	Rigorous prognostication and modeling of gas adsorption on activated carbon and Zeolite-5A. <i>Journal of Environmental Management</i> , <b>2018</b> , 224, 58-68	7.9	20
81	On the determination of cetane number of hydrocarbons and oxygenates using Adaptive Neuro Fuzzy Inference System optimized with evolutionary algorithms. <i>Fuel</i> , <b>2018</b> , 230, 344-354	7.1	20
80	PSO-ANFIS modeling of viscosity for mixtures of Athabasca bitumen and a high-boiling n-alkane. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1614-1620	1.4	19
79	Insight into the experimental and modeling study of process intensification for post-combustion CO <sub>2</sub> capture by rotating packed bed. <i>Journal of Cleaner Production</i> , <b>2019</b> , 211, 953-961	10.3	19
78	On the evaluation of density of ionic liquids: towards a comparative study. <i>Chemical Engineering Research and Design</i> , <b>2019</b> , 147, 648-663	5.5	18
77	Application of a supervised learning machine for accurate prognostication of higher heating values of solid wastes. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2018</b> , 40, 558-564 <sup>1.6</sup>	1.6	18
76	Utilization of LSSVM algorithm for estimating synthetic natural gas density. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 807-812	1.4	18
75	Utilization of LSSVM strategy to predict water content of sweet natural gas. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 761-767	1.4	18
74	Phase behavior modeling of asphaltene precipitation utilizing RBF-ANN approach. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1861-1867	1.4	17
73	Absorption of CO <sub>2</sub> -rich gaseous mixtures in ionic liquids: A computational study. <i>Journal of Supercritical Fluids</i> , <b>2018</b> , 133, 455-465	4.2	16

72	Applying ANN, ANFIS, and LSSVM Models for Estimation of Acid Solvent Solubility in Supercritical CO2		15
71	A new chemical structure-based model to estimate solid compound solubility in supercritical CO2. <i>Journal of CO2 Utilization</i> , <b>2018</b> , 26, 262-270	7.6	15
70	Radial basis function artificial neural network model to estimate higher heating value of solid wastes. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2017</b> , 39, 1778-1784	1.6	14
69	Extreme Learning Machine-Based Model for Solubility Estimation of Hydrocarbon Gases in Electrolyte Solutions. <i>Processes</i> , <b>2020</b> , 8, 92	2.9	14
68	Estimation of oil and gas properties in petroleum production and processing operations using rigorous model. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1129-1136	1.4	14
67	Modelling of gas to hydrate conversion for promoting CO2 capture processes in the oil and gas industry. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 642-651	1.4	14
66	Modeling of wax deposition produced in the pipelines using PSO-ANFIS approach. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1974-1981	1.4	13
65	Evolving simple-to-apply models for estimating thermal conductivity of supercritical CO2. <i>International Journal of Ambient Energy</i> , <b>2017</b> , 38, 300-307	2	12
64	Toward a modeling study of thermal conductivity of nanofluids using LSSVM strategy. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2019</b> , 135, 507-522	4.1	12
63	On the prediction of critical micelle concentration for sugar-based non-ionic surfactants. <i>Chemistry and Physics of Lipids</i> , <b>2018</b> , 214, 46-57	3.7	12
62	Application of ANFIS strategy for prediction of biodiesel production using supercritical methanol. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2017</b> , 39, 1862-1868	1.6	11
61	Estimating solubility of supercritical H2S in ionic liquids through a hybrid LSSVM chemical structure model. <i>Chinese Journal of Chemical Engineering</i> , <b>2019</b> , 27, 620-627	3.2	11
60	Sulfur dioxide solubility prediction in ionic liquids by a group contribution LSSVM model. <i>Chemical Engineering Research and Design</i> , <b>2019</b> , 142, 44-52	5.5	11
59	Evolving ANFIS model to estimate density of bitumen-tetradecane mixtures. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 120-126	1.4	10
58	Evolving LSSVM and ELM models to predict solubility of non-hydrocarbon gases in aqueous electrolyte systems. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2020</b> , 164, 107999	4.6	10
57	Modeling of CO2-brine interfacial tension: Application to enhanced oil recovery. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 2179-2186	1.4	10
56	Efficient modeling of drug solubility in supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2018</b> , 133, 466-478	4.2	10
55	ANFIS based evolutionary concept for estimating nucleate pool boiling heat transfer of refrigerant-ester oil containing nanoparticles. <i>International Journal of Refrigeration</i> , <b>2018</b> , 96, 38-49	3.8	10

54	A neural computing strategy to estimate dew-point pressure of gas condensate reservoirs. <i>Petroleum Science and Technology</i> , <b>2020</b> , 38, 706-712	1.4	9
53	Determination of efficient surfactants in the oil and gas production units using the SVM approach. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1691-1697	1.4	9
52	Kinetic modeling and laboratory investigation of catalytic toluene methylation to para-xylene. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1866-1872	1.4	9
51	Estimation of the CO <sub>2</sub> -oil minimum miscibility pressure for enhanced oil recovery. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1847-1854	1.4	9
50	Insights into the estimation of capacitance for carbon-based supercapacitors.. <i>RSC Advances</i> , <b>2021</b> , 11, 5479-5486	3.7	9
49	Applying ANN, ANFIS, and LSSVM Models for Estimation of Acid Solvent Solubility in Supercritical CO <sub>2</sub> . <i>Computers, Materials and Continua</i> , <b>2020</b> , 63, 1175-1204	3.9	8
48	Modelling of CO <sub>2</sub> separation from gas streams emissions in the oil and gas industries. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1291-1299	1.4	8
47	Evolving new group contribution-LSSVM model to estimate standard molar chemical exergy of pure organic substances. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 1022-1029	1.4	7
46	QSPR based ANFIS model for predicting standard molar chemical exergy of organic materials. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 2174-2181	1.4	7
45	ANFIS modeling of carbon dioxide capture from gas stream emissions in the petrochemical production units. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 625-631	1.4	7
44	Utilization of RBF-ANN as a novel approach for estimation of asphaltene inhibition efficiency. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 1216-1221	1.4	7
43	Bandgaps of noble and transition metal/ZIF-8 electro/catalysts: a computational study.. <i>RSC Advances</i> , <b>2020</b> , 10, 22929-22938	3.7	6
42	Evolving ANFIS model to estimate sweet natural gas water content. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1807-1813	1.4	6
41	Estimating CO <sub>2</sub> -Brine diffusivity using hybrid models of ANFIS and evolutionary algorithms. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2020</b> , 14, 818-834	4.5	6
40	GA-ANFIS modeling of higher heating value of wastes: Application to fuel upgrading. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2019</b> , 41, 7-13	1.6	6
39	Electrocatalytic hydrogen evolution on the noble metal-free MoS <sub>2</sub> /carbon nanotube heterostructure: a theoretical study. <i>Scientific Reports</i> , <b>2021</b> , 11, 3958	4.9	6
38	On the estimation of higher heating value of municipal wastes using soft computing approaches. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2019</b> , 1-9	1.6	5
37	Estimation of wax deposition in the oil production units using RBF-ANN strategy. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1737-1742	1.4	5

36	Insight into the Estimation of Equilibrium CO <sub>2</sub> Absorption by Deep Eutectic Solvents using Computational Approaches. <i>Separation Science and Technology</i> , <b>2021</b> , 56, 2351-2368	2.5	5
35	Towards estimation of CO adsorption on highly porous MOF-based adsorbents using gaussian process regression approach. <i>Scientific Reports</i> , <b>2021</b> , 11, 15710	4.9	5
34	Modeling of CO <sub>2</sub> absorption capabilities of amino acid solutions using a computational scheme. <i>Environmental Progress and Sustainable Energy</i> , <b>2020</b> , 39, e13430	2.5	4
33	Viscosity estimation of Athabasca bitumen in solvent injection process using genetic programming strategy. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2018</b> , 40, 922-928	1.6	4
32	Neural computations in modelling of CO <sub>2</sub> capture from Gas stream emissions by Sodium Glycinate solution. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 326-331	1.4	4
31	ANFIS-GA modeling of dynamic viscosity of N-Alkane in different operational conditions. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 1015-1021	1.4	4
30	Application of MLP-ANN as novel tool for estimation of effect of inhibitors on asphaltene precipitation reduction. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 1272-1277	1.4	4
29	Application of LS-SVM strategy to estimate H <sub>2</sub> S loading capacity in different ionic liquids and alkanolamines. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1117-1123	1.4	4
28	Estimating water content of natural gas: A radial basis function neural network method. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 1852-1858	1.4	4
27	Asphaltene deposition during flow through pipes: Parametric and inhibition analyses. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 2127-2132	1.4	4
26	Computational modeling of biodiesel production using supercritical methanol. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2019</b> , 41, 14-20	1.6	4
25	Modeling vaporization enthalpy of pure hydrocarbons and petroleum fractions using LSSVM approach. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2020</b> , 42, 569-576	1.6	4
24	Modelling of methane hydrate formation pressure in the presence of different inhibitors. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 92-98	1.4	3
23	Implementing PSO-LSSVM model to approximate vaporization enthalpy of pure hydrocarbons and petroleum fractions. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1891-1897	1.4	3
22	The application of nanofluids for recovery of asphaltenic oil. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 287-292	1.4	3
21	Modeling of the density of mixtures of Athabasca bitumen and a high boiling n-alkane. <i>Petroleum Science and Technology</i> , <b>2017</b> , 35, 594-600	1.4	3
20	Oxidation kinetics of water contaminants: New insights from artificial intelligence. <i>Environmental Progress and Sustainable Energy</i> , <b>2021</b> , 40,	2.5	3
19	Modeling of CO <sub>2</sub> absorption by amino acid salts blended with amine solutions. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 843-849	1.4	2

18	Insight into the antiviral activity of synthesized schizonepetin derivatives: A theoretical investigation. <i>Scientific Reports</i> , <b>2020</b> , 10, 8599	4.9	2
17	ANFIS modeling of CO2 separation from natural gas using hollow fiber polymeric membrane. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2018</b> , 40, 193-199	1.6	2
16	Modeling dynamic viscosity of n-alkanes using LSSVM technique. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2018</b> , 40, 1966-1973	1.6	2
15	On the prediction of solubility of alkane in carbon dioxide using the LSSVM algorithm. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1231-1237	1.4	1
14	Rapid prediction of hydrate condition for promoting CO2 recovery in the oil and gas industry. <i>Petroleum Science and Technology</i> , <b>2016</b> , 34, 1669-1674	1.4	1
13	Modeling of CO2 capture from gas stream emissions of petrochemical industries by membrane contactor. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 1446-1454	1.4	1
12	Rigorous model for determination of PVT properties of crude oil in operational conditions. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2019</b> , 1-7	1.6	1
11	On the evaluation of hydrogen evolution reaction performance of metal-nitrogen-doped carbon electrocatalysts using machine learning technique. <i>Scientific Reports</i> , <b>2021</b> , 11, 21911	4.9	1
10	Hydrocarbons density estimates for a wide range of conditions using RBF-ANN and ANFIS strategies. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2019</b> , 1-9	1.6	1
9	Towards ANFIS-PSO strategy for estimating viscosity of ternary mixtures containing ionic liquids. <i>Journal of Molecular Liquids</i> , <b>2020</b> , 298, 111802	6	1
8	An insight into tetracycline photocatalytic degradation by MOFs using the artificial intelligence technique.. <i>Scientific Reports</i> , <b>2022</b> , 12, 6615	4.9	1
7	Neural computing approach for predicting vaporization enthalpy of pure hydrocarbons and petroleum fractions. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1898-1904	1.4	0
6	Modeling of carbon dioxide capture from gas stream emissions using amino acid salts blended with amine solutions. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1868-1874	1.4	0
5	Modeling the heat of vaporization of petroleum fractions and pure hydrocarbons. <i>Petroleum Science and Technology</i> , <b>2019</b> , 37, 1875-1882	1.4	
4	Evolving generalized correlations based on Peng-Robinson equation of state for estimating dynamic viscosities of alkanes in supercritical region. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 284, 755-764	6	
3	Estimating density of supercritical carbon dioxide and methane using modified thermodynamic models. <i>Petroleum Science and Technology</i> , <b>2018</b> , 36, 437-442	1.4	
2	Modeling of hydrate formation condition for binary gases containing methane and ethane. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , <b>2017</b> , 39, 2166-2172	1.6	
1	Carbon dioxide as a main source of air pollution: Prospective and current trends to control <b>2021</b> , 623-688		



