

Giuseppe Morgia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5853211/publications.pdf>

Version: 2024-02-01

154
papers

4,164
citations

109137

35
h-index

155451

55
g-index

159
all docs

159
docs citations

159
times ranked

5555
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Open prostatectomy for benign prostatic enlargement in southern Europe in the late 1990s: a contemporary series of 1800 interventions. <i>Urology</i> , 2002, 60, 623-627. | 0.5 | 203 |
| 2 | Matrix metalloproteinases as diagnostic (MMP-13) and prognostic (MMP-2, MMP-9) markers of prostate cancer. <i>Urological Research</i> , 2005, 33, 44-50. | 1.5 | 159 |
| 3 | Simple Enucleation is Equivalent to Traditional Partial Nephrectomy for Renal Cell Carcinoma: Results of a Nonrandomized, Retrospective, Comparative Study. <i>Journal of Urology</i> , 2011, 185, 1604-1610. | 0.2 | 153 |
| 4 | Prostatic Artery Embolization for Prostate Volume Greater Than 80 ^Å cm ³ : Results From a Single-center Prospective Study. <i>Urology</i> , 2014, 84, 400-404. | 0.5 | 110 |
| 5 | Endocrine control of benign prostatic hyperplasia. <i>Andrology</i> , 2016, 4, 404-411. | 1.9 | 100 |
| 6 | Polyphenols: Key Issues Involved in Chemoprevention of Prostate Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-8. | 1.9 | 91 |
| 7 | Partial Nephrectomy in Clinical T1b Renal Tumors: Multicenter Comparative Study of Open, Laparoscopic and Robot-assisted Approach (the RECORD Project). <i>Urology</i> , 2016, 89, 45-53. | 0.5 | 91 |
| 8 | Support Ellagic Acid Therapy in Patients with Hormone Refractory Prostate Cancer (HRPC) on Standard Chemotherapy Using Vinorelbine and Estramustine Phosphate. <i>European Urology</i> , 2005, 47, 449-455. | 0.9 | 88 |
| 9 | Prostatic Arterial Embolization vs Open Prostatectomy: A 1-Year Matched-pair Analysis of Functional Outcomes and Morbidities. <i>Urology</i> , 2015, 86, 343-348. | 0.5 | 81 |
| 10 | A multicentre matchedâ€pair analysis comparing robotâ€assisted versus open partial nephrectomy. <i>BJU International</i> , 2014, 113, 936-941. | 1.3 | 78 |
| 11 | An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 507-514. | 1.2 | 77 |
| 12 | Time to recurrence is a significant predictor of cancerâ€specific survival after recurrence in patients with recurrent renal cell carcinoma â€ results from a comprehensive multiâ€centre database (<sc>CORONA</sc><sc>SATURN</sc>â€<sc>P</sc>roject). <i>BJU International</i> , 2013, 112, 909-916. | 1.3 | 69 |
| 13 | Microbiological investigation in male infertility: a practical overview. <i>Journal of Medical Microbiology</i> , 2014, 63, 1-14. | 0.7 | 66 |
| 14 | Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Nonâ€muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018, 1, 403-410. | 2.6 | 66 |
| 15 | A Systematic Review and Meta-analysis of the Diagnostic Accuracy of Prostate Health Index and 4-Kallikrein Panel Score in Predicting Overall and High-grade Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 429-439.e1. | 0.9 | 64 |
| 16 | Dorsal Onlay Skin Graft Bulbar Urethroplasty: Long-Term Follow-Up. <i>European Urology</i> , 2008, 53, 628-634. | 0.9 | 57 |
| 17 | Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Nonâ€muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 445-452. | 0.9 | 55 |
| 18 | Systematic review and metaâ€analysis on the efficacy and tolerability of mirabegron for the treatment of storage lower urinary tract symptoms/overactive bladder: Comparison with placebo and tolterodine. <i>International Journal of Urology</i> , 2018, 25, 196-205. | 0.5 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORD Project). <i>World Journal of Urology</i> , 2014, 32, 257-263. | 1.2 | 54 |
| 20 | Intravesical administration of combined hyaluronic acid (HA) and chondroitin sulfate (CS) for the treatment of female recurrent urinary tract infections: a European multicentre nested case-control study. <i>BMJ Open</i> , 2016, 6, e009669. | 0.8 | 53 |
| 21 | Impact of combination therapy 5-alpha reductase inhibitors (5-ARI) plus alpha-blockers (AB) on erectile dysfunction and decrease of libido in patients with LUTS/BPH: a systematic review with meta-analysis. <i>Aging Male</i> , 2016, 19, 175-181. | 0.9 | 50 |
| 22 | Comparison between Briganti, Partin and MSKCC tools in predicting positive lymph nodes in prostate cancer: a systematic review and meta-analysis. <i>Scandinavian Journal of Urology</i> , 2017, 51, 345-350. | 0.6 | 50 |
| 23 | Use of α -Blockers in Female Functional Bladder Neck Obstruction. <i>Urologia Internationalis</i> , 2005, 74, 256-261. | 0.6 | 47 |
| 24 | Late-onset hypogonadism: the advantages of treatment with human chorionic gonadotropin rather than testosterone. <i>Aging Male</i> , 2016, 19, 34-39. | 0.9 | 47 |
| 25 | Effects of Serenoa Repens, Selenium and Lycopene (Profluss®) on chronic inflammation associated with Benign Prostatic Hyperplasia: results of a FLOGOS (Flogosis and Profluss in Prostatic and Genital) Study. <i>Journal of Urology</i> , 2013, 39, 214-221. | 0.7 | 46 |
| 26 | Relationship between lower urinary tract symptoms and serum levels of sex hormones in men with symptomatic benign prostatic hyperplasia. <i>BJU International</i> , 2010, 106, 1700-1703. | 1.3 | 45 |
| 27 | Markers of semen inflammation: supplementary semen analysis?. <i>Journal of Reproductive Immunology</i> , 2013, 100, 2-10. | 0.8 | 44 |
| 28 | Insulin Resistance Is an Independent Predictor of Severe Lower Urinary Tract Symptoms and of Erectile Dysfunction: Results from a Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2014, 11, 2074-2082. | 0.3 | 44 |
| 29 | PHI and PCA3 improve the prognostic performance of PRIAS and Epstein criteria in predicting insignificant prostate cancer in men eligible for active surveillance. <i>World Journal of Urology</i> , 2016, 34, 485-493. | 1.2 | 41 |
| 30 | Inhibitors of apoptosis proteins in experimental benign prostatic hyperplasia: effects of serenoa repens, selenium and lycopene. <i>Journal of Biomedical Science</i> , 2014, 21, 19. | 2.6 | 40 |
| 31 | Prognostic accuracy of Prostate Health Index and urinary Prostate Cancer Antigen 3 in predicting pathologic features after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 163.e15-163.e23. | 0.8 | 40 |
| 32 | Vacuum-Assisted Closure for the Treatment of Fournier's Gangrene. <i>Urologia Internationalis</i> , 2009, 82, 426-431. | 0.6 | 39 |
| 33 | Serenoa repens, lycopene and selenium versus tamsulosin for the treatment of LUTS/BPH. An Italian multicenter double-blind randomized study between single or combination therapy (PROCOMB) Study. <i>Journal of Urology</i> , 2014, 191, 1037-1042. | 0.7 | 38 |
| 34 | Prostate cancer detection in patients with prior negative biopsy undergoing cognitive-, robotic- or in-bore MRI target biopsy. <i>World Journal of Urology</i> , 2018, 36, 761-768. | 1.2 | 38 |
| 35 | A Prospective, Multicenter Evaluation of Predictive Factors for Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: The RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 165-170. | 0.9 | 37 |
| 36 | Increase of Framingham cardiovascular disease risk score is associated with severity of lower urinary tract symptoms. <i>BJU International</i> , 2015, 116, 791-796. | 1.3 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015, 22, 982-990. | 0.5 | 36 |
| 38 | Predictors of treatment success after collagenase <i>Clostridium histolyticum</i> injection for Peyronie's disease: development of a nomogram from a multicentre single-arm, non-placebo controlled clinical study. <i>BJU International</i> , 2018, 122, 680-687. | 1.3 | 36 |
| 39 | Effect of <i>Serenoa repens</i> , Lycopene, and Selenium on Proinflammatory Phenotype Activation: An In Vitro And In Vivo Comparison Study. <i>Urology</i> , 2011, 77, 248.e9-248.e16. | 0.5 | 35 |
| 40 | Prevalence of human papilloma virus infection in patients with male accessory gland infection. <i>Reproductive BioMedicine Online</i> , 2015, 30, 385-391. | 1.1 | 35 |
| 41 | Dietary Consumption of Phenolic Acids and Prostate Cancer: A Case-Control Study in Sicily, Southern Italy. <i>Molecules</i> , 2017, 22, 2159. | 1.7 | 35 |
| 42 | Performance of Narrow Band Imaging (NBI) and Photodynamic Diagnosis (PDD) Fluorescence Imaging Compared to White Light Cystoscopy (WLC) in Detecting Non-Muscle Invasive Bladder Cancer: A Systematic Review and Lesion-Level Diagnostic Meta-Analysis. <i>Cancers</i> , 2021, 13, 4378. | 1.7 | 35 |
| 43 | Sildenafil 25 mg ODT+ Collagenase <i>Clostridium histolyticum</i> vs Collagenase <i>Clostridium histolyticum</i> Alone for the Management of Peyronie's Disease: A Matched-Pair Comparison Analysis. <i>Journal of Sexual Medicine</i> , 2018, 15, 1472-1477. | 0.3 | 34 |
| 44 | Comparison Between ⁶⁴ Cu-PSMA-617 PET/CT and ¹⁸ F-Choline PET/CT Imaging in Early Diagnosis of Prostate Cancer Biochemical Recurrence. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 385-391. | 0.9 | 33 |
| 45 | Benign prostatic enlargement can be influenced by metabolic profile: results of a multicenter prospective study. <i>BMC Urology</i> , 2017, 17, 22. | 0.6 | 32 |
| 46 | TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: Results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015, 22, 47-52. | 0.5 | 31 |
| 47 | Activation of adenosine A2A receptors by polydeoxyribonucleotide increases vascular endothelial growth factor and protects against testicular damage induced by experimental varicocele in rats. <i>Fertility and Sterility</i> , 2011, 95, 1510-1513. | 0.5 | 30 |
| 48 | The Combination of <i>Serenoa Repens</i> , Selenium and Lycopene is More Effective Than <i>Serenoa Repens</i> Alone to Prevent Hormone Dependent Prostatic Growth. <i>Journal of Urology</i> , 2011, 186, 1524-1529. | 0.2 | 30 |
| 49 | Determinants of Sexual Impairment in Multiple Sclerosis in Male and Female Patients with Lower Urinary Tract Dysfunction: Results from an Italian Cross-sectional Study. <i>Journal of Sexual Medicine</i> , 2014, 11, 2406-2413. | 0.3 | 30 |
| 50 | Correlation Between Lipid Profile and Heme Oxygenase System in Patients With Benign Prostatic Hyperplasia. <i>Urology</i> , 2014, 83, 1444.e7-1444.e13. | 0.5 | 30 |
| 51 | A phase II, randomized, single-blinded, placebo-controlled clinical trial on the efficacy of Curcumina and Calendula suppositories for the treatment of patients with chronic prostatitis/chronic pelvic pain syndrome type III. <i>Archivio Italiano Di Urologia Andrologia</i> , 2017, 89, 110. | 0.4 | 30 |
| 52 | Benign Prostatic Hyperplasia, Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: Is Metaflammation the Link?. <i>Prostate</i> , 2016, 76, 1528-1535. | 1.2 | 29 |
| 53 | A 1-year maintenance after early adjuvant intravesical chemotherapy has a limited efficacy in preventing recurrence of intermediate risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2010, 106, 212-217. | 1.3 | 28 |
| 54 | Single-session Supine Bilateral Percutaneous Nephrolithotomy. <i>Urology</i> , 2015, 85, 304-310. | 0.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Are Referral Centers for Non-Muscle-Invasive Bladder Cancer Compliant to EAU Guidelines? A Report from the Vesical Antiblasic Therapy Italian Study. <i>Urologia Internationalis</i> , 2011, 86, 19-24. | 0.6 | 27 |
| 56 | Connections between lower urinary tract symptoms related to benign prostatic enlargement and metabolic syndrome with its components: a systematic review and meta-analysis. <i>Aging Male</i> , 2015, 18, 207-216. | 0.9 | 27 |
| 57 | The semen quality of the mobile phone users. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 970-4. | 1.8 | 27 |
| 58 | Association between selenium and lycopene supplementation and incidence of prostate cancer: Results from the post-hoc analysis of the procomb trial. <i>Phytomedicine</i> , 2017, 34, 1-5. | 2.3 | 26 |
| 59 | The use of laser as a therapeutic modality as compared to TURP for the small prostate $\leq 40\text{ mL}$: a collaborative review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 569-575. | 3.9 | 26 |
| 60 | Relationship between non-alcoholic fatty liver disease and benign prostatic hyperplasia/lower urinary tract symptoms: new insights from an Italian cross-sectional study. <i>World Journal of Urology</i> , 2015, 33, 743-751. | 1.2 | 25 |
| 61 | Association between dietary flavonoids intake and prostate cancer risk: A case-control study in Sicily. <i>Complementary Therapies in Medicine</i> , 2018, 39, 14-18. | 1.3 | 25 |
| 62 | The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 47-54. | 3.9 | 25 |
| 63 | Vascular regenerative therapies for the treatment of erectile dysfunction: current approaches. <i>Andrology</i> , 2013, 1, 533-540. | 1.9 | 24 |
| 64 | Human papillomavirus and risk of prostate cancer: a systematic review and meta-analysis. <i>Aging Male</i> , 2020, 23, 132-138. | 0.9 | 24 |
| 65 | Altered Transcapillary Escape of Albumin and Microalbuminuria Reflects Two Different Pathogenetic Mechanisms. <i>Diabetes</i> , 2005, 54, 228-233. | 0.3 | 23 |
| 66 | Polydeoxyribonucleotide administration improves the intra-testicular vascularization in rat experimental varicocele. <i>Fertility and Sterility</i> , 2012, 97, 165-168. | 0.5 | 23 |
| 67 | Arterial erectile dysfunction: Different severities of endothelial apoptosis between diabetic patients $\leq 40\text{ mL}$ responders and $\geq 40\text{ mL}$ non responders to sildenafil. <i>European Journal of Internal Medicine</i> , 2013, 24, 234-240. | 1.0 | 23 |
| 68 | Patterns of prescription and adherence to European Association of Urology guidelines on androgen deprivation therapy in prostate cancer: an Italian multicentre cross-sectional analysis from the Choosing Treatment for Prostate Cancer (CHOICE) study. <i>BJU International</i> , 2016, 117, 867-873. | 1.3 | 23 |
| 69 | Alga <i>Ecklonia bicyclis</i> , <i>Tribulus terrestris</i> , and Glucosamine Oligosaccharide Improve Erectile Function, Sexual Quality of Life, and Ejaculation Function in Patients with Moderate Mild-Moderate Erectile Dysfunction: A Prospective, Randomized, Placebo-Controlled, Single-Blinded Study. <i>BioMed Research International</i> , 2014, 2014, 1-7. | 0.9 | 22 |
| 70 | High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , 2018, 101, 7-15. | 0.6 | 22 |
| 71 | SRSF1 and microvessel density immunohistochemical analysis by semi-automated tissue microarray in prostate cancer patients with diabetes (DIAMOND study). <i>Prostate</i> , 2021, 81, 882-892. | 1.2 | 22 |
| 72 | Prevalence of Cardiovascular Disease and Osteoporosis During Androgen Deprivation Therapy Prescription Discordant to EAU Guidelines: Results From a Multicenter, Cross-sectional Analysis From the CHOICE Treatment for Prostate cancer (CHOICE) Study. <i>Urology</i> , 2016, 96, 165-170. | 0.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Expression of tumour progression-associated genes in circulating tumour cells of patients at different stages of prostate cancer. <i>BJU International</i> , 2018, 122, 152-159. | 1.3 | 21 |
| 74 | Association between dietary phytoestrogens intakes and prostate cancer risk in Sicily. <i>Aging Male</i> , 2018, 21, 48-54. | 0.9 | 21 |
| 75 | Adherence to Mediterranean diet and prostate cancer risk in Sicily: population-based case-control study. <i>International Journal of Impotence Research</i> , 2019, 31, 269-275. | 1.0 | 21 |
| 76 | Percentage of cancer involvement in positive cores can predict unfavorable disease in men with low-risk prostate cancer but eligible for the prostate cancer international: Active surveillance criteria. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 291-296. | 0.8 | 20 |
| 77 | Systemic combining inflammatory score (SCIS): a new score for prediction of oncologic outcomes in patients with high-risk non-muscle-invasive urothelial bladder cancer. <i>Translational Andrology and Urology</i> , 2021, 10, 626-635. | 0.6 | 20 |
| 78 | Functional characterization of platelets in patients with arterial erectile dysfunction. <i>Andrology</i> , 2014, 2, 709-715. | 1.9 | 19 |
| 79 | Confirmatory biopsy of men under active surveillance: extended versus saturation versus multiparametric magnetic resonance imaging/transrectal ultrasound fusion prostate biopsy. <i>Scandinavian Journal of Urology</i> , 2017, 51, 260-263. | 0.6 | 19 |
| 80 | Effectiveness of highly purified urofollitropin treatment in patients with idiopathic azoospermia before testicular sperm extraction. <i>Urologia</i> , 2018, 85, 19-21. | 0.3 | 19 |
| 81 | Role of multiparametric magnetic resonance imaging for patients under active surveillance for prostate cancer: a systematic review with diagnostic meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 206-220. | 2.0 | 19 |
| 82 | A Randomized Trial Comparing Tamoxifen Therapy vs. Tamoxifen Prophylaxis in Bicalutamide-Induced Gynecomastia. <i>Clinical Genitourinary Cancer</i> , 2012, 10, 174-179. | 0.9 | 18 |
| 83 | An improvement in sexual function is related to better quality of life, regardless of urinary function improvement: Results from the IDiProst® Gold Study. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013, 85, 184. | 0.4 | 18 |
| 84 | High-throughput detection of low abundance sialylated glycoproteins in human serum by TiO ₂ enrichment and targeted LC-MS/MS analysis: application to a prostate cancer sample set. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 755-763. | 1.9 | 18 |
| 85 | Cigarette Smoking Status at Diagnosis and Recurrence in Intermediate-risk Non-muscle-invasive Bladder Carcinoma. <i>Urology</i> , 2013, 81, 277-282. | 0.5 | 17 |
| 86 | Association between metabolic syndrome and intravesical prostatic protrusion in patients with benign prostatic enlargement and lower urinary tract symptoms (<scp>MIPS</scp> Study). <i>BJU International</i> , 2018, 121, 799-804. | 1.3 | 17 |
| 87 | Endothelial progenitor cells and erectile dysfunction: a brief review on diagnostic significance and summary of our experience. <i>Aging Male</i> , 2013, 16, 29-32. | 0.9 | 16 |
| 88 | Effects of tadalafil treatment combined with physical activity in patients with low onset hypogonadism: results from a not-randomized single arm phase 2 study. <i>Aging Male</i> , 2016, 19, 155-160. | 0.9 | 16 |
| 89 | Mobile phone apps for the prediction of prostate cancer: External validation of the Coral and Rotterdam apps. <i>European Journal of Surgical Oncology</i> , 2019, 45, 471-476. | 0.5 | 16 |
| 90 | Heme oxygenase levels and metaflammation in benign prostatic hyperplasia patients. <i>World Journal of Urology</i> , 2016, 34, 1183-1192. | 1.2 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effects of Varicocele Treatment on Sperm Conventional Parameters: Surgical Varicocelectomy Versus Sclerotherapy. CardioVascular and Interventional Radiology, 2019, 42, 396-404. | 0.9 | 15 |
| 92 | Pneumatic Lithotripsy versus Holmium:YAG Laser Lithotripsy for the Treatment of Single Ureteral Stones: A Prospective, Single-Blinded Study. Urologia Internationalis, 2014, 92, 468-472. | 0.6 | 14 |
| 93 | Correction of Retrograde Ejaculation in Patients with Diabetes Mellitus Using Endourethral Collagen Injection: Preliminary Results. Journal of Sexual Medicine, 2015, 12, 2126-2129. | 0.3 | 14 |
| 94 | The gonadal function in obese adolescents: review. Journal of Endocrinological Investigation, 2014, 37, 1133-1142. | 1.8 | 13 |
| 95 | Association Between the Neurogenic Bladder Symptom Score and Urodynamic Examination in Multiple Sclerosis Patients With Lower Urinary Tract Dysfunction. International Neurourology Journal, 2015, 19, 272-277. | 0.5 | 13 |
| 96 | Benign prostatic hyperplasia and metabolic syndrome: the expanding evidences of a new disease of aging male. Aging Male, 2015, 18, 133-134. | 0.9 | 12 |
| 97 | Prevalence of male accessory gland inflammations/infections in patients with Type 2 diabetes mellitus. Journal of Endocrinological Investigation, 2013, 36, 770-4. | 1.8 | 12 |
| 98 | Transurethral ethanol ablation of the prostate (TEAP): an effective minimally invasive treatment alternative to traditional surgery for symptomatic benign prostatic hyperplasia (BPH) in high-risk comorbidity patients. International Urology and Nephrology, 2008, 40, 941-946. | 0.6 | 11 |
| 99 | CyberKnife in the Treatment of Prostate Cancer: A Revolutionary System. European Urology, 2009, 56, 40-42. | 0.9 | 11 |
| 100 | Survivin and NAIP in Human Benign Prostatic Hyperplasia: Protective Role of the Association of Serenoa repens, Lycopene and Selenium from the Randomized Clinical Study. International Journal of Molecular Sciences, 2017, 18, 680. | 1.8 | 11 |
| 101 | Use of BCG in Immunotherapy of Superficial Bladder Cancer: Multicentric Investigation on Safety and Compliance. UroOncology, 2003, 2, 129-135. | 0.1 | 11 |
| 102 | Metabolic syndrome and prostatic disease: potentially role of polyphenols in preventive strategies. A review. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2016, 42, 422-430. | 0.7 | 10 |
| 103 | Human Papilloma Virus Infection in Patients with Male Accessory Gland Infection: Usefulness of the Ultrasound Evaluation. International Journal of Endocrinology, 2016, 2016, 1-7. | 0.6 | 10 |
| 104 | Serenoa repens + selenium + lycopene vs tadalafil 5 mg for the treatment of lower urinary tract symptoms secondary to benign prostatic obstruction: a Phase IV, non-inferiority, open-label, clinical study (SPRITE study). BJU International, 2018, 122, 317-325. | 1.3 | 10 |
| 105 | Analysis of Arterial Stiffness and Sexual Function after Adding on PCSK9 Inhibitor Treatment in Male Patients with Familial Hypercholesterolemia: A Single Lipid Center Real-World Experience. Journal of Clinical Medicine, 2020, 9, 3597. | 1.0 | 10 |
| 106 | Acquired premature ejaculation and male accessory gland infection: relevance of ultrasound examination. Asian Journal of Andrology, 2016, 18, 769. | 0.8 | 10 |
| 107 | Oxidative stress and body composition in prostate cancer and benign prostatic hyperplasia patients. Anticancer Research, 2014, 34, 5051-6. | 0.5 | 10 |
| 108 | A Case of Renal Capsular Liposarcoma with Intracaval Fat Thrombus. European Urology, 2010, 57, 350-353. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Cognitive versus Software-Assisted Registration: Development of a New Nomogram Predicting Prostate Cancer at MRI-Targeted Biopsies. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e953-e960. | 0.9 | 9 |
| 110 | Insulin signaling, androgen receptor and PSMA immunohistochemical analysis by semi-automated tissue microarray in prostate cancer with diabetes (DIAMOND study). <i>Translational Research</i> , 2021, 238, 25-35. | 2.2 | 9 |
| 111 | Mechanical and Ablative Minimally Invasive Techniques for Male LUTS due to Benign Prostatic Obstruction: A Systematic Review according to BPH-6 Evaluation. <i>Urologia Internationalis</i> , 2021, 105, 858-868. | 0.6 | 9 |
| 112 | Reduced Seminal Concentration of CD45pos Cells after Follicle-Stimulating Hormone Treatment in Selected Patients with Idiopathic Oligoasthenoteratozoospermia. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8. | 0.6 | 8 |
| 113 | Predicting survival in nodeâ€positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multiâ€institutional database. <i>International Journal of Urology</i> , 2016, 23, 1000-1008. | 0.5 | 8 |
| 114 | Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in nodeâ€positive prostate cancer patients: External validation on a multiâ€institutional database. <i>International Journal of Urology</i> , 2018, 25, 574-581. | 0.5 | 8 |
| 115 | Prevalence of Intratubular Germ Cell Neoplasia and Multifocality in Testicular Germ Cell Tumorsâ€2 cm: Relationship With Other Pathological Features. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e31-e35. | 0.9 | 7 |
| 116 | Cigarette Smoking and Drinking Water Source: Correlation with Clinical Features and Pathology of Superficial Bladder Carcinoma. <i>Urologia Internationalis</i> , 2009, 82, 318-323. | 0.6 | 6 |
| 117 | Potential Efficacy of Some African Plants in Benign Prostatic Hyperplasia and Prostate Cancer. <i>Mini-Reviews in Medicinal Chemistry</i> , 2013, 13, 1564-1571. | 1.1 | 6 |
| 118 | Genito-Urological Cancers in Elderly Patients. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2013, 13, 1391-1405. | 0.9 | 6 |
| 119 | Accuracy capabilities comparisons between Karakiewicz, Kattan and Cindolo nomograms in predicting outcomes for renal cancer carcinoma: A systematic review and meta-analysis. <i>Canadian Urological Association Journal</i> , 2015, 9, 359. | 0.3 | 6 |
| 120 | Oral Chemotherapy in Hormone-Refractory Prostate Carcinoma Patients Unwilling to Be Admitted to Hospital. <i>Urologia Internationalis</i> , 2009, 83, 452-457. | 0.6 | 5 |
| 121 | Multifocality in testicular germ cell tumor (TGCT): what is the significance of this finding?. <i>International Urology and Nephrology</i> , 2014, 46, 1131-5. | 0.6 | 5 |
| 122 | Predicting erectile dysfunction in sexually active patients seeking prostate health screening: proposal for a multivariable risk stratification. <i>International Journal of Impotence Research</i> , 2015, 27, 201-205. | 1.0 | 5 |
| 123 | Association between long-term erectile dysfunction and biochemical recurrence after permanent seed I125implant brachytherapy for prostate cancer. A longitudinal study of a single-institution. <i>Aging Male</i> , 2016, 19, 15-19. | 0.9 | 5 |
| 124 | Management of Symptomatic Benign Prostatic Hyperplasia in Southern Italy: A Retrospective Analysis of the Sicilian-Calabrian Society of Urology (SSCU) of 32,000 Patients. <i>Urologia Internationalis</i> , 2003, 71, 16-21. | 0.6 | 4 |
| 125 | External validation of the preoperative Karakiewicz nomogram in a large multicentre series of patients with renal cell carcinoma. <i>World Journal of Urology</i> , 2013, 31, 1285-1290. | 1.2 | 4 |
| 126 | Complication Rate After Antibiotic Prophylaxis with Fosfomycin Versus Fluoroquinolones or Î²-lactam Antibiotics in Patients Undergoing Prostate Biopsy: A Propensity Score-adjusted Analysis. <i>European Urology Focus</i> , 2020, 6, 370-375. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Latest Evidence on the Role of Multiparametric Magnetic Resonance Imaging in Active Surveillance for Insignificant Prostate Cancer: A Systematic Review. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 925-930. | 0.9 | 4 |
| 128 | The Clinical Role of SRSF1 Expression in Cancer: A Review of the Current Literature. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2268. | 1.3 | 4 |
| 129 | Different levels of Cd45pos leukocytes in the semen of patients with low testicular volume. <i>International Journal of Immunopathology and Pharmacology</i> , 2015, 28, 85-92. | 1.0 | 3 |
| 130 | Metabolic syndrome is not associated with greater evidences of proliferative inflammatory atrophy and inflammation in patients with suspected prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 240.e21-240.e26. | 0.8 | 3 |
| 131 | Phytotherapy in Benign Prostatic Hyperplasia. , 2018, , 135-175. | | 3 |
| 132 | Evaluation of the "Teaching Guide for Basic Laparoscopic Skills" as a stand-alone educational tool for hands-on training sessions: a pilot study. <i>World Journal of Urology</i> , 2021, 39, 281-287. | 1.2 | 3 |
| 133 | The impact of asexual trait and porn addiction in a young men healthy cohort. <i>Andrologia</i> , 2021, 53, e14142. | 1.0 | 3 |
| 134 | The Investigative Role of Statins in Ameliorating Lower Urinary Tract Symptoms (LUTS): A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 416. | 1.0 | 3 |
| 135 | Tailored treatment including radical prostatectomy and radiation therapy + androgen deprivation therapy versus exclusive radical prostatectomy in high-risk prostate cancer patients: results from a prospective study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 322-329. | 0.7 | 2 |
| 136 | Impact of Preoperative Patient Characteristics and Flow Rate on Failure, Early Complications, and Voiding Dysfunction After a Transobturator Tape Procedure: A Multicentre Study. <i>International Neurourology Journal</i> , 2017, 21, 282-288. | 0.5 | 2 |
| 137 | Salvaging the oral treatment failure patient. <i>Current Sexual Health Reports</i> , 2006, 3, 20-24. | 0.4 | 1 |
| 138 | PD25-09 NON ALCOHOLIC FATTY LIVER DISEASE IS AN INDEPENDENT PREDICTOR OF MODERATE-SEVERE LOWER URINARY TRACT SYMPTOMS IN METABOLIC SYNDROME PATIENTS: RESULTS FROM A CROSS-SECTIONAL STUDY. <i>Journal of Urology</i> , 2014, 191, . | 0.2 | 1 |
| 139 | Pharmacological Role of Dietary Polyphenols in Prostate Cancer Chemoprevention. , 2016, , 239-251. | | 1 |
| 140 | Editorial comment to The efficacy of acupuncture in managing patients with chronic prostatitis/chronic pelvic pain syndrome: A systemic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2017, 36, 820-820. | 0.8 | 1 |
| 141 | The Seminal Vesicles: Endocrinological Aspects. , 2018, , 355-356. | | 1 |
| 142 | "Aquabeam® System" for benign prostatic hyperplasia and LUTS: birth of a new era. A systematic review of functional and sexual outcome and adverse events of the technique. <i>International Journal of Impotence Research</i> , 2019, 31, 392-399. | 1.0 | 1 |
| 143 | Active Surveillance for Low-risk Prostate Cancer: Are All Criteria Similar?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2018, 18, 958-963. | 0.9 | 1 |
| 144 | A Case of Prostatic Rhabdomyosarcoma in Childhood. <i>Journal of Lower Genital Tract Disease</i> , 2000, 4, 172-174. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Perineal-guided endoscopic extraction of ejaculatory duct stones to treat obstructive azoospermia. <i>Fertility and Sterility</i> , 2011, 95, 2430.e11-2430.e14. | 0.5 | 0 |
| 146 | Unusual Presentation of Tuberos Sclerosis Complex. <i>Urology</i> , 2012, 80, e39-e40. | 0.5 | 0 |
| 147 | Response to Editorial Comment from Dr Cantiello and Dr Damiano to Emerging links between non-neurogenic lower urinary tract symptoms secondary to benign prostatic obstruction, metabolic syndrome and its components: A systematic review. <i>International Journal of Urology</i> , 2015, 22, 993-993. | 0.5 | 0 |
| 148 | How to define cumulative cancer length for selecting candidate for active surveillance?. <i>Journal of Clinical Pathology</i> , 2015, 68, 323-324. | 1.0 | 0 |
| 149 | Re: Complex link between male lower urinary tract symptoms and metabolic syndrome: More than ethnic disparity. <i>International Journal of Urology</i> , 2016, 23, 437-437. | 0.5 | 0 |
| 150 | Subcapsular Kidney Urinoma After Percutaneous Nephrolithotomy. <i>Journal of Endourology Case Reports</i> , 2017, 3, 52-56. | 0.3 | 0 |
| 151 | Mixofibrosarcoma of the kidney: An unusual site for a common soft tissue tumor. <i>Pathology Research and Practice</i> , 2018, 214, 1745-1746. | 1.0 | 0 |
| 152 | How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , 2021, 39, 1445-1452. | 1.2 | 0 |
| 153 | Problems in defining sexual dysfunction in prostate cancer patients. <i>International Journal of Impotence Research</i> , 2021, 33, 391-392. | 1.0 | 0 |
| 154 | Comment on: Safety and efficacy of mirabegron: analysis of a large integrated clinical trial database of patients with overactive bladder receiving mirabegron, antimuscarinics, or placebo. <i>Translational Andrology and Urology</i> , 2020, 9, 2305-2307. | 0.6 | 0 |