

Joachim Cohen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5853304/publications.pdf>

Version: 2024-02-01

211
papers

8,321
citations

53660

45
h-index

62479

80
g-index

218
all docs

218
docs citations

218
times ranked

5631
citing authors

#	ARTICLE	IF	CITATIONS
1	Attitudes and Practices of Euthanasia and Physician-Assisted Suicide in the United States, Canada, and Europe. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 79.	3.8	462
2	Preferences for place of death if faced with advanced cancer: a population survey in England, Flanders, Germany, Italy, the Netherlands, Portugal and Spain. <i>Annals of Oncology</i> , 2012, 23, 2006-2015.	0.6	430
3	Comparison of Site of Death, Health Care Utilization, and Hospital Expenditures for Patients Dying With Cancer in 7 Developed Countries. <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 272.	3.8	388
4	Are There Differences in the Prevalence of Palliative Care-Related Problems in People Living With Advanced Cancer and Eight Non-Cancer Conditions? A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 660-677.	0.6	322
5	Place of Death of Older Persons with Dementia. A Study in Five European Countries. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 751-756.	1.3	219
6	Which Patients With Cancer Die at Home? A Study of Six European Countries Using Death Certificate Data. <i>Journal of Clinical Oncology</i> , 2010, 28, 2267-2273.	0.8	193
7	European public acceptance of euthanasia: Socio-demographic and cultural factors associated with the acceptance of euthanasia in 33 European countries. <i>Social Science and Medicine</i> , 2006, 63, 743-756.	1.8	162
8	Are cultural dimensions relevant for explaining cross-national differences in antibiotic use in Europe?. <i>BMC Health Services Research</i> , 2008, 8, 123.	0.9	161
9	Referral to palliative care in COPD and other chronic diseases: A population-based study. <i>Respiratory Medicine</i> , 2013, 107, 1731-1739.	1.3	160
10	Quality Indicators for Palliative Care: Update of a Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 556-572.	0.6	158
11	International study of the place of death of people with cancer: a population-level comparison of 14 countries across 4 continents using death certificate data. <i>British Journal of Cancer</i> , 2015, 113, 1397-1404.	2.9	158
12	Place of death in the population dying from diseases indicative of palliative care need: a cross-national population-level study in 14 countries. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 17-24.	2.0	150
13	Population-based study of dying in hospital in six European countries. <i>Palliative Medicine</i> , 2008, 22, 702-710.	1.3	143
14	Recent Trends in Euthanasia and Other End-of-Life Practices in Belgium. <i>New England Journal of Medicine</i> , 2015, 372, 1179-1181.	13.9	141
15	Dying at home or in an institution. <i>Health Policy</i> , 2006, 78, 319-329.	1.4	126
16	Medical End-of-Life Practices under the Euthanasia Law in Belgium. <i>New England Journal of Medicine</i> , 2009, 361, 1119-1121.	13.9	116
17	Physician-assisted deaths under the euthanasia law in Belgium: a population-based survey. <i>Cmaj</i> , 2010, 182, 895-901.	0.9	114
18	Estimating the need for palliative care at the population level: A cross-national study in 12 countries. <i>Palliative Medicine</i> , 2017, 31, 526-536.	1.3	111

#	ARTICLE	IF	CITATIONS
19	Study of recent and future trends in place of death in Belgium using death certificate data: a shift from hospitals to care homes. <i>BMC Public Health</i> , 2011, 11, 228.	1.2	109
20	International Variation in Place of Death of Older People Who Died From Dementia in 14 European and non-European Countries. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 165-171.	1.2	105
21	Trends in acceptance of euthanasia among the general public in 12 European countries (1981â€“1999). <i>European Journal of Public Health</i> , 2006, 16, 663-669.	0.1	97
22	Reporting of euthanasia in medical practice in Flanders, Belgium: cross sectional analysis of reported and unreported cases. <i>BMJ: British Medical Journal</i> , 2010, 341, c5174-c5174.	2.4	94
23	A population-level study of place of death and associated factors in Sweden. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 744-751.	1.2	89
24	Assisted dying around the world: a status quaestionis. <i>Annals of Palliative Medicine</i> , 2021, 10, 3540-3553.	0.5	87
25	Attitudes and Experiences of Belgian Physicians Regarding Euthanasia Practice and the Euthanasia Law. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 580-593.	0.6	86
26	Priorities for treatment, care and information if faced with serious illness: A comparative population-based survey in seven European countries. <i>Palliative Medicine</i> , 2014, 28, 101-110.	1.3	86
27	Public acceptance of euthanasia in Europe: a survey study in 47 countries. <i>International Journal of Public Health</i> , 2014, 59, 143-156.	1.0	86
28	Comparison of the Expression and Granting of Requests for Euthanasia in Belgium in 2007 vs 2013. <i>JAMA Internal Medicine</i> , 2015, 175, 1703.	2.6	84
29	The Preferred Place of Last Days: Results of a Representative Population-Based Public Survey. <i>Journal of Palliative Medicine</i> , 2013, 16, 502-508.	0.6	81
30	International variations in clinical practice guidelines for palliative sedation: a systematic review. <i>BMJ Supportive and Palliative Care</i> , 2017, 7, bmjpspcare-2016-001159.	0.8	79
31	Cultural differences affecting euthanasia practice in Belgium: One law but different attitudes and practices in Flanders and Wallonia. <i>Social Science and Medicine</i> , 2012, 75, 845-853.	1.8	78
32	Continuous Deep Sedation Until Death in Belgium: A Nationwide Survey. <i>Archives of Internal Medicine</i> , 2010, 170, 490-493.	4.3	77
33	Euthanasia for people with psychiatric disorders or dementia in Belgium: analysis of officially reported cases. <i>BMC Psychiatry</i> , 2017, 17, 203.	1.1	74
34	Process and Outcomes of Euthanasia Requests Under the Belgian Act on Euthanasia: A Nationwide Survey. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 721-733.	0.6	65
35	The labelling and reporting of euthanasia by Belgian physicians: a study of hypothetical cases. <i>European Journal of Public Health</i> , 2012, 22, 19-26.	0.1	64
36	Early identification of palliative care needs by family physicians: A qualitative study of barriers and facilitators from the perspective of family physicians, community nurses, and patients. <i>Palliative Medicine</i> , 2014, 28, 480-490.	1.3	64

#	ARTICLE	IF	CITATIONS
37	Legal Euthanasia in Belgium. <i>Medical Care</i> , 2010, 48, 187-192.	1.1	63
38	Developing indicators of appropriate and inappropriate end-of-life care in people with Alzheimer's disease, cancer or chronic obstructive pulmonary disease for population-level administrative databases: A RAND/UCLA appropriateness study. <i>Palliative Medicine</i> , 2017, 31, 932-945.	1.3	60
39	End-of-life decision-making in Belgium, Denmark, Sweden and Switzerland: does place of death make a difference?. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 1062-1068.	2.0	59
40	A post-mortem survey on end-of-life decisions using a representative sample of death certificates in Flanders, Belgium: research protocol. <i>BMC Public Health</i> , 2008, 8, 299.	1.2	58
41	The acute hospital setting as a place of death and final care: A qualitative study on perspectives of family physicians, nurses and family carers. <i>Health and Place</i> , 2014, 27, 77-83.	1.5	58
42	Impact of palliative home care support on the quality and costs of care at the end of life: a population-level matched cohort study. <i>BMJ Open</i> , 2019, 9, e025180.	0.8	58
43	Using death certificate data to study place of death in 9 European countries: opportunities and weaknesses. <i>BMC Public Health</i> , 2007, 7, 283.	1.2	57
44	Labelling of end-of-life decisions by physicians. <i>Journal of Medical Ethics</i> , 2014, 40, 505-507.	1.0	55
45	End-of-life care in general practice: A cross-sectional, retrospective survey of cancer, organ failure and old-age/dementia patients. <i>Palliative Medicine</i> , 2014, 28, 965-975.	1.3	53
46	Place of death of children with complex chronic conditions: cross-national study of 11 countries. <i>European Journal of Pediatrics</i> , 2017, 176, 327-335.	1.3	52
47	Differences in place of death between lung cancer and COPD patients: a 14-country study using death certificate data. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 14.	1.1	52
48	Trends in Continuous Deep Sedation until Death between 2007 and 2013: A Repeated Nationwide Survey. <i>PLoS ONE</i> , 2016, 11, e0158188.	1.1	49
49	How accurately is euthanasia reported on death certificates in a country with legal euthanasia: a population-based study. <i>European Journal of Epidemiology</i> , 2018, 33, 689-693.	2.5	49
50	What Are Physicians' Reasons for Not Referring People with Life-Limiting Illnesses to Specialist Palliative Care Services? A Nationwide Survey. <i>PLoS ONE</i> , 2015, 10, e0137251.	1.1	49
51	Euthanasia in Belgium: trends in reported cases between 2003 and 2013. <i>Cmaj</i> , 2016, 188, E407-E414.	0.9	48
52	Euthanasia in patients dying at home in Belgium: interview study on adherence to legal safeguards. <i>British Journal of General Practice</i> , 2010, 60, e163-e170.	0.7	45
53	Involvement of Palliative Care Services Strongly Predicts Place of Death in Belgium. <i>Journal of Palliative Medicine</i> , 2010, 13, 1461-1468.	0.6	45
54	What justifies a hospital admission at the end of life? A focus group study on perspectives of family physicians and nurses. <i>Palliative Medicine</i> , 2014, 28, 941-948.	1.3	45

#	ARTICLE	IF	CITATIONS
55	Is There a Need for Early Palliative Care in Patients With Life-Limiting Illnesses? Interview Study With Patients About Experienced Care Needs From Diagnosis Onward. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 489-497.	0.8	44
56	Determinants of the Place of Death in the Brussels Metropolitan Region. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 996-1005.	0.6	42
57	The medical practice of euthanasia in Belgium and The Netherlands: Legal notification, control and evaluation procedures. <i>Health Policy</i> , 2009, 90, 181-187.	1.4	41
58	To be involved or not to be involved: A survey of public preferences for self-involvement in decision-making involving mental capacity (competency) within Europe. <i>Palliative Medicine</i> , 2013, 27, 418-427.	1.3	41
59	Involvement of palliative care in euthanasia practice in a context of legalized euthanasia: A population-based mortality follow-back study. <i>Palliative Medicine</i> , 2018, 32, 114-122.	1.3	41
60	Establishing specialized health services for professional consultation in euthanasia: experiences in the Netherlands and Belgium. <i>BMC Health Services Research</i> , 2009, 9, 220.	0.9	40
61	Using linked administrative and disease-specific databases to study end-of-life care on a population level. <i>BMC Palliative Care</i> , 2016, 15, 86.	0.8	40
62	Role and Involvement of Life End Information Forum Physicians in Euthanasia and Other End-of-Life Care Decisions in Flanders, Belgium. <i>Health Services Research</i> , 2009, 44, 2180-2192.	1.0	39
63	Place of death of people living with Parkinson's disease: a population-level study in 11 countries. <i>BMC Palliative Care</i> , 2015, 14, 28.	0.8	38
64	Place of death in metropolitan regions: Metropolitan versus non-metropolitan variation in place of death in Belgium, The Netherlands and England. <i>Health and Place</i> , 2010, 16, 132-139.	1.5	37
65	Palliative care needs at different phases in the illness trajectory: a survey study in patients with cancer. <i>European Journal of Cancer Care</i> , 2016, 25, 534-543.	0.7	37
66	Resource Use and Health Care Costs of COPD Patients at the End of Life: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 588-599.	0.6	37
67	Trends in Medical End-of-Life Decision Making in Flanders, Belgium 1998-2001-2007. <i>Medical Decision Making</i> , 2011, 31, 500-510.	1.2	36
68	Different trends in euthanasia acceptance across Europe. A study of 13 western and 10 central and eastern European countries, 1981-2008. <i>European Journal of Public Health</i> , 2013, 23, 378-380.	0.1	36
69	Continuous Deep Sedation at the End of Life of Children in Flanders, Belgium. <i>Journal of Pain and Symptom Management</i> , 2011, 41, 449-455.	0.6	33
70	Towards a standardized method of developing quality indicators for palliative care: protocol of the Quality indicators for Palliative Care (Q-PAC) study. <i>BMC Palliative Care</i> , 2013, 12, 6.	0.8	33
71	Applying Quality Indicators For Administrative Databases To Evaluate End-Of-Life Care For Cancer Patients In Belgium. <i>Health Affairs</i> , 2017, 36, 1234-1243.	2.5	32
72	Medical End-of-Life Decisions in Children in Flanders, Belgium. <i>JAMA Pediatrics</i> , 2010, 164, 547-53.	3.6	31

#	ARTICLE	IF	CITATIONS
73	Dying in hospital: a study of incidence and factors related to hospital death using death certificate data. <i>European Journal of Public Health</i> , 2014, 24, 751-756.	0.1	28
74	Research in public health and end-of-life care – Building on the past and developing the new. <i>Progress in Palliative Care</i> , 2016, 24, 25-30.	0.7	28
75	Improving comfort around dying in elderly people: a cluster randomised controlled trial. <i>Lancet</i> , The, 2017, 390, 125-134.	6.3	28
76	The Use of Palliative Care Services Associated with Better Dying Circumstances. Results From an Epidemiological Population-Based Study in the Brussels Metropolitan Region. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 839-851.	0.6	27
77	A Population-Based Study on Advance Directive Completion and Completion Intention among citizens of the Western Canadian province of Alberta. <i>Journal of Palliative Care</i> , 2013, 29, 5-12.	0.4	27
78	Family physicians' role in palliative care throughout the care continuum: stakeholder perspectives. <i>Family Practice</i> , 2015, 32, cmv072.	0.8	27
79	Degeneracy-Preserving Quantum Nondemolition Measurement of Parity-Type Observables for Cat Qubits. <i>Physical Review Letters</i> , 2017, 119, 060503.	2.9	27
80	Choosing care homes as the least preferred place to die: a cross-national survey of public preferences in seven European countries. <i>BMC Palliative Care</i> , 2014, 13, 48.	0.8	26
81	Are family carers part of the care team providing end-of-life care? A qualitative interview study on the collaboration between family and professional carers. <i>Palliative Medicine</i> , 2021, 35, 109-119.	1.3	25
82	Patient Characteristics Associated With Prognostic Awareness: A Study of a Canadian Palliative Care Population Using the InterRAI Palliative Care Instrument. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 716-725.	0.6	24
83	End-of-Life Decisions in Individuals Dying with Dementia in Belgium. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 290-296.	1.3	24
84	Palliative care needs and symptoms of nursing home residents with and without dementia: A cross-sectional study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1501-1507.	0.7	24
85	Commonalities and differences in legal euthanasia and physician-assisted suicide in three countries: a population-level comparison. <i>International Journal of Public Health</i> , 2020, 65, 65-73.	1.0	24
86	Is educational attainment related to end-of-life decision-making? A large post-mortem survey in Belgium. <i>BMC Public Health</i> , 2013, 13, 1055.	1.2	23
87	Determinants in the place of death for people with different cancer types: a national population-based study. <i>Acta Oncologica</i> , 2017, 56, 455-461.	0.8	23
88	Palliative care volunteerism across the healthcare system: A survey study. <i>Palliative Medicine</i> , 2018, 32, 1233-1245.	1.3	23
89	Policy Measures to Support Palliative Care at Home: A Cross-Country Case Comparison in Three European Countries. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 523-529.e5.	0.6	23
90	The Family Physician's Perceived Role in Preventing and Guiding Hospital Admissions at the End of Life: A Focus Group Study. <i>Annals of Family Medicine</i> , 2014, 12, 441-446.	0.9	21

#	ARTICLE	IF	CITATIONS
91	Reasons for End-of-Life Hospital Admissions: Results of a Survey Among Family Physicians. <i>Journal of Pain and Symptom Management</i> , 2016, 52, 498-506.	0.6	21
92	The first five years of euthanasia legislation in Belgium and the Netherlands: Description and comparison of cases. <i>Palliative Medicine</i> , 2012, 26, 43-49.	1.3	20
93	The use of behavioural theories in end-of-life care research: A systematic review. <i>Palliative Medicine</i> , 2018, 32, 1055-1077.	1.3	20
94	A Comparative Analysis of Comprehensive Geriatric Assessments for Nursing Home Residents Receiving Palliative Care: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 467-476.	1.2	19
95	How to implement quality indicators successfully in palliative care services: perceptions of team members about facilitators of and barriers to implementation. <i>Supportive Care in Cancer</i> , 2015, 23, 3503-3511.	1.0	19
96	Quality indicators for palliative care services: Mixed-method study testing for face validity, feasibility, discriminative power and usefulness. <i>Palliative Medicine</i> , 2015, 29, 71-82.	1.3	19
97	Prescription and Deprescription of Medication During the Last 48 Hours of Life: Multicenter Study in 23 Acute Geriatric Wards in Flanders, Belgium. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1020-1026.	0.6	19
98	Access to palliative care services in hospital: a matter of being in the right hospital. Hospital charts study in a Canadian city. <i>Palliative Medicine</i> , 2012, 26, 89-94.	1.3	18
99	The liminal space palliative care volunteers occupy and their roles within it: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e28-e28.	0.8	18
100	Attitudes of Belgian Students of Medicine, Philosophy, and Law Toward Euthanasia and the Conditions for Its Acceptance. <i>Death Studies</i> , 2015, 39, 139-150.	1.8	17
101	Appropriateness and avoidability of terminal hospital admissions: Results of a survey among family physicians. <i>Palliative Medicine</i> , 2017, 31, 456-464.	1.3	17
102	End-of-Life Care and Quality of Dying in 23 Acute Geriatric Hospital Wards in Flanders, Belgium. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 693-702.	0.6	17
103	Is Individual Educational Level Related to End-of-Life Care Use? Results from a Nationwide Retrospective Cohort Study in Belgium. <i>Journal of Palliative Medicine</i> , 2011, 14, 1135-1141.	0.6	16
104	How do general end-of-life treatment goals and values relate to specific treatment preferences? A population-based study. <i>Palliative Medicine</i> , 2014, 28, 1206-1212.	1.3	16
105	Systematic Quality Monitoring For Specialized Palliative Care Services: Development of a Minimal Set of Quality Indicators for Palliative Care Study (QPAC). <i>American Journal of Hospice and Palliative Medicine</i> , 2017, 34, 532-546.	0.8	16
106	Psychological support in end-of-life decision-making in neonatal intensive care units: Full population survey among neonatologists and neonatal nurses. <i>Palliative Medicine</i> , 2020, 34, 430-434.	1.3	16
107	Attitudes and practices of physicians regarding physician-assisted dying in minors. <i>Archives of Disease in Childhood</i> , 2011, 96, 948-953.	1.0	15
108	Nationwide survey to evaluate the decision-making process in euthanasia requests in Belgium: do specifically trained 2nd physicians improve quality of consultation?. <i>BMC Health Services Research</i> , 2014, 14, 307.	0.9	15

#	ARTICLE	IF	CITATIONS
109	Bereavement grief: A population-based foundational evidence study. <i>Death Studies</i> , 2018, 42, 463-469.	1.8	15
110	Discontinuation of medications at the end of life: A population study in Belgium, based on linked administrative databases. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 827-837.	1.1	15
111	Social-cultural factors in end-of-life care in Belgium: A scoping of the research literature. <i>Palliative Medicine</i> , 2013, 27, 131-143.	1.3	14
112	Information needs about palliative care and euthanasia: A survey of patients in different phases of their cancer trajectory. <i>Patient Education and Counseling</i> , 2018, 101, 132-138.	1.0	14
113	Nurses'™ involvement in physician-assisted dying under the euthanasia law in Belgium. <i>International Journal of Nursing Studies</i> , 2014, 51, 1696-1697.	2.5	13
114	Physical and Psychological Distress Are Related to Dying Peacefully in Residents With Dementia in Long-Term Care Facilities. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 1-8.	0.6	13
115	Appropriateness of End-of-Life Care in People Dying From COPD. Applying Quality Indicators on Linked Administrative Databases. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 541-550.e6.	0.6	13
116	Perspectives on Volunteer-Professional Collaboration in Palliative Care: A Qualitative Study Among Volunteers, Patients, Family Carers, and Health Care Professionals. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 198-207.e7.	0.6	13
117	Neonatologists and neonatal nurses have positive attitudes towards perinatal end-of-life decisions, a nationwide survey. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 494-504.	0.7	13
118	Civic engagement in serious illness, death, and loss: A systematic mixed-methods review. <i>Palliative Medicine</i> , 2022, 36, 625-651.	1.3	13
119	Area-Based Compassionate Communities: A systematic integrative review of existing initiatives worldwide. <i>Palliative Medicine</i> , 2022, 36, 422-442.	1.3	13
120	Comparing the use and timing of palliative care services in COPD and lung cancer: a population-based survey. <i>European Respiratory Journal</i> , 2018, 51, 1702405.	3.1	12
121	Place of death for people with HIV: a population-level comparison of eleven countries across three continents using death certificate data. <i>BMC Infectious Diseases</i> , 2018, 18, 55.	1.3	12
122	Resource Use During the Last Six Months of Life Among COPD Patients: A Population-Level Study. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 318-326.e7.	0.6	12
123	Use and timing of referral to specialized palliative care services for people with cancer: A mortality follow-back study among treating physicians in Belgium. <i>PLoS ONE</i> , 2019, 14, e0210056.	1.1	12
124	Applying a public health perspective to end-of-life care. , 2012, , 3-18.		12
125	Differences in Performance of Euthanasia and Continuous Deep Sedation by French- and Dutch-Speaking Physicians in Brussels, Belgium. <i>Journal of Pain and Symptom Management</i> , 2010, 39, e5-e7.	0.6	11
126	Influence of the metropolitan environment on end-of-life decisions: A population-based study of end-of-life decision-making in the Brussels metropolitan region and non-metropolitan Flanders. <i>Health and Place</i> , 2010, 16, 784-793.	1.5	11

#	ARTICLE	IF	CITATIONS
127	Implementation of a service for physiciansâ€™ consultation and information in euthanasia requests in Belgium. <i>Health Policy</i> , 2012, 104, 272-278.	1.4	11
128	Forgoing artificial nutrition or hydration at the end of life: a large cross-sectional survey in Belgium. <i>Journal of Medical Ethics</i> , 2014, 40, 501-504.	1.0	11
129	Volunteer involvement in the organisation of palliative care: A survey study of the healthcare system in Flanders and Dutch-speaking Brussels, Belgium. <i>Health and Social Care in the Community</i> , 2019, 27, 459-471.	0.7	11
130	Barriers to and Facilitators of End-of-Life Decision Making by Neonatologists and Neonatal Nurses in Neonates: A Qualitative Study. <i>Journal of Pain and Symptom Management</i> , 2020, 59, 599-608.e2.	0.6	11
131	Consulting a Trained Physician When Considering a Request for Euthanasia: An Evaluation of the Process in Flanders and The Netherlands. <i>Evaluation and the Health Professions</i> , 2010, 33, 497-513.	0.9	10
132	Informed palliative care in nursing homes through the interRAI Palliative Care instrument: a study protocol based on the Medical Research Council framework. <i>BMC Geriatrics</i> , 2014, 14, 132.	1.1	10
133	Dying in Hospital with Dementia and Pneumonia: A Nationwide Study Using Death Certificate Data. <i>Gerontology</i> , 2014, 60, 31-37.	1.4	10
134	Medical assistance in dying: research directions. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, bmjspcare-2018-001727.	0.8	10
135	Appropriateness of End-of-Life Care in People Dying With Dementia: Applying Quality Indicators on Linked Administrative Databases. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1093-1101.e1.	1.2	10
136	Improved quality of care and reduced healthcare costs at the end-of-life among older people with dementia who received palliative home care: A nationwide propensity score-matched decedent cohort study. <i>Palliative Medicine</i> , 2021, 35, 1701-1712.	1.3	10
137	Dying at home in Belgium: a descriptive GP interview study. <i>BMC Family Practice</i> , 2012, 13, 4.	2.9	9
138	Implementing the care programme for the last days of life in an acute geriatric hospital ward: a phase 2 mixed method study. <i>BMC Palliative Care</i> , 2016, 15, 27.	0.8	9
139	International comparison of death place for suicide; a population-level eight country death certificate study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 101-106.	1.6	9
140	Integrated Palliative Care for Nursing Home Residents: Exploring the Challenges in the Collaboration between Nursing Homes, Home Care and Hospitals. <i>International Journal of Integrated Care</i> , 2019, 19, 3.	0.1	9
141	Are We Evolving Toward Greater and Earlier Use of Palliative Home Care Support? A Trend Analysis Using Population-Level Data From 2010 to 2015. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 19-28.e10.	0.6	9
142	Potential quality indicators for seriously ill home care clients: a cross-sectional analysis using Resident Assessment Instrument for Home Care (RAI-HC) data for Ontario. <i>BMC Palliative Care</i> , 2019, 18, 3.	0.8	9
143	The involvement of volunteers in palliative care and their collaboration with healthcare professionals: A cross-sectional volunteer survey across the Flemish healthcare system (Belgium). <i>Health and Social Care in the Community</i> , 2020, 28, 747-761.	0.7	9
144	Earlier palliative home care is associated with patient-centred medical resource utilisation and lower costs in the last 30â€¦days before death in COPD: a population-level decedent cohort study. <i>European Respiratory Journal</i> , 2020, 55, 1901139.	3.1	9

#	ARTICLE	IF	CITATIONS
145	Healthcare interventions improving and reducing quality of life in children at the end of life: a systematic review. <i>Pediatric Research</i> , 2021, 89, 1065-1077.	1.1	9
146	How can social workers be meaningfully involved in palliative care? A scoping review on the prerequisites and how they can be realised in practice. <i>Palliative Care and Social Practice</i> , 2021, 15, 263235242110588.	0.6	9
147	The public's viewpoint on the right to hastened death in Alberta, Canada: findings from a population survey study. <i>Health and Social Care in the Community</i> , 2013, 21, 200-208.	0.7	8
148	Descriptions of euthanasia as social representations: comparing the views of Finnish physicians and religious professionals. <i>Sociology of Health and Illness</i> , 2014, 36, 354-368.	1.1	8
149	Improving end-of-life care in acute geriatric hospital wards using the Care Programme for the Last Days of Life: study protocol for a phase 3 cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 13.	1.1	8
150	Usefulness, feasibility and face validity of the interRAI Palliative Care instrument according to care professionals in nursing homes: A qualitative study. <i>International Journal of Nursing Studies</i> , 2016, 62, 90-99.	2.5	8
151	Resource Use During the Last 6 Months of Life of Individuals Dying with and of Alzheimer's Disease. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 879-885.	1.3	8
152	Do physicians discuss end-of-life decisions with family members? A mortality follow-back study. <i>Patient Education and Counseling</i> , 2018, 101, 1378-1384.	1.0	8
153	Does using the interRAI Palliative Care instrument reduce the needs and symptoms of nursing home residents receiving palliative care?. <i>Palliative and Supportive Care</i> , 2018, 16, 32-40.	0.6	8
154	Drugs Used for Euthanasia: A Repeated Population-Based Mortality Follow-Back Study in Flanders, Belgium, 1998-2013. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 551-559.	0.6	8
155	Place of death in a small island state: a death certificate population study. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e30-e30.	0.8	8
156	Media Coverage of Medical Decision Making at the End of Life: A Belgian Case Study. <i>Death Studies</i> , 2014, 38, 125-135.	1.8	7
157	Development of the care programme for the last days of life for older patients in acute geriatric hospital wards: a phase I study according to the Medical Research Council Framework. <i>BMC Palliative Care</i> , 2015, 14, 24.	0.8	7
158	The European Association for Palliative Care White Paper on euthanasia and physician-assisted suicide: Dodging responsibility. <i>Palliative Medicine</i> , 2016, 30, 893-894.	1.3	7
159	End-of-life decision-making across cancer types: results from a nationwide retrospective survey among treating physicians. <i>British Journal of Cancer</i> , 2018, 118, 1369-1376.	2.9	7
160	What influences intentions to request physician-assisted euthanasia or continuous deep sedation?. <i>Death Studies</i> , 2018, 42, 491-497.	1.8	7
161	Is the bereavement grief intensity of survivors linked with their perception of death quality?. <i>International Journal of Palliative Nursing</i> , 2019, 25, 398-405.	0.2	7
162	Healthcare utilization at the end of life in people dying from amyotrophic lateral sclerosis: A retrospective cohort study using linked administrative data. <i>Journal of the Neurological Sciences</i> , 2019, 406, 116444.	0.3	7

#	ARTICLE	IF	CITATIONS
163	Volunteers in palliative care: A healthcare system-wide cross-sectional survey. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002321.	0.8	7
164	Factors associated with the goal of treatment in the last week of life in old compared to very old patients: a population-based death certificate survey. <i>BMC Geriatrics</i> , 2014, 14, 61.	1.1	6
165	Euthanasia and Physician-Assisted Suicideâ€”In Reply. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1600.	3.8	6
166	Place of death and associated factors in 12 Latin American countries: A total population study using death certificate data. <i>Journal of Global Health</i> , 2022, 12, 04031.	1.2	6
167	Assisted dying request assessments by trained consultants: changes in practice and quality - Repeated cross-sectional surveys (2008â€”2019). <i>BMJ Supportive and Palliative Care</i> , 0, , bmjspcare-2021-003502.	0.8	6
168	A post-mortem population survey on foetal-infantile end-of-life decisions: a research protocol. <i>BMC Pediatrics</i> , 2018, 18, 260.	0.7	5
169	Family carer support in home and hospital: a cross-sectional survey of specialised palliative care. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e33-e33.	0.8	5
170	Continuums of Change in a Competence-Building Initiative Addressing End-of-Life Communication in Swedish Elder Care. <i>Qualitative Health Research</i> , 2021, 31, 1904-1917.	1.0	5
171	Feasibility of using death certificates for studying place of death in Latin America. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2021, 45, 1.	0.6	5
172	Palliative Sedation in Flemish Palliative Care Units. <i>Journal of Pain and Symptom Management</i> , 2011, 41, e1-e2.	0.6	4
173	Who finds the road to palliative home care support? A nationwide analysis on the use of supportive measures for palliative home care using linked administrative databases. <i>PLoS ONE</i> , 2019, 14, e0213731.	1.1	4
174	Palliative and End-of-Life Care in a Small Caribbean Country: A Mortality Follow-back Study of Home Deaths. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 1170-1180.	0.6	4
175	The perception of people with cancer of starting a conversation about palliative care: A qualitative interview study. <i>European Journal of Cancer Care</i> , 2020, 29, e13282.	0.7	4
176	Pilot Study to Develop and Test Palliative Care Quality Indicators for Nursing Homes. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 829.	1.2	4
177	Prognosis does not change the landscape: palliative home care clients experience high rates of pain and nausea, regardless of prognosis. <i>BMC Palliative Care</i> , 2021, 20, 165.	0.8	4
178	Face-Validated Quality Indicators for Appropriateness Of End-Of-Life Care in Children With Serious Illness: A Study Using the RAND/UCLA Appropriateness Method. <i>Journal of Pediatrics</i> , 2021, , .	0.9	4
179	How are family caregivers of people with a serious illness supported by healthcare professionals in their caregiving tasks? A cross-sectional survey of bereaved family caregivers. <i>Palliative Medicine</i> , 2022, 36, 529-539.	1.3	4
180	Barriers and facilitators for parents in end-of-life decision-making for neonates at the Neonatal Intensive Care Unit: A qualitative study. <i>Palliative Medicine</i> , 2022, 36, 730-741.	1.3	4

#	ARTICLE	IF	CITATIONS
181	A multi-stage process to develop quality indicators for community-based palliative care using interRAI data. PLoS ONE, 2022, 17, e0266569.	1.1	4
182	Increased legalisation of medical assistance in dying: relationship to palliative care. BMJ Supportive and Palliative Care, 2023, 13, 178-180.	0.8	4
183	Inter-organisational collaboration in palliative care trajectories for nursing home residents: A nation-wide mixed methods study among key persons. International Journal of Care Coordination, 2019, 22, 69-80.	0.3	3
184	Information provision as evaluated by people with cancer and bereaved relatives: A cross-sectional survey of 34 specialist palliative care teams. Patient Education and Counseling, 2019, 102, 768-775.	1.0	3
185	End-of-life decisions in neonates and infants: a population-level mortality follow-back study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 340-341.	1.4	3
186	Main themes, barriers, and solutions to palliative and end-of-life care in the English-speaking Caribbean: a scoping review. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2018, 42, 1-9.	0.6	3
187	Use, usability, and impact of a card-based conversation tool to support communication about end-of-life preferences in residential elder care – a qualitative study of staff experiences. BMC Geriatrics, 2022, 22, 274.	1.1	3
188	Home Care Developments in the Canadian Province of Alberta with Regionalization. Global Journal of Health Science, 2011, 3, .	0.1	2
189	Testing an Unconventional Mortality Information Source in the Canton of Geneva Switzerland. Global Journal of Health Science, 2013, 6, 1-8.	0.1	2
190	Euthanasia and Public Health. , 2017, , 46-56.		2
191	Nationwide evaluation of palliative care (Q-PAC study) provided by specialized palliative care teams using quality indicators : Large variations in quality of care. Palliative Medicine, 2021, 35, 1525-1541.	1.3	2
192	Engagement of specialized palliative care services with the general public: A population-level survey in three European countries. Palliative Medicine, 2022, , 026921632210795.	1.3	2
193	End-of-life decisions in neonates and infants: a nationwide mortality follow-back survey. BMJ Supportive and Palliative Care, 2022, , bmjspcare-2021-003357.	0.8	2
194	Influence of health interventions on quality of life in seriously ill children at the end of life: a systematic review protocol. Systematic Reviews, 2019, 8, 165.	2.5	1
195	Educational needs of healthcare professionals and members of the general public in Alberta Canada, 2Âyears after the implementation of medical assistance in dying. Health and Social Care in the Community, 2019, 27, 1295-1302.	0.7	1
196	A Public Health Approach to Integrate Palliative Care into a Countryâ€™s Health-Care System: Guidance as Provided by the WHO. , 2019, , 1749-1768.		1
197	End-of-Life Decision Making for People Who Died of Dementia: A Mortality Follow-Back Study Comparing 1998, 2007, and 2013 in Flanders, Belgium. Journal of the American Medical Directors Association, 2019, 20, 1347-1349.	1.2	1
198	Developing and validating a questionnaire for mortality follow-back studies on end-of-life care and decision-making in a resource-poor Caribbean country. BMC Palliative Care, 2020, 19, 123.	0.8	1

#	ARTICLE	IF	CITATIONS
199	Afterword: The Social Construction of Death: Reflections from a Quantitative Public Health Researcher. , 2014, , 259-270.		1
200	The Online Representation of Palliative Care by Practice, Policy, and Advocacy Organizations: Definitional Variations and Discursive Tensions. Qualitative Health Research, 2021, 31, 104973232110438.	1.0	1
201	Control Measures for Continuous Deep Sedation Until Death: A Framing Analysis of the Views of Physicians. Qualitative Health Research, 2021, 31, 2390-2402.	1.0	1
202	Advance care planningâ€™family carer psychological distress and involvement in decision making: the ACTION trial. BMJ Supportive and Palliative Care, 2023, 13, e807-e811.	0.8	1
203	A Public Health Approach to Integrate Palliative Care into a Countryâ€™s Health-Care System: Guidance as Provided by the WHO. , 2018, , 1-20.		0
204	Public Health and Epidemiological Research in Palliative Care. , 2019, , 1651-1668.		0
205	Involvement of palliative care in euthanasia practice: Authorsâ€™ reply to Regnard and Proffitt. Palliative Medicine, 2019, 33, 117-117.	1.3	0
206	Trends in place of death in a small developing country: a population-level study using death certificate data. Journal of Epidemiology and Community Health, 2020, 74, jech-2019-213285.	2.0	0
207	Conclusions: Palliative careâ€™the need for a public health approach. , 2012, , 241-248.		0
208	Surveying End-of-Life Medical Decisions in France: Evaluation of an Innovative Mixed-Mode Data Collection Strategy. Interactive Journal of Medical Research, 2016, 5, e8.	0.6	0
209	Public Health and Epidemiological Research in Palliative Care. , 2018, , 1-18.		0
210	Palliative care utilisation: family carersâ€™ behaviours and determinantsâ€™a qualitative interview study. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002207.	0.8	0
211	Physiciansâ€™ Experiences and Perceptions of Environmental Factors Affecting Their Practices of Continuous Deep Sedation until Death: A Secondary Qualitative Analysis of an Interview Study. International Journal of Environmental Research and Public Health, 2022, 19, 5472.	1.2	0