Jean Feuillard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/585406/publications.pdf

Version: 2024-02-01

102 5,887 40 76872
papers citations h-index g-index

108 108 108 6477
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The alternative RelB NF-κB subunit is a novel critical player in diffuse large B-cell lymphoma. Blood, 2022, 139, 384-398.	0.6	29
2	Alternative c-MYC mRNA Transcripts as an Additional Tool for c-Myc2 and c-MycS Production in BL60 Tumors. Biomolecules, 2022, 12, 836.	1.8	1
3	Epstein-Barr Virus (EBV) Is Mostly Latent and Clonal in Angioimmunoblastic T Cell Lymphoma (AITL). Cancers, 2022, 14, 2899.	1.7	4
4	Comprehensive Epstein-Barr Virus Transcriptome by RNA-Sequencing in Angioimmunoblastic T Cell Lymphoma (AITL) and Other Lymphomas. Cancers, 2021, 13, 610.	1.7	19
5	Flow cytometry detection of CD138 expression continuum between monotypic B and plasma cells is associated with both high lgM peak levels and MYD88 mutation and contributes to diagnosis of Waldenstr $ ilde{A}$ m macroglobulinemia. Cytometry Part B - Clinical Cytometry, 2021, , .	0.7	3
6	Transcriptomic and genomic heterogeneity in blastic plasmacytoid dendritic cell neoplasms: from ontogeny to oncogenesis. Blood Advances, 2021, 5, 1540-1551.	2.5	35
7	c-Rel Is the Pivotal NF-κB Subunit in Germinal Center Diffuse Large B-Cell Lymphoma: A LYSA Study. Frontiers in Oncology, 2021, 11, 638897.	1.3	7
8	Genetically Engineered Mouse Models Support a Major Role of Immune Checkpoint-Dependent Immunosurveillance Escape in B-Cell Lymphomas. Frontiers in Immunology, 2021, 12, 669964.	2.2	1
9	Continuous MYD88 Activation Is Associated With Expansion and Then Transformation of IgM Differentiating Plasma Cells. Frontiers in Immunology, 2021, 12, 641692.	2.2	11
10	Immature granulocytes can help the diagnosis of pulmonary bacterial infections in patients with severe COVID-19 pneumonia. Journal of Intensive Care, 2021, 9, 58.	1.3	7
11	Plasmacytoid dendritic cells proliferation associated with acute myeloid leukemia: phenotype profile and mutation landscape. Haematologica, 2021, 106, 3056-3066.	1.7	28
12	A reduced panel of eight genes (ATM, SF3B1, NOTCH1, BIRC3, XPO1, MYD88, TNFAIP3, and TP53) as an estimator of the tumor mutational burden in chronic lymphocytic leukemia. International Journal of Laboratory Hematology, 2020, 43, 683-692.	0.7	3
13	Severe COVID-19 is associated with deep and sustained multifaceted cellular immunosuppression. Intensive Care Medicine, 2020, 46, 1769-1771.	3.9	62
14	Pre-clinical blocking of PD-L1 molecule, which expression is down regulated by NF-κB, JAK1/JAK2 and BTK inhibitors, induces regression of activated B-cell lymphoma. Cell Communication and Signaling, 2019, 17, 89.	2.7	19
15	EBV Latency III–Transformed B Cells Are Inducers of Conventional and Unconventional Regulatory T Cells in a PD-L1–Dependent Manner. Journal of Immunology, 2019, 203, 1665-1674.	0.4	13
16	Inflamed phenotype of splenic marginal zone B-cell lymphomas with expression of PD-L1 by intratumoral monocytes/macrophages and dendritic cells. Cellular and Molecular Immunology, 2019, 16, 621-624.	4.8	8
17	How should we diagnose and treat blastic plasmacytoid dendritic cell neoplasm patients?. Blood Advances, 2019, 3, 4238-4251.	2.5	72
18	Adult Bone Marrow Threeâ€Dimensional Phenotypic Landscape of Bâ€Cell Differentiation. Cytometry Part B - Clinical Cytometry, 2019, 96, 30-38.	0.7	17

#	Article	IF	CITATIONS
19	Reproducing indolent B-cell lymphoma transformation with T-cell immunosuppression in LMP1/CD40-expressing mice. Cellular and Molecular Immunology, 2019, 16, 412-414.	4.8	6
20	Multicentric Standardized Flow Cytometry Routine Assessment of Patients With Sepsis to Predict Clinical Worsening. Chest, 2018, 154, 617-627.	0.4	38
21	Immature Granulocytes: A Risk Factor of Infection after Cardiac Surgery. Cytometry Part B - Clinical Cytometry, 2018, 94, 887-894.	0.7	11
22	Normal serum protein electrophoresis and mutated <scp>IGHV</scp> genes detect very slowly evolving chronic lymphocytic leukemia patients. Cancer Medicine, 2018, 7, 2621-2628.	1.3	5
23	c-Myc dysregulation is a co-transforming event for nuclear factor-κB activated B cells. Haematologica, 2017, 102, 883-894.	1.7	17
24	Immunophenotypic analysis of erythroid dysplasia in myelodysplastic syndromes. A report from the IMDSFlow working group. Haematologica, 2017, 102, 308-319.	1.7	74
25	Clonal deleted latent membrane protein 1 variants of Epsteinâ€Barr virus are predominant in European extranodal NK/T lymphomas and disappear during successful treatment. International Journal of Cancer, 2016, 139, 793-802.	2.3	12
26	Multicentric study underlining the interest of adding CD5, CD7 and CD56 expression assessment to the flow cytometric Ogata score in myelodysplastic syndromes and myelodysplastic/myeloproliferative neoplasms. Haematologica, 2015, 100, 472-478.	1.7	28
27	IgM peak independently predicts treatment-free survival in chronic lymphocytic leukemia and correlates with accumulation of adverse oncogenetic events. Leukemia, 2015, 29, 337-345.	3.3	17
28	Reversion of apoptotic resistance of TP53-mutated Burkitt lymphoma B-cells to spindle poisons by exogenous activation of JNK and p38 MAP kinases. Cell Death and Disease, 2014, 5, e1201-e1201.	2.7	9
29	Identification of a human splenic marginal zone B cell precursor with NOTCH2-dependent differentiation properties. Journal of Experimental Medicine, 2014, 211, 987-1000.	4.2	113
30	Circulating Immature Granulocytes With T-Cell Killing Functions Predict Sepsis Deterioration*. Critical Care Medicine, 2014, 42, 2007-2018.	0.4	156
31	RelA and RelB cross-talk and function in Epstein–Barr virus transformed B cells. Leukemia, 2014, 28, 871-879.	3.3	30
32	Very low levels of surface CD45 reflect CLL cell fragility, are inversely correlated with trisomy 12 and are associated with increased treatmentâ€free survival. American Journal of Hematology, 2013, 88, 747-753.	2.0	16
33	T/B ratio does not reflect levels of ZAP70 expression in clonal CLL Bâ€cells due to ZAP70 overexpression in patient Tâ€cells. Cytometry Part B - Clinical Cytometry, 2013, 84B, 125-132.	0.7	8
34	Design and Feasibility of a Novel, Rapid, and Simple Fluorescence 26-Plex RT-PCR Assay for Simultaneous Detection of 24 Fusion Transcripts in Adult Acute Myeloid Leukemia. Journal of Molecular Diagnostics, 2013, 15, 186-195.	1.2	10
35	Rationale for the clinical application of flow cytometry in patients with myelodysplastic syndromes: position paper of an International Consortium and the European LeukemiaNet Working Group. Leukemia and Lymphoma, 2013, 54, 472-475.	0.6	66
36	IGHV gene features and MYD88 L265P mutation separate the three marginal zone lymphoma entities and Waldenström macroglobulinemia/lymphoplasmacytic lymphomas. Leukemia, 2013, 27, 183-189.	3.3	169

#	Article	IF	CITATIONS
37	Inhibition of Latent Membrane Protein 1 Impairs the Growth and Tumorigenesis of Latency II Epstein-Barr Virus-Transformed T Cells. Journal of Virology, 2012, 86, 3934-3943.	1.5	10
38	B7-H1, Which Represses EBV-Immortalized B Cell Killing by Autologous T and NK Cells, Is Oppositely Regulated by c-Myc and EBV Latency III Program at Both mRNA and Secretory Lysosome Levels. Journal of Immunology, 2012, 189, 181-190.	0.4	31
39	Standardization of flow cytometry in myelodysplastic syndromes: a report from an international consortium and the European LeukemiaNet Working Group. Leukemia, 2012, 26, 1730-1741.	3.3	217
40	Efficacy of L-asparaginase with methotrexate and dexamethasone (AspaMetDex regimen) in patients with refractory or relapsing extranodal NK/T-cell lymphoma, a phase 2 study. Blood, 2011, 117, 1834-1839.	0.6	346
41	Both CD62 and CD162 antibodies prevent formation of CD36â€dependent platelets, rosettes, and artefactual pseudoexpression of platelet markers on white blood cells: A study with ImageStream [®] . Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2011, 79A, 477-484.	1.1	15
42	A GEIL flow cytometry consensus proposal for quantification of plasma cells: Application to differential diagnosis between MGUS and myeloma. Cytometry Part B - Clinical Cytometry, 2011, 80B, 176-185.	0.7	22
43	Normal levels of peripheral CD19 ⁺ CD5 ⁺ CLLâ€like cells: Toward a defined threshold for CLL followâ€upâ€"A GEILâ€GOELAMS study. Cytometry Part B - Clinical Cytometry, 2011, 80B, 346-353.	0.7	14
44	Mutual benefits of B-ALL and HLDA/HCDM HLDA 9th Barcelona 2010. Immunology Letters, 2011, 134, 145-149.	1.1	6
45	Four―and five olor flow cytometry analysis of leukocyte differentiation pathways in normal bone marrow: A reference document based on a systematic approach by the GTLLF and GEIL. Cytometry Part B - Clinical Cytometry, 2010, 78B, 4-10.	0.7	36
46	Inhibition of tumor necrosis factor-induced phenotypes by short intracellular versions of latent membrane protein-1. Cellular Signalling, 2010, 22, 303-313.	1.7	5
47	Changes in Blood B Cell Phenotypes and Epsteinâ€Barr Virus Load in Chronically Human Immunodeficiency Virus–Infected Patients before and after Antiretroviral Therapy. Journal of Infectious Diseases, 2010, 202, 1424-1434.	1.9	23
48	Prognostic Significance of BAD and AIF Apoptotic Pathways in Diffuse Large B-Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2010, 10, 118-124.	0.2	13
49	Regulation of DNA Polymerase \hat{l}^2 by the LMP1 Oncoprotein of EBV through the Nuclear Factor- \hat{l}^2 B Pathway. Cancer Research, 2009, 69, 5177-5185.	0.4	10
50	c-Myc and Rel/NF-κB Are the Two Master Transcriptional Systems Activated in the Latency III Program of Epstein-Barr Virus-Immortalized B Cells. Journal of Virology, 2009, 83, 5014-5027.	1.5	52
51	Among 157 marginal zone lymphomas, DBA.44(CD76) expression is restricted to tumour cells infiltrating the red pulp of the spleen with a diffuse architectural pattern. Histopathology, 2009, 54, 626-631.	1.6	8
52	Extended diagnostic criteria for plasmacytoid dendritic cell leukaemia. British Journal of Haematology, 2009, 145, 624-636.	1.2	163
53	Comparative analysis of oncogenic properties and nuclear factor-ÂB activity of latent membrane protein 1 natural variants from Hodgkin's lymphoma's Reed-Sternberg cells and normal B-lymphocytes. Haematologica, 2009, 94, 355-363.	1.7	9
54	Splenic marginal zone lymphomas and lymphoplasmacytic lymphomas originate from B-cell compartments with two different antigen-exposure histories. Leukemia, 2008, 22, 1621-1624.	3.3	6

#	Article	IF	CITATIONS
55	Identification of a novel p53-dependent activation pathway of STAT1 by antitumour genotoxic agents. Cell Death and Differentiation, 2008, 15, 376-385.	5.0	45
56	Molecular Basis of Cytotoxicity of Epstein-Barr Virus (EBV) Latent Membrane Protein 1 (LMP1) in EBV Latency III B Cells: LMP1 Induces Type II Ligand-Independent Autoactivation of CD95/Fas with Caspase 8-Mediated Apoptosis. Journal of Virology, 2008, 82, 6721-6733.	1.5	49
57	Novel function of STAT1 \hat{i}^2 in B cells: induction of cell death by a mechanism different from that of STAT1 \hat{i} ±. Journal of Leukocyte Biology, 2008, 84, 1604-1612.	1.5	15
58	Multicenter study of ZAP-70 expression in patients with B-cell chronic lymphocytic leukemia using an optimized flow cytometry method. Haematologica, 2008, 93, 215-223.	1.7	32
59	A simple method for detection of major phenotypic abnormalities in myelodysplastic syndromes: expression of CD56 in CMML. Haematologica, 2007, 92, 859-860.	1.7	61
60	c-MYC activation impairs the NF-κB and the interferon response: Implications for the pathogenesis of Burkitt's lymphoma. International Journal of Cancer, 2007, 120, 1387-1395.	2.3	77
61	"6 markers/5 colors―extended white blood cell differential by flow cytometry. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2007, 71A, 934-944.	1.1	86
62	Plasmacytoid dendritic cell leukaemia/lymphoma: towards a well defined entity?. British Journal of Haematology, 2007, 136, 539-548.	1.2	107
63	EBV latency III immortalization program sensitizes B cells to induction of CD95-mediated apoptosis via LMP1: role of NF-ÂB, STAT1, and p53. Blood, 2006, 107, 2070-2078.	0.6	44
64	Effect of tumor necrosis factor alpha and infliximab on apoptosis of B lymphocytes infected or not with Epstein–Barr virus. Cytokine, 2006, 33, 337-345.	1.4	15
65	Autoactivation of the Epstein-Barr Virus Oncogenic Protein LMP1 during Type II Latency through Opposite Roles of the NF-κB and JNK Signaling Pathways. Journal of Virology, 2006, 80, 7382-7393.	1.5	30
66	PK11195 potently sensitizes to apoptosis induction independently from the peripheral benzodiazepin receptor. Oncogene, 2005, 24, 7503-7513.	2.6	88
67	Immunophenotyping of Myelodysplasia. Clinical and Applied Immunology Reviews, 2005, 5, 133-148.	0.4	5
68	Latent Membrane Protein 1 Regulates STAT1 through NF-κB-Dependent Interferon Secretion in Epstein-Barr Virus-Immortalized B Cells. Journal of Virology, 2005, 79, 4936-4943.	1.5	53
69	Stringent doxycycline-dependent control of gene activities using an episomal one-vector system. Nucleic Acids Research, 2005, 33, e137-e137.	6.5	129
70	Identification of BDCA-2 and High Levels of CD123 Expression as Useful Markers for the Diagnosis of Plasmacytoid Dendritic Cell Leukemia Blood, 2005, 106, 3269-3269.	0.6	3
71	Indolent lymphoplasmacytic and marginal zone B-cell lymphomas: absence of both IRF4 and Ki67 expression identifies a better prognosis subgroup. Haematologica, 2005, 90, 200-6.	1.7	33
72	The mutator pathway is a feature of immunodeficiency-related lymphomas. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 5002-5007.	3.3	68

#	Article	IF	CITATIONS
73	Differential roles of STAT1Â and STAT1Â in fludarabine-induced cell cycle arrest and apoptosis in human B cells. Blood, 2004, 104, 2475-2483.	0.6	77
74	Immunoproliferative Small Intestinal Disease Associated with Campylobacter jejuni. New England Journal of Medicine, 2004, 350, 239-248.	13.9	467
75	Lymphoma complicating common variable immunodeficiency with granulomatous disease: report of two cases. European Journal of Haematology, 2003, 71, 459-463.	1.1	12
76	The chemopreventive agent N-(4-hydroxyphenyl)retinamide induces apoptosis through a mitochondrial pathway regulated by proteins from the Bcl-2 family. Oncogene, 2003, 22, 6220-6230.	2.6	83
77	Plasmacytoid dendritic cells: From the plasmacytoid T-cell to type 2 dendritic cells CD4+CD56+ malignancies. Seminars in Hematology, 2003, 40, 257-266.	1.8	19
78	Heterogeneous Epstein–Barr virus latent gene expression in AIDS-associated lymphomas and in type I Burkitt's lymphoma cell lines. Journal of General Virology, 2003, 84, 949-957.	1.3	16
79	The CD4+ CD56+ CD116- CD123+ CD45RA+ CD45RO- profile is specific of DC2 malignancies. Haematologica, 2003, 88, ELT10.	1.7	13
80	CD4+ CD56+ lineage negative malignancies: a new entity developed from malignant early plasmacytoid dendritic cells. Haematologica, 2003, 88, 941-55.	1.7	109
81	CD4+, CD56+ DC2 acute leukemia is characterized by recurrent clonal chromosomal changes affecting 6 major targets: a study of 21 cases by the Groupe Francais de Cytogenetique Hematologique. Blood, 2002, 99, 4154-4159.	0.6	197
82	Clinical and biologic features of CD4+CD56+ malignancies. Blood, 2002, 99, 1556-1563.	0.6	404
83	Immunophenotypic clustering of myelodysplastic syndromes. Blood, 2002, 100, 2349-2356.	0.6	113
84	Resistance to fludarabine-induced apoptosis in Epstein-Barr virus infected B cells. Oncogene, 2002, 21, 4473-4480.	2.6	18
85	Gene Array Identification of Epstein Barr Virus-Regulated Cellular Genes in EBV-Converted Burkitt Lymphoma Cell Lines. Laboratory Investigation, 2002, 82, 1463-1479.	1.7	25
86	Successful rituximab treatment of an EBV-related lymphoproliferative disease arising after autologous transplantation for angioimmunoblastic T-cell lymphoma. The Hematology Journal, 2002, 3, 317-320.	2.0	9
87	Identification of a leukemic counterpart of the plasmacytoid dendritic cells. Blood, 2001, 97, 3210-3217.	0.6	356
88	Investigation of human spleen dendritic cell phenotype and distribution reveals evidence of in vivo activation in a subset of organ donors. Blood, 2001, 97, 3470-3477.	0.6	77
89	Inducible loss of NF-κB activity is associated with apoptosis and Bcl-2 down-regulation in Epstein-Barr virus-transformed B lymphocytes. Blood, 2000, 95, 2068-2075.	0.6	92
90	Inducible loss of NF-kappaB activity is associated with apoptosis and Bcl-2 down-regulation in Epstein-Barr virus-transformed B lymphocytes. Blood, 2000, 95, 2068-75.	0.6	48

#	Article	IF	CITATIONS
91	Relationship between lîºBî± constitutive expression, TNFî± synthesis, and apoptosis in EBV-infected lymphoblastoid cells. Oncogene, 1998, 17, 1607-1615.	2.6	27
92	AIDS-related primary brain lymphomas: Histopathologic and immunohistochemical study of 51 cases. Human Pathology, 1997, 28, 367-374.	1.1	97
93	Nuclear Rel-A and c-Rel protein complexes are differentially distributed within human thymocytes. Journal of Immunology, 1997, 158, 2585-91.	0.4	10
94	Soft tissue sarcomas in HIV-infected adult patients. European Journal of Cancer, 1996, 32, 1812-1814.	1.3	14
95	Differential nuclear localization of p50, p52, and RelB proteins in human accessory cells of the immune responsein situ. European Journal of Immunology, 1996, 26, 2547-2551.	1.6	45
96	High expression of latent membrane protein 1 of Epstein-Barr virus and BCL-2 oncoprotein in acquired immunodeficiency syndrome-related primary brain lymphomas. Blood, 1995, 86, 432-435.	0.6	71
97	Isolation and characteristics of tonsil centroblasts with reference to Ig class switching. International Immunology, 1995, 7, 121-130.	1.8	68
98	Visualization of the endogenous NF-kappa B p50 subunit in the nucleus of follicular dendritic cells in germinal centers. Journal of Immunology, 1994, 152, 12-21.	0.4	7
99	NF- \hat{P} B activation by tumor necrosis factor $\hat{I}\pm$ in the jurkat T cell line is independent of protein kinase A, protein kinase C, and Ca2+-regulated kinases. Cytokine, 1991, 3, 257-265.	1.4	78
100	Comparative study ofin vitro inhibition of activation of the classical and alternative pathways of human complement by the magnesium and sodium salts of the anti-inflammatory peptide N-acetyl-aspartyl-glutamic acid (NAAGA). Agents and Actions, 1991, 32, 343-346.	0.7	3
101	A computer-assisted two-dimensional gel electrophoresis approach for studying the variations in protein expression related to an induced functional repression of NFkB in lymphoblastoid cell lines. , 0, , 437-446.		0
102	Identification, using cDNA macroarray analysis, of distinct gene expression profiles associated with pathological and virological features of hepatocellular carcinoma., 0, .		1