

Xiao-ming Xu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5855211/xiao-ming-xu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

5,181
citations

40
h-index

66
g-index

151
ext. papers

5,902
ext. citations

5.6
avg, IF

5.61
L-index

#	Paper	IF	Citations
145	PKC mediates inhibitory effects of myelin and chondroitin sulfate proteoglycans on axonal regeneration. <i>Nature Neuroscience</i> , 2004 , 7, 261-8	25.5	270
144	Functional recovery in traumatic spinal cord injury after transplantation of multilineurotrophin-expressing glial-restricted precursor cells. <i>Journal of Neuroscience</i> , 2005 , 25, 6947-57	6.6	252
143	Altered microRNA expression following traumatic spinal cord injury. <i>Experimental Neurology</i> , 2009 , 219, 424-9	5.7	220
142	Schwann cell transplantation for repair of the adult spinal cord. <i>Journal of Neurotrauma</i> , 2006 , 23, 453-63	5.4	186
141	Suppression of inflammatory and neuropathic pain by uncoupling CRMP-2 from the presynaptic Ca ²⁺ channel complex. <i>Nature Medicine</i> , 2011 , 17, 822-9	50.5	175
140	Transplantation of ciliary neurotrophic factor-expressing adult oligodendrocyte precursor cells promotes remyelination and functional recovery after spinal cord injury. <i>Journal of Neuroscience</i> , 2010 , 30, 2989-3001	6.6	166
139	Functional and electrophysiological changes after graded traumatic spinal cord injury in adult rat. <i>Experimental Neurology</i> , 2005 , 191 Suppl 1, S3-S16	5.7	137
138	GDNF-enhanced axonal regeneration and myelination following spinal cord injury is mediated by primary effects on neurons. <i>Glia</i> , 2009 , 57, 1178-91	9	130
137	A novel role of phospholipase A2 in mediating spinal cord secondary injury. <i>Annals of Neurology</i> , 2006 , 59, 606-19	9.4	126
136	Glutamine synthetase down-regulation reduces astrocyte protection against glutamate excitotoxicity to neurons. <i>Neurochemistry International</i> , 2010 , 56, 577-84	4.4	122
135	Repulsive Wnt signaling inhibits axon regeneration after CNS injury. <i>Journal of Neuroscience</i> , 2008 , 28, 8376-82	6.6	121
134	Systemic bisperoxovanadium activates Akt/mTOR, reduces autophagy, and enhances recovery following cervical spinal cord injury. <i>PLoS ONE</i> , 2012 , 7, e30012	3.7	108
133	Interleukin-1beta mediates proliferation and differentiation of multipotent neural precursor cells through the activation of SAPK/JNK pathway. <i>Molecular and Cellular Neurosciences</i> , 2007 , 36, 343-54	4.8	108
132	A novel growth-promoting pathway formed by GDNF-overexpressing Schwann cells promotes propriospinal axonal regeneration, synapse formation, and partial recovery of function after spinal cord injury. <i>Journal of Neuroscience</i> , 2013 , 33, 5655-67	6.6	95
131	MicroRNA in central nervous system trauma and degenerative disorders. <i>Physiological Genomics</i> , 2011 , 43, 571-80	3.6	88
130	GDNF modifies reactive astrogliosis allowing robust axonal regeneration through Schwann cell-seeded guidance channels after spinal cord injury. <i>Experimental Neurology</i> , 2011 , 229, 238-50	5.7	85
129	A neuroprotective role of glial cell line-derived neurotrophic factor following moderate spinal cord contusion injury. <i>Experimental Neurology</i> , 2004 , 189, 317-32	5.7	79

128	Neuroprotective ferulic acid (FA)-glycol chitosan (GC) nanoparticles for functional restoration of traumatically injured spinal cord. <i>Biomaterials</i> , 2014 , 35, 2355-2364	15.6	72
127	Dural repair reduces connective tissue scar invasion and cystic cavity formation after acute spinal cord laceration injury in adult rats. <i>Journal of Neurotrauma</i> , 2006 , 23, 853-65	5.4	64
126	Chondroitin sulfate proteoglycans regulate the growth, differentiation and migration of multipotent neural precursor cells through the integrin signaling pathway. <i>BMC Neuroscience</i> , 2009 , 10, 128	3.2	59
125	beta-tubulin is a more suitable internal control than beta-actin in western blot analysis of spinal cord tissues after traumatic injury. <i>Journal of Neurotrauma</i> , 2006 , 23, 1794-801	5.4	57
124	Minimum information about a spinal cord injury experiment: a proposed reporting standard for spinal cord injury experiments. <i>Journal of Neurotrauma</i> , 2014 , 31, 1354-61	5.4	56
123	The p53 Pathway Controls SOX2-Mediated Reprogramming in the Adult Mouse Spinal Cord. <i>Cell Reports</i> , 2016 , 17, 891-903	10.6	56
122	Large animal and primate models of spinal cord injury for the testing of novel therapies. <i>Experimental Neurology</i> , 2015 , 269, 154-68	5.7	55
121	Gene delivery to the spinal cord: comparison between lentiviral, adenoviral, and retroviral vector delivery systems. <i>Journal of Neuroscience Research</i> , 2006 , 84, 553-67	4.4	55
120	Cytosolic phospholipase A2 protein as a novel therapeutic target for spinal cord injury. <i>Annals of Neurology</i> , 2014 , 75, 644-58	9.4	54
119	Expression of the type 1 and type 2 receptors for tumor necrosis factor after traumatic spinal cord injury in adult rats. <i>Experimental Neurology</i> , 2003 , 183, 286-97	5.7	54
118	Traumatic brain injury using mouse models. <i>Translational Stroke Research</i> , 2014 , 5, 454-71	7.8	51
117	The mTOR Substrate S6 Kinase 1 (S6K1) Is a Negative Regulator of Axon Regeneration and a Potential Drug Target for Central Nervous System Injury. <i>Journal of Neuroscience</i> , 2017 , 37, 7079-7095	6.6	50
116	Nanomedicine for treating spinal cord injury. <i>Nanoscale</i> , 2013 , 5, 8821-36	7.7	49
115	Immunization with recombinant Nogo-66 receptor (NgR) promotes axonal regeneration and recovery of function after spinal cord injury in rats. <i>Neurobiology of Disease</i> , 2008 , 32, 535-42	7.5	46
114	The proliferation of amplifying neural progenitor cells is impaired in the aging brain and restored by the mTOR pathway activation. <i>Neurobiology of Aging</i> , 2015 , 36, 1716-1726	5.6	45
113	Effects of extracellular matrix molecules on the growth properties of oligodendrocyte progenitor cells in vitro. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2854-62	4.4	44
112	Longitudinal in vivo coherent anti-Stokes Raman scattering imaging of demyelination and remyelination in injured spinal cord. <i>Journal of Biomedical Optics</i> , 2011 , 16, 106012	3.5	44
111	Neuroprotective effects of testosterone on motoneuron and muscle morphology following spinal cord injury. <i>Journal of Comparative Neurology</i> , 2012 , 520, 2683-96	3.4	43

110	Differential gene expression in neural stem cells and oligodendrocyte precursor cells: a cDNA microarray analysis. <i>Journal of Neuroscience Research</i> , 2004 , 78, 637-46	4.4	43
109	Demonstrating efficacy in preclinical studies of cellular therapies for spinal cord injury - how much is enough?. <i>Experimental Neurology</i> , 2013 , 248, 30-44	5.7	42
108	Upregulation of annexins I, II, and V after traumatic spinal cord injury in adult rats. <i>Journal of Neuroscience Research</i> , 2004 , 77, 391-401	4.4	41
107	Phospholipase A2 and its molecular mechanism after spinal cord injury. <i>Molecular Neurobiology</i> , 2010 , 41, 197-205	6.2	40
106	Annexin A1 reduces inflammatory reaction and tissue damage through inhibition of phospholipase A2 activation in adult rats following spinal cord injury. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 932-43	3.1	40
105	Restoring Cellular Energetics Promotes Axonal Regeneration and Functional Recovery after Spinal Cord Injury. <i>Cell Metabolism</i> , 2020 , 31, 623-641.e8	24.6	39
104	Fully automated synthesis and initial PET evaluation of [11C]PBR28. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 5636-9	2.9	39
103	Treadmill training induced lumbar motoneuron dendritic plasticity and behavior recovery in adult rats after a thoracic contusive spinal cord injury. <i>Experimental Neurology</i> , 2015 , 271, 368-78	5.7	37
102	Inhibition of cPLA2 activation by Ginkgo biloba extract protects spinal cord neurons from glutamate excitotoxicity and oxidative stress-induced cell death. <i>Journal of Neurochemistry</i> , 2011 , 116, 1057-65	6	37
101	Label-Free Vibrational Spectroscopic Imaging of Neuronal Membrane Potential. <i>Journal of Physical Chemistry Letters</i> , 2017 , 8, 1932-1936	6.4	35
100	PTEN inhibitor bisperoxovanadium protects oligodendrocytes and myelin and prevents neuronal atrophy in adult rats following cervical hemicontusive spinal cord injury. <i>Neuroscience Letters</i> , 2014 , 573, 64-8	3.3	35
99	Focal phospholipases A2 group III injections induce cervical white matter injury and functional deficits with delayed recovery concomitant with Schwann cell remyelination. <i>Experimental Neurology</i> , 2007 , 207, 150-62	5.7	34
98	Transplantation-mediated strategies to promote axonal regeneration following spinal cord injury. <i>Respiratory Physiology and Neurobiology</i> , 2009 , 169, 171-82	2.8	33
97	Differential expression of sPLA2 following spinal cord injury and a functional role for sPLA2-IIA in mediating oligodendrocyte death. <i>Glia</i> , 2009 , 57, 1521-37	9	32
96	Neuroprotection and its molecular mechanism following spinal cord injury. <i>Neural Regeneration Research</i> , 2012 , 7, 2051-62	4.5	32
95	RhoA/Rho kinase in spinal cord injury. <i>Neural Regeneration Research</i> , 2016 , 11, 23-7	4.5	32
94	Remodeling of lumbar motor circuitry remote to a thoracic spinal cord injury promotes locomotor recovery. <i>ELife</i> , 2018 , 7,	8.9	31
93	PTEN/PI3K and MAPK signaling in protection and pathology following CNS injuries. <i>Frontiers in Biology</i> , 2013 , 8, 421		30

92	Effects of autoimmunity on recovery of function in adult rats following spinal cord injury. <i>Brain, Behavior, and Immunity</i> , 2008 , 22, 1217-30	16.6	30
91	Use of magnetic stimulation to elicit motor evoked potentials, somatosensory evoked potentials, and H-reflexes in non-sedated rodents. <i>Journal of Neuroscience Methods</i> , 2007 , 165, 9-17	3	30
90	Methods for isolating highly-enriched embryonic spinal cord neurons: a comparison between enzymatic and mechanical dissociations. <i>Journal of Neuroscience Methods</i> , 2006 , 158, 13-8	3	30
89	Optogenetics and its application in neural degeneration and regeneration. <i>Neural Regeneration Research</i> , 2017 , 12, 1197-1209	4.5	30
88	Development of the corticospinal tract in the mouse spinal cord: a quantitative ultrastructural analysis. <i>Brain Research</i> , 2006 , 1084, 16-27	3.7	29
87	A controlled spinal cord contusion for the rhesus macaque monkey. <i>Experimental Neurology</i> , 2016 , 279, 261-273	5.7	29
86	Inhibitor of DNA binding 2 promotes sensory axonal growth after SCI. <i>Experimental Neurology</i> , 2011 , 231, 38-44	5.7	28
85	Glial and axonal responses in areas of Wallerian degeneration of the corticospinal and dorsal ascending tracts after spinal cord dorsal funiculotomy. <i>Neuropathology</i> , 2009 , 29, 230-41	2	28
84	Role of secretory phospholipase a(2) in CNS inflammation: implications in traumatic spinal cord injury. <i>CNS and Neurological Disorders - Drug Targets</i> , 2008 , 7, 254-69	2.6	28
83	Upregulation of type I interleukin-1 receptor after traumatic spinal cord injury in adult rats. <i>Acta Neuropathologica</i> , 2006 , 111, 220-8	14.3	28
82	Dural closure, cord approximation, and clot removal: enhancement of tissue sparing in a novel laceration spinal cord injury model. <i>Journal of Neurosurgery: Spine</i> , 2004 , 100, 343-52	2.8	28
81	Long-term survival, axonal growth-promotion, and myelination of Schwann cells grafted into contused spinal cord in adult rats. <i>Experimental Neurology</i> , 2014 , 261, 308-19	5.7	26
80	Early profiles of axonal growth and astroglial response after spinal cord hemisection and implantation of Schwann cell-seeded guidance channels in adult rats. <i>Journal of Neuroscience Research</i> , 2005 , 82, 472-83	4.4	26
79	In vivo reprogramming of NG2 glia enables adult neurogenesis and functional recovery following spinal cord injury. <i>Cell Stem Cell</i> , 2021 , 28, 923-937.e4	18	26
78	Schwann cell transplantation and descending propriospinal regeneration after spinal cord injury. <i>Brain Research</i> , 2015 , 1619, 104-14	3.7	25
77	Surgical decompression in acute spinal cord injury: A review of clinical evidence, animal model studies, and potential future directions of investigation. <i>Frontiers in Biology</i> , 2014 , 9, 127-136		23
76	RhoA/Rho Kinase Mediates Neuronal Death Through Regulating cPLA Activation. <i>Molecular Neurobiology</i> , 2017 , 54, 6885-6895	6.2	22
75	Combined NgR vaccination and neural stem cell transplantation promote functional recovery after spinal cord injury in adult rats. <i>Neuropathology and Applied Neurobiology</i> , 2011 , 37, 135-55	5.2	22

74	Temporal and spatial distribution of growth-associated molecules and astroglial cells in the rat corticospinal tract during development. <i>Journal of Neuroscience Research</i> , 2005 , 80, 330-40	4.4	22
73	History of Glial Cell Line-Derived Neurotrophic Factor (GDNF) and Its Use for Spinal Cord Injury Repair. <i>Brain Sciences</i> , 2018 , 8,	3.4	20
72	Cortical PKC inhibition promotes axonal regeneration of the corticospinal tract and forelimb functional recovery after cervical dorsal spinal hemisection in adult rats. <i>Cerebral Cortex</i> , 2014 , 24, 3069-79	5.1	20
71	Cotransplantation of glial restricted precursor cells and Schwann cells promotes functional recovery after spinal cord injury. <i>Cell Transplantation</i> , 2013 , 22, 2219-36	4	20
70	EGb761 protects hydrogen peroxide-induced death of spinal cord neurons through inhibition of intracellular ROS production and modulation of apoptotic regulating genes. <i>Journal of Molecular Neuroscience</i> , 2009 , 38, 103-13	3.3	20
69	Bisperoxovanadium Mediates Neuronal Protection through Inhibition of PTEN and Activation of PI3K/AKT-mTOR Signaling after Traumatic Spinal Injuries. <i>Journal of Neurotrauma</i> , 2019 , 36, 2676-2687	5.4	18
68	DNA vaccine against NgR promotes functional recovery after spinal cord injury in adult rats. <i>Brain Research</i> , 2007 , 1147, 66-76	3.7	18
67	Descending motor circuitry required for NT-3 mediated locomotor recovery after spinal cord injury in mice. <i>Nature Communications</i> , 2019 , 10, 5815	17.4	18
66	Assessment of white matter loss using bond-selective photoacoustic imaging in a rat model of contusive spinal cord injury. <i>Journal of Neurotrauma</i> , 2014 , 31, 1998-2002	5.4	17
65	Glial response and myelin clearance in areas of wallerian degeneration after spinal cord hemisection in the monkey <i>Macaca fascicularis</i> . <i>Journal of Neurotrauma</i> , 2009 , 26, 2083-96	5.4	17
64	Expression and regulation of versican in neural precursor cells and their lineages. <i>Acta Pharmacologica Sinica</i> , 2007 , 28, 1519-30	8	17
63	Functional and Histological Gender Comparison of Age-Matched Rats after Moderate Thoracic Contusive Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2019 , 36, 1974-1984	5.4	17
62	Inhibition of Cytosolic Phospholipase A Has Neuroprotective Effects on Motoneuron and Muscle Atrophy after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2021 , 38, 1327-1337	5.4	17
61	Temporospatial expression and cellular localization of oligodendrocyte myelin glycoprotein (OMgp) after traumatic spinal cord injury in adult rats. <i>Journal of Neurotrauma</i> , 2009 , 26, 2299-311	5.4	16
60	Axonal and glial responses to a mid-thoracic spinal cord hemisection in the <i>Macaca fascicularis</i> monkey. <i>Journal of Neurotrauma</i> , 2013 , 30, 826-39	5.4	15
59	Oligodendrocyte precursor cells differentially expressing Nogo-A but not MAG are more permissive to neurite outgrowth than mature oligodendrocytes. <i>Experimental Neurology</i> , 2009 , 217, 184-96	5.7	15
58	Disrupting nNOS-PSD95 Interaction Improves Neurological and Cognitive Recoveries after Traumatic Brain Injury. <i>Cerebral Cortex</i> , 2020 , 30, 3859-3871	5.1	14
57	A semicircular controlled cortical impact produces long-term motor and cognitive dysfunction that correlates well with damage to both the sensorimotor cortex and hippocampus. <i>Brain Research</i> , 2014 , 1576, 18-26	3.7	14

56	A bilateral head injury that shows graded brain damage and behavioral deficits in adult mice. <i>Brain Research</i> , 2013 , 1499, 121-8	3.7	14
55	Unilateral microinjection of acrolein into thoracic spinal cord produces acute and chronic injury and functional deficits. <i>Neuroscience</i> , 2016 , 326, 84-94	3.9	14
54	Protective Effects of Estradiol and Dihydrotestosterone following Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 825-841	5.4	14
53	A Compact Blast-Induced Traumatic Brain Injury Model in Mice. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016 , 75, 183-96	3.1	13
52	Pathophysiological and behavioral deficits in developing mice following rotational acceleration-deceleration traumatic brain injury. <i>DMM Disease Models and Mechanisms</i> , 2018 , 11,	4.1	13
51	Protective effects of gonadal hormones on spinal motoneurons following spinal cord injury. <i>Neural Regeneration Research</i> , 2018 , 13, 971-976	4.5	13
50	Automated monitoring of early neurobehavioral changes in mice following traumatic brain injury. <i>Neural Regeneration Research</i> , 2016 , 11, 248-56	4.5	12
49	Characterization of dendritic morphology and neurotransmitter phenotype of thoracic descending propriospinal neurons after complete spinal cord transection and GDNF treatment. <i>Experimental Neurology</i> , 2016 , 277, 103-114	5.7	11
48	A novel vertebral stabilization method for producing contusive spinal cord injury. <i>Journal of Visualized Experiments</i> , 2015 , e50149	1.6	11
47	Biphasic bisperoxovanadium administration and Schwann cell transplantation for repair after cervical contusive spinal cord injury. <i>Experimental Neurology</i> , 2015 , 264, 163-72	5.7	11
46	Increased threshold of short-latency motor evoked potentials in transgenic mice expressing Channelrhodopsin-2. <i>PLoS ONE</i> , 2017 , 12, e0178803	3.7	11
45	Impact of Baseline Bleeding Risk on Efficacy and Safety of Ticagrelor versus Clopidogrel in Chinese Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2018 , 131, 2017-2024	2.9	11
44	Controlled cervical laceration injury in mice. <i>Journal of Visualized Experiments</i> , 2013 , e50030	1.6	10
43	Preferential and bidirectional labeling of the rubrospinal tract with adenovirus-GFP for monitoring normal and injured axons. <i>Journal of Neurotrauma</i> , 2011 , 28, 635-47	5.4	9
42	Magnetic separation of peripheral nerve-resident cells underscores key molecular features of human Schwann cells and fibroblasts: an immunochemical and transcriptomics approach. <i>Scientific Reports</i> , 2020 , 10, 18433	4.9	9
41	An In Vivo Duo-color Method for Imaging Vascular Dynamics Following Contusive Spinal Cord Injury. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	8
40	Characterizing phospholipase A2-induced spinal cord injury-a comparison with contusive spinal cord injury in adult rats. <i>Translational Stroke Research</i> , 2011 , 2, 608-18	7.8	8
39	Expression and localization of p80 interleukin-1 receptor protein in the rat spinal cord. <i>Journal of Molecular Neuroscience</i> , 2006 , 29, 45-53	3.3	8

38	Human Schwann Cell Transplantation for Spinal Cord Injury: Prospects and Challenges in Translational Medicine. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 690894	6.1	7
37	Laminin-coated multifilament entubulation, combined with Schwann cells and glial cell line-derived neurotrophic factor, promotes unidirectional axonal regeneration in a rat model of thoracic spinal cord hemisection. <i>Neural Regeneration Research</i> , 2021 , 16, 186-191	4.5	7
36	Longitudinal Optogenetic Motor Mapping Revealed Structural and Functional Impairments and Enhanced Corticorubral Projection after Contusive Spinal Cord Injury in Mice. <i>Journal of Neurotrauma</i> , 2019 , 36, 485-499	5.4	6
35	Correlation between electrophysiological properties, morphological maturation, and olig gene changes during postnatal motor tract development. <i>Developmental Neurobiology</i> , 2013 , 73, 713-22	3.2	6
34	Cervical central canal occlusion induces noncommunicating syringomyelia. <i>Neurosurgery</i> , 2012 , 71, 126-37	3.2	6
33	Breaking news in spinal cord injury research: FDA approved phase I clinical trial of human, autologous schwann cell transplantation in patients with spinal cord injuries. <i>Neural Regeneration Research</i> , 2012 , 7, 1685-7	4.5	6
32	A Laser-Guided Spinal Cord Displacement Injury in Adult Mice. <i>Journal of Neurotrauma</i> , 2019 , 36, 460-468	5.4	5
31	A Tissue Displacement-based Contusive Spinal Cord Injury Model in Mice. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	5
30	A novel first aid stretcher for immobilization and transportation of spine injured patients. <i>PLoS ONE</i> , 2012 , 7, e39544	3.7	5
29	Abnormal growth of the corticospinal axons into the lumbar spinal cord of the hyt/hyt mouse with congenital hypothyroidism. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3126-39	4.4	5
28	Thermal nociception using a modified Hargreaves method in primates and humans. <i>Functional Neurology</i> , 2015 , 30, 229-36	2.2	5
27	Reprogramming an energetic AKT-PAK5 axis boosts axon energy supply and facilitates neuron survival and regeneration after injury and ischemia. <i>Current Biology</i> , 2021 , 31, 3098-3114.e7	6.3	5
26	Advances and Challenges for Neural Regeneration Research 2015 , 3-17		4
25	Anatomical and functional effects of lateral cervical hemicontusion in adult rats. <i>Restorative Neurology and Neuroscience</i> , 2016 , 34, 389-400	2.8	4
24	Melatonin ameliorates spatial memory and motor deficits via preserving the integrity of cortical and hippocampal dendritic spine morphology in mice with neurotrauma. <i>Inflammopharmacology</i> , 2020 , 28, 1553-1566	5.1	4
23	Transplantation of Pro-Oligodendroblasts, Preconditioned by LPS-Stimulated Microglia, Promotes Recovery After Acute Contusive Spinal Cord Injury. <i>Cell Transplantation</i> , 2016 , 25, 2111-2128	4	4
22	Induction of rat neural stem cells into oligodendrocyte precursor cells. <i>Acta Physiologica Sinica</i> , 2005 , 57, 132-8	1.3	4
21	Myricetin against myocardial injury in rat heat stroke model. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 127, 110194	7.5	3

20	Nanoladders Facilitate Directional Axonal Outgrowth and Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 1037-1045	5.5	3
19	Anterograde Axonal Tract Tracing. <i>Springer Protocols</i> , 2012 , 461-486	0.3	2
18	Schwann Cell-Mediated Axonal Regeneration in the Central Nervous System 2015 , 337-349		1
17	Spinal Cord Lateral Hemisection and Asymmetric Behavioral Assessments in Adult Rats. <i>Journal of Visualized Experiments</i> , 2020 ,	1.6	1
16	[O40601]: SP1-MODULATING COMPOUNDS AS A NOVEL DRUG TARGET FOR ALZHEIMER'S DISEASE (AD) 2017 , 13, P1241-P1241		1
15	Neurotrophin-3-mediated locomotor recovery: a novel therapeutic strategy targeting lumbar neural circuitry after spinal cord injury. <i>Neural Regeneration Research</i> , 2020 , 15, 2241-2242	4.5	1
14	Aircraft noise, like heat stress, causes cognitive impairments via similar mechanisms in male mice. <i>Chemosphere</i> , 2021 , 274, 129739	8.4	1
13	Surgical intervention combined with weight-bearing walking training improves neurological recoveries in 320 patients with clinically complete spinal cord injury: a prospective self-controlled study. <i>Neural Regeneration Research</i> , 2021 , 16, 820-829	4.5	1
12	Exploring propriospinal neuron-mediated neural circuit plasticity using recombinant viruses after spinal cord injury.. <i>Experimental Neurology</i> , 2021 , 349, 113962	5.7	0
11	Mitochondrial integrity in neuronal injury and repair. <i>Neural Regeneration Research</i> , 2021 , 16, 674-675	4.5	0
10	Compounds co-targeting kinases in axon regulatory pathways promote regeneration and behavioral recovery after spinal cord injury in mice.. <i>Experimental Neurology</i> , 2022 , 114117	5.7	0
9	Retrograde Axonal Tract Tracing. <i>Springer Protocols</i> , 2012 , 443-460	0.3	
8	Translational research in neurotrauma: novel mechanisms and emerging therapies. <i>Translational Stroke Research</i> , 2011 , 2, 425-6	7.8	
7	Spinal Cord Lateral Hemisection and Implantation of Guidance Channels. <i>Springer Series in Translational Stroke Research</i> , 2019 , 513-520	0.1	
6	Method of Spinal Cord Contusion Injury Created by Tissue Displacement. <i>Springer Series in Translational Stroke Research</i> , 2019 , 475-485	0.1	
5	Spinal Cord Lateral Hemisection and Implantation of Guidance Channels. <i>Springer Protocols</i> , 2009 , 479-486		
4	Glial Response and Delayed Myelin Clearance in Area of Wallerian Degeneration after Spinal Cord Hemisection in the Monkey (Macaca Fascicularis). <i>Journal of Neurotrauma</i> , 110306202455053	5.4	
3	Morphological Assessments Following Spinal Cord Injury. <i>Springer Protocols</i> , 2012 , 405-416	0.3	

- 2 Letter from Editors-in-Chief. *Neural Regeneration Research*, **2014**, 9, 5 4.5
- 1 Dipping cells in acidic bath could make stem cells. *Neural Regeneration Research*, **2014**, 9, 575-6 4.5