

# Jane A Mckeating

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5855493/jane-a-mckeating-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

191  
papers

17,864  
citations

67  
h-index

132  
g-index

203  
ext. papers

19,702  
ext. citations

8.2  
avg, IF

6.21  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 191 | The role of circadian clock pathways in viral replication.. <i>Seminars in Immunopathology</i> , <b>2022</b> , 44, 175  | 12   | 2         |
| 190 | Are the patterns of cytomegalovirus viral load seen after solid organ transplantation affected by circadian rhythm?. <i>Journal of Infectious Diseases</i> , <b>2022</b> ,  | 7    | 1         |
| 189 | The HCV Envelope Glycoprotein Down-Modulates NF- $\kappa$ B Signalling and Associates With Stimulation of the Host Endoplasmic Reticulum Stress Pathway.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 831695 | 8.4  |           |
| 188 | Hypoxia is more than HIFs.. <i>Journal of Hepatology</i> , <b>2022</b> ,  | 13.4 |           |
| 187 | Acute intermittent hypoxia drives hepatic lipogenesis in humans and rodents.. <i>Metabolism Open</i> , <b>2022</b> , 14, 100177   | 2.8  | 0         |
| 186 | Inflammatory Gene Expression Associates with Hepatitis B Virus cccDNA- but Not Integrant-Derived Transcripts in HBeAg Negative Disease. <i>Viruses</i> , <b>2022</b> , 14, 1070                                     | 6.2  | 1         |
| 185 | Time of Day of Vaccination Affects SARS-CoV-2 Antibody Responses in an Observational Study of Health Care Workers. <i>Journal of Biological Rhythms</i> , <b>2021</b> , 7487304211059315                            | 3.2  | 9         |
| 184 | An immunodominant NP-B*07:02 cytotoxic T cell response controls viral replication and is associated with less severe COVID-19 disease. <i>Nature Immunology</i> , <b>2021</b> ,                                     | 19.1 | 19        |
| 183 | Viral genome wide association study identifies novel hepatitis C virus polymorphisms associated with sofosbuvir treatment failure. <i>Nature Communications</i> , <b>2021</b> , 12, 6105                            | 17.4 | 3         |
| 182 | The circadian clock component BMAL1 regulates SARS-CoV-2 entry and replication in lung epithelial cells <b>2021</b> ,   |      | 2         |
| 181 | A PCR assay to quantify patterns of HBV transcription. <i>Journal of General Virology</i> , <b>2021</b> , 102,  | 4.9  | 7         |
| 180 | Circadian control of hepatitis B virus replication. <i>Nature Communications</i> , <b>2021</b> , 12, 1658   | 17.4 | 12        |
| 179 | Potential anti-COVID-19 agents, cepharanthine and nelfinavir, and their usage for combination treatment. <i>iScience</i> , <b>2021</b> , 24, 102367   | 6.1  | 34        |
| 178 | Hypoxic and pharmacological activation of HIF inhibits SARS-CoV-2 infection of lung epithelial cells. <i>Cell Reports</i> , <b>2021</b> , 35, 109020  | 10.6 | 22        |
| 177 | Targeting human Acyl-CoA:cholesterol acyltransferase as a dual viral and T cell metabolic checkpoint. <i>Nature Communications</i> , <b>2021</b> , 12, 2814   | 17.4 | 10        |
| 176 | Hypoxia inducible factors regulate hepatitis B virus replication by activating the basal core promoter. <i>Journal of Hepatology</i> , <b>2021</b> , 75, 64-73  | 13.4 | 10        |
| 175 | Supramolecular Cylinders Target Bulge Structures in the 5'RUTR of the RNA Genome of SARS-CoV-2 and Inhibit Viral Replication*. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 18144-18151     | 16.4 | 4         |

|     |   |      |    |
|-----|---|------|----|
| 174 | Supramolecular Cylinders Target Bulge Structures in the 5' UTR of the RNA Genome of SARS-CoV-2 and Inhibit Viral Replication**. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 18292-18299           | 3.6  | 1  |
| 173 | Estimating hepatitis B virus cccDNA persistence in chronic infection. <i>Virus Evolution</i> , <b>2021</b> , 7, veaa063   | 3.7  | 8  |
| 172 | The CCCTC-binding factor CTCF represses hepatitis B virus enhancer I and regulates viral transcription. <i>Cellular Microbiology</i> , <b>2021</b> , 23, e13274                                     | 3.9  | 5  |
| 171 | The Circadian Clock and Viral Infections. <i>Journal of Biological Rhythms</i> , <b>2021</b> , 36, 9-22   | 3.2  | 24 |
| 170 | Hypoxia-Inducible Factor 1 Alpha-Mediated RelB/APOBEC3B Down-regulation Allows Hepatitis B Virus Persistence. <i>Hepatology</i> , <b>2021</b> , 74, 1766-1781                                       | 11.2 | 7  |
| 169 | The circadian clock component BMAL1 regulates SARS-CoV-2 entry and replication in lung epithelial cells. <i>iScience</i> , <b>2021</b> , 24, 103144   | 6.1  | 9  |
| 168 | Clocks, Viruses, and Immunity: Lessons for the COVID-19 Pandemic. <i>Journal of Biological Rhythms</i> , <b>2021</b> , 36, 23-34  | 3.2  | 15 |
| 167 | A Role for B Cells to Transmit Hepatitis C Virus Infection.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 775098  | 8.4  |    |
| 166 | Oxygen Sensing and Viral Replication: Implications for Tropism and Pathogenesis. <i>Viruses</i> , <b>2020</b> , 12,   | 6.2  | 5  |
| 165 | Accurate targeted long-read DNA methylation and hydroxymethylation sequencing with TAPS. <i>Genome Biology</i> , <b>2020</b> , 21, 54   | 18.3 | 31 |
| 164 | Cholesterol-modifying drugs in COVID-19. <i>Oxford Open Immunology</i> , <b>2020</b> , 1, iqaa001   | 4.8  | 14 |
| 163 | Hypoxic microenvironment shapes HIV-1 replication and latency. <i>Communications Biology</i> , <b>2020</b> , 3, 376   | 6.7  | 8  |
| 162 | Hypoxic gene expression in chronic hepatitis B virus infected patients is not observed in state-of-the-art in vitro and mouse infection models. <i>Scientific Reports</i> , <b>2020</b> , 10, 14101 | 4.9  | 8  |
| 161 | Synchronised infection identifies early rate-limiting steps in the hepatitis B virus life cycle. <i>Cellular Microbiology</i> , <b>2020</b> , 22, e13250  | 3.9  | 9  |
| 160 | Pharmacological activation of the circadian component REV-ERB inhibits HIV-1 replication. <i>Scientific Reports</i> , <b>2020</b> , 10, 13271   | 4.9  | 15 |
| 159 | Insights From Deep Sequencing of the HBV Genome-Unique, Tiny, and Misunderstood. <i>Gastroenterology</i> , <b>2019</b> , 156, 384-399   | 13.3 | 60 |
| 158 | The circadian clock components BMAL1 and REV-ERB regulate flavivirus replication. <i>Nature Communications</i> , <b>2019</b> , 10, 377  | 17.4 | 41 |
| 157 | Bacterial flagellin promotes viral entry via an NF-kB and Toll Like Receptor 5 dependent pathway. <i>Scientific Reports</i> , <b>2019</b> , 9, 7903   | 4.9  | 9  |

|     |  |      |     |
|-----|--|------|-----|
| 156 | A Cost-Effectiveness Analysis of Shortened Direct-Acting Antiviral Treatment in Genotype 1 Noncirrhotic Treatment-Naive Patients With Chronic Hepatitis C Virus. <i>Value in Health</i> , <b>2019</b> , 22, 693-703 <sup>3,3</sup> |      | 8   |
| 155 | A dual role for SAMHD1 in regulating HBV cccDNA and RT-dependent particle genesis. <i>Life Science Alliance</i> , <b>2019</b> , 2,   | 5.8  | 10  |
| 154 | Hepatitis C virus infection is associated with hepatic and adipose tissue insulin resistance that improves after viral cure. <i>Clinical Endocrinology</i> , <b>2019</b> , 90, 440-448   | 3.4  | 11  |
| 153 | Hepatitis B virus genome recycling and de novo secondary infection events maintain stable cccDNA levels. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 1231-1241  | 13.4 | 95  |
| 152 | Daytime variation in hepatitis C virus replication kinetics following liver transplant. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 96  | 4.8  | 7   |
| 151 | Glucose and glutamine availability regulate HepG2 transcriptional responses to low oxygen. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 126  | 4.8  | 5   |
| 150 | Daytime variation in hepatitis C virus replication kinetics following liver transplant. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 96  | 4.8  | 5   |
| 149 | Metallo supramolecular cylinders inhibit HIV-1 TAR-TAT complex formation and viral replication in cellulose. <i>Scientific Reports</i> , <b>2018</b> , 8, 13342  | 4.9  | 15  |
| 148 | The Measles Virus Receptor SLAMF1 Can Mediate Particle Endocytosis. <i>Journal of Virology</i> , <b>2017</b> , 91,   | 6.6  | 24  |
| 147 | Autotaxin-lysophosphatidic acid receptor signalling regulates hepatitis C virus replication. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 919-929  | 13.4 | 39  |
| 146 | Interplay between circadian clock and viral infection. <i>Journal of Molecular Medicine</i> , <b>2017</b> , 95, 1283-1289 <sup>5,5</sup>   |      | 33  |
| 145 | N-Glycosylation of the Na <sup>+</sup> -Taurocholate Cotransporting Polypeptide (NTCP) Determines Its Trafficking and Stability and Is Required for Hepatitis B Virus Infection. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170419      | 3.7  | 28  |
| 144 | Glucocorticoids promote Von Hippel Lindau degradation and Hif-1 $\beta$ stabilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 9948-9953                       | 11.5 | 30  |
| 143 | Viral hepatitis and liver cancer. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2017</b> , 372,   | 5.8  | 153 |
| 142 | High resolution sequencing of hepatitis C virus reveals limited intra-hepatic compartmentalization in end-stage liver disease. <i>Journal of Hepatology</i> , <b>2017</b> , 66, 28-38  | 13.4 | 17  |
| 141 | A new panel of epitope mapped monoclonal antibodies recognising the prototypical tetraspanin CD81. <i>Wellcome Open Research</i> , <b>2017</b> , 2, 82   | 4.8  | 13  |
| 140 | TNF superfamily members promote hepatitis C virus entry via an NF- $\kappa$ B and myosin light chain kinase dependent pathway. <i>Journal of General Virology</i> , <b>2017</b> , 98, 405-412                                      | 4.9  | 11  |
| 139 | Solute Carrier NTCP Regulates Innate Antiviral Immune Responses Targeting Hepatitis C Virus Infection of Hepatocytes. <i>Cell Reports</i> , <b>2016</b> , 17, 1357-1368  | 10.6 | 29  |

|     |   |      |     |
|-----|---|------|-----|
| 138 | Effect of scavenger receptor class B type I antagonist ITX5061 in patients with hepatitis C virus infection undergoing liver transplantation. <i>Liver Transplantation</i> , <b>2016</b> , 22, 287-97       | 4.5  | 22  |
| 137 | Deep sequencing of hepatitis C virus reveals genetic compartmentalization in cerebrospinal fluid from cognitively impaired patients. <i>Liver International</i> , <b>2016</b> , 36, 1418-24                 | 7.9  | 14  |
| 136 | Lentiviral hepatitis B pseudotype entry requires sodium taurocholate co-transporting polypeptide and additional hepatocyte-specific factors. <i>Journal of General Virology</i> , <b>2016</b> , 97, 121-127 | 4.9  | 15  |
| 135 | A Comprehensive Analysis of the Impact of HIV on HCV Immune Responses and Its Association with Liver Disease Progression in a Unique Plasma Donor Cohort. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158037      | 3.7  | 2   |
| 134 | Monoclonal anti-envelope antibody AP33 protects humanized mice against a patient-derived hepatitis C virus challenge. <i>Hepatology</i> , <b>2016</b> , 63, 1120-34   | 11.2 | 26  |
| 133 | Hepatitis C virus infection of cholangiocarcinoma cell lines. <i>Journal of General Virology</i> , <b>2015</b> , 96, 1380-1388  | 1.9  | 7   |
| 132 | Permissivity of primary hepatocytes and hepatoma cell lines to support hepatitis C virus infection. <i>Journal of General Virology</i> , <b>2015</b> , 96, 1369-1373  | 4.9  | 2   |
| 131 | Clearance of persistent hepatitis C virus infection in humanized mice using a claudin-1-targeting monoclonal antibody. <i>Nature Biotechnology</i> , <b>2015</b> , 33, 549-554                              | 44.5 | 104 |
| 130 | Structural flexibility of a conserved antigenic region in hepatitis C virus glycoprotein E2 recognized by broadly neutralizing antibodies. <i>Journal of Virology</i> , <b>2015</b> , 89, 2170-81           | 6.6  | 62  |
| 129 | Adaptive Mutations Enhance Assembly and Cell-to-Cell Transmission of a High-Titer Hepatitis C Virus Genotype 5a Core-NS2 JFH1-Based Recombinant. <i>Journal of Virology</i> , <b>2015</b> , 89, 7758-75     | 6.6  | 17  |
| 128 | The past, present and future of neutralizing antibodies for hepatitis C virus. <i>Antiviral Research</i> , <b>2014</b> , 105, 100-11  | 10.8 | 95  |
| 127 | Combined adenovirus vector and hepatitis C virus envelope protein prime-boost regimen elicits T cell and neutralizing antibody immune responses. <i>Journal of Virology</i> , <b>2014</b> , 88, 5502-10     | 6.6  | 45  |
| 126 | Entry of hepatitis B and C viruses - recent progress and future impact. <i>Current Opinion in Virology</i> , <b>2014</b> , 4, 58-65   | 7.5  | 40  |
| 125 | Paracrine signals from liver sinusoidal endothelium regulate hepatitis C virus replication. <i>Hepatology</i> , <b>2014</b> , 59, 375-84  | 11.2 | 22  |
| 124 | Polymersome-mediated delivery of combination anticancer therapy to head and neck cancer cells: 2D and 3D in vitro evaluation. <i>Molecular Pharmaceutics</i> , <b>2014</b> , 11, 1176-88                    | 5.6  | 105 |
| 123 | Hypoxia inducible factors in liver disease and hepatocellular carcinoma: current understanding and future directions. <i>Journal of Hepatology</i> , <b>2014</b> , 61, 1397-406                             | 13.4 | 113 |
| 122 | Activated macrophages promote hepatitis C virus entry in a tumor necrosis factor-dependent manner. <i>Hepatology</i> , <b>2014</b> , 59, 1320-30  | 11.2 | 38  |
| 121 | Type I interferon rapidly restricts infectious hepatitis C virus particle genesis. <i>Hepatology</i> , <b>2014</b> , 60, 1891-1901  | 1.1  | 4   |

|     |  |      |     |
|-----|--|------|-----|
| 120 | A role for CD81 and hepatitis C virus in hepatoma mobility. <i>Viruses</i> , <b>2014</b> , 6, 1454-72  | 6.2  | 10  |
| 119 | IGHV1-69 B cell chronic lymphocytic leukemia antibodies cross-react with HIV-1 and hepatitis C virus antigens as well as intestinal commensal bacteria. <i>PLoS ONE</i> , <b>2014</b> , 9, e90725            | 3.7  | 28  |
| 118 | Hepatoma polarization limits CD81 and hepatitis C virus dynamics. <i>Cellular Microbiology</i> , <b>2013</b> , 15, 430-45.   | 3.9  | 38  |
| 117 | Early infection events highlight the limited transmissibility of hepatitis C virus in vitro. <i>Journal of Hepatology</i> , <b>2013</b> , 58, 1074-80  | 13.4 | 18  |
| 116 | An alpaca nanobody inhibits hepatitis C virus entry and cell-to-cell transmission. <i>Hepatology</i> , <b>2013</b> , 58, 932-9   | 11.2 | 56  |
| 115 | HRas signal transduction promotes hepatitis C virus cell entry by triggering assembly of the host tetraspanin receptor complex. <i>Cell Host and Microbe</i> , <b>2013</b> , 13, 302-13                      | 23.4 | 123 |
| 114 | A bile acid transporter as a candidate receptor for hepatitis B and D virus entry. <i>Journal of Hepatology</i> , <b>2013</b> , 58, 1246-8   | 13.4 | 10  |
| 113 | IFITM1 is a tight junction protein that inhibits hepatitis C virus entry. <i>Hepatology</i> , <b>2013</b> , 57, 461-9  | 11.2 | 115 |
| 112 | Functional analysis of claudin-6 and claudin-9 as entry factors for hepatitis C virus infection of human hepatocytes by using monoclonal antibodies. <i>Journal of Virology</i> , <b>2013</b> , 87, 10405-10 | 6.6  | 25  |
| 111 | Heterogeneous claudin-1 expression in human liver. <i>Hepatology</i> , <b>2013</b> , 57, 854-5   | 11.2 | 3   |
| 110 | Production, purification and characterization of recombinant, full-length human claudin-1. <i>PLoS ONE</i> , <b>2013</b> , 8, e64517   | 3.7  | 9   |
| 109 | In silico directed mutagenesis identifies the CD81/claudin-1 hepatitis C virus receptor interface. <i>Cellular Microbiology</i> , <b>2012</b> , 14, 1892-903   | 3.9  | 30  |
| 108 | Hepatitis C virus infects the endothelial cells of the blood-brain barrier. <i>Gastroenterology</i> , <b>2012</b> , 142, 634-643.e6  | 13.3 | 161 |
| 107 | A dual role for hypoxia inducible factor-1 $\alpha$ in the hepatitis C virus lifecycle and hepatoma migration. <i>Journal of Hepatology</i> , <b>2012</b> , 56, 803-9  | 13.4 | 65  |
| 106 | Bioportide: an emergent concept of bioactive cell-penetrating peptides. <i>Cellular and Molecular Life Sciences</i> , <b>2012</b> , 69, 2951-66  | 10.3 | 30  |
| 105 | Hepatitis C virus entry: beyond receptors. <i>Reviews in Medical Virology</i> , <b>2012</b> , 22, 182-93   | 11.7 | 71  |
| 104 | Hepatitis C virus induces CD81 and claudin-1 endocytosis. <i>Journal of Virology</i> , <b>2012</b> , 86, 4305-16   | 6.6  | 99  |
| 103 | Hepatitis C virus envelope glycoprotein fitness defines virus population composition following transmission to a new host. <i>Journal of Virology</i> , <b>2012</b> , 86, 11956-66                           | 6.6  | 30  |

|     |  |      |     |
|-----|--|------|-----|
| 102 | Naturally occurring antibodies that recognize linear epitopes in the amino terminus of the hepatitis C virus E2 protein confer noninterfering, additive neutralization. <i>Journal of Virology</i> , <b>2012</b> , 86, 2739-49 | 6.6  | 48  |
| 101 | Small molecule scavenger receptor BI antagonists are potent HCV entry inhibitors. <i>Journal of Hepatology</i> , <b>2011</b> , 54, 48-55   | 13.4 | 112 |
| 100 | EGFR and EphA2 are host factors for hepatitis C virus entry and possible targets for antiviral therapy. <i>Nature Medicine</i> , <b>2011</b> , 17, 589-95  | 50.5 | 511 |
| 99  | Rituximab treatment in hepatitis C infection: an in vitro model to study the impact of B cell depletion on virus infectivity. <i>PLoS ONE</i> , <b>2011</b> , 6, e25789  | 3.7  | 5   |
| 98  | Hepatitis C virus targets the T cell secretory machinery as a mechanism of immune evasion. <i>Hepatology</i> , <b>2011</b> , 53, 1846-53   | 11.2 | 14  |
| 97  | Neutralizing antibody-resistant hepatitis C virus cell-to-cell transmission. <i>Journal of Virology</i> , <b>2011</b> , 85, 596-605  | 6.6  | 186 |
| 96  | Hepatitis C virus entry and the tetraspanin CD81. <i>Biochemical Society Transactions</i> , <b>2011</b> , 39, 532-6  | 5.1  | 37  |
| 95  | Structural characterization of CD81-Claudin-1 hepatitis C virus receptor complexes. <i>Biochemical Society Transactions</i> , <b>2011</b> , 39, 537-40   | 5.1  | 5   |
| 94  | Immunization of human volunteers with hepatitis C virus envelope glycoproteins elicits antibodies that cross-neutralize heterologous virus strains. <i>Journal of Infectious Diseases</i> , <b>2011</b> , 204, 811-3           | 7    | 43  |
| 93  | Claudin association with CD81 defines hepatitis C virus entry. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 21092-102   | 5.4  | 166 |
| 92  | Hepatitis C virus infection reduces hepatocellular polarity in a vascular endothelial growth factor-dependent manner. <i>Gastroenterology</i> , <b>2010</b> , 138, 1134-42   | 13.3 | 62  |
| 91  | Monoclonal anti-claudin 1 antibodies prevent hepatitis C virus infection of primary human hepatocytes. <i>Gastroenterology</i> , <b>2010</b> , 139, 953-64, 964.e1-4   | 13.3 | 132 |
| 90  | Hepatitis C virus infection of neuroepithelioma cell lines. <i>Gastroenterology</i> , <b>2010</b> , 139, 1365-74   | 13.3 | 51  |
| 89  | The Involvement of Tight Junction Protein Claudin-1 in Hepatitis C Virus Entry. <i>Current Topics in Membranes</i> , <b>2010</b> , 65, 273-292   | 2.2  | 1   |
| 88  | Mechanisms of viral entry: sneaking in the front door. <i>Protoplasma</i> , <b>2010</b> , 244, 15-24   | 3.4  | 39  |
| 87  | Development of novel therapies for hepatitis C. <i>Antiviral Research</i> , <b>2010</b> , 86, 79-92  | 10.8 | 66  |
| 86  | Inhibition of hepatitis C virus infection by anti-claudin-1 antibodies is mediated by neutralization of E2-CD81-claudin-1 associations. <i>Hepatology</i> , <b>2010</b> , 51, 1144-57  | 11.2 | 130 |
| 85  | Multiple effects of silymarin on the hepatitis C virus lifecycle. <i>Hepatology</i> , <b>2010</b> , 51, 1912-21  | 11.2 | 159 |

|    |  |      |     |
|----|--|------|-----|
| 84 | Mutations in hepatitis C virus E2 located outside the CD81 binding sites lead to escape from broadly neutralizing antibodies but compromise virus infectivity. <i>Journal of Virology</i> , <b>2009</b> , 83, 6149-60                  | 6.6  | 75  |
| 83 | Polarization restricts hepatitis C virus entry into HepG2 hepatoma cells. <i>Journal of Virology</i> , <b>2009</b> , 83, 6211-21   | 6.6  | 104 |
| 82 | Hepatoma cell density promotes claudin-1 and scavenger receptor BI expression and hepatitis C virus internalization. <i>Journal of Virology</i> , <b>2009</b> , 83, 12407-14   | 6.6  | 36  |
| 81 | The complexities of hepatitis C virus entry. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 609-11   | 13.4 | 8   |
| 80 | Hepatitis C virus association with peripheral blood B lymphocytes potentiates viral infection of liver-derived hepatoma cells. <i>Blood</i> , <b>2009</b> , 113, 585-93  | 2.2  | 64  |
| 79 | Broadly neutralizing antibodies protect against hepatitis C virus quasispecies challenge. <i>Nature Medicine</i> , <b>2008</b> , 14, 25-7  | 50.5 | 466 |
| 78 | Structural characterization of recombinant human CD81 produced in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , <b>2008</b> , 57, 206-16   | 2    | 27  |
| 77 | Hepatitis C virus entry and neutralization. <i>Clinics in Liver Disease</i> , <b>2008</b> , 12, 693-712, x   | 4.6  | 40  |
| 76 | Protein kinase A-dependent step(s) in hepatitis C virus entry and infectivity. <i>Journal of Virology</i> , <b>2008</b> , 82, 8797-811   | 6.6  | 81  |
| 75 | Identification of a residue in hepatitis C virus E2 glycoprotein that determines scavenger receptor BI and CD81 receptor dependency and sensitivity to neutralizing antibodies. <i>Journal of Virology</i> , <b>2008</b> , 82, 12020-9 | 6.6  | 137 |
| 74 | Hepatitis C virus (HCV)-specific immune responses of long-term injection drug users frequently exposed to HCV. <i>Journal of Infectious Diseases</i> , <b>2008</b> , 198, 203-12   | 7    | 52  |
| 73 | CD81 and claudin 1 coreceptor association: role in hepatitis C virus entry. <i>Journal of Virology</i> , <b>2008</b> , 82, 5007-20   | 6.6  | 154 |
| 72 | In vitro selection of a neutralization-resistant hepatitis C virus escape mutant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 19450-5                                  | 11.5 | 64  |
| 71 | Serum-derived hepatitis C virus infection of primary human hepatocytes is tetraspanin CD81 dependent. <i>Journal of Virology</i> , <b>2008</b> , 82, 569-74  | 6.6  | 121 |
| 70 | Effect of cell polarization on hepatitis C virus entry. <i>Journal of Virology</i> , <b>2008</b> , 82, 461-70  | 6.6  | 98  |
| 69 | Hepatitis C virus cell-cell transmission in hepatoma cells in the presence of neutralizing antibodies. <i>Hepatology</i> , <b>2008</b> , 47, 17-24   | 11.2 | 277 |
| 68 | Hepatitis C virus receptor expression in normal and diseased liver tissue. <i>Hepatology</i> , <b>2008</b> , 47, 418-27  | 11.2 | 82  |
| 67 | The neutralizing activity of anti-hepatitis C virus antibodies is modulated by specific glycans on the E2 envelope protein. <i>Journal of Virology</i> , <b>2007</b> , 81, 8101-11   | 6.6  | 169 |

|    |  |      |      |
|----|--|------|------|
| 66 | Discordant role of CD4 T-cell response relative to neutralizing antibody and CD8 T-cell responses in acute hepatitis C. <i>Gastroenterology</i> , <b>2007</b> , 132, 654-66  | 13.3 | 129  |
| 65 | Hepatitis C virus continuously escapes from neutralizing antibody and T-cell responses during chronic infection in vivo. <i>Gastroenterology</i> , <b>2007</b> , 132, 667-78   | 13.3 | 319  |
| 64 | Claudin-1 is a hepatitis C virus co-receptor required for a late step in entry. <i>Nature</i> , <b>2007</b> , 446, 801-5   | 50.4 | 970  |
| 63 | Superinfection exclusion in cells infected with hepatitis C virus. <i>Journal of Virology</i> , <b>2007</b> , 81, 3693-703   | 6.6  | 119  |
| 62 | Scavenger receptor BI and BII expression levels modulate hepatitis C virus infectivity. <i>Journal of Virology</i> , <b>2007</b> , 81, 3162-9  | 6.6  | 126  |
| 61 | Initiation of hepatitis C virus infection is dependent on cholesterol and cooperativity between CD81 and scavenger receptor B type I. <i>Journal of Virology</i> , <b>2007</b> , 81, 374-83  | 6.6  | 218  |
| 60 | Hepatitis C virus and alanine aminotransferase kinetics following B-lymphocyte depletion with rituximab: evidence for a significant role of humoral immunity in the control of viremia in chronic HCV liver disease. <i>Blood</i> , <b>2007</b> , 109, 845-6 | 2.2  | 48   |
| 59 | Hepatitis C virus envelope glycoprotein immunization of rodents elicits cross-reactive neutralizing antibodies. <i>Vaccine</i> , <b>2007</b> , 25, 7773-84   | 4.1  | 70   |
| 58 | Hepatitis C is associated with perturbation of intrahepatic myeloid and plasmacytoid dendritic cell function. <i>Journal of Hepatology</i> , <b>2007</b> , 47, 338-47  | 13.4 | 59   |
| 57 | Oxidized low-density lipoprotein inhibits hepatitis C virus cell entry in human hepatoma cells. <i>Hepatology</i> , <b>2006</b> , 43, 932-42   | 11.2 | 108  |
| 56 | Diverse CD81 proteins support hepatitis C virus infection. <i>Journal of Virology</i> , <b>2006</b> , 80, 11331-42   | 6.6  | 128  |
| 55 | Time- and temperature-dependent activation of hepatitis C virus for low-pH-triggered entry. <i>Journal of Virology</i> , <b>2006</b> , 80, 1734-41   | 6.6  | 318  |
| 54 | Subcellular localization of hepatitis C virus structural proteins in a cell culture system that efficiently replicates the virus. <i>Journal of Virology</i> , <b>2006</b> , 80, 2832-41   | 6.6  | 162  |
| 53 | Cell culture-grown hepatitis C virus is infectious in vivo and can be recultured in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 3805-9  | 11.5 | 375  |
| 52 | Persistent hepatitis C virus infection in vitro: coevolution of virus and host. <i>Journal of Virology</i> , <b>2006</b> , 80, 11082-93  | 6.6  | 218  |
| 51 | Expression of DC-SIGN and DC-SIGNR on human sinusoidal endothelium: a role for capturing hepatitis C virus particles. <i>American Journal of Pathology</i> , <b>2006</b> , 169, 200-8  | 5.8  | 84   |
| 50 | Complete replication of hepatitis C virus in cell culture. <i>Science</i> , <b>2005</b> , 309, 623-6   | 33.3 | 1904 |
| 49 | Humoral immune response in acute hepatitis C virus infection. <i>Clinical Infectious Diseases</i> , <b>2005</b> , 41, 667-75.6   | 15.6 | 148  |

|    |  |      |     |
|----|--|------|-----|
| 48 | CD81 is required for hepatitis C virus glycoprotein-mediated viral infection. <i>Journal of Virology</i> , <b>2004</b> , 78, 1448-55   | 6.6  | 295 |
| 47 | Characterization of infectious retroviral pseudotype particles bearing hepatitis C virus glycoproteins. <i>Journal of Virology</i> , <b>2004</b> , 78, 6875-82   | 6.6  | 81  |
| 46 | Neutralizing antibody response during acute and chronic hepatitis C virus infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 10149-54  | 11.5 | 328 |
| 45 | Diverse hepatitis C virus glycoproteins mediate viral infection in a CD81-dependent manner. <i>Journal of Virology</i> , <b>2004</b> , 78, 8496-505  | 6.6  | 139 |
| 44 | Hepatitis C virus glycoproteins interact with DC-SIGN and DC-SIGNR. <i>Journal of Virology</i> , <b>2003</b> , 77, 4070-80   | 6.6  | 321 |
| 43 | Efficient replication of hepatitis C virus genotype 1a RNAs in cell culture. <i>Journal of Virology</i> , <b>2003</b> , 77, 3181-90  | 6.6  | 289 |
| 42 | Binding of the hepatitis C virus E2 glycoprotein to CD81 is strain specific and is modulated by a complex interplay between hypervariable regions 1 and 2. <i>Journal of Virology</i> , <b>2003</b> , 77, 1856-67  | 6.6  | 140 |
| 41 | Hepatitis C virus glycoproteins mediate pH-dependent cell entry of pseudotyped retroviral particles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 7271-6  | 11.5 | 666 |
| 40 | Highly permissive cell lines for subgenomic and genomic hepatitis C virus RNA replication. <i>Journal of Virology</i> , <b>2002</b> , 76, 13001-14   | 6.6  | 984 |
| 39 | Antigenic variation within the CD4 binding site of human immunodeficiency virus type 1 gp120: effects on chemokine receptor utilization. <i>Journal of Virology</i> , <b>2001</b> , 75, 5593-603   | 6.6  | 8   |
| 38 | Functional analysis of hepatitis C virus E2 glycoproteins and virus-like particles reveals structural dissimilarities between different forms of E2. <i>Journal of General Virology</i> , <b>2001</b> , 82, 1877-1883  | 4.9  | 153 |
| 37 | Identification of amino acid residues in CD81 critical for interaction with hepatitis C virus envelope glycoprotein E2. <i>Journal of Virology</i> , <b>2000</b> , 74, 3642-9  | 6.6  | 187 |
| 36 | The role of the hepatitis C virus glycoproteins in infection. <i>Reviews in Medical Virology</i> , <b>2000</b> , 10, 101-17  | 11.7 | 57  |
| 35 | Hepatitis C virus glycoprotein E2 binding to CD81: the role of E1E2 cleavage and protein glycosylation in bioactivity. <i>Virology</i> , <b>2000</b> , 273, 60-6   | 3.6  | 26  |
| 34 | Functional characterization of intracellular and secreted forms of a truncated hepatitis C virus E2 glycoprotein. <i>Journal of Virology</i> , <b>2000</b> , 74, 702-9   | 6.6  | 101 |
| 33 | Binding of hepatitis C virus E2 glycoprotein to CD81 does not correlate with species permissiveness to infection. <i>Journal of Virology</i> , <b>2000</b> , 74, 5933-8  | 6.6  | 85  |
| 32 | Identification of amino acid residues critical for aggregation of human CC chemokines macrophage inflammatory protein (MIP)-1alpha, MIP-1beta, and RANTES. Characterization of active disaggregated chemokine variants. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 16077-84 | 5.4  | 133 |
| 31 | The role of the viral glycoprotein in HIV-1 persistence. <i>Immunology Letters</i> , <b>1999</b> , 65, 63-70   | 4.1  | 5   |

|    |  |      |     |
|----|--|------|-----|
| 30 | Characterization of hepatitis C virus E2 glycoprotein interaction with a putative cellular receptor, CD81. <i>Journal of Virology</i> , <b>1999</b> , 73, 6235-44  | 6.6  | 381 |
| 29 | Functional analysis of cell surface-expressed hepatitis C virus E2 glycoprotein. <i>Journal of Virology</i> , <b>1999</b> , 73, 6782-90  | 6.6  | 141 |
| 28 | The C-terminal region of the hepatitis C virus E1 glycoprotein confers localization within the endoplasmic reticulum. <i>Journal of General Virology</i> , <b>1999</b> , 80 ( Pt 8), 1943-1947   | 4.9  | 40  |
| 27 | The effect of low-profile serine substitutions in the V3 loop of HIV-1 gp120 IIB/LAI on the immunogenicity of the envelope protein. <i>Virology</i> , <b>1998</b> , 251, 59-70   | 3.6  | 1   |
| 26 | Mutant CD4 molecules with improved binding to HIV envelope protein gp120 selected by phage display. <i>Virology</i> , <b>1997</b> , 234, 196-202   | 3.6  | 3   |
| 25 | Passage of HIV-1 molecular clones into different cell lines confers differential sensitivity to neutralization. <i>Virology</i> , <b>1997</b> , 238, 254-64  | 3.6  | 32  |
| 24 | The role of the humoral immune response in HIV infection. <i>Aids</i> , <b>1996</b> , 10 Suppl A, S97-106  | 3.5  | 25  |
| 23 | Chimeric viruses expressing primary envelope glycoproteins of human immunodeficiency virus type I show increased sensitivity to neutralization by human sera. <i>Virology</i> , <b>1996</b> , 220, 450-60  | 3.6  | 21  |
| 22 | Immunogenicity of full length and truncated forms of the human immunodeficiency virus type I envelope glycoprotein. <i>Immunology Letters</i> , <b>1996</b> , 51, 101-5  | 4.1  | 21  |
| 21 | Soluble CD4 and CD4 immunoglobulin-selected HIV-1 variants: a phenotypic characterization. <i>AIDS Research and Human Retroviruses</i> , <b>1993</b> , 9, 595-604  | 1.6  | 17  |
| 20 | An immune-selected point mutation in the transmembrane protein of human immunodeficiency virus type 1 (HXB2-Env:Ala 582(-->Thr)) decreases viral neutralization by monoclonal antibodies to the CD4-binding site. <i>Virology</i> , <b>1993</b> , 196, 332-7 | 3.6  | 40  |
| 19 | Monoclonal antibodies to the C4 region of human immunodeficiency virus type 1 gp120: use in topological analysis of a CD4 binding site. <i>AIDS Research and Human Retroviruses</i> , <b>1992</b> , 8, 451-9   | 1.6  | 34  |
| 18 | Neutralization of human immunodeficiency virus. <i>Reviews in Medical Virology</i> , <b>1992</b> , 2, 35-42  | 11.7 | 7   |
| 17 | Synergistic interaction between ligands binding to the CD4 binding site and V3 domain of human immunodeficiency virus type I gp120. <i>Virology</i> , <b>1992</b> , 191, 732-42  | 3.6  | 90  |
| 16 | The V3 loops of the HIV-1 and HIV-2 surface glycoproteins contain proteolytic cleavage sites: a possible function in viral fusion?. <i>AIDS Research and Human Retroviruses</i> , <b>1991</b> , 7, 3-16  | 1.6  | 241 |
| 15 | Rat monoclonal antibodies to nonoverlapping epitopes of human immunodeficiency virus type 1 gp120 block CD4 binding in vitro. <i>Virology</i> , <b>1991</b> , 185, 72-9  | 3.6  | 53  |
| 14 | HIV infectivity. <i>Nature</i> , <b>1991</b> , 349, 660  | 50.4 | 10  |
| 13 | Response : Receptor-Mediated Activation of Immunodeficiency Viruses in Viral Fusion. <i>Science</i> , <b>1991</b> , 252, 1322-1323   | 33.3 | 4   |

|    |   |      |     |
|----|---|------|-----|
| 12 | Response : Receptor-Mediated Activation of Immunodeficiency Viruses in Viral Fusion. <i>Science</i> , <b>1991</b> , 252, 1322-1323  | 33.3 | 1   |
| 11 | Characterization of recombinant gp120 and gp160 from HIV-1: binding to monoclonal antibodies and soluble CD4. <i>Aids</i> , <b>1990</b> , 4, 307-15   | 3.5  | 108 |
| 10 | An engineered poliovirus chimaera elicits broadly reactive HIV-1 neutralizing antibodies. <i>Nature</i> , <b>1989</b> , 339, 385-8, 340   | 50.4 | 207 |
| 9  | Structure and function of the HIV envelope. <i>Aids</i> , <b>1989</b> , 3 Suppl 1, S35-41   | 3.5  | 66  |
| 8  | An enzyme-linked immunosorbent assay for antibodies to the envelope glycoproteins of divergent strains of HIV-1. <i>Aids</i> , <b>1989</b> , 3, 155-63  | 3.5  | 62  |
| 7  | Characterization of HIV-1 neutralization escape mutants. <i>Aids</i> , <b>1989</b> , 3, 777-84  | 3.5  | 181 |
| 6  | Enhancement of class I HLA antigen expression by cytomegalovirus: role in amplification of virus infection. <i>Journal of Medical Virology</i> , <b>1988</b> , 25, 483-95                     | 19.7 | 62  |
| 5  | Identification of a monoclonal antibody to abscission tissue that recognises xylose/fucose-containing N-linked oligosaccharides from higher plants. <i>Planta</i> , <b>1988</b> , 175, 506-12 | 4.7  | 79  |
| 4  | Time of day of vaccination affects SARS-CoV-2 antibody responses in an observational study of healthcare workers  |      | 1   |
| 3  | Estimating hepatitis B virus cccDNA persistence in chronic infection  |      | 2   |
| 2  | Synchronized infection identifies early rate-limiting steps in the hepatitis B virus life cycle   |      | 1   |
| 1  | Absolute quantitation of individual SARS-CoV-2 RNA molecules: a new paradigm for infection dynamics and variant differences   |      | 2   |